

The Model 4: How Much Better Is It?

August 1983 USA \$4.00

80micro

A WAYNE GREEN PUBLICATION

the magazine for TRS-80* users

®

Attack of the

ANNUAL GAMES ISSUE

Including:

Muddy Pig Simulator

Great Barrier Reef

Micro-Melodies

Model II Casino

Armageddon


Rat Maze

And Much More!

80's Model 100 Section
C:Notes



*TRS-80 IS A TRADEMARK OF RADIO SHACK, A DIVISION OF TANDY CORP.



DOSPLUS

Experience the Power

"Awesome". The word only begins to describe the power of DOSPLUS 3.5, the latest in the line of popular Disk Operating Systems from Micro-Systems Software, Inc.

Long known for its production of high quality, user friendly operating systems, Micro-Systems Software introduces a whole new breed of DOSPLUS. Version 3.5 explores avenues of power and flexibility previously untouched in TRS-80 DOS.

DOSPLUS 3.5 is the last word in professionally crafted operating systems and combines un-

limited power and flexibility with the same reliable and steady performance you have come to expect from the name DOSPLUS. In short, DOSPLUS puts you in total control. From its parameter rich library, to the many and powerful utilities, to the full featured BASIC, DOSPLUS is THE system for the TRS-80 Model I or III.

Priced at \$149.95, DOSPLUS gives your micro-computer mainframe power without mainframe price. Order yours today and experience the power...DOSPLUS!

- DOSPLUS 3.5's total device independence and completely external device structure allow interface to almost ANY kind of peripheral. Support will be given for hard disks, printers, and non-standard floppy drives.

- In addition, DOSPLUS 3.5 offers many utilities including a menu driven user interface that allows file manipulation at the touch of a key, full file and disk editing utilities, and a directory check utility with optional repair. Standard utilities let you map file locations, restore killed files, or offset file locations in memory.

- DOSPLUS 3.5 also includes one of the best Disk BASIC interpreters available with any DOS. With exclusive features like controlled screen formatting and label ad-

ressing, DOSPLUS BASIC puts you a step ahead. Single step debugging, global text editing, program cross referencing, and a multi key/multi array sort are all standard.

- The DOSPLUS 3.5 manual will set new standards in documentation. Almost 400 pages of clear, easy reading text that will acquaint you with all areas of system operation. The user's manual is written in English instead of "computerese" and is aimed at both the novice and the experienced user alike. The technical manual clearly documents every part of the system and will prove a gold mine to programmers seeking to interface with DOSPLUS.

MICRO-SYSTEMS SOFTWARE, INC.
4301-18 Oak Circle, Boca Raton, Florida 33431, Telephone: (305) 983-3390
Orders Only 1-800-327-8724



ONE



Special Introductory
Prices
5 meg — \$1595
15 meg — \$2495
10 meg — \$1995
20 meg — \$2995

FOR ALL

IE • IBM-PC • APPLE II • TRS-80 • R

Percom Data Corporation has one hard disk drive system for just about ALL personal computers ... including of course ... IBM®-PC, APPLE® II, and TRS-80®. Percom Data's innovations with 5¼" Winchester technology mean that for most personal computers ... having a reliable hard disk system is as easy as hooking up a cable.

A Percom Data PHD™ will interface with your present system ... and your future system ... so if you do change computers, you can still keep your most important investment ... your Percom Data Hard Disk Drive.

Because Percom Data helped create the industry standards of today ... new designs in software and hardware will make your selection of a Percom Data Hard Disk Drive pay off tomorrow through system compatibility.

A Percom Data PHD works to capacity because we take the time to correctly develop interface software to your computer which leaves no performance holes for you to fall into. Percom Data knows software functionality is the key to hardware performance.

Today, Percom Data PHD supports a variety of software to match your computer:

IBM®-PC, PC DOS™ 1.1 OR 1.0

CP/M-86®, CONCURRENT CP/M-86™

APPLE®, DOS 3.3, CP/M™

TRS-80® MODELS III & I, DOPLUS, LDOS

IMAGINE ... Percom Data Winchester 5¼" technology ... for today's computers ... and tomorrow's.

To receive an informational booklet describing Percom Hard Disk Systems, or to determine if we have a system for your computer call our **Hard-Line Hot-Line at 1-800-527-1222.**

We will also give you the name of a nearby authorized Percom Data Dealer. Dealer inquiries are welcome.

PERCOM DATA
CORPORATION

Expanding Your Peripheral Vision

DRIVES • NETWORKS • SOFTWARE

(214) 340-7081 • 1-800-527-1222 • TELEX: 73-0401 (PERCOM).

IBM is a registered trademark of International Business Machines. APPLE is a registered trademark of Apple Computer, Inc.
TRS-80 is a registered trademark of Tandy Radio Shack Corp. PHD is a registered trademark of Percom Data Corporation.
COPYRIGHT 1983 PERCOM DATA CORPORATION

80 Contents

Features

86. Armageddon



Meteors are falling on Madison, WI. Your speed and dexterity can save the city.

Tom Alar

92. Lost On the Great Barrier Reef



Danger Down Under—an adventure that might leave you stranded.

Tom Johnstone and Mike Matthews

100. Once More, With Feeling

A review of Tandy's third generation: the Model 4, with 64K, 4 MHz, and CP/M for \$1,999.

G. Michael Vose

110. Rat Maze

A game that'll make you feel like a laboratory animal.

Richard Uglum

120. Muddy Pig Simulator



Tired of fancy flight simulators? Struggle with swine in this fast-paced corral game.

Mike Conforti



R. DUKETTE

148. Model II Casino

Las Vegas Night for the business micro.

Byron Lott

182. Micro-Melodies



A new way to test your memory—match those tunes.

Jef Bell

Articles

Games

212. Collegiate Capers



The Paper Chase was never like this.

Christopher Skapura

226. Attack of the TRS-80



A lunar colony is at the mercy of a mad Model I. Can you stop it and save the inhabitants?

Hollie H. Satterfield

234. Maxwell's Demon


Hot and cold molecules don't mix in this game based on a hypothesis in physics.

Lee Morgenstern

246. Kings and Castles

"Kings and Catapults" returns for Color Computer warriors.

Gary Michaels



J.O.

256. Strip Blackjack



Play for high stakes in this adult variation of a computer favorite.

Stephen Mills

268. Light Cycles



Rev up and paint the screen. It's easy except for the obstacles and your opponent.

Donald David

Model II/12/16

138. Games Buyer's Guide

148. Model II Casino

188. ARCDOS for ARCNET

320. Take II

272. Maze Chase

Try to catch the asterisk before enemies catch you.

Leonard Karr

General

138. Software Buyer's Guide: Model II/12/16 Games

The most fun you can have in the office.

Review

141. Maxi Mail

A mailing-list manager that comes with its own DOS.

Jim Heid

188. ARCDOS for ARCNET

An overview of Radio Shack's Model II/12/16 network.

Joseph E. Trojak

Technique

124. My Foe Flicker

Keep your electron gun on target and eliminate the flicker that plagues Model III animation.

Joseph Dhopolsky

C•Notes

200. Five Portable Programs



Foxfighter, Intel, Subterra, Renumber 100, and The Year in Review: three games, a utility, and a bar graph for briefcase computing.

80 Micro Tech Staff and Richard Ramella

209. Nothing's Perfect

Even the Model 100 has a few drawbacks.

Ken Barbier

210. Text Meets WordStar

Sending Model 100 files to the leading CP/M word processor.

Ken Barbier

Departments

6. Remarks

Mini moguls and the micro market.

Wayne Green

80 Contents

10. Proof Notes

Mad Max on the Gamer's Cafe philosophy.

12. Input

Hard disk accounting. AIDS-III improvements. Reader supports PowerSoft; WittSoft replies. Moving Window simplified. Tandy in business. Scripsit for LDOS. Model 16 Xenix applications. Jet Bomber and Batter Up for Model III. User's group update.

24. Aid

Pen pals for Australia. Model I in stereo. Ukrainian alphabet for TRS-80? Datagraph patch sought. Model II jeweler. Lowercase for Centronics. Creeping screen display.

26. Debug

Text editor correction. EPROM programmer schematic. Commands for Color Disk Directory. Dreidel debug debugged.

30. The Next Step

Keyboard secrets revealed.
Hardin Brothers

40. Suite 16

A look at TRSDOS—all 11 versions.
Dan Keen and Dave Dischert

44. The Color Key

Games, graphics, and 3-D trigonometry.
Scott Norman

50. Reviews

Prometheus 5 hard disk and DOS-PLUS 4.0 operating system. Color Caterpillar. POWER! for CP/M. Microcomputers in Large Organizations. Sneak Thief. Early Games. Lazy Writer extensions. ProTrade. TRS-80 Interfacing Projects. And more.

83. Review Digest

Some other views of the TRS-80 marketplace.

280. News

Model 100 upstages Model 4 at Boston debut. U.S. computers and Japanese competition. Micro sales and support. New portables at Comdex. High-tech job skills. School and home use surveyed. Epson meets Miss World.

296. Calendar

300. Fun House

Can you guess the Mystery Guest?
Richard Ramella

310. Feedback Loop

Questions answered, no waiting.
Terry Kepner

315. Young Programmer's Contest

The scoop on entering our 1983-84 competition.

320. Take II

A favorite from last year's games issue.

324. The Gamer's Cafe

Marching through Georgia.
Rodney Gambicus

328. Copernica Mathematica


Eigenvalues by the power method.
Bruce Powel Douglass

340. Reload 80

Overcome /SRC anxiety.
Amea Eisenberg

344. New Products

200-MB mass storage. 40-track format. Model II/12/16 disassembler. Custom screen designer. WattsOut. Faster CoCo tapes. Ink-jet printer for \$560. Model III business package. Soundplus. Memory Jogger. Subterranean Encounter. Model 16 spreadsheet. Printer-Stilts.



PUBLISHER/PRESIDENT:
Wayne Green
EXECUTIVE VICE PRESIDENT
Sherry Smythe-Green
ASSISTANT TO PRESIDENT
Matt Smith
VICE PRESIDENT/GENERAL MANAGER
Debra Wetherbee
ASSISTANT PUBLISHER
Jeff DeTray
VICE PRESIDENT/FINANCE
Roger Murphy
ASSISTANT TO VP/FINANCE
Dominique Smith
CIRCULATION MANAGER
603-924-9471
Patricia Ferrante
BULK & NEWSSTAND SALES MANAGER
Ginnie Boudrieau
ADVERTISING, 603-924-7138
Director of Advertising: David Schissler
Sales Manager: Denis Duffy
Sales: Penny Brooks, Mary Hartwell,
Bev Poirier
Ad Coordinator: Betty Butler

PRODUCTION
Manager: Nancy Salmon
Assistant: Michael Murphy
Michael Ford, Phil Geraci,
Marjorie Gillies, Kimberly Nadeau,
Lynn Parsons, Anne Rocchio,
Kenneth Sutcliffe, Karen Wozmak;
Film Production: Donna Hartwell,
Theresa Verville, Robert M. Villeneuve;
Ad Coordinators: David Wozmak,
Paula Ramsey; Assistant: Taylor Morris;
Advertising Production: Jane Preston,
Fiona Davies, Bruce Hedin, Scott Philbrick

PHOTOGRAPHY
Supervisor: Thomas Villeneuve;
Sandra Dukette, Laurie Jennison,
Sturdy Thomas, Irene Vail

TYPESETTING
Supervisor: Sara Bedell; Darlene Bailey,
Laurel Beckman, Prem Gongaju,
Lynn Haines, Debbie Nutting,
Lindy Palmisano, Heidi Thomas

DESIGN
Supervisor: Joyce Pillarella;
Susan Donohoe, Denzel Dyer,
Howard Happ, Dion Owens,
Dianne Ritson, Patrice Scribner,
Susan Stevens, Donna Wohlfarth;
Copywriters: Louis Marini, Gail Morrison,
Dale Tietjen

DESIGN DIRECTOR
Christine Destrempe

The left bracket, [, replaces the up arrow used by Radio Shack to indicate exponentiation on our printouts. When entering programs published in *80 Micro*, you should make this change.

80 formats its program listings to run 64-characters wide, the way they look on your video screen. This accounts for the occasional wrap-around you will notice in our program listings. Don't let it throw you, particularly when entering assembly listings.

Article submissions from our readers are welcomed and encouraged. Inquiries should be addressed to: Submissions Editor, 80 Pine Street, Peterborough, NH 03458. Include an SASE for a copy of our writers' guidelines. Payment for accepted articles is made at a rate of approximately \$50 per printed page; all rights are purchased. Authors of reviews should contact the Review Editor, 80 Pine Street, Peterborough, NH 03458.



Manuscripts are welcome at *80 Micro*. We will consider publication of any TRS-80 oriented material. Guidelines for budding authors are available. Please send a self-addressed envelope and ask for "How to Write for *80 Micro*." *80 Micro* is published monthly by 1001001 Inc., a subsidiary of Wayne Green Inc. Entire contents ©copyright 1983 Wayne Green Inc. No part of this publication may be reprinted, or reproduced by any means, without prior written permission from the publisher. All programs are published for personal use only. All rights reserved.

80 Micro (ISSN 0744-7868) is published 12 times a year by 1001001 Inc., 80 Pine St., Peterborough, NH 03458. Phone: 603-924-9471. Second class postage paid at Peterborough, NH, and additional mailing offices. Subscription rates in U.S. are \$25 for one year and \$53 for three years. In Canada and Mexico \$27.97—one year only. U.S. funds drawn on a U.S. bank. Canadian distributor: Micro Distributing, 409 Queen St. West, Toronto, Ontario, Canada M5V 2A. BC Canadian Distributor: Graymar Data Services, Ltd., #4 258 E. 1st Ave., Vancouver, BC V5T 1A8. Foreign subscriptions (surface mail), \$44.97—one year only, U.S. funds drawn on a U.S. bank. Foreign subscriptions (air mail), please inquire. In South Africa contact *80 Micro*, P.O. Box 782815, Sandton, South Africa 2146. All U.S. and Canadian subscription correspondence should be addressed to *80 Micro*, Subscription Department, P.O. Box 981, Farmingdale, NY 11737. Please include your address label with any correspondence. Postmaster: Send form 3579 to *80 Micro*, Subscription Services, P.O. Box 981, Farmingdale, NY 11737.

*TRS-80, Scripsit, and TRSDOS are trademarks of Tandy Corp.

Cover by William Giese

About a year ago there was a rash of new computer product introductions. Within a few days I managed to get to the introduction of a Sony micro, two from Wang, and four from Digital Electronics Corp. (DEC). Each expressed extravagant ideas about their expected market share, yet when I tried to discuss marketing plans with their marketing people I found them surprisingly vague. Well, here we are a good deal later and not very much has happened.

The DEC people, when asked why they were so late with their personal computers, said (1) they weren't late and (2) they'd been too busy with other things. The president went on to say that half of the home computers were in the closet unused. Hmmm. DEC was thinking in terms of quickly producing 100,000 of their personal computers and said they expected to get 20 percent of the market. They were very enthusiastic about getting distribution through the Computerland stores, Hamilton Avnet, and the DEC stores.

All of these computers, introduced with considerable hoopla, and all with high hopes on the part of the manufacturers, have remained almost invisible in the desktop computer field. I doubt if any of them have even come close to 1 percent of the market, much less 20 percent. Now what kind of an industry are we in where giant firms such as Sony, Wang, and DEC are unable to make a dent after a year?

Well, with all due respect to both the desktop industry and to these large firms, the main problem, I suspect, was one of marketing. These big firms had good, experienced marketing people... but *not* people with experience in the desktop field. Adam Osborne, who grew up with the micro industry, understood the marketing of micros and quickly got his sales into the millions of dollars. If the marketing managers of these firms had brought in a consultant familiar with the micro field, they might have made an impression. But instead they tried to go ahead with marketing systems geared to minicomputers, not micros.

When these large, well-endowed firms brought out their microcomputers, I suspect there was a good deal of dung around the halls of the Tandy Towers, shaking off of alarmed cowboy boots. It was bad enough when IBM threw their Stetson into the ring, but



Mini makers can't sell their micros

with DEC in there too...and with a rapidly growing rash of DEC stores in malls...can little ole \$2B-sales Tandy keep afloat?

Fortunately for Tandy...and the rest of the microcomputer industry...the moguls at DEC, Wang, and Sony (among a lot of others) stuck firmly to traditional marketing strategies—traditional for the minicomputer field in the case of DEC and Wang, which meant lots of advertising in the magazines being read by data processing professionals. Talk about wasting money! Running ads where they are going to be glimpsed and avoided like the plague by the group most fighting micros has to come under the heading of self-destruction. For the most part, DP managers have thought of micros as toys and have held them in disdain, refusing to give them more than a lip curl and sneer. The more adventurous executives have been sneaking their

micros onto their desks at work, but they're not tied in with the company data-processing network.

The DP-oriented magazines have been getting the brunt of the ad campaign, with the rest going to *Business Week* and so on. Yet when we look at surveys of this new industry, we find that DP professionals are not the big buyers of micros. What we find is that most people who go out and buy a micro have checked with a friend who has one first, not with their MIS manager.

And where do these friends get their information that they pass along to help guide purchases? You know as well as I that micro users are reading the micro magazines, not *Computerworld*, *Computer Decisions*, and so on. They're reading *Personal Computing*, *Creative Computing*, *Microcomputing*, *80 Micro*, and *inCider* (to name a few.) So, while Apple and Tandy have been racking up ever-growing sales, DEC has been closing its stores and looking sadly at Hamilton Avnet to see what went wrong.

You're a micro user. Tell me, does a day go by when someone doesn't ask you for *your* advice on what micro they should buy? I know I'm asked a dozen times a day. Having never touched a DEC micro, it is unlikely that I am going to be an enthusiastic booster. And having read virtually nothing about the DEC systems in the micro magazines, I'm likely to pass any thoughts about getting DEC micros off as a serious judgment error. Aren't these systems really just intelligent terminals designed to augment the larger DEC computers? No offense DEC, but your products are as invisible to me as they are to most of the readers of my magazines.

When you multiply the expected 100,000 computer sales times the cost per system, you're looking at some \$500 million in lost sales. With those kinds of numbers at stake, one would think that DEC could have eked out just a tad for a consultant to help them enter this new field. It isn't as if they hadn't seen what happened to the mainframe firms when they ignored the minicomputer firms a few years ago. Ah, history repeated.

You know, when you consider the difference in cost of advertising in magazines such as *Time* and the microcomputer magazines (one ad in *Time* costs more than ads in almost all of the micro magazines combined and will probably

That's what you get with the LNW80 Model 2—undoubtedly the most versatile, powerful and fully equipped microcomputer in its class today. A machine so superior in concept and design, that it will define the standards of microcomputer performance for years to come.

VERSATILITY

The LNW80 2 performs wonders with the most complete library of software available to any microcomputer on the market today. Every LNW80 2 comes complete with this outstanding library of Business Software. **LNW SMALL BUSINESS AND PROFESSIONAL ACCOUNTING SERIES™** General Ledger, Accounts Receivable, Accounts Payable, Payroll; **ELECTRIC SPREADSHEET™**; **ELECTRIC PENCIL™** **WORDPROCESSOR**; **MICROTERM™** **MODEM PROGRAM**; **CHART EX™** **HIGH RESOLUTION BUSINESS GRAPHICS CHARTING PROGRAM**; **CP/M 2.2®**; **DOSPLUS™**; **LNW-BASIC™**; **MICROSOFT BASIC™**. In addition to a comprehensive line of LNW80 2 Software, it is also fully compatible with software from TRS80® (Models 1, 3, 4), CP/M® and Cromemco® worlds—a capability which gives you access to the most extensive and mature libraries of business, scientific, engineering and entertainment software applications. So no matter how far you expand into user applications, the LNW80 2 will expand right along with you.

POWER

The LNW80 2 performs miracles with the computing power of 96K RAM (standard) of user memory matched with a mass storage capability which handles 5¼" floppy disks and 5¼" hard disk drives. And while the unit comes with build-in

controllers for 5¼" and 8" floppy disks (single/double sided, single/double density, up to 4.5 Megabytes capacity), the LNW80 2 also gives you the unique ability to read and write diskettes from greater variety of other popular computers than does any other microcomputer. So regardless of how big you grow, you will never end up with thumb-twiddling down time while you expand to a more powerful system. The LNW80 2 will always have enough muscle to handle your biggest and toughest jobs.


FULLY EQUIPPED

The LNW80 2 was developed to anticipate the needs of both expansion and compatibility. So the computer was designed with enough built-in features to keep you from having to spend a small fortune as you move down the road to higher levels of user sophistication. Standard features include high and low resolution graphics in both color and black-and-white, an asynchronous serial communication channel, and a wide variety of tape, printer, monitor and hardware expansion ports. In addition, the LNW80 2 contains an array of quality construction features that fully justify its remarkable one-year limited warranty.

So if you're looking for a microcomputer that will satisfy your performance needs as you grow and develop, take a long, hard look at the LNW80 2. It's the one microcomputer built to meet the challenges of tomorrow—for a long time to come. For more information and the name of the dealer nearest you, write or telephone:

LNW Computers
2620 Walnut, Tustin, California 92680
Telephone: 714/544-5744

✓ 31



STATE-OF-THE-ART ENGINEERING
STATE OF TOMORROW PERFORMANCE.

LNW COMPUTERS

Can your VisiCalc Sort?

Sort the rows
or columns of a
VisiCalc
spread sheet.

It can with VIS\Bridge/SORT™ from Solutions, Inc.

The sorted spread sheet still contains all the formulas and values from the unsorted original. Use up to 4 additional keys to break ties or specify secondary sorts. Each key may be alpha or numeric and either ascending or descending.

VIS\ Bridge/SORT is available for the Apple® II+ and III, the IBM PC™ and the TRS-80® I, II/12/16, and III. \$89 plus \$4 shipping and handling from Solutions, Inc. Order 802 229 0368. 97 College St., Box 989, Montpelier, VT 05602. Mastercard and Visa. Dealer inquiries welcomed. Also available: VIS\ Bridge/REPORT™ for \$79 and VIS\ Bridge/DJ™ for \$295.

All VIS\Bridge products are trademarks of Solutions, Inc. VisiCalc™ is a trademark of VisiCorp. TRS-80® is a trademark of Tandy Corp. IBM PC™ is a trademark of IBM Corp. Apple® is a trademark of Apple Computers, Inc.

Date	Contribution
2/05/83	\$225.00
2/09/83	\$450.00
2/11/83	\$1,500.00
2/15/83	\$390.00
2/19/83	\$2,000.00
2/23/83	\$945.00

ORIGINAL

Jones,
Billings, J.
Mares, P.
Davis, N.
Franks, B.
Howard, R.

Date	Contribution
2/19/83	\$2,000.00
2/11/83	\$1,500.00
2/23/83	\$945.00
2/09/83	\$450.00
2/15/83	\$390.00
2/05/83	\$225.00

SORTED
BY \$ AMOUNT

Franks, B.
Mares, P.
Howard, R.
Billings, J.
Davis, N.
Jones, R.

REMARKS

result in a tiny fraction of the sales), the businessman who makes a computer-buying decision on the basis of an ad in *Time* is an idiot... and there is a shortage of idiots with enough money to buy computers.

Not that minicomputer firms have a patent on throwing advertising money into the wrong corners. Old timers in the field may remember the wild advertising attack by something called The Last One. This was a program that was heralded as the last *program* one would ever have to buy. The outfit said they had \$1 million to invest in ads... and judging from the splash in *Time*, *Newsweek*, and so on, they probably did indeed spend their \$1 million. I wonder if they had any more success than Bridge Computer, who spent \$50,000 in *Byte* and, as a result, sold three computers? One would guess that they didn't, if one were to judge from the visibility of the firm today... two years later. It would appear that the only winner there was the advertising agency that orchestrated the media attack. ■

C-Compiler for LDOS 5.1

- Integer subset with float via functions
- Standard I/O redirection
- Unix-compatible standard library
- Sequential files with read, write, append
- Extensive installation library
- Generates Z-80 source as output
- Dynamic memory management
- Includes EDAS 4.1 macroassembler
- Over 250 page reference manual
- \$150+\$5 S&H (requires 2-drive, 48K 1/c)

MISOSYS

P.O. BOX 4848

ALEXANDRIA, VA. 22303

703-960-2998

MICRO DATA SUPPLIES

22295 Euclid Avenue Euclid, Ohio 44117

FOR ORDERS ONLY CALL 1-800-321-3552

IN OHIO and all other inquiries call (216) 481-4993



**THE GEMINI-10 AND GEMINI-15
FOR PRINTER VALUE THAT'S
OUT OF THIS WORLD**

**PLUS COMPATIBILITY WITH MOST
SOFTWARE PACKAGES THAT
SUPPORT LEADING PRINTERS AND
A LIST PRICE WELL BELOW
COMPARABLE, COMPETITIVE
MODELS...CALL FOR QUOTES**

**THE GEMINI SERIES—
FOR ASTRONOMICAL VALUE
AT DOWN-TO-EARTH PRICES**

PRACTICAL PERIPHERALS MICROBUFFER™ IN-LINE

FOR ALL COMPUTER/PRINTER
OR COMPUTER/MODEM
COMBINATIONS

MICROBUFFER IN-LINE

32K Parallel	\$289.00
64K Parallel	\$339.00
32K Serial	\$289.00
64K Serial	\$339.00
64K Memory	
Expansion Modules	\$169.00

MICROBUFFER/E

NEW! MBP-16K Parallel	\$149.00
NEW! MBP-32K Parallel	\$189.00
NEW! MBP-64K Parallel	\$269.00
NEW! MBS-8K Serial	\$149.00
NEW! MBS-16K Serial	\$169.00
NEW! MBS-32K Serial	\$209.00

ELECTRONIC PROTECTION DEVICES

The PLUM—3-way EMI-RFI AC Power Line Noise Filter (wall outlet)	\$49.95
The LEMON—6-way Surge Suppressor for AC Power Lines (wall outlet)	\$54.95
The LIME—Same as LEMON w/5 ft. cord & on-off switch	\$79.95
The PEACH—6-way Surge Suppressor, EMI-RFI Line Filter (wall outlet)	\$89.95
The ORANGE—Same as LIME w/EMI-RFI Filtering PLUM & LIME Combined	\$1129.95
GRIZZLY 200—250 Watt Uninterruptable Power Supply (universal install.)	\$1495.00
GRIZZLY 750—750 Watt Uninterruptable Power Supply (universal install.)	\$1895.00

PARAGON *Gold* magnetics™ DISKETTES

MTC is now carrying its Paragon Gold™ Diskettes in both Single AND Double Sided, Soft AND Hard Sectors, all with reinforcement hub rings. Individually 100% ERROR-FREE certified. Invest in GOLD!

Paragon Plain Jane™ (1S,SD)	\$19.95
Paragon Plain Jane™ (1S,SD)	
Scorepac™	\$38.95
Paragon Gold (1S,DD)	\$23.95
Paragon Gold (1S,DD)	
10 Sector	\$23.95
Paragon Gold (1S,DD)	
Scorepac™	\$46.95
Paragon Gold (2S,DD)	\$29.95
Paragon Gold (2S,DD)	
Scorepac™	\$56.95

BOOKS

"OTHER MYSTERIES"

TRS-80 DISK	\$19.95
Microsoft BASIC Decoded	\$24.95
The Custom TRS-80	\$28.95
BASIC Faster & Better	\$29.95
How to do it on the TRS-80	\$28.95
DISK I/O Machine Language	\$29.95
TRSDOS 2.3 Decoded	\$28.95
1001 Things To Do with Your Personal Computer	\$7.95

SUPPLIES

5-1/4" File Box for 50 Disks	\$24.95
5-1/4" Plastic Library Case	\$3.50
5-1/4" Hub Ring Kit	\$10.95
Refills (50 Hub Rings)	\$5.95
5-1/4" HEAD Cleaning Kit	\$17.95
8" File Box for 50 Disks	\$29.95
8" Plastic Library Case	\$3.95
MX-80 Ribbons	\$9.95
MX-100 Ribbons	\$18.95

MODEL I/III SOFTWARE

The Home Accountant (Mod. I ONLY)	\$74.95
Newsprint 7.0	\$109.95
Brevi-T (Mod I & III)	\$19.95
Floppy Doctor & Memory Diagnostic Mod. I	\$24.95
Mod. III	\$29.95
Electric Webster w/Correcting Feature	\$129.00
Hyphenation Feature	\$49.95
Grammatical Feature	\$39.95
Complete System (4 features)	\$199.00
Apparat's NEWDOS/80 V2 (Comes with MTC Que Card™)	\$139.00
Electric Pencil V.II (Disk)	\$79.95
Electric Pencil V.II (Tape)	\$69.95

ISN'T IT TIME YOU SCORED ...WITH SCOREPAC!™

Get a **SCORE** of diskettes in a sturdy, new **PAC** and **SAVE!** MTC's innovative, unique packaging concept for diskettes offers the best value in magnetic media today.

LIMITED TIME OFFER

Buy **ANY SCOREPAC™** at its regularly advertised price and you're entitled to purchase a 5 1/4" File Box for the added cost of only \$17.95.*
*Limit 1 File Box per SCOREPAC™.

SCOREPAC™ w/20 Paragon Plain Jane™ Diskettes	
1S/DD	\$38.95
SCOREPAC™ w/20 Paragon Gold Diskettes	
1S/DD	\$46.95
SCOREPAC™ w/20 Paragon Gold Diskettes	
2S/DD	\$56.95

Verbatim

PREMIUM DISKETTES
AT AFFORDABLE
PRICES



DATALIFE™ VERBATIM DATALIFE™ DISKETTES

Seven data-shielding improvements mean greater durability and longer data life.

VERBATIM DATALIFE
DISKETTES

5 1/4-inch (box of 10)
MD525-01
1S/D Den

Soft-Sector Diskettes

5 1/4" 2S/D Den (MD550-01)	\$39.95
5 1/4" 2S/D Den (MD557-01)	\$51.50
8" 1S/D Den (FD34-8000)	\$43.95

SPECIAL!
\$25.95



**TRS-80
MODEL I
EXPANSION
\$349.00**

- RS232C serial I/O
- Parallel printer port
- Gold-plated connectors
- Floppy disk controller
- Full 32K 200NS RAM
- Real time clock
- 6 month warranty
- Heavy steel case
- Thousands of users
- Works w/any DOS 100%

GEMINI 10/15 are trademarks of Star Micronics. TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation. DATALIFE is a trademark of VERBATIM. PLAIN JANE, PARAGON MAGNETICS are trademarks of MTC.

TO ORDER CALL
1-800-321-3552
IN OHIO
AND ALL OTHER INQUIRIES
(216) 481-4993

**PRICES IN EFFECT
THRU**
August 31, 1983
Prices, Specifications,
and Offerings subject to
change without notice
0883

WE ACCEPT
• VISA
• MASTER CHARGE
• CHECKS
• MONEY ORDERS
• C.O.D.

• Add \$3.00 for shipping & handling.
• \$2.00 EXTRA for U.S. Mail delivery.
• \$6.00 EXTRA for C.O.D.
• Ohio residents add 6.5% sales tax.

PROOF NOTES

The editors look at the issues.

MANAGING EDITOR

Eric Maloney

SENIOR EDITOR (EDITORIAL)

Peter E. McKie

SENIOR EDITOR (PRODUCTION)

Deborah M. Sargent

NEWS EDITOR

Eric Grevstad

REVIEW EDITOR

Lynne M. Patnode

NEW PRODUCTS EDITOR

S.F. Tomajczyk

ASSISTANT EDITORS

Susan Bailey

Mary E. Ruth

TECHNICAL EDITORS

Brad Dixon

Amee Eisenberg (Load 80)

Mare-Anne Jarvela

Beverly Woodbury

PRODUCTION EDITOR

Susan Gross

LAYOUT EDITORS

Joan Ahern,

Bob Dukette, Sue Hays,

Laura Landy, Judy Oliver,

Anne Vadeboncoeur

PROOFREADERS

Peter Bjornsen,

Harold Bjornsen,

Robin Florence, Ellen Hardsog

EDITORIAL ADMINISTRATION

Carole Macioci

Editorial:

Send all correspondence to *80 Micro*, Pine St., Peterborough, NH 03458.

Subscriptions:

Problems with Subscriptions: Send a description of the problem and your current and/or most recent address to: *80 Micro*, Subscription Department, P.O. Box 981, Farmingdale, NY 11737.

Change of Address: Send old label or copy of old address and new address to: *80 Micro*, P.O. Box 981, Farmingdale, NY 11737. Please give eight weeks advance notice.

Microfilm: This publication is available in microform from University Microfilms International. United States address: 300 North Zeeb Road, Dept. P.R., Ann Arbor, MI 48106. Foreign address: 18 Bedford Row, Dept. P.R., London, WC1R4EJ, England.

Dealers: Contact Ginnie Boudrieau, Bulk Sales Manager, *80 Micro*, Pine St., Peterborough, NH 03458. (800) 343-0728.

I got pretty excited when *80 Micro* asked me to write Proof Notes, since Rodney and Mercedes hog the Gamer's Cafe. Then I found out that it was for the games issue. Hey—I know something about serious stuff, too. I even won a prize in high school for my paper, "The Cicada—Nature's Little Time Capsule."

Of course, games can be pretty serious business. Who among us has not felt the massive wave of depression that comes from missing a scoreboard by 10 points, the blind rage from a sneak attack by some sleazy little alien with no sense of morals or even etiquette? And what about when you shoot a ship swooping down on you and it *doesn't die*? AND WHAT ABOUT WHEN THE MACHINE LOCKS UP JUST AS—

Well. Suffice it to say that games are not all fun and games.

But let's get philosophical for a moment. What's so great about TRS-80 games anyway? I mean, why would anyone want to play some stupid space shoot-em-up on a dinky black-and-white monitor with lousy graphics to boot when he could be cruising along on a sleek new Apple IIe or Atari 800?

Yes, I wondered that myself once, when all my friends sneered at me and I only dared to play Galaxy Invasion in the bathroom after 3 a.m. But no more! I'm proud to be a TRS-80 gamer!! AND I'LL TAKE ON ANY MAN WHO—

But no point in getting worked up here. I've made peace with my games. No longer am I ashamed of them. For in TRS-80 games I have found simplicity, and in that simplicity I have found the essence of computer gaming.

Who needs all those splashy colors? What's so great about realistic high-resolution graphics? Why bother with state-of-the-art voice synthesis? These are but frilly trappings that obfuscate the basic (some might even say primordial) confrontation between man and machine.

Mad Max on the meaning of games

No matter what we call those objects on the screen, no matter what planet we're on or mythical foe we're fighting, are we doing anything more than trying to zap a bunch of phosphor blobs the computer is tossing at us? Isn't that what it's really all about?

The TRS-80 gamer is a minimalist and a purist. He lets his imagination fill the blanks between the few broad strokes the computer paints with its luminescent brush. And in doing so, he becomes one with the game; in fact, he *becomes* the game, another ball on a binary billiard table that sits in an ephemeral pool hall on an ephemeral side street somewhere in a city that lies next to a river of dreams on a vibrational plane that cuts sharply through a region of time known only to—

Hmmm. I've probably said enough (Mercedes thinks I've said enough when I say "Good morning"). Except to add that the games in this issue have been given the Gamer's Cafe Seal of Approval, and we highly recommend them to you. (And not simply because the editors at *80 Micro* have threatened to ax the Cafe if we don't.) Just remember the words of John Godfrey Saxe:

In battle or business, whatever the game,
In law or in love, it is ever the same;
In the struggle for power, or the scramble for pelf,
Let this be your motto—Rely on yourself!
For, whether the prize be a ribbon or throne,
The victor is he who can go it alone!
Whatever pelf is. ■

—Mad Max

MICRO DATA SUPPLIES

22295 Euclid Avenue Euclid, Ohio 44117

FOR ORDERS ONLY CALL 1-800-321-3552

IN OHIO and all other inquiries call (216) 481-4993

AN IMPROVED VERSION of
the **WINNER** of **THREE**
80 MICRO READERS' CHOICE AWARDS



The NEW AIDS-III™

by SofTrends, Inc.

1. TRUSTWORTHY. A bad diskette or an undependable machine can ruin your whole day. The NEW AIDS-III checks itself. If something's wrong, it tells you, instead of turning on you like a mad dog.

2. GENEROUS. The NEW AIDS-III doesn't use BASIC. But it does use the memory BASIC uses. And to make the most out of that extra memory, it selectively compresses bytes into tiny bits. It all adds up to more usable data records. Up to 3 times as many.*

3. THOUGHTFUL. The NEW AIDS-III never treats you harshly. If one keystroke will do, it won't ask for two. The NEW AIDS-III remembers things like report formats, search strategies and file names. So you don't have to. It even reminds you, gently, to save your important data.

4. INTELLIGENT. The NEW AIDS-III is smart. It doesn't waste your time with questions about record sizes, field counts and other technical mumble-jumble. A new system can be created, or an old one modified, in a couple of minutes. Even if your name isn't Albert Einstein.

5. KIND. The NEW AIDS-III is always ready to help. It says so, on every screen display. HINTS™ (Help INDEXed To Screen) tells you on which page in the NEW AIDS-III manual to look for more information. The manual is easy to understand and easy on the eyes.

6. QUIET. If you hit the wrong key, you won't hear any annoying buzzes, clicks or chirps. Instead, FLAWS™ (FLash-Annunciated Warning System) will create a striking visual effect. But only for an instant. And without affecting any of the text on the screen. Guaranteed to catch the eye of the fastest touch-typist.

7. ALERT. If the NEW AIDS-III is left alone, it lets you know it missed you. It worries about your important data. After several minutes of no activity, the NEW AIDS-III creates a striking visual display to get your attention. Touch any key to let it know you're still there, and it stops. For a little while, anyway.

8. LEAN. There's no fat in the NEW AIDS-III. That's because it uses SofTrends' proprietary PMX™ system architecture. Small, lightning-fast, reliable. Lean? Yes. Mean? Definitely not.

9. FAST. Searches and sorts hundreds of records in seconds. Screens are displayed in the blink of an eye. Disk access rates approach one-thousand characters per second. No waiting for "garbage collection". The NEW AIDS-III lives fast. Up to 10 times as fast.*

10. REASONABLE. Use AIDS III Version 2.0 to help make your choice. If you've got a TRS 80 Model I or III, send us \$79.95 and we'll send you a copy of AIDS III to use free for 30 days. Then if you find it isn't right for you, send it back and we'll refund your money, no questions asked.

* As compared to MTC AIDS-III, Version 1.0

Specify Model I or Model III \$79.95

CALCS-IV ONLY \$20 when purchased with AIDS-III/Version 2.0!

Specify Model I or Model III \$39.95

NEWDOS/80 Version 2.0



Model I and Model III

The hottest Disk Operating System is now available in its latest version. This is the ONE from Apparat, Inc., the people whose systems have made the TRS-80 the reliable computer.
\$139.95

NEWSCRIP 7.0

NEWSCRIP is the versatile TRS-80 word processing program. It supports "smart" printers like the Epson, Okidata, NEC, C. Itoh, Spinwriter, centronics 739 and more

NEWSCRIP \$109.95

If you own Apparat's
NEWDOS/80-Version 2.0
you need

BREVI-T™

by SofTrends, Inc.

If you have trouble remembering command formats, want to simplify use of DOS, do a lot of program development or just want to be more effective with your TRS-80™, then BREVI-T is for you. Abbreviations can be defined for both DOS and BASIC. These are automatically expanded as part of the command line processor. Optionally, parameters may be defined as part of an abbreviation. For example, "F 1" might be used to FORMAT drive 1. Change the 1 to a 2 and FORMAT drive 2. It's that simple. Complete with easy-to-follow instructions, examples and a sample abbreviation file.

Specify Model I or Model III \$19.95

Let your TRS-80™ Test Itself With THE FLOPPY DOCTOR & MEMORY DIAGNOSTIC

by David Stambaugh

A complete checkup for your MODEL I or MODEL III. THE FLOPPY DOCTOR-Version 3 completely checks every sector of single or double density 35-, 40-, 77-, or 80-track disk drives. Tests motor speed, head positioning, controller functions, status bits and provides complete error logging. THE MEMORY DIAGNOSTIC checks for proper write/read, refresh, executability and exclusivity of all address locations. Includes both diagnostics and complete instruction manual.

SYSTEM DIAGNOSTICS \$24.95
For MODEL III \$29.95

TRS-80 is a trademark of the
Radio Shack Division of Tandy
Corporation. VisiCalc is a
trademark of Visi Corp. PLAIN
JANE, AIDS-I, AIDS-III, CALCS-III,
CALCS-IV, MERGE-III are
trademarks of MTC.

TO ORDER CALL
1-800-321-3552
IN OHIO
AND ALL OTHER INQUIRIES
(216) 481-4993

**PRICES IN EFFECT
THRU**
AUGUST 31, 1983
Prices, Specifications,
and Offerings subject to
change without notice
0883


- Add \$3.00 for shipping & handling.
- \$2.00 EXTRA for U.S. Mail delivery.
- \$6.00 EXTRA for C.O.D.
- Ohio residents add 6.5% sales tax.

WE ACCEPT
• VISA
• MASTER CHARGE
• CHECKS
• MONEY ORDERS
• C.O.D.

Corvus Absolved

NEWDOS80 2.0 for the Model III does work in concert with the Corvus hard disk environment and the Radio Shack accounting software (*80 Micro*, May 1983, p. 18).

Model III accounting packages are written in Basic. When you load and list the programs, you see that the authors have assigned drive numbers to the various file names used throughout each program disk.



Simply edit and change the drive numbers to the slot number on which you plan to mount the program and data files. Then save the programs with the correct file names.

```
640 I=1:ML=0:CL=32:CH=LU
1260 Q=578+LEN(NF$(SF)):FL=FNL$(SF):ML=1:FV$="":RJ=(FL$(SF)>0):NE
=NOT RJ:FD=FD$(SF):CL=32:CH=LU:GOSUB120:SV=FV$
1930 ' CHECK MODEL TYPE & DO SETUP FOR LOWERCASE USE
1935 IF PEEK(4)=48 THEN POKE 16412,1: POKE 16419,95: LU=122 ELSE
LU=PEEK(15360): POKE 15360,120: IF PEEK(15360)<>120 THEN POKE 1
5360,LU: LU=90 ELSE POKE 15360,LU: LU=122
```

Program Listing 1. AIDS-III

```
3840 Q=578+LEN(NF$(SF)):FL=FNL$(SF):ML=1:FV$="":RJ=(FL$(SF)>0):NE
=NOT RJ:FD=FD$(SF):CL=32:CH=LU:GOSUB800:SV=FV$
9515 Q=768:FL=HS-1:ML=0:FV$="":CL=32:CH=LU:GOSUB800
13500 ' CHECK MODEL TYPE & DO SETUP FOR LOWERCASE USE
13510 IF PEEK(4)=48 THEN POKE 16412,1: POKE 16419,95: LU=122 ELS
E LU=PEEK(15360): POKE 15360,120: IF PEEK(15360)<>120 THEN POKE
15360,LU: LU=90 ELSE POKE 15360,LU: LU=122
```

Program Listing 2. MAPS-III

```
13500 ' CHECK MODEL TYPE & DO SETUP FOR LOWERCASE USE
13510 IF PEEK(4)=48 THEN POKE 16412,1: POKE 16419,95: LU=122 ELS
E LU=PEEK(15360): POKE 15360,120: IF PEEK(15360)<>120 THEN POKE
15360,LU: LU=90 ELSE POKE 15360,LU: LU=122
15272 Q=659:FL=NS+5:ML=0:CL=32:CH=LU:FV$=NF$(24):GOSUB800: ON IC
GOTO 15200,15275,14500,16000,15200
15282 Q=723:FL=NS+5:ML=0:CL=32:CH=LU:FV$=NF$(25):GOSUB800: ON IC
GOTO 15270,15285,14500,16000,15200
15292 Q=787:FL=NS+5:ML=0:CL=32:CH=LU:FV$=NF$(26):GOSUB800: ON IC
GOTO 15280,15295,14500,16000,15200
15310 Q=896:FL=HS-1:ML=0:FV$=LEFT$(PT$,FL):CL=32:CH=LU:GOSUB800
56140 Q=578+LEN(NF$(SF)):FL=FNSZ$(SF):ML=1:FV$="":RJ=(FL$(SF)>0):NE
=NOT RJ:FD=FD$(SF):CL=32:CH=LU:GOSUB800:SV=FV$
```

Program Listing 3. CALCS-III

```
10072 ' CHECK MODEL TYPE & DO SETUP
10074 IF PEEK(4)=48 THEN POKE 16412,1: POKE 16419,95: ' =MOD 3
```

Program Listing 4. MERGE-III

In addition, the programs and data files seem to fit on one formatted 40-track double-density volume. If you use slot 1 solely for each program and its accompanying data files, you can FCOPY >:1 :1 for easy back-up.

Albert A. Livingstone II
Consultant
8001 West Belmont Ave.
River Grove, IL 60171

Better AIDS-III

Program Listings 1, 2, 3, and 4 are modifications to my AIDS-III articles (*80 Micro*, March 1983 and April 1983, pp. 136 and 168). The listings include modified and additional lines.

The changes provide automatic recognition of model number (I or III), and the detection and use of lowercase support.

Robert A. Fiorelli
SoftTrends Inc.
26111 Brush Ave.
Euclid, OH 44132

FLEX Information

You can obtain further information about FLEX for the Color Computer (*80 Micro*, April 1983, p. 144) from Data-Comp Inc., 5900 Cassandra Smith Road, Hixson, TN 37343, 615-842-4600.

Source code text files are available for the following utilities: high-resolution video routines, a program to set user-defined keyboard characters, a program to set disk-drive stepping rates, a single-disk copy program, FLEX printer drivers, and disk and memory display/change utilities.



My article described a version of FLEX that has since been replaced by version 2.1. Additional FLEX utilities perform several new functions: copy Disk Basic format files to FLEX format files (includes ASCII and binary files), copy FLEX format fields to Disk Basic format files (includes ASCII and binary files), and convert binary files to standard FLEX-loadable program data files.

Manufacturers are introducing several new software packages for FLEX



NEWCLOCK-80

MODEL I

MODEL III



\$59⁹⁵



Wouldn't it be nice if your computer could always boot up with the right time and date and then stay accurate. Newclock-80 will enhance your Model I or III system with powerful clock/calendar/timer functions.

Using LSI (large scale integration) and custom circuits, Newclock-80 provides MO/DATE/YR, HR:MN:SEC plus AM/PM and day of week and even takes care of leap years! It continues to keep time and date with quartz accuracy when the computer is turned off or experiences a power failure. A single battery lasts over 2 years.

Compatibility: Newclock-80 is compatible with any operating system, including DOSPLUS, NEWDOS, LDOS. With its fully decoded circuitry it will work with any other hardware you may own. Bus expanders are available.

Installation is very simple, no tools, no disassembly, no soldering. Just plug it in, that's all. There is no power supply or messy cable. Newclock-80 plugs into the rear of the keyboard **③** or side of the Exp. Int. **②**. Model III Newclock fits the 50 pin card edge (underneath) **①**.

The Software: Newclock-80 is as easy to use as it is to install. -"SET", a Basic program, is used only once to set the time and date and select 12 or 24 hour format. -"TIMESTR", also in Basic, patches your computer "TIMES" function to read Newclock-80. It also adds "TIMES" to keyboard-only systems, a short routine is simply "poked" into low memory.

Newclock-80 uses 12 ports (176 to 188): 6 for the time, 6 for the date. The data is conveniently stored in decimal form, no conversion is needed. You can read or modify any digit using simple Basic "INP" and "OUT" statements.

No risk trial. Order your Newclock-80 today, see how easy it is to install and operate then decide within 30 days if you want to keep it. If for any reason you are not delighted with its quality and performance, you may return it for a prompt and courteous refund.

Your unit will come complete **④** with software on tape, detailed instructions, handy reference card, and a 90 day warranty. Specify Model I or III. Software is also available on disk: add \$5. Lithium battery (not included) available from RADIO-SHACK (#23-162) or add \$1.50 to your order.

Thanks to outstanding engineering and efficient manufacturing, ALPHA Products is once again able to offer a great product at a surprising price. Order your Newclock-80 at no obligation today.

Toll Free Order Line
800-221-0916

Orders Only, NY & Info call (212) 296-5916. Hours: 9-5 E.S.T.

ALPHA Products

79-04 Jamaica Ave., Woodhaven, NY 11421

(212) 296-5916

ADD \$2.50 PER ORDER FOR SHIPPING AND HANDLING. WE ACCEPT VISA, MASTERCARD, CHECKS, M.O. C.O.D. ADD \$3.00 EXTRA. NY RESIDENTS ADD SALES TAX. OVERSEAS, F.P.O. ADD 10%. DEALER DISCOUNTS AVAILABLE.



that run within the 51 by 24 screen limitations. Contact Data-Comp for further information.

Steve Odneal
8609 East 73rd St.
Kansas City, MO 64133

PowerSoft Support

Hooray for PowerSoft. They said it all. They said it well. And it needed to be said (80 Micro, April 1983, p. 24).

The freeloaders of the world deny creative people their right to make a buck. PowerSoft's superb defense of copy protection should put this matter to rest once and for all.

Frank J. Rosato
12 Blueberry Lane
Lexington, MA 02173

VCMOD Mod

Arne Rohde's VCMOD program (80 Micro, April 1983, p. 210) contains one bug that occurs if you use the exponential function (shifted @) in an equation.

The correction requires adding three lines to the Assembly-language program before assembling (or, if you're a byte zapper, adding 6 bytes to the object code in the middle of the program, which could mean retyping the last half). Between lines 1850 and 1860 of the original program, add:

1852	CP	5BH
1854	JR	NZ,\$+4
1856	ADD	A,05H

If you must work at the byte level, add the bytes starting at address FF5C hexadecimal (hex) using Mr. Rohde's ORG location of FE00 hex for a 48K Model I machine:

Location	Bytes
FF5C	FE5B
FF5E	2002
FF60	C605

You must increase all subsequent locations by six.

To run VCMOD, assemble it and name it VCMOD/CMD. Then save it on the same disk that contains VC/CMD. To run VisiCalc, type in VCMOD/CMD or VCMOD (or use autostart with AUTO VCMOD) rather than entering VC/CMD or VC (or AUTO VC).

The VCMOD program starts by loading in VC/CMD (or whatever you've named the original VisiCalc program—don't forget to modify line 0480 if you change the name), then modifies the VisiCalc code and runs it.

L.S. Wilkins
4000 Capitol Drive
Fort Collins, CO 80526

Copyrights and Conversions

We are in the software business and have gone to great lengths to copyright our programs. Admittedly, the copyright only stops honest people from stealing a program, but comments like yours (80 Micro, April 1983, p. 16) give thousands of people the idea that they are honest if they use a copyrighted program for their "personal use."

I'm sure you meant well by your comments, but the term "personal use" is simply too broad. Too many well-meaning readers will take this as a subtle license to copy any and all programs. We provide our source code at no extra cost to our customers, but we do not want them to give it to their friends for "personal use."

Eddie Waren, President
The Software Terminal
223 Fairway Drive
Fayetteville, NC 28305

You're right—"personal use" is a bit vague. What we meant is that the consumer has a right to duplicate or modify commercial software as long as he or she doesn't sell or give away copies of that software to other users.—Eds.

WittSoft and Copy Protection

I'd like to respond to some of PowerSoft's statements directed at WittSoft (80 Micro, April 1983, p. 24).

PowerSoft says, "...due to the fact that some magazines, companies, and individuals are making it possible for nonregistered users (read pirates) to use our software, supporting registered owners has been hampered."

The Super Utility Plus manual says registration has always been a requirement for support; section 3.2 states, "We will do our best to assist and support all REGISTERED OWNERS, so be sure and include your SERIAL number."

The card that customers sign and return to PowerSoft to receive support is a legal agreement that binds the user to conditions not revealed prior to the purchase. Refusing to sign and return such an agreement doesn't make one a pirate.

On SU+ as a CMD file, PowerSoft says, "...if you are using single density, you don't have much room left for anything else. This makes it impractical to have SU+ as a CMD file." There's no reason the CMD file can't be kept on a data disk when space is a problem, and many users have double-density, double-sided, or 80-track drives.

When the program is in CMD format, users can store it on any medium they like. PowerSoft distributes the \$500 Special Edition in CMD format on a single-density data disk, and makes that the number one selling point in their S/E ad (80 Micro, Anniversary Issue 1983, p. 153).

The PowerSoft response might lead one to think that Super Duper is a "1-byte patch (with directions)." It is not. It is a 500-plus byte machine-language program provided on disk with a 16-page manual.

Regarding Scripsit back-up patch authors, PowerSoft says, "...they are looking to make a quick buck and deny good programmers the royalties they are due.... The guy who wrote Scripsit deserves to be paid for every copy out there that is being used...."

Apparently the concern for the author of Scripsit is newly acquired. The PowerSoft ad for Scriplus (80 Micro, January 1983, p. 249) says, "Allows MOD III versions to be BACKED UP for your protection."

Concerning utilities to back up SU+ 2.2z, PowerSoft says, "If you bought one, send it back. Only these pirates have a need for it now." Only after WittSoft released a utility to back up version 2.2z did PowerSoft find enough concern for their customers to release CMD back-up instructions.

Those who buy Super Duper receive a program that performs as advertised. PowerSoft specifically exempts version 3.0 from their offer, whereas we've agreed to provide an upgrade when the new version is available.


Regarding the back-up disk included with the program, PowerSoft says, "...it is doubtful that you will be without SU+. Of course, that wasn't good enough for WittSoft...."

NOW IT'S TALKING VS 100

VOICE SYNTHESIZER
FOR MODEL I,III,IV
and Coco

- ✓ Unlimited vocabulary.
- ✓ Automatic inflection.
- ✓ Proven VOTRAX technology.
- ✓ We use the famous VOTRAX SC01 phoneme synthesizer. 4 programable pitch level.
- ✓ Built in audio amplifier with volume control. (The Color Computer version speaks through the TV speaker)
- ✓ You can add voice to any basic program in minutes.
- ✓ Super efficient: one single line in Basic will produce a full sentence!
- ✓ Works with any speaker (or add \$5.95 for handsome speaker module).
- ✓ Price breakthrough: same performance as units costing hundreds of dollars.
- ✓ Pronunciation dictionary included for hundreds of common words.
- ✓ Voice editor will help you create unlimited number of words, sound effects, etc..
- ✓ Hundreds of applications —now cost effective in education, robotics, speech therapy, monitoring, games, aid to handicapped, security, prompting...
- ✓ Fully assembled and tested, 90-Day warranty.
- ✓ Ready to plug in and talk.
- ✓ As usual our 15-day money back guaranty protects you.

\$69⁹⁵



Order # C201 for MODEL I
C203 for MODEL III or IV
C205 for COLOR COMPUTER

Price includes SYNTHESIZER MODULE, POWER SUPPLY, INSTRUCTIONS, EDITING AND DEMO SOFTWARE. \$69.95
SPEAKER MODULE (not needed for coco version) not included, add \$5.95

.....SUPER CONTEST.....

WIN \$1000 + ROYALTIES FOR THE BEST TALKING GAME
+ WIN \$1000 FOR THE BEST "SERIOUS APPLICATION" SOFTWARE
Send S.A.S.E. For contest details.

REVIEWERS: This is truly a remarkable product at an incredible price. We need your help to review it in all the major computer publications. Please send us a note if you are interested.

TIMEX SINCLAIR USERS:
There is a version for you.

Toll Free Order Line
800-221-0916 
Orders Only, NY & Info call (212) 296-5916. Hours: 9-5 E.S.T.

Votrax is a registered trade mark of Votrax.

CLUBS: Contact us at (212 296 5916) if you would like to arrange for a product presentation.

ALPHA Products

79-04 Jamaica Ave., Woodhaven, NY 11421 ✓ 17 ☎ (212) 296-5916

ADD \$2.50 PER ORDER FOR SHIPPING AND HANDLING.
WE ACCEPT VISA, MASTERCARD, CHECKS, M.O.
C.O.D. ADD \$3.00 EXTRA.
NY RESIDENTS ADD SALES TAX.
OVERSEAS, FPO, APO: ADD 10%.
DEALER DISCOUNTS AVAILABLE.



We feel that every program requires at least four copies (original, virgin back-up, working version, and working version back-up). When any of these crashes, the user should have a way to generate a replacement. The issue is not whether one would be without SU+; it's having to pay for back-up disks over and over again.

About WittSoft, PowerSoft says, "Perhaps they should be made aware that every back-up and/or CMD file of SU+ contains the serial number of the purchaser." We do know about it and could have erased it if we'd wanted to. Like PowerSoft, we don't want to be included in categories where we don't belong.

Our letter in the February 1983 issue of *80 Micro* (p. 14) was an edited version of the introduction to the Super Duper manual. One passage removed read, "Use Super Duper only to back up your legally obtained copy of SU+... Kim Watt deserves to be paid for his work."

PowerSoft says, "We challenge you to show us one ad that brags about backing up protected disks." The January 1982 issue of *80 Micro* (p. 153) contains a full-page ad for SU+. Under the heading "Disk Copy" appears, "The Special Disk Copy enables the user to make a back-up of most TRS-80 readable disks that are presently on the market, regardless of any efforts that have been made to protect them."

The response also says, "It was intended to copy garbled disks... It was not designed to be a game-disk copier... although you perhaps bought it for that purpose." The same ad continues with "This program's only intended use is for you to make back-ups of your legally purchased programs."

PowerSoft says, "We have never highlighted our special copy function in SU+." However, similar text appears on the back cover and in section 1.3 of the version 2.2z manual.

Last, PowerSoft says, "Magazines must take a stand somewhere and stick to it." Magazines (and all forms of media) have a responsibility to serve the public in article, editorial, and advertising content. If they limit any copy utility, they should limit all copy utilities—including Super Utility Plus.

80 Micro raised an important issue and gave all parties a chance to air their opinions. This isn't an indication of "ambivalence," but evidence of the magazine allowing a free exchange of ideas and an unbiased marketplace for computer products.

Jean Witt
WittSoft
1302-41st St.
Orlando, FL 32805

Page Program

In "Moving Window" (*80 Micro*, April 1983, p. 296), Ken M. Williams resorts to a complicated string manipulation procedure to extract the pattern of bits corresponding to the binary equivalent of the page number.

A simpler technique for displaying a desired page takes advantage of the logical AND operation to extract bits. To extract the *i*th-order bit from an integer *X*, use the statement *B* = SGN(*N* AND *X*), where *N* equals the *i*th power of two. The subroutine in Program Listing 5 illustrates the technique; the desired page number (zero to 127) stored in the variable *PG* calls the routine.

The display for *PG*>31 is hardware

dependent. If you have a 16K machine, or 32K via piggybacking 16K chips, pages 32-63, corresponding to addresses 4000-7FFF hexadecimal (hex), will not produce a stable display without special hardware modifications. RAM does not go higher than 3FFF hex in a 16K machine in any case. Pages 64-127 will be a repeat of pages zero to 63.

If you have a stock 32K machine containing 64K chips that are only half used, pages zero to 127 will be stable and distinct.

Arthur J. Flexser
11111 N. Kendall Drive
Miami, FL 33176

Tandy Technology

As an advocate of computer technology, I cringe every time I enter a Radio Shack store. I fail to understand why Tandy is trying to sell computer technology at one end of their store, while they use a manual cash register.

It seems worthwhile for Tandy to use their computers in their check-out process, if for no other reason than to exhibit a working computer.

The stores I've visited would turn off any small-business owner that might be interested in using a computer when he sees that Tandy cannot even develop a system for its own use.

Charles E. Austin
Route One, Box 105 B
Flat Rock, AL 35966

Scriptit for LDOS

To patch Scriptit for use under LDOS Double Density, implement the following patches:

PATCH SCRIPSIT/LC (D13,E5 = 2D 40)
PATCH SCRIPSIT/LC (D06,4F = "LDOS")

The first patch changes the exit address from a reset causing a reboot to the LDOS Ready mode. The second patch changes the version from "VER 1.0" to "VER.LDOS". This is an optional cosmetic change.

Do not use high-memory routines with Scriptit under LDOS.

Terry I. Major
7614 N. 48th Ave.
Glendale, AZ 85301

```
100 'Subroutine to display a memory page (0-127) given by
PG
110 N = 1                                N will equal
                                         1,2,4,8,16,32,64 for bits
                                         0-6
120 FOR M=&HFFC6 to &HFFD2 STEP 2      7 address pairs in
                                         page-select register
130 B = SGN(N AND PG)                  Extract a bit from PG
140 POKE M+B,0                          Poke it into page-select
                                         register
150 N = 2 * N                           Get ready for next higher
                                         bit
160 NEXT M
170 RETURN
```

Program Listing 5


NOW MODEL I AND MODEL III!

Now Model III users can take advantage of the ALPHA I/O system too. Our new MOD III/I BUS CONVERTER allows most port based Model I accessories (such as our ANALOG-80, INTERFACER 2 and INTERFACER-80) to connect to the Model III bus. MOD III/I BUS CONVERTER, complete with all connectors, only \$39.95.



PRINTSWITCH

Have 2 printers on line at all times and select printer 1 or 2 by means of a conveniently located switch. End the problem of constantly plugging and unplugging printer cables. PRINTSWITCH is a compact module that plugs onto the parallel printer port of your TRS-80 and provides an edge connector for each of your two printers. It works with any two types of printers: dot matrix, daisy wheel, plotters, TRS-80 converted selectrics, etc. Assembled, tested, ready to use with connector and instructions. For Model I or III (please specify). ONLY... \$59.00



SUPERIOR QUALITY REPLACEMENT & EXTENSION CABLES

Highest quality cable and high force, gold plated contacts ensure the utmost in connection reliability.

- 1 KEYBOARD TO EXPANSION INTERFACE \$21.
 - 2 DISK DRIVE CABLE FOR 1 OR 2 DRIVES \$32.
 - 3 DISK DRIVE CABLE FOR 3 OR 4 DRIVES \$45.
 - 4 DISK DRIVE CABLE EXTENDER \$22.
 - 5 PRINTER CABLE EXTENDER \$24.
 - 6 40 PIN BUS EXTENDER - 2 ft. ... \$22 4 ft. ... \$24.
- Custom cable configurations are also available. Call us.

YOU ASKED FOR IT: "EXPANDABUS" X1, X2, X3 AND X4. CONNECT ALL YOUR TRS-80 DEVICES SIMULTANEOUSLY on the 40 pin TRS-80 bus. Any device that normally plugs into the keyboard edge connector will also plug into the "EXPANDABUS". The "X4" is shown with protective covers (included). The TRS-80 keyboard contains the bus drivers (74LS367) for up to 20 devices, more than you will ever need. Using the E/I, it plugs either between KB and E/I or in the Screen Printer port. Professional quality, gold plated contacts. Computer grade 40 conductor ribbon cable. X2...\$29. X3...\$44. X4...\$59. X5...\$74. Custom configurations are also available. call us.



ANALOG-80: A WORLD OF NEW APPLICATIONS POSSIBLE.

8 DIGITAL MULTIMETERS PLUGGED INTO YOUR TRS-80!!! Measure Temperature, Voltage, Current, Light, Pressure, etc. Very easy to use: for example, let's read input channel #4. 10 OUT 0.4 "Selects input #4 and also starts the conversion 20 A=INP(0) "Puts the result in variable "A". Voila! Specifications: Input range: 0-5V. to 0-500V. Each channel can be set to a different scale. Resolution: 20mV (on 5V. range). Accuracy: 8 bits (.5%). Port Address: jumper selectable. Plugs into keyboard bus or E/I (screen printer port). Assembled and tested. 90 day warranty. Complete with power supply, connector, manual. \$139



TIMEDATE 80: REAL-TIME CLOCK/CALENDAR MODULE

Keeps quartz accurate time for 3 years on 2 replaceable AAA batteries (not included). Gives MO/DATE/YR, DAY OF WEEK, HR-MIN-SEC and AM/PM. Features INTELLIGENT CALENDAR and even provides for Leap Year. This compact module simply plugs into rear of Keyboard or side of Expansion Interface (may be slipped inside E/I). Includes cassette software for setting clock and patching to any DOS (including NEWDOS 80, 2.0). Optional "Y" connector allows for further expansion. For Model I. Fully assembled and tested. Complete with instructions and cassette. ONLY \$95.00 "Y" option, add \$12.00




DISK DRIVE EXTENDER CABLE, FREE YOUR MINI-DRIVES.

End the daisy-chain mess once and for all. Fits all mini-drives: Percom, Aerocomp, Shugart, Micropolis, MTI, Vista, Pertec, Siemens, BASF. Easy to install: just remove the drive cover, plug in the EXTENDER CABLE and replace the cover.

Now you can change and move your drives without disassembly. Keep the cover on and the dust out. High reliability gold plated contacts, computer grade 34 conductor cable. Tested and guaranteed.

Get one for each drive ... ONLY \$8.95



INTERFACER-80: the most powerful Sense/Control module.

- 8 industrial grade relays, single pole, double throw isolated contacts: 2 Amp. @ 125 Volts. TTL latched outputs are also accessible to drive external solid state relays.
- 8 convenient LEDs constantly display the relay states. Simple "OUT" commands (in basic) control the 8 relays.
- 8 optically-isolated inputs for easy direct interfacing to external switches, photocells, keypads, sensors, etc. Simple "INP" commands read the status of the 8 inputs. Selectable port address. Clean, compact enclosed design. Assembled, tested, 90 days warranty. Price includes power supply, cable, connector, superb user's manual. \$159

GREEN SCREEN WARNING

IBM and all the "biggies" are using green screen monitors. Its advantages are now widely advertised. We feel that every TRS-80 user should enjoy the benefits it provides. But **WARNING:** all Green Screens are not created equal. Here is what we found:

• Several are just a flat piece of standard colored Lucite. The green tint was not made for this purpose and is judged by many to be too dark. Increasing the brightness control will result in a fuzzy display.

• Some are simply a piece of thin plastic film taped onto a cardboard frame. The color is satisfactory but the wobbly film gives it a poor appearance.

• One "optical filter" is in fact plain acrylic sheeting.

• False claim: A few pretend to "reduce glare". In fact, their flat and shiny surfaces (both film and Lucite type) ADD their own reflections to the screen.

• A few laughs: One ad claims to "reduce screen contrast". Sorry gentleman but it's just the opposite. One of the Green Screen's major benefits is to increase the contrast between the text and the background.

• Drawbacks: Most are using adhesive strips to fasten their screen to the monitor. This method makes it awkward to remove for necessary periodical cleaning. All (except ours) are flat. Light pens will not work reliably because of the big gap between the screen and the tube.

Many companies have been manufacturing video filters for years. We are not the first (some think they are), but we have done our homework and we think we manufacture the best Green Screen. Here is why:

• It fits right onto the picture tube like a skin because it is the only **CURVED** screen **MOLDED** exactly to the picture tube curvature. It is Cut precisely to cover the exposed area of the picture tube. The fit is such that the static electricity is sufficient to keep it in place! We also include some invisible reusable tape for a more secure fastening.

• The filter material that we use is just right, not too dark nor too light. The result is a really eye pleasing display.

• We are so sure that you will never take your Green screen off that we offer an unconditional money-back guaranty: try our Green Screen for 14 days. If for any reason you are not delighted with it, return it for a prompt refund.

A last word: We think that companies, like ours, who are selling mainly by mail should list their street address have a phone number (for questions and orders) accept CODs, not every one likes to send checks to a PO box offer the convenience of charging their purchase to major credit cards. How come we are the only green screen people doing it? Order your **ALPHA GREEN SCREEN** today... \$12.50



79-04 Jamaica Ave., Woodhaven, N.Y. 11421

Info and order: (212) 296-5916

ADD \$2.50 PER ORDER FOR SHIPPING AND HANDLING
ALL ORDERS SHIPPED FIRST CLASS MAIL.
WE ACCEPT VISA, MASTER CHARGE, CHECKS, M.O.
COD: ADD \$2.00 EXTRA.
QUANTITY DISCOUNTS AVAILABLE.
N.Y. RESIDENTS ADD SALES TAX.

Xenix and the Model 16

In reply to your request for information on the latest applications for the Model 16, Delker Electronics Inc. has been keeping on top of the Model 16/Xenix system. We have accounting, inventory, and language development software from Radio Shack available and currently installed at several customer sites.

With the aid of the Model 16 Multi-User Cobol Development System and MBasic, we have converted Model II programs to the Model 16 with relative ease.

One of the best applications we have found for the Xenix system is the flexibility to upload and download files generated on other systems, such as the new Model 100.

We encourage your increased support for articles involving the Xenix operating system and information on non-Radio Shack software compatible with it.

*Thomas M. Delker, President
Delker Electronics Inc.
Sam Davis Road
Smyrna, TN 37167*

Model III Jet Bomber

I typed in Thomas H. Rogers' great screen scrolling game, "Jet Bomber" (80 Micro, May 1983, p. 298). On my Model III, the Model I graphics looked strange, indeed.

To take advantage of the special character set on the Model III, and even provide rockets to bomb, you must make three changes. At the end of line 400, change 91 to 255. In line 470, change OR PEEK(PP)=91 to OR PEEK(PP)=255, and change POKE PP,94 to POKE PP,27. (Or experiment with the special character set until you get a jet you like.)

Finally, change IF PEEK(PP)=91 in line 500 to IF PEEK(PP)=255.

*Errol Ford
P.O. Box 397
Bridgeport, NE 69336*

More on PowerSoft

In a recent letter concerning copy protection, I asked why software ven-

dors do not mention such protection in their ads. I am certainly not alone in thinking that they should be required to do so.

PowerSoft's lengthy reply did not once address my simple and relevant question. Instead, they raised a storm of falsehoods and misdirection, culminating in a personal attack on me. This is the standard vendor response on this subject. Allow me to correct a few of PowerSoft's statements.

They say that Super Utility has not been promoted for its ability to copy protected disks. Here's a quotation from an early ad (80 Micro, December 1980, p. 115): "The special disk copy allows the user to make a backup of ANY (that's right, I said ANY) TRS-80 readable disk... regardless of any efforts that have been made to protect the disk...."

A later ad backed off from the "any" claim (80 Micro, September 1981, p. 248): "Special copy (to back up most protected disks...)... go to the heart of your protected disks and read and/or modify data...."

The current SU+ manual goes on in a similar vein. Perhaps this is how people got the idea that SU+ would copy protected disks! More subtle deception is in many of PowerSoft's other arguments. For example, they explain in great detail why a CMD file format is impractical. OK, but that doesn't mean the disk has to be protected.

Also, they attribute to me the desire to give my software away, and then criticize me for expecting the same from them. I never said either of these things!

I have attempted to offer my software on a "share the cost" basis, where the original purchaser is allowed to make a fixed number of copies for others—thus bringing the individual cost to an affordable level. This makes a lot more sales than it loses, and is better for everyone. A new market might need new marketing ideas.

Finally, I am a villain, apparently because my Trakcess program will, among other things, copy some protected disks, as will SU+. I am not embarrassed by this fact. PowerSoft is, but they'll still take the sales and have for years now.

In fact, Mr. Watt told me that he had learned a lot about special copy from Trakcess, and subsequently improved the abilities of his own routine. He approved my publishing a copy procedure

for SU, saying that all controversy over their protected disk was a publicity bonanza, as it is. Now he pretends to be upset, for more publicity.

I would happily see all protection disappear, and many of the sales of Trakcess with it. Every customer could back up, move around, examine, and modify the code he bought, just the way it used to be. This might even happen before my "one-man crusade" (for what?) "wins" (how?) "by forcing away every good programmer we have left."

Obviously, PowerSoft is doing OK. So are Med Systems, Sublogic, Acorn, SFINKS, and all the others to whom I repeat my original, simple question: Is there any reason other than a desire to make every possible sale in any manner that you do not mention your software protection in those big, fancy ads?

Before the industry collapses completely (as vendors like these have predicted since Day One), thanks to 80 Micro for allowing a second point of view, and for allowing those of us who hold it to advertise, too.

To the many, many people who have written me with questions and comments on disk protection, I can't reply to them all, but I think you'll see some detailed information published on this subject. Send your thoughts in to 80 Micro instead, where they can have a real effect.

*Roxton Baker
Box 8272
APO San Francisco, CA 96555*

TRS-80 in Business


If you look at Radio Shack's recent market introductions, such as the Model 12, the Xenix packages for multi-user capability, and the portable computer, I think you'll agree that Radio Shack is going the small business computer route and getting away from the fun-and-games home market.

As the owner of two Model IIs, both with hard disks, I have only the highest praise for Radio Shack, their software packages for small businesses, and their entire attitude.

Their computer centers are a place where a businessman can get a serious discussion about what he needs in com-

From Computer Plus to YOU...


PLUS after PLUS after PLUS




Model 12
1 Drive \$2699
2 Drive \$3375




Color Computer 16K \$175
w/16K Ext. Basic \$255
w/32K Ext. Basic \$345




Model IV 16K \$849
Model IV 64K
2 Disk & RS232 c \$1699



Okidata 80 \$320
Okidata 82A \$399
Okidata 92 \$510



Color Computer Disk Drive
Drive 0 \$470 Drive 1 \$299



Smith Corona TPI
Daisy Wheel \$495

BUY DIRECT Here are just a few of our fine offers...
call TOLL FREE for full information.

COMPUTERS

Model 12 64K 1 Drive	\$2699
Model 12 64K 2 Drive	3375
Model IV 16K	849
Model IV 64K	
2 Disk & RS232 c	1699
Color Computer 16K	175
Color Computer 16K	
w/extended basic	255
‡Color Computer 32K	
w/extended basic	345
Pocket Computer 2	165
Model 16 1DR 128K	4199
Model 16 2DR 128K	4799
Model 100 8K	679
Model 100 24K	835

MODEMS

Lynx Direct Connect MI/MIII	235
Hayes Smart Modem II	235
Hayes Smart Modem 1200	565
Novation Smartcat 1200	459
Novation J-CAT	125
R.S. Acoustic Coupler AC-3	129

R.S. Modem I D.C.	129
R.S. Modem II D.C.	199
R.S. DC-1200	565

PRINTERS

Daisy Wheel II	1715
DWP-410	1320
Silver Reed EXP 550 D.W.	679
Smith Corona TPI Daisy Wheel	495
Epson	Call
CGP-115	199
DMP-100	315
DMP-120	410
DMP-200	599
DMP-400	1010
DMP-500	1539
DMP-2100	1779
Okidata 82A	399
Okidata 83A	655
Okidata 84 Parallel	999
Okidata 92	510
Okidata 93	859
Gemini 10	319
Prowriter	375

DISK DRIVES

R.S. Model IV 1ST-Drive	515
Tandon 40 Track MI	289
Color Computer Drive 1	299
Color Computer Drive 0	470
Primary Hard Disk Mill	3099
Primary Hard Disk Mill	2199

ETC.

CCR-81 recorder	52
C. C Joysticks	22
16K RAM Chips	25
64K RAM Chips	75
32K Microbuffer Inline	229

SOFTWARE

Brand Name Software •	
Send for listing.	
R.S. Software 10% off list	
Coco FHL Flex D.O.S.	69.95
Parallel Printer Cables are	
available for most computers.	
‡Color Computer 64K requires	
Disk 0 and D.O.S.	

TOLL FREE
1-800-343-8124

computer
plus

P.O. Box 926
480 King Street
Littleton, MA 01460
617-486-3193

Write for your
free catalog

✓18

We have the lowest possible
Fully Warranted Prices AND
a full complement of Radio Shack
Software.

Prices subject to change without notice.
Not responsible for typographical errors.
TRS-80 is a registered trademark of Tandy Corp.



puter equipment and software for his business.

*Lauren R. Januz
26940 North Longwood Road
Lake Forest, IL 60045*

Model III at Bat

I've received a number of letters from readers who want to know why "Batter Up!" (80 Micro, April 1983, p. 130) will not run on their disk-based Model III.

Their operating system takes up space in memory needed for the program. This is true even if the system is larger than 16K because the program restricts memory size and blocks automatic expansion in a larger system.

Program Listing 6 allows the program to run on a Model III with 48K.

*Harold A. Kime
252 East Clay St.
Lancaster, PA 17602*

Supply and Demand

The many letters about software protection and piracy have interested and amused me. An important element is missing in the remarks of those who present production and marketing costs

as justification for software protection and high selling prices.

A long-standing free market axiom states that the cost to produce an item does not determine its value; the utility (no pun intended) provided to the consumer establishes value.

I purchase those products that meet my needs at the lowest possible cost. My needs are simple—good documentation and support services, the right to protect my investment with back-up procedures, and a program that meets my objectives.

I will not purchase a program sight unseen, but will purchase one even though I have a free copy if I'm convinced that good support services are available.

*R. Keith Richard
7608 Stoneridge Place
New Orleans, LA 70126*

More Graphics Software

The Graphics Software Buyer's Guide (80 Micro, May 1983, p. 146) omitted our Auto-Graph, a 16K Level II program on cassette for the Models I and III.

It graphs equations on the screen and

printer, automatically scales axes for the highest resolution, and is menu driven. It sells for \$24.95.

*N.J. Modney, President
Modtec, Software Division
4144 N. Via Villas
Tucson, AZ 85719
602-293-5186*

Editor/Assembler NODOS

I've received many inquiries from readers about keying in my program NODOS 80 (80 Micro, Anniversary Issue 1983, p. 96) using the new Radio Shack Series 1 Editor/Assembler for cassette.

Although Program Listing 3, the re-numbering utility in the article, loads in to memory using this new assembler, 16K is insufficient room to assemble the program.

Radio Shack's newer Editor/Assembler for cassette takes about 1500 more bytes of memory than the original version. I programmed NODOS 80 using the original version with a modification for the Model III.

Other than to increase memory, the only solution is to split Listing 3 into two parts with the same technique used in the article to split the program into its four listings. Use Equates to refer to Labels that must pass between the two parts. You will now have to load NODOS 80 as five programs.

*Thomas L. Quindry
6237 Windward Drive
Burke, VA 22015*

User's Group Update

80 Micro frequently receives information about user's groups from all parts of the country. The list below contains current information about the groups; it is arranged in alphabetical order by state.

Dust Byter's User's Group

c/o Burt Haberman
6557-A East Calle La Paz
Tucson, AZ 85715
602-298-7888 or 297-2179

Cabrillo Computer Club (formerly Ventura County TRS-80 Computer Club)

c/o Rick Johnson, Secretary-Treasurer
P.O. Box 3032
Camarillo, CA 93011

```
1 CLS: MS1=64334:POKE 16562,MS1/256:POKE 16561,MS1-INT(MS1/256)*
256
50 FOR I=0 TO 173:READ X:POKE -1200+I,X:NEXTI
220 FOR I=0 TO 1023:POKE -1026+I,32:NEXTI
230 READ X,Y:IF X=0 THEN 240 ELSE POKE -1386+X,Y:GOTO 230
1041 POKE -1148,100:POKE -1147,170:POKE -1146,100:POKE -1145,200
:POKE -1144,0:GOSUB 33100:POKE -1148,150:POKE -1147,254:POKE -11
46,108:POKE -1145,126:POKE -1144,102
1066 POKE -1148,50:POKE -1147,100:POKE -1146,50:POKE -1145,200:P
OKE -1144,0:GOSUB 33100
1070 POKE -1148,150:POKE -1147,254:POKE -1146,108:POKE -1145,126
:-1144,102
1608 POKE -1148,40:POKE -1147,100:POKE -1146,0:GOSUB 33100
1609 POKE -1148,150:POKE -1147,254:POKE -1146,108
1701 POKE -1148,25:POKE -1147,200:POKE -1146,0:GOSUB 33100:POKE
-1148,150:POKE -1147,254:POKE -1146,108
1893 MS1=65535:POKE 16562,MS1/256:POKE 16561, MS1-INT(MS1/256)*2
56:POKE 16396,201:CLEAR 50:END
2020 POKE -1148,25:POKE -1147,150:POKE -1146,0:GOSUB33100
2030 POKE -1148,150:POKE -1147,254:POKE -1146,108
2200 PRINT @ 960, "LONG DRIVE":GOSUB 30002:PRINT @ 990, "HOME R
UNI!":POKE -1122,0:GOSUB 33100:POKE -1122,102
32140 IF F=3 THEN POKE 16223,253:POKE 16154,160:POKE -1148,25:PO
KE -1146,0:GOSUB 33100:POKE -1148,150:POKE -1146,108
33100 DEFUSR0=64336:J=USR0(0):RETURN
40200 US(5)=1023:US(6)=-20243:IF A$="S" THEN US(1)=15360:US(3)=-
1026 ELSE US(1)=-1026:US(3)=15360
40201 DEFUSR1=VARPTR(US(0)):J=USR1(0):RETURN
49001 DATA 221,33,132,251,221,78,0,121,183,194,93,251,201,221,70
,1,62,1,211,255,16,254,221,70,1,62,2,211,255,16,254,13,194,93,25
1,221,35,221,35,1,255,255,33,48,0,9,218,125,251,195,84,251
```

Program Listing 6

SUPERSCRIPSI PRINTER DRIVERS

□□□□□□□□□□□□□□□□

30 DIFFERENT PRINTERS
NOW SUPPORTED!!!

NEC, IDS PRISM, QUME SPRINT
OLYMPIA ESW 102/103/3000
EPSON FX-80, DTC 380Z,
C.I.TOH F-10, BROTHER HR-1
SMITH CORONA TP-1
EPSON MX-80/MX-100
OKIDATA MICROLINE 82A/83A
RADIO SHACK LINE PRINTER V
OKIDATA MICROLINE 92/93
OKIDATA MICROLINE 84
C. ITOH PROWRITER

\$49 OR \$59

Additional Printer Drivers Available — Call

Mail / Phone Orders Accepted

ALPS

23 Angus Road

Warren, New Jersey 07060

201-647-7230



✓374



wabash®

one-year warranteed ✓367

DISKETTES!

\$18.95/box (10)

with FREE library case!

5 1/4" single-side, single-density; double-density
add \$2/box. 8" disks comparably priced. Add \$2
per order shipping. In Illinois add 6% sales tax.
Immediate shipment on VISA, Master Card or
Money Order; Add 14 days for personal checks.



CALL TOLL FREE
(800) 222-1248



In Illinois Call (312) 882-8315

Call for our volume discount price!

DIGITAL IMAGES

Box 941005, Schaumburg IL 60194

WE'RE SERIOUS ABOUT FUN!

Software for
Radio Shack's TRS-80
MODELS II/12/16

- GAMES • ADVENTURE
- BUSINESS • LANGUAGE
- EDUCATION

CALL OR WRITE FOR FREE
BROCHURE AND MORE INFORMATION



Rizzo Data Systems Corp.

577 Burlington Rd., P.O. Box 458

Bridgeton, NJ 08302-0356

609/451-7979

✓518

INPUT

SBUG TRS-80 CP/M User Special Interest Group

P.O. Box 60116

Sunnyvale, CA 94088

*Please describe your equipment and
send a SASE for membership infor-
mation.*

Solano Microcomputer User's Group—TRS-80

c/o Tom Burnett

840 Bollard Court

Vacaville, CA 95688

707-448-6702

Tandy Business Computer User's Group

c/o Ira O. Tolmich

The Coca-Cola Co.

P.O. Box 1734

Atlanta, GA 30301

Central Illinois TRS-80 Computer Club

1418 So. Douglas Ave.

Springfield, IL 62704

New England Color Computer User's Group

c/o Chris Sweet

P.O. Box 255

Harvard, MA 01451

617-456-8291

Central Oregon Color Computer Club

c/o Paul Bellemore, President

3947 N.W. 21st

Redmond, OR 97756

MCTRUG or DALTRUG

c/o D.D. Freeman

334 Fieldside Drive

Garland, TX 75043

214-270-0625 or 637-4510

CoCo-MUG

c/o Tom Fandre

2420 Misty Lane

Waukesha, WI 53186

414-542-0600

ERROR Trap

In "40K Color Basic" (80 Micro,
May 1983, p. 212), a line of text is
missing between p. 212 and p. 214.
The transitional sentence should
read, "You could install a switch in
line with diode CR2."

Straight talk.

Call ITM
and talk to
the person
who answers
your software questions.

Quickly, correctly.
Discount prices, too.

Expertise
and low prices
are just two reasons
you should
call ITM first.

For complete
information on the
eight other reasons
call toll free
today.

**We make
software buying simple.**

800-334-3404

IN CALIFORNIA CALL

415-284-7540

ITM™

✓289

936 Dewing Ave., Suite E
Lafayette, CA 94549

PRICE BREAKTHROUGH

Drive a Hard Bargain *Super Sale on Hard Drives*

We have rewritten the book on Hard Drives. Our hard drives are the fastest (D M A available soon) the most versatile (Newdos,^A Dosplus,^B and Ldos^C drivers), the most adaptable, (runs on the Model I and Model III using the same adapter), but, we must admit, it is the lowest (in cost that is) starting at **\$1,395.00** for a 12 meg. (unformatted) primary and **\$695.00** for a secondary system. All systems come complete with power supply, case, cables and software drivers.

Warranty — one full year. Call for more details.

We now are featuring quality disk drives.

From

Tandon — Siemens — Remex — MPI — Teac

Prices start at \$199.95
with Power Supply and Case.

TOLL FREE ORDERING GENERAL AND TECHNICAL

1-800-343-8841

1-617-872-9090

Dealer inquiries invited.

SOFTWARE SUPPORT, INC.

One Edgell Road, Framingham, MA 01701 (617) 872-9090

Hours: Mon. thru Fri 10 am to 6 pm (E.S.T.) Sat. 10 am to 5 pm

TERMS:
M.C./Visa/Amex and personal
checks accepted at no extra charge.
C.O.D., please add \$3.00.
Shipping: Please call for amount.

Canada
MICRO R.G.S. INC.
751, CARRE VICTORIA, SUITE 405
MONTREAL, QUEBEC, CANADA, H2Y 2J3
Regular Tel. (514) 845-1534
Canadian Toll Free 800-361-5155

A "Apparat Inc.
B "Microsystems Software Inc.
C "Logical Systems Inc.

PRICE BREAKTHROUGH

Super Sale on New Disk Drives

Starting at \$199.95 complete
with Power Supply and Case!!

Tandon — Siemens — Remex — MPI — Teac

single sided 40 track — dual sided 40 track

single sided 80 track — dual sided 80 track

for

**RADIO SHACK¹ — HEATH/ZENITH² — APPLE³/FRANKLIN⁴
IBM/PC⁵-TEXAS INSTRUMENTS⁶ & MOST OTHER COMPUTERS**

Dual Sided Special

*dual sided 80TK drive with Power Supply and Case
and Our Double 90 Warranty - All for \$299.95*

*dual sided 40TK drive with Power Supply and Case
and Our One (1) Year Warranty - all for \$259.95*

TOLL FREE ORDERING GENERAL AND TECHNICAL

1-800-343-8841

1-617-872-9090

Model III/IV Internal Disk Drive Kits.....\$Call
Color Computer Drives 0123.....\$Call
Diskettes of all sizes.....starting at \$20.00
Dot Matrix Printers.....\$Call
Word Processing Printers.....starting at \$Call
Printer Buffers 8K to 512K.....starting at \$143.95
Disk Drive Cases and Power Supplies.....starting at \$49.95
DOSPLUS —.....\$Special Price

One Year Warranty Available on all Drives!

Dealer inquiries invited.

SOFTWARE SUPPORT, INC.

One Edgell Road, Framingham, MA 01701

(617) 872-9090

Hours: Mon. thru Fri 10 am to 6 pm (E.S.T.)

Sat. 10 am to 5 pm

Canada
MICRO R.G.S. INC.
751, CARRE VICTORIA, SUITE 405
MONTREAL, QUEBEC, CANADA H2Y 2J3
Regular Tel. (514) 845-1534
Canadian Toll Free 800-361-5155

TERMS:

M.C./Visa/Amex and personal
checks accepted at no extra charge.
C.O.D., please add \$3.00.
Shipping: Please call for amount.

- 1 "TANDY CORPORATION
 - 2 "ZENITH DATA SYSTEMS
 - 3 "APPLE COMPUTER CORP.
 - 4 "FRANKLIN COMPUTER, INC.
 - 5 "IBM CORPORATION
 - 6 "TEXAS INSTRUMENTS
- Copyright 1983 "

A Cry from "Down Under"

Are there any teachers willing to exchange software programs suitable for elementary students with us, and perhaps a few administrative utilities as well? We would also like to establish some form of pen pal communication with other schools.

*Phillip Walsh
Holy Family School
410 Pacific Highway
Lindfield, 2070
Australia*

Fiji and the Genie

Is there a CP/M program available for the Genie 3 that can mix and read different drive formats, such as the PDRIVE command on NEWDOS80? Also, is there an incremental-spacing, letter-quality printer on the market that I can use with Electric Pencil to make a typesetting unit? I would like to hear from other Genie 3 and Color Genie 4 owners.

*E. John Handley
Box 2280
Suva, Fiji Islands*

Character I.D.

I've written a program that analyzes our business bills. The only problem with it is that it takes too long to manually enter all the information from each month's bills. Is there any type of character recognition system or device that will work with my Model III?

*Thomas R. Andrews
Box 422
Angola, IN 46703*


Model I Stereo System

I would like to use my Model I as an audio frequency analyzer for my stereo system. Does anyone know where I can obtain the necessary hardware and software to do this? Also, is it possible to run CP/M on the Model I without any hardware modifications?

*Ronald Hughes
PSC Box 3893
APO NY 09057*

Foreign Language

A potential use for our school's computers is to teach the students Ukrai-



Looking for help

nian. Is there any way to get the Ukrainian alphabet for the TRS-80?

*Grant Lederhouse
Box 1288
Roblin, Manitoba R0L 1P0
Canada*

Invoicing Help

Does anyone know of a software patch for the Model II that will print invoice totals at the bottom of a form?

*Charles Trovato
278 Bay Ridge Parkway
Brooklyn, NY 11209*

Semi-Log Graph

Does anyone have a modification for Micro Software System's Datagraph program to allow it to graph semi-log and log-log graphs?

*James Greenlee
1024 NW 24th St.
Moore, OK 73160*

At Wit's End

Help! I'm at my wit's end. I'm looking for Model II software specifically designed for jewelry inventory control. The program must feature automatic repricing of inventory and inventory

label printing. Can someone come to my rescue?

*George Veazey, III
11622 North Nebraska Ave.
Tampa, FL 33612*

Lowercase Help

Our library was recently given an RS Centronics 779 printer to use for catalog card production. Can someone help us find a lowercase modification kit compatible with this printer?

*Rick Richmond
Sublette County Library
Pinedale, WY 82941*

Printer Driver Needed

I need an Epson MX-80 printer driver for Radio Shack's Model III Business Graphics Analysis Pack. Does anyone have any suggestions?

*Lee C. Rice
Philosophy Department
Marquette University
Milwaukee, WI 53233*

Checkbook Subroutine

Does anyone know if there's a Basic subroutine for the Model III that automatically updates the running balance in a checkbook program after current withdrawals and deposits are entered?

*Gladys Crede
1812 Hickman Road
Des Moines, IA 50314*

Screen Display Problem

The display on my Model I has moved up so that it's difficult to read the top line. The Langley-St. Clair Soft View CRT I bought doesn't correct this problem. Does anyone have a solution?

*Frank Deignan
44 Old Mill Road
Shrewsbury, MA 01545*

Needs Pilot Info

Can someone tell me where I can get documentation for the Pilot 3.0 from Mad Hatter Software? I bought a copy at a store sale and would like to be able to use it.

*Lynn Miner
North 5617 Elgin
Spokane, WA 99208*

Unprecedented Offer

Call
OMIKRON
for further
details
(415)845-8013

CP/M \$139

This package
includes:
MAPPER III/48K
CP/M 2.2
MBasic-80

Limited Time Only

CP/M: THE SOFTWARE STANDARD

★ CP/M presents an industry-standard software interface. Programs designed to run under CP/M can run on all CP/M computers.

★ CP/M is available for almost every computer on the market, including IBM, Xerox, Apple, Commodore, DEC, NEC, Tandy, and many, many more.

★ There are thousands of CP/M programs available—word processors, languages, data bases, and applications. No single manufacturer, not even Tandy, Apple, or IBM, could ever develop and support this much software.

★ With hundreds of software developers competing for a place in the CP/M market, CP/M programs will continue to get better and cost less.

CP/M: POWER AND VERSATILITY

★ The majority of business and professional computers offer CP/M. CP/M programs tend to be "state of the art" in every respect.

★ CP/M means reliability and dependability. Over the years, CP/M has evolved into a mature, sophisticated, and thoroughly debugged product. There are no hidden surprises with CP/M.

★ With CP/M and TRSDOS, your TRS-80 can run twice as much software as other computers. You get to choose the best from both worlds.

★ CP/M offers far more versatility than TRSDOS. CP/M computers are available that offer hard disks with tape backup, multi-user capability, multi-high speed processors, and many other features. There is a CP/M computer to meet all your future needs.

CP/M: SAVE TIME AND MONEY

★ Unlike TRSDOS, CP/M programs can be transferred to your next CP/M computer. All of the money you spend on CP/M software can be considered an investment in the future.

★ Your old TRS-80 will never be obsolete with CP/M. When you buy your next computer, your TRS-80 can serve as a completely compatible home or backup unit.

★ With CP/M, you can effectively master your new computer before you buy it. You will not need to relearn operating procedures, rewrite programs, re-enter old data, or learn new applications programs.

★ With all of these advantages, CP/M is simply the most powerful and cost-effective product you can add to your TRS-80. CP/M conversion easily pays for itself in time and money saved.

OMIKRON CAN SAVE YOU MONEY

★ **Save Now**—Omikron's hardware prices are the lowest in the industry. However, with Omikron, hardware savings are only the beginning. Omikron also sells a variety of CP/M software products for use with our CP/M adapter. Our special software prices can easily save you \$1000 or more on the finest, most popular CP/M programs available.

★ **Save Later**—To help our customers afford the CP/M software they require, Omikron has formed *Cougar*, our official users group. With *Cougar*, Omikron can arrange to purchase CP/M software products at high volume discounts. This allows us to offer our customers surprising discounts on top quality software products. Over a year's time, many of our *Cougar* members save hundreds of additional dollars on software purchases.

*Cougar products and prices are available only to Omikron hardware purchasers

OMIKRON PRODUCT INFORMATION

★ Omikron products are designed for years of trouble-free operation. All Omikron printed circuit boards carry a "life-time warranty" to the original purchaser.

★ Omikron products are designed for simple, "plug-in" installation. No soldering or modification to your TRS-80 is required.

★ The Omikron CP/M system features a sophisticated set of utilities and drivers designed to optimize and enhance the use of CP/M on the TRS-80.

★ Over the years, Omikron, has sold thousands of CP/M adapters. Our products have been highly praised in reviews in Byte, Interface Age, SoftSide, 80-US, Desktop Computing, 80 Micro, and many others. Reviews are available on request.

OMIKRON'S PRODUCTS

- Mapper I/48—48K CP/M for the Model I
- Mapper I/64—64K CP/M for the Model I
- Mapper III/48—48K CP/M for the Model III
- Mapper III/64—64K CP/M for the Model III
- Mapper II—8" drives for the Model I
- CP/M software including: WordStar, MailMerge, SuperSort, Microproof, Electric Webster, COMMX, and, CBASIC II.

New Products: (available 2nd quarter, 1983)

- 8" drives for the Model III
- 24 x 80 screen for the Model III

✓50

OMIKRON

Products that set Precedents

1127 Hearst Street, Berkeley, CA 94702 (415) 845-8013

TRS-80™ Radio Shack/Tandy Corporation

Wordstar™ Micro Pro

CBASICII, CP/M™ Digital Research

Program Addition


There is a problem with my "Mini-Micro Text Editor" program listing as published in the May 1983 issue (p. 290). To make the program work add the following two lines:

```
1000 PRINT "SINGLE OR DOUBLE
SPACING? (1 OR 2)";
1010 INPUT X: X=X-1: IF X<>0 AND
X<>1 THEN 1010 ELSE POKE 17210, X:
X=USR(0)
```

Jasper Kump
Box 108
Pyatt, AR 72672

Frustrations Resolved

In "Build an EPROM Programmer"




apologies for these frustrating mistakes.—Eds.

A Bomber Mistake

I found a rather simple mistake in Thomas Rogers' "Jet Bomber" program (May 1983, p. 298). On p. 303 in the text concerning the Model II Debug program, you need to change DUMP HSCROLL?CMD[START = H000,END = F054] to DUMP HSCROLL/CMD START = F000, END = F054.

Pat Palmer
510 10th St. SE
Hampton, IA 50441

by William Mahoney (June 1983, p. 200), Photo 1 incorrectly showed the EPROM being programmed. Socket pins 1, 2, 27, and 28 should have been empty. On p. 220, the last line of the middle column mentions address 05AD. This should be changed to 05B7. Also, Fig. 7 was incorrectly drawn. The proper schematic is shown below. Our



EPROM Programmer correction

compare

RadioShack* vs. NEBS

PRICES

MULTI PURPOSE CHECK

Continuous, single part for RS Program #26-1504

RS Product 72-105	
250	Not Offered
500	\$ 55.00
1,000	\$100.00
2,000	\$195.00
4,000	Not Offered
6,000	Not Offered

MULTI PURPOSE FORM

Continuous, single part, for RS Program #26-1568, 4508 etc.

RS Product 72-103	
500	\$ 55.00
1,000	\$100.00
2,000	\$195.00
4,000	Not Offered
6,000	Not Offered

Prices per Radio Shack catalog RSC-8CC

MULTI PURPOSE CHECK

Continuous, single part for RS Program #26-1504

NEBS Product 9002-1		SAVE
250	\$ 29.95	—
500	\$ 38.95	25%
1,000	\$ 49.95	50%
2,000	\$ 74.50	60%
4,000	\$125.00	—
6,000	\$169.95	—

MULTI PURPOSE FORM

Continuous, single part, for RS Program #26-1568, 4508 etc.

NEBS Product 9050-1		SAVE
500	\$ 39.95	25%
1,000	\$ 49.95	50%
2,000	\$ 72.50	60%
4,000	\$125.00	—
6,000	\$169.50	—

Prices per NCF Catalog CF33

SELECTION

Radio Shack has forms for one brand of TRS 80* compatible software, their own.

NEBS has checks, invoices and statements for 39 brands of TRS 80* compatible software, including Radio Shack.

DELIVERY

NEBS Computer Forms has a written policy to process your order within 6 working days of receipt, then ship direct to you via UPS* whenever possible. There is no shipping charge on prepaid orders.

NEBS gives you Guaranteed Compatibility plus Lower Prices and Convenient Service.

FREE CATALOG

of computer forms, stationery and supplies for desk top computers. Including mailing labels, diskettes, work station furniture and accessories.

✓533

*TRS and Radio Shack are registered trademarks of Tandy Corp.
+ UPS is a registered trademark of United Parcel Service of America, Inc.

for your free catalog or further information
PHONE TOLL FREE 1 + 800-225-9550
Mass. customers 1 + 800-922-8560

NAME _____ PHONE () _____


COMPANY _____

ADDRESS _____
street city, state, zip

SOFTWARE BRAND _____ PACKAGE # _____

COMPUTER MODEL (I, II, III, 12, 16, Other): _____ 15502

NEBS prices are subject to change without notice.



Listing continued

```

510 INPUTP3$
520 IF LEN(P3$)<>2 THEN PRINT"REENTER WITH JUST TWO CHARACTERS":
GOTO 510
530 GOSUB 1000:GOSUB 1020:I=1
540 FOR J=1 TO LOF(1)
550 GET#1,J:GOSUB 1040:IF P3$<>P1$ THEN 570
560 GOTO 580
570 GOSUB 1050:PUT#2,I:I=I+1
580 NEXTJ
590 CLOSE:KILL"DIR/DAT"RENAME!"TEMP/DAT" TO "DIR/DAT"
600 IF X$="U" THEN 800
610 GOTO 60
620 CLS:PRINT"TO PRINT A DIRECTORY TWO OPTIONSARE AVAILABLE:"
630 PRINT:PRINT" <A>LL ENTRIES IN MASTER      DIRECTORY"
640 PRINT" <S>PECIFIC DISK ONLY":PRINT:PRINT"KEY IN CHOICE"
650 W$=INKEY$:IFW$="" THEN 650
660 IF W$="A" THEN P6$="XX":GOTO 690
670 IFW$="S" THEN LINE INPUT"DISK CODE?":P6$
680 IF LEN(P6$)<>2 THEN PRINT"JUST TWO LETTERS":GOTO 670
690 PRINT#-2,"      MASTER DIRECTORY":PRINT#-2,""
700 PRINT#-2," DISK NAME      EXTENSION      FORMAT      GRANULES":GOSUB
1000
710 FOR K=1 TO LOF(1)
720 GET#1,K:GOSUB 1040
730 IF P6$="XX" THEN 750
740 IF P1$<>P6$ THEN 760
750 PRINT#-2,USING AA$;P1$;N1$;M1$;F1$;L1$
760 NEXTK
770 CLOSE:GOTO 60
780 CLS:PRINT"TO UPDATE DIRECTORY FOR DISK      FIRST ENTER DISK C
ODE"
790 GOTO 510
800 P2$=P3$:GOTO 290
1000 OPEN"D",#1,"DIR/DAT",20
1010 FIELD#1,2ASPS,8ASN$,3ASM$,3ASF$,4ASL$:RETURN
1020 OPEN"D",#2,"TEMP/DAT",20
1030 FIELD#2,2ASPS,8ASN$,3ASM$,3ASF$,4ASL$:RETURN
1040 P1$=P$:N1$=N$:M1$=M$:F1$=F$:L1$=L$:RETURN
1050 LSETP2$=P1$:LSETN2$=N1$:LSETM2$=M1$:LSETF2$=F1$:LSETL2$=L1$
:RETURN
1060 LSETP$=P1$(K):LSETN$=N1$(K):LSETM$=M1$(K):LSETF$=F1$(K):LSE
TL$=L1$(K)
1070 RETURN
1080 DSKI$ 0,17,2,A$,B$
1090 FOR I=1 TO 68
1100 L2$=MID$(A$,I,1):L(I-1)=ASC(L2$):NEXTI
1110 M=0
1120 FOR X=3 TO 11
1130 DSKI$ 0,17,X,C$,D$
1140 E$=C$+LEFT$(D$,127):N$(0)=LEFT$(E$,8)
1150 M$(0)=MID$(E$,9,3):F$(0)=MID$(E$,13,1)
1160 L$(0)=MID$(E$,14,1):L1(0)=ASC(L$(0))
1170 FOR K=1 TO 7
1180 N$(K)=MID$(E$,1+K*32,8):M$(K)=MID$(E$,9+K*32,3)

```

Langley-St.Clair Gets Mail

From unsolicited letters of testimonial

Yesterday I installed your amber CRT replacement tube in my 48K Radio Shack Model I computer. I am very happy with the anti-glare tube. I have found it to be very easy on the eyes. I was getting eye strain after about 30 minutes at the keyboard. After using the computer 3 hours last night, I had no problem with eye strain.

....You are more than welcome to use excerpts from my letter in your ads. I have found that the amber tube is very easy on the eyes and I recommend it for anyone who uses a computer for more than just an hour a day.

Thanks again,
R.T.
Redding, CA

This morning I received the credit copy of my first LSI Amber CRT. I just thought that it might be a good idea to tell you that the second CRT is working just fine. As a matter of fact, it was perfect even without the recommended burn-in period. Thanks again to you and LSI for the prompt service you have given me. I just wish a little of this would rub off on some of the software vendors I have been dealing with. If you talk to Tom Hartmann, please thank him for his help. The CRT is great. I spent most of the Easter Weekend out here at the office playing with it and the computer.

Best wishes to you
and LSI,
J.W.
Charleston, WV

PROFESSIONAL SOFTWARE TRS-80® MODEL II & 16

NOW AVAILABLE!

DISK SORT 20 FOR HARD DISK OR FLOPPIES NEW! UP TO 15 + % FASTER

\$119.95*

TRSDOS® 2.0a & 4.1 COMPATIBLE. FILL IN THE BLANKS & GO TO IT.
WILL SORT ANY RANDOM FILE. OUTPUT OPTIONS. TAGS. TAGS & KEYS. OR COMPLETE FILE
1,000 REC'S SORTING 15 BYTES. INCLUDING ALL DISK I/O = 2 MIN. 33 SEC'S. (FLOPPY)
HARD DISK IS MUCH FASTER! NON-STOP JOB STREAM EXECUTION

BASIC CROSS REFERENCE • SAVE HOURS!

\$59.99*

• SEE USED LINE #'S/NAMES AT A GLANCE • PRODUCES NICE PROGRAM LISTING
• OTHER OPTIONS INCLUDE MAKING NEW PROGRAMS. DROPPING REMARKS

CUSTOM PROGRAMMING/SYSTEMS DESIGN

DOC. ONLY \$10.00
DEDUCTIBLE ON
PURCHASE

TRS-80 & TRSDOS
ARE REGISTERED
TRADEMARKS OF
TANDY CORP


GOOD-LYDDON DATA SYSTEMS

5486 RIVERSIDE DR. • CHINO, CA 91710 • (714) 980-4563

M/C VISA
ACCEPTED

LSI's NEW SOFT-VIEW
REPLACEMENT CRT

FOR THE
FULL STORY,
SEE PAGE 41



Langley-St.Clair




Instrumentation
Systems, Inc.

132 West 24th St., NY, NY 10011
1-800-221-7070

The earliest microcomputers had a single input device: a row of toggle switches on the front of a cabinet. They had no cassette ports, no disk drives, no modem, and no keyboard. To input data, you had to set a series of switches representing the individual bits of a single byte or address.

On the TRS-80, the keyboard is the most important input device, but it is still nothing more than a collection of on/off switches. Many computers have an ASCII-encoded keyboard. Whenever a key is pressed, the ASCII value of that key is sent to the computer for processing.

However, the TRS-80 keyboard is



Programming the keyboard

not encoded. It is merely a matrix of switches that operate like the keyboard of an inexpensive calculator. Each time you press a key, a connection is made between one of eight columns and one of eight rows. Though the Model III keyboard has only 53 keys (52 on a Model I), it is mapped to 1K of memory between 3800H and 3BFFH.

To see the keyboard in action, run Program Listing 1. Experiment by pushing different keys and combinations of keys. With every keystroke, half the keyboard memory changes value. Listing 1 merely transfers the keyboard memory to the video memory while adding 30H (48D) to each position to show a blank keyboard as all zeros (the source code is shown in Program Listing 2).

After experimenting with the keyboard-to-video program, you should notice that:

- the upper-left position (equivalent to 3800H) never changes; it remains a zero.
- when you press a key, the lower right position (3BFFH) has a non-zero value.
- different keys affect different portions of the screen, but several keys affect the same portions.
- different keys produce different values, but several keys produce the same values.
- pressing more than one key creates new values and new patterns of positions.

Most keyboard maps look something like Fig. 1. The address for each row is the lowest memory address the keys in that row affect, and it is the one address without interference from keys in other rows. If you wish to write a program that checks for a combination of two keys, you can either have the program check both rows (the most common method) or check a position that both keys will change.

In Basic, the INKEY\$ function is a slow way of checking for a particular keystroke. Your program reacts to the keyboard much more quickly by PEEKing the key's address and then acting appropriately. As an example, use the arrow keys to sketch a picture on the screen with Program Listing 3. The same technique speeds up many Basic games.

If you are a hardware hacker, you probably noticed some holes in the ma-

Line	Disk System	Tape System
160	DEFUSR=&H7FE1	POKE 16526,225: POKE 16527,127
16K 190	DEFUSR=&H7B9F	POKE 16526,159: POKE 16527,123
270	DEFUSR=&H7BB0	POKE 16526,176: POKE 16527,123
160	DEFUSR=&HBFE1	POKE 16526,225: POKE 16527,191
32K 190	DEFUSR=&HBB9F	POKE 16526,159: POKE 16527,187
270	DEFUSR=&HBBB0	POKE 16526,176: POKE 16527,187
160	DEFUSR=&HFFE1	POKE 16526,225: POKE 16527,255
64K 190	DEFUSR=&HFB9F	POKE 16526,159: POKE 16527,251
270	DEFUSR=&HFBB0	POKE 16526,176: POKE 16527,251

Table 1. Changes to Program Listing 4 for Various Systems

```

10 '*****
20 '*
30 '*      KEY-VIEW ROUTINE
40 '*      Displays the keyboard memory
50 '*      from 3800H to 3BFFH
60 '*      on video screen.
70 '*
80 '*****
90 '
100 FOR I = 32512 TO 32539
110   READ D
120   POKE I,D
130 NEXT I
140 DEFUSR=32512      'For tape systems, this line should be
                       POKE 16526,0: POKE 16527,177

150 CLS: PRINT "PRESS KEYS 1-7 SIMULTANEOUSLY TO ESCAPE DISPLAY"
160 FOR I = 1 TO 500 : NEXT I
170 A = USR(0)
180 END
190 DATA 33, 0, 56, 17, 0, 60, 1, 0, 4, 126
200 DATA 198, 48, 18, 35, 19, 11, 120, 177
210 DATA 32, 245, 58, 16, 56, 254, 254, 32
220 DATA 229, 201
    
```

Program Listing 1

The Answer is... **NEWSSCRIPT!**TM

THE WORD PROCESSOR FOR BUSINESSMEN AND PROFESSIONALS

*With ongoing support directly
from us*

A FEW OF NEWSSCRIPT's 200 STANDARD FEATURES:

- FORM LETTERS WITH MERGING OF NAMES AND ADDRESSES
- GIVES SUPERB APPEARANCE TO YOUR FINAL DOCUMENTS
- COMPREHENSIVE MANUAL WITH TUTORIAL AND EXAMPLES
- CENTERING, TOP/BOTTOM TITLES, INDENTS, PAGINATION
- UNDERLINING, BOLDFACE, DOUBLE-WIDTH, ITALICS†
- SUB/SUPER SCRIPTS, RIGHT-JUSTIFIED PROPORTIONAL†
- CREATES TABLE OF CONTENTS, SORTED INDEX
- "LEGAL" LINE NUMBERING
- SCREEN GRAPHICS, SPECIAL PRINTER SYMBOLS†
- SEARCH/REPLACE GLOBALLY OR WITHIN LINES, COLUMNS
- BLOCK MOVE, COPY, DELETE, INSERT. FILE MERGES
- AUTOSAVE, WHOOPS, DIRECTORY, KILL
- SUPPORT FOR ALL LISTED PRINTERS IS INCLUDED **
- (NO PATCHES INVOLVED) **
- SUPPLIED READY-TO-RUN ON "TINY" DOSPLUS
- ALSO RUNS UNDER NEWDOS/80, LDOS, MULTIDOS, TRSDOS

NEWSSCRIPT 7.0:	\$124.95
Mailing Labels Option:	29.95
Special: NEWSSCRIPT + LABELS:	139.95
Daisywheel Proportional Option:	49.95
"Pencil"/"Scripts" File Converter:	24.95
NEWSSCRIPT Manual & Reference card only:	29.95
Electric Webster + Correction Feature:	149.50
Hyphenation Feature for Electric Webster:	49.95
Grammatical Feature for Electric Webster:	39.95
Graphics Editor and Programmer (GEAP):	49.95
Dotwriter High-resolution graphics:	69.95
Special: GEAP + Dotwriter:	99.95

REQUIRED CONFIGURATION:

48K TRS-80, MAX-80, LNW, or compatible, with one or more disk drives. Specify Model I or Model III.

† some features work only if your printer has the mechanical capability.

** Daisy Wheel Proportional is an extra-cost option.

**TO ORDER, CALL NOW,
TOLL-FREE: (800)
824-7888, Operator 422**

For orders, information, or names of nearby dealers:
(213) 764-3131, or write to us.

Order from your Software dealer or from:

PROSOFT®

✓ 98

Dep't. C, Box 560 No. Hollywood, CA 91603

TERMS: VISA, Mastercard, checks, money orders, COD. No P.O.'s accepted. Most orders shipped within 24 hours. Please add \$3.00 for surface UPS in U.S.A., or \$6.00 for UPS Blue Label. Add \$6.00 in Canada, \$15.00 overseas air shipment, 6½% sales tax in California.

BUILT-IN SUPPORT FOR MOST POPULAR PRINTERS†, INCLUDING:

Anadex, Brother, Centronics, C.Itoh, Diablo, Epson, Gemini, Microline, NEC, Prowriter, Gume, Radio Shack (LP 1-8, DW2, DMP-410, DWP 200-2100), Smith Corona, Teletype, Typewriter, anything compatible with any of these, and many others, parallel and RS-232.

SPECIAL AVAILABLE OPTION: Right-justified proportional for Diablo, F-10, Gume, Spinwriter, etc. Requires "Daisywheel Proportional" Option plus NEWSSCRIPT.

REVIEWERS AND USERS AGREE:

"NEWSSCRIPT" is the best word processor I have seen ... unsurpassed in printer control ... no other TRS-80 word processor can match its ability to format text ... its editor is fast, easy, and powerful." (80 MICRO, Oct. 1982)

"Your phone information system and the prompt and courteous staff that you provide to help your clients ... are worth the cost of the system." (V.H.H.)

"Better than cold beer on a hot day!! Thank you!!" (R.S.)

"What a program. So easy to learn and easier to use. I waited too long before ordering!" (P.J.M.)

"... takes the TRS-80 to a new level of text handling ... very user-friendly ... superb documentation, adaptability to many printers and operating systems ... a standard against which other TRS-80 word processing programs will be judged." (SOFTSIDE, Dec. 1982)

"... ongoing support second to none, with superb documentation." (80 U.S. Journal, Feb. 1982)



THE NEXT STEP

```

00100 ;*****
00110 ;*
00120 ;* KEY-VIEW Routine *
00130 ;* Transfers keyboard *
00140 ;* memory to screen *
00150 ;* for viewing -- *
00160 ;* Depress 1 - 7 simul- *
00170 ;* taneously to escape *
00180 ;*
00190 ;*****
00200 ;
00210 ;
7F00 00220 ORG 7F00H ;ROUTINE IS RELOCATABLE
7F00 210038 00230 KEYVU LD HL,3800H ;HL==> KEYBOARD MEMORY
7F03 11003C 00240 LD DE,3C00H ;DE==> SCREEN MEMORY
7F06 010004 00250 LD BC,400H ;BC = 1K LENGTH OF BOTH
7F09 7E 00260 K10 LD A,(HL) ;GET A BYTE
7F0A C630 00270 ADD A,30H ; 0 = "0"
7F0C 12 00280 LD (DE),A ; STORE TO SCREEN
7F0D 23 00290 INC HL ;BUMP
7F0E 13 00300 INC DE ; ALL
7F0F 0B 00310 DEC BC ; POINTERS
7F10 78 00320 LD A,B ;TEST FOR DONE
7F11 B1 00330 OR C ;MERGE LSB OF BYTE COUNT
7F12 20F5 00340 JR NZ,K10 ;REPEAT WHOLE SCREEN
7F14 3A1038 00350 LD A,(3810H) ;NUMBER ROW
7F17 FEFE 00360 CP 0FEH ;CHECK FOR 1 - 7
7F19 20E5 00370 JR NZ,KEYVU ;GO UNTIL DONE
7F1B C9 00380 RET ;RETURN TO BASIC
00390 ;
00400 ;
0000 00400 END
00000 TOTAL ERRORS

```

Program Listing 2

to change key definitions for a few keys or the entire keyboard, all you need do is write new software. The Model I and Model III store the address of the keyboard driver—the routine that scans and decodes the keyboard—at 4016H and 4017H. If you put the address of a different routine in those bytes, that new routine becomes the keyboard driver.

Basic calls the keyboard driver at the end of every instruction, looking for either a Break command or a SHIFT@ command. Because the driver is called so often, newly defined key combinations react instantly (except when Basic enters its string space garbage collection routine).

The keyboard driver is allowed to use registers AF, BC, DE, and HL and must return the value of the key pressed in the A register. If no key is pressed, the driver loads the A register with zero and sets the Z flag. With these restrictions in mind, you can write a short program to modify the normal driver flow and define any new keys or key combinations you wish.

For example, Program Listing 4 runs with any long and involved program. You might want a page of instructions available at all times. Although you could implement a screen swap routine by continually checking with INKEY\$, defining a new key combination streamlines the program's design.

For this implementation, pressing the shift and clear keys halts all other program operations and displays a Help screen. The original screen and the program in progress continue after another

```

10 CLS
20 K%=PEEK(14400) 'REM 14400 = 3840H
30 IF K% AND 8 PRINT CHR$(27);
40 IF K% AND 16 PRINT CHR$(26);
50 IF K% AND 32 PRINT CHR$(24);
60 IF K% AND 64 PRINT CHR$(25);
70 PRINT CHR$(191);CHR$(24);: GOTO 20

```

Program Listing 3

trix in Fig. 1. You can easily add 11 or 12 more keys to your TRS-80, and give special functions to each. In fact, the control key required for Electric Pencil 1.0 was simply a key added to the matrix in the Shift row. To add extra keys, wire each to the appropriate row and column of your keyboard. You can

also add a second, remote keyboard in the same manner. (See *The Custom TRS-80 and Other Mysteries* by Dennis Bathory Kitsz, IJG Inc., Upland, CA, 1982, for detailed instructions.)

Because the TRS-80 keyboard is not encoded, the meaning of each key must be determined by software. If you wish

Bits:							
	7	6	5	4	3	2	1 0
3801H	G	F	E	D	C	B	A @
3802H	O	N	M	L	K	J	I H
3804H	W	V	U	T	S	R	Q P
3808H						Z	Y X
3810H	7	6	5	4	3	2	1 0
3820H	/	.	-	,	;	:	9 8
3840H	SPACE	RT ARW	LT ARW	DN ARW	UP ARW	BREAK	CLEAR ENTER
3880H							* SHIFT*

*NOTE—On the Model III, bit 0 is the left shift key and bit 1 is the right shift key. On the Model I, bit 0 is both shift keys.

Fig. 1. Map of the Keyboard

"WHERE DID ALL THE MONEY GO?"

TALLYMASTER offers a new, powerful, easy-to-use way of summarizing and analyzing budgets and expenses. It's designed for personal and small business use by people who need quick answers to the question, "Where Did All The Money Go?"

Like most PROSOFT products, "TALLYMASTER" originally was developed just for our own use. To find out why our expenses kept rising, we looked for a quick and easy way to categorize our bills. The check register gave too much detail, and with "VISICALC", it was hard to just add new numbers at random.

TALLYMASTER takes a simple, common-sense approach to organizing and summarizing expenses and sales. Up to 702 categories can be defined. As numbers are added to them, new totals are shown instantly. It's like having a room full of calculators, all in easy reach. Totals can be sorted, reports printed, and disk files combined.



TALLYMASTER's handsome documentation has a step-by-step tutorial, with dozens of examples and illustrations. We've even included five sample disk files for you. Whether you're managing a home budget or business expenses, this program can give you better understanding and control. It helped us, and it can help you.

TALLYMASTER is available for the TRS-80 Models I and III (48K) and the IBM Personal Computer (128K). The TRS-80 version is just \$79.95. The IBM version, with functional keys and an extra-fast sort, is just \$129.95.

PROSOFT®

Dept. C, Box 560, No. Hollywood, CA 91603


(213) 764-3131

Toll-Free order lines:
(800) 824-7888 oper 422

Terms: VISA, MC, CHECKS, C.O.D., or even cash - No P.O.'s. Please add \$3.00 shipping/handling in U.S.A., \$5.00 to Canada, \$15.00 overseas. For C.O.D. please add \$2.00 in U.S. only, add 6½% sales tax in California, we ship within one day of receiving orders.

✓91

TWO PRINTERS?



TWOPRINT™
is the Smartest
Dual Printer
Switch
for Your Money
on the Market
Today!

\$99.95


- Hard select of desired printer with toggle switch. Software select mode via CHRS(1) or CHRS(2)
- Lights indicate which printer has been selected
- "Centronics" compatible
- TWOPRINT fits the following: MOD I, II, III, IV, 12 & 16 (Please specify as some require changes to your cables)
- Requires purchase of Radio Shack P/N (270-1552A) Battery Eliminator

**BUY
THE
BEST!**

HARDWARE CLOCK

TRSWATCH I & III™
From the original creator of the
TCHRON & TIMEDATE 80.

- Includes factory supported Software on Disk or Tape, a \$39.95 value!
- A precision, Time proven, Highly stable Clock
- For LNW, Hard Disks, MOD I & MOD III (specify)
- Fully enclosed - Cable allows for flexible mounting
- Requires 2 AAA cells for 3 yr. life
- Applications Program Support is growing, write for List



\$99.90

Check or Money Order,
Visa or MasterCard accepted.



CALIFORNIA WORD EXCHANGE
802 E. Lime • Monrovia, CA 91016
(213) 443-5866

AVAILABLE FOR
IMMEDIATE SHIPMENT

— DEALERS PLEASE CALL —

✓64

THE NEXT STEP

keystroke.

This driver routine has to stay in a specific place in memory after the pointer at 4016H is set—if it were relocatable and moved around, Basic would never be able to find it and the computer would hang up or reset. Therefore,

don't load the routine into a string or integer array.

Instead, pick a spot for it in memory (high or low) and assemble it to that location. Be sure to record three addresses from the symbol table; you will later need to know the location of

Setup, Unset, and Swap to use the routine from Basic.

Listing 4 contains many interesting features. First, the Setup routine, which saves the current driver address and puts the address of Test in its place, checks to be sure the routine is not initialized. Without this check, a second call to Setup causes the keyboard driver to enter an endless loop because the Return address would be set to Test.

Also, note that a machine-language routine must call Setup, not Basic. Changing the driver address from Basic requires two POKEs. However, Basic scans the keyboard for a Break command or a SHIFT @ command after the first POKE, and uses the current (just changed) keyboard driver address. But the driver address is incorrect until after the second POKE, which probably won't be executed because the computer is lost in RAM, looking for a nonexistent driver.

The Unset routine restores the original keyboard driver to the system. It is wise to include the routine before the end of the Basic program, or else the new driver routine remains active until a reset. If you should later load a new program over the driver, you face another potential hair-pulling disaster.

The third section, Test, checks for the necessary Shift-Clear command that invokes the swap routine. The program checks for a Shift command first, then a Clear command. Notice that the check for a Shift command only considers a non-zero value in that row, ignoring the difference between the two Model III shift keys. If you have other special keys wired into the shift row, the check must be made more particular. If the shift and clear keys aren't pressed, control passes to the original driver through the address stored at Return.

The fourth section of the routine, starting with line 480, is the screen swap driver. This routine is only reached when the shift and clear keys are pressed. First, the Swap routine is called (Swap is written as a subroutine so you can also call it from Basic during initialization). Then continuous calls are made to the Key routine until all keys are released. Third, a time delay routine is called to avoid key bounce during the key release.

Next, the Key routine is again called continuously until you press any key to signal that you want to return to Basic. The screen is swapped back to its original state, and, as soon as you release

```

00100 ;*****
00110 ;*
00120 ;* <shift> <clear> Screen-Swap *
00130 ;* allows operator to get *
00140 ;* a full page of instruc- *
00150 ;* tions, etc, at any time *
00160 ;*
00170 ;*****
00180 ;
00190 ;Note -- see text for set-up instructions
00200 ;
7B9F 00210 ORG 7B9FH ;NOT RELOCATABLE --
00220 ;ASSEMBLE TO ANY ADDRESS
00230 ;YOU WISH
00240 ; ORG of 7B9FH puts routine at top of 16K memory. Use
00250 ; 0BB9FH for top of 32K memory, 0FB9FH for top of 48K.
00260 ;
7B9F 2A1640 00270 SETUP LD HL,(4016H) ;GET CURRENT DRIVER ADDR.
7BA2 11B77B 00280 LD DE,TEST ;GET ROUTINE ADDR.
7BA5 DF 00290 RST 18H ;COMPARE DE & HL
7BA6 2807 00300 JR Z,SET10 ;GO IF ALREADY SET
7BA8 22C37B 00310 LD (RETURN+1),HL ;SET RETURN ADDR.
7BAB ED531640 00320 LD (4016H),DE ;SET 'TEST' AS DRIVER
7BAF C9 00330 SET10 RET ;RETURN TO BASIC
00340 ;
7BB0 2AC37B 00350 UNSET LD HL,(RETURN+1) ;GET OLD ADDR.
7BB3 221640 00360 LD (4016H),HL ;SET DCB TO ORIG. ADDR.
7BB6 C9 00370 RET ;RETURN TO BASIC
00380 ;
7BB7 3A8038 00390 TEST LD A,(3880H) ;GET SHIFT ROW
7BBA B7 00400 OR A ;IS SHIFT PRESSED?
7BBB 2805 00410 JR Z,RETURN ;GO IF NOT
7BBD 3A4038 00420 LD A,(3840H) ;GET <CLEAR> ROW
7BC0 E602 00430 AND 2 ;TEST FOR CLEAR
7BC2 CA0000 00440 RETURN JP Z,0000H ;SETUP PUTS VALUE HERE
00450 ;
00460 ;<Shift> and <Clear> are pressed, so SWAP
00470 ;
7BC5 CDE17F 00480 CALL SWAP ;SWAP SCREENS
7BC8 CDF47F 00490 L10 CALL KEY ;CHECK FOR KEY DOWN
7BCB 20FB 00500 JR NZ,L10 ;WAIT FOR RELEASE
7BCD CDF97F 00510 CALL DELAY ;WAIT TO AVOID BOUNCE
7BD0 CDF47F 00520 L20 CALL KEY ;CHECK FOR ANY KEY DOWN
7BD3 20FB 00530 JR Z,L20 ;WAIT FOR KEY PRESS
7BD5 CDE17F 00540 CALL SWAP ;RESTORE SCREEN
7BD8 CDF47F 00550 L30 CALL KEY ;CHECK FOR ANY KEY DOWN
7BDB 20FB 00560 JR NZ,L30 ;WAIT UNTIL RELEASED
7BDD CDF97F 00570 CALL DELAY ;WAIT TO AVOID BOUNCE
7BE0 C9 00580 RET ;RETURN TO REG. PROGRAM
00590 ;
00600 ;NOTE -- A will be loaded with 0 and the Z flag set when
00610 ; L30 falls through.
00620 ; Basic will think no key has been pressed.
00630 ;
0400 00640 SWPBUF DEFS 400H ;1K FOR BUFFER
00650 ;
00660 ;Actual SWAP done below
00670 ;
7FE1 11E17B 00680 SWAP LD DE,SWPBUF ;DE=> SWAP BUFFER
7FE4 21003C 00690 LD HL,3C00H ;HL=> SCREEN
7FE7 46 00700 SW10 LD B,(HL) ;SAVE SCREEN BYTE
7FE8 1A 00710 LD A,(DE) ;GET BUFFER BYTE
7FE9 77 00720 LD (HL),A ;BUFFER BYTE TO SCREEN
7FEA 78 00730 LD A,B ;GET SCREEN BYTE
7FEB 12 00740 LD (DE),A ;PUT IN BUFFER
7FEC 13 00750 INC DE ;BUMP
7FED 23 00760 INC HL ; POINTERS
7FEE 7C 00770 LD A,H ;GET MSB OF SCREEN PTR.
7FEF FE40 00780 CP 40H ;OFF SCREEN YET?
7FF1 38F4 00790 JR C,SW10 ;GO UNTIL DONE
7FF3 C9 00800 RET ;ELSE RETURN
00810 ;
7FF4 3AFF3B 00820 KEY LD A,(3BFFH) ;CHECK FOR ANY KEY
7FF7 B7 00830 OR A ;SET FLAGS
7FF8 C9 00840 RET ;AND RETURN
00850 ;
7FF9 01A406 00860 DELAY LD BC,1700D ;VALUE FOR DELAY ROUTINE
7FFC CD6000 00870 CALL 60H ;ROM'S DELAY ROUTINE
7FFF C9 00880 RET ;DELAY ABOUT 100 mS.
00890 ;
00900 00900 END
00000 TOTAL ERRORS

```

Program Listing 4

80micro PRODUCTION

in association with WAYNE GREEN PUBLICATIONS
Presents...

THE 80 MICRO REVIEW GUIDE

Written and Directed by the Reviewers and Editors of
80 MICRO
With an All-Star Cast of over 500 reviews of hardware,
software and books.

ACT I Scene One:

(Lights up. JOHN DOE sits in front of his computer reading a thick book. A sledge hammer is embedded in the 34-column printer to his left. PETE SMITH enters STAGE RIGHT.)

PETE: Hi, John, what's new?

JOHN: (Without looking) Hi, Pete. Just choosing a new printer.

PETE: What's wrong with the old one?

JOHN: Can't seem to get the daisy wheel past the sledge hammer.

PETE: Sledge hammer? What's that? Some new computer term?

JOHN: (Looking at Pete for the first time) Put your glasses on, Pete. (Pete does so and sees the sledge hammer)

PETE: Wow!... (Crosses to printer) Boy, you sure did a number on it! How many swings did it take?

JOHN: Just one.

PETE: One?! That's pretty impressive.

JOHN: Yeah, well I've had a lot of practice. Took me two or three swings to get the others.

PETE: Others? How many have there been?

JOHN: (Staring off into space) Let's see... two printers, three modems, one joystick and a couple of cassettes.

PETE: That's a lot of money down the tubes.

JOHN: I know. That's why I'm making sure I get my money's worth this time.

PETE: How?

JOHN: With this. (He holds up the book)

PETE: (Reading cover) The 80 MICRO Review Guide?

JOHN: Brand new. Over 500 reviews of hardware, software and books. All encapsulated from the pages of 80 MICRO, and all with this quick-comparison 5-star rating system. I can compare printers, modems, joysticks, games, word processing programs, business programs, books on language and programming—

PETE: Must have cost you a pretty penny.

JOHN: Nope. Just \$7.95.

PETE: That's all? How can I get one?

JOHN: You got the latest issue of 80 MICRO? (PETE nods) Just use the order card or the coupon in there. Or call toll free 1-800-258-5473 and use your MasterCard, VISA, or American Express.

PETE: Sounds easy enough.

JOHN: It is. And this Review Guide is great. I already saved more than the cost of the book when I used it to get that disk drive unit over there. Hey, where are you going?

PETE: To order my 80 MICRO Review Guide.

JOHN: But, Pete—

PETE: Don't worry. I'll bring the sledge hammer back as soon as I'm done with it.

(Lights fade as Pete exits STAGE RIGHT)

☐ Yes, I want to order the 80 MICRO Review Guide.

Please send me _____ Review Guides at \$7.95 each. (Please add \$1.50 per book shipping and handling)

☐ Check enclosed ☐ MO ☐ MC ☐ VISA ☐ AE

Card# _____ Exp. Date _____

Signature _____

Name _____

Address _____

City _____ State _____ Zip Code _____

Wayne Green Inc • 80 Pine St • Peterborough, NH 03458

ATTN: Marcia Stone

80RG8

Your Review Guide will be shipped by August 1, 1983.

Please allow 6-8 weeks for delivery.

Save time.

One call
to the ITM experts
gets you
the right software
at the
right price...
in less
than 20 minutes.
Expertise
and low prices
are just
two reasons you
should call
ITM first.

For
complete information
and the eight
other reasons
call toll free
today.

**We make
software buying simple.**

800-334-3404

IN CALIFORNIA CALL

415-284-7540

ITM™

936 Dewing Ave. Suite E
Lafayette, CA 94549

THE NEXT STEP

the key, control returns to Basic.

The key checks could call the ROM routine at 002BH, which scans the keyboard and returns the value of any pressed key in the A register; pressing the shift and clear keys a second time, however, makes the program double back on itself because it's still in the keyboard driver line. Therefore, the program checks the keyboard by scanning byte 3BFFH, the only byte that is always non-zero with a key pressed. The final delay routine sets the A register to zero and triggers the Z flag. No other manipulation of these two registers is necessary to notify Basic that no key is pressed. Basic continues on its way without knowing the routine was invoked.

Though the machine language portion of the routine uses only 97 bytes, the entire routine requires 1,121 bytes because of the necessary buffer for the save screen. Despite its relatively large memory requirement, such a routine probably saves memory space compared to other forms of self-documentation.

The process for using the swap driver in a program is straightforward if you record the three addresses from the symbol table during assembly. First, print the Help screen and then, with the USR command, call the Swap section of the routine. This stores your Help screen in the buffer and also transfers whatever garbage happens to be in the buffer to the video screen. Clear the

screen and call Setup to initialize the Help feature. Sometime before the program ends, call Unset to clear Test from the keyboard driver chain. Program Listing 5 shows how to use the program.

You could invent many other types of auxiliary keyboard drivers for special purposes. For some applications, you might want to call the regular keyboard scan first and have your program take some action if a certain key or group of keys is pressed. For example, you could easily develop a routine that allows direct input of graphics or special characters from the keyboard.

Also, you could redefine some of the unused control code characters. Pressing the shift key, the down-arrow key, and any key from A-Z simultaneously produces the ASCII codes from 1-26. At least half of these codes have no effect during telecommunications. A program could call the regular driver and take various actions based on which control code is pressed.

If you write an unusual auxiliary driver you think others might enjoy, send it to me. If I consider it to be of general interest, and if it works on the Model I and III, I'll include it in a future article so we can all experiment with it. ■

Write to Hardin Brothers at 280 North Campus Ave., Upland, CA 91786, or contact him through Compu-Serve. His e-mail address is 72165,735.

```

10 '*****
20 '*'
30 '*      SWAP Demonstration Program      *
40 '*'
50 '*****
60 '
70 ' NOTES -- Load SWAP routine before running this program.
80 '      See Table 1 to modify lines 160, 190, and 270
      for your system.

90 '
100 CLS
110 FOR I= 1 TO 10
120   PRINT TAB(I*3); "This is the Help Screen"
130 NEXT I
140 FOR I=1 TO 200: NEXT
150 PRINT: PRINT TAB(36); "Press any key to return."
160 DEFUSR=&H7FEL 'Call SWAP routine
170 A=USR(0)
180 CLS
190 DEFUSR=&H7B9F 'Call SETUP routine
200 A=USR(0)
210 FOR I=1 TO 100
220   K=K+2
230   IF K>30 THEN K=0
240   PRINT TAB(K); "Press <SHIFT> <CLEAR> for help."
250   FOR J=1 TO 50: NEXT J
260 NEXT I
270 DEFUSR=&H7BB0 'Call UNSET routine
280 A=USR(0)

```

Program Listing 5

Electric Webster™

A 50,000 word dictionary

SPELLING CHECKER

that can even SPELL, with dictionary display and automatic correction

Automatic

HYPHENATION

Simple

GRAMMAR & STYLE

Checker

Even **Looks up Correct Spellings** for you!

"Electric Webster is the **Cadillac of vocabulary programs**. . . If I could only have one, it would be Electric Webster.

'80 *Microcomputing*, September 1982

- **INTEGRATES** into 7 different word processing programs, (SuperScripsit, Scripsit, Newscript, Lazy Writer, Electric Pencil, Copy Art, Superscript).
- **SINGLE KEY OPERATION:** You need only press a key and in moments, Electric Webster can actually be saving, proofing, correcting and hyphenating your text—all automatically.
- **50K WORDS AND MANY MORE:** You can view words in context, or add them to your dictionary at the stroke of a key.
- **VERIFIES CORRECTIONS:** If you think you know the correct spelling of a word, EW will check it for you before it makes the corrections.
- **DISPLAYS DICTIONARY:** If you don't know, EW will look up the correct spelling for you, and display the dictionary.
- **FAST CORRECTING:** In as little as 30 seconds, Electric Webster can return you to your Word Processing program, with your text fully corrected and on your screen.
- **VOTED #1:** If this sounds too good to believe, you don't need to take our word for it. Take the word of the thousands of *80 Micro* readers who voted Electric Webster the #1 spelling checker. Take the word of the scores of professional software reviewers who have raved about Electric Webster. Or, ask your local computer or software dealer for a demonstration, and see for yourself!



ACCLAIMED IN REVIEW AFTER REVIEW:

Microproof: "There is simply **no finer program** available . . ." *Creative Computing*, March 1982

Microproof: "This is a very useful product and should be obtained by anyone who uses a word processor."
80 Microcomputing, August 1981

Microproof: "The summary review of this program? **One word—Excellent.**"
Computronics, September 1981

"Actually, Electric Webster is faster than its predecessor (Microproof). . . and spelling corrections are immediately verified against the dictionary before being accepted. . ."
Microcomputing, September 1982

My spelling book is now gathering dust. Electric Webster not only checks spelling, displays words in context and corrects errors in the text, but it will also immediately take you to the right place in a 50,000 word dictionary so you can check the correct spelling for yourself." *Info World*, August 1982

"In my opinion, **the perfect combination** is Correcting Electric Webster with the hyphenation and grammar add-ons. To my surprise, it fills every reasonable expectation. It is fast, easy to use and accurate." *Desktop Computing*, December 1982

LOW PRICES—Add features as you need them:
Spelling Checker \$ 89.99 (TRS-80)

\$149.50 (CP/M™ & PC DOS)

Spelling Correction \$59.99—includes correction, dictionary lookup and 6 word processing integrations.

Grammatical Checking \$49.99

Hyphenation \$49.99 (included with CP/M™ & PC DOS)



CORNUCOPIA SOFTWARE

Post Office Box 6111 Albany, California 94706 • (415) 524-8098

The Ultimate
PROOFING
SYSTEM

What Is:

- Lightning Fast
- Powerful
- Awe-Inspiring

CEC Introduces **ZEUS** Editor Assembler

What It Does:


- Loads source text in seconds.
- Utilizes 75% of disk space vs. EDTASM format.
- Creates object code for 794 instructions (EDTASM 696).
- Creates object code 2½ to 3½ times faster.

Why Do You Need It:

We think it is the **Most** powerful Editor Assembler in the Universe!

INTRODUCTORY
Price \$79.95

which includes an operating system that will BOOT and run in the Model I, III & 4!



MULTIDOS OPERATING SYSTEM

MODEL I

PMC 80

MODEL III

LNW 80

MODEL 4

MAX 80

FAST ■ EASY TO LEARN ■ EASY TO USE

THE DOS FANTASTIC!

GET YOURS NOW!

Add \$3.00 shipping/handling,
foreign orders add \$10.00.
Michigan residents add 4%
sales tax. COD add \$1.50.
Model I orders specify single,
double or P density. Personal
checks take two weeks to clear.
VISA & MasterCard accepted.

\$99.95

**COSMOPOLITAN ELECTRONICS CORPORATION
5700 PLYMOUTH RD.
ANN ARBOR, MI 48105**

TECHNICAL LINE (313) 668-6660

TOLL-FREE ORDERS: 800-392-3785

DEALER INQUIRES WELCOME


Are you confused by all the versions of TRSDOS? Should you use version 1.0, 1.1, 1.2, 1.3, 2.0a, 2.0b, II, HD, 4.1, 4.2, or 16?

The original Model II TRSDOS was version 1.0. Later improvements and fixes yielded versions 1.1, 1.2, and 1.3. The only time you'll see these versions is if you purchase software originally designed for the Model II. Should you buy a program on such a disk, leave it there. The program was written and debugged on that version and you can be sure it functions correctly.

The newest Model II version is TRSDOS 2.0. A letter suffix indicates whether it will run on the Model II, 12, or 16. TRSDOS 2.0a is for the Model II, although 2.0b also runs on it. But 2.0b must be in control if the disk is used on the Model 12 or 16.

To convert a 2.0a disk into a 2.0b, simply type DO THINLINE from the TRSDOS Ready mode. Then reset and the version number changes right on the screen.

Model 12 and 16 disk drives shut off if they are not addressed within 20 seconds of the last access. The idea is to save wear and tear on the disk and the drive mechanism. However, if disk input or output is required, the motor turns on and the disks must be brought up to speed before the system accesses them.



Versions of TRSDOS

TRSDOS 2.0b instructs the computer to wait 8/10 second. If operating time is a factor on your Model II, though, you should use version 2.0a. This speeds up disk I/O since there is no delay in accessing the disk. To convert 2.0b to 2.0a, type DO UNTHIN from the TRSDOS Ready mode.

One final note: Version 2.0 does not support double-sided disks.

When Radio Shack brought their first hard disk out on the market, they needed an operating system to control it. Thus, TRSDOS HD was born.

The latest Model 12 and 16 disk operating system is version 4.2. TRSDOS

HD is extinct. The hard-disk operating system is built into version 4.2. As you might have guessed, version 4.2 replaces version 4.1, which made its debut when the Model 16 came out last year. The Model 16 owner's manual sometimes refers to TRSDOS 4.2 as TRSDOS II.

Version 4.2 uses disk space most efficiently of any TRSDOS to date. It supports double-sided disks.

You cannot use just any disk to record data on both of its sides. The indexing sector hole on the disk appears at different locations on single- and double-sided disks. If the computer detects a double-sided disk, it automatically writes to the other side when side 1 is full.

TRSDOS 16, which is part of the version 4.2 disk, controls the MC68000 microprocessor in the Model 16, II/16, and 12/16 machines.

In summary, if you have a Model II, you should be using TRSDOS 2.0a. If you have a Model 12 or 16, use version 4.2 (TRSDOS II). Versions 2.0 and 4.2 address the Z80 microprocessor. Use TRSDOS 16 when dealing with the MC68000.

TRSDOS 2.0 and 4.2 format disks differently—version 4.2 uses disk space more efficiently. However, you can transfer programs and files between the two with the command FCOPY. ■

Continues on p. 42




Photo 1. Model 16 CPU circuit board. Arrow indicates MC68000. (Photo by George M. Keen.)

"THE RESULTS ARE IMPRESSIVE..."

—Dennis Kitz, 80 Microcomputing; 12/82

Langley-St. Clair's* **Soft-View™** Replacement CRT's eliminates the strobe, flicker and fatigue from TRS-80's.™

Now you can upgrade your monitor with the new medium persistence green or amber phosphor tube.

State-of-the-art systems such as IBM™ and Apple III™ do not use the less costly "P4" B&W display tube because it is actually intended for TV viewing and its rapid strobes (60 times per second) cause irritating eye fatigue.

No amount of "green plastic" will solve this problem. But the new **Soft-View** CRT display tube from Langley-St. Clair will.

- Available in slow decay Green or medium decay "European Amber" (the standard in Europe)
- Made with Lead/Strontium impregnated glass that stops X-ray emission.
- Of high-contrast face glass that also stops most U.V. radiation.
- Available in frosted glass with extra Anti-Glare benefits.
- Easily installed...comes with pre-mounted hardware.
- Warranted for one full year against manufacturing defects or tube failure.
- The finest quality double-dark glass phosphor fields to produce dramatic contrast.
- Ideal for Word Processing and Programming, yet fast enough for Games and Graphics.

LSIS **Soft-View™** CRT'S

☐ #GN42 Green Phosphor	\$79.95
☐ #GN42G Green Phosphor w/Anti-Glare	\$89.95
☐ #OR34 Amber Phosphor	\$89.95
☐ #OR34G Amber Phosphor w/Anti-Glare	\$99.95

also available:

☐ #R22G Red Phosphor w/Anti-Glare	\$139.95
☐ #B22G Blue Phosphor w/Anti-Glare	\$139.95

Plus: \$7.00 for packing and UPS Shipping

\$17.00 for Overseas, Parcel Post or UPS Blue Label

Add Sales Tax where applicable.

(Inquire about the CRT's we have available for many other computer models)

For MasterCard and Visa Orders only, call
800/221-7070 (in N.Y. call 212/989-6876)

❖ Langley-St. Clair Instrumentation Systems, Inc.
132 West 24th St., New York, N.Y. 10011



Actual unretouched photo.

*World's largest supplier of upgraded replacement CRT's.

Soft-View, IBM, Apple and TRS-80 and trademarks of LSIS, IBM, Apple Computer and Tandy Corp.

Continued from p. 40

Assembly-Language Corner

Photo 1 shows the MC68000 board used in the Model 16, II/16, and 12/16. The arrow points out the microprocessor. Physically, it is a very big chip compared to typical integrated circuits. The sheer number of input and output connections accounts for its large size.

The 68000 offers an abundance of general-purpose registers, named A0-A7 and D0-D7. Each register can store up to 4 bytes of data.

The term "addressing mode" refers to the microprocessor's instructions and the syntax needed to address the MPU (microprocessor unit) registers.

The MC68000 instruction set is similar to those of most other microprocessors. However, there is one new factor. Instructions need a suffix that tells the computer how many bytes of the register are to be acted upon. These suffixes are labeled B to represent a byte operation, W for 2 bytes (a word), and L for a long word or 4 bytes.

The statement LDW .A0,#5 acts on 2 bytes (a word). Address register A0 is loaded directly with the decimal number 5. Since the suffix is W, the upper byte of the word is filled with a zero. You cannot be sure of the values stored in the other 2 bytes of the register, however. If you want to be certain that the register's 4 bytes contain only a value of 5, specify LDL instead of LDW.

In keeping with Z80 load format, the operand of the LD statement contains the destination register and source value (or source register) separated by a comma. The source appears to the right of the comma in parallel with Z80 programming. This is true for all MC68000 op codes with one exception, STore. Like the load instruction, it places values in registers. The syntax for STore is ST source,destination. You must use B, W, or L to indicate the number of bytes affected by the operation.

In the LD example, a pound sign (#) tells the processor to treat the following entity as a number. Otherwise, it is a memory location.

Finally, the period in front of register A0 indicates direct register addressing while an @ sign denotes direct addressing. Direct addressing means to place the value from the source directly into the register specified in the destination position of the operand.

LD is used for direct register addressing, and the op code MOV (for MOVE) is for indirect operations. For instance, LDA .A0,STORAGE AREA loads the memory address location of this section of the program given the identifying label STORAGE AREA. LDA is a complete instruction to load an address location into a register. Since memory addresses are 4 bytes long, the instruction always works on the entire register and requires no B,


W, or L suffix.

Let's go one step further and load the decimal number 5 into the memory address whose location was defined with the label STORAGE AREA. The address was loaded into register A0 using the instruction LDA .A0,STORAGE AREA. Now the program must load the number 5 into the memory location to the address indicated by the value stored in A0. In other words, A0 points to the destination. The register itself is not to receive the 5. Because the @ sign represents the indirect addressing mode, the routine might look like this:

```
LDA .A0,STORAGE AREA
MOVW @A0,#5
```

It is standard practice to use the suffix W on loads and moves even when you are loading only 1 byte. A W forces a zero into the second upper byte of the register. Most op codes work on a word, in contrast to 8-bit MPU's which handle 1-byte instructions.

The MC68000 places all instructions in even memory address locations. A good reason for defining a word instead of a byte when setting aside memory as storage areas for text or numeric data is to ensure even placement of instructions that appear later. ■



DEALERS • DISTRIBUTORS • OEM'S

- Enclosures and power supplies with or without drives.
- Low minimum orders.
- Attractive quantity pricing.
- Durable, textured, color compatible finish looks great on your display counter!
- Fully engineered product, high reliability design.

NOW AVAILABLE IN QUANTITY: DUAL TEAC FD-55 VERTICAL ENCLOSURE WITH OR WITHOUT FILLER PLATE, SINGLE OR DUAL TEAC FD-55 HORIZONTAL ENCLOSURE.

- All standard configurations also available.

Ann Arbor Precision
 7536 Jackson Road
 Ann Arbor, MI 48103
 Order Desk: 9-5 EST
 (313) 426-5477 Mon-Thu



"Precision—Since 1977"



New Release

Now supports Mailing Lists, Form Letters, "ZAP-PROCESSING", and 18 more printer drivers.

**STILL ONLY
\$69.95**

IF YOU STILL THINK YOU
HAVE TO SPEND \$200 FOR A
GREAT WORD PROCESSING
SYSTEM, THEN YOU NEED TO
READ THIS AD!!

The Magnificent WORD PROCESSING SYSTEM

For the TRS-80 Model I and III

- Supports over 50 different popular printers including OKIDATA Microline 80, 82A, 83A, 84A, Qume, Centronics 737, 739, Radio Shack Line Printer IV, VI, Daisy Wheel II, EPSON MX-80, MX-100, Grafrax, Grafrax Plus, Gemini-10, Gemini-15, NEC PC-8023A-C, Spinwriter 5510, 5515, 5520, 5525, C. Itoh Prowriter 8510, Starwriter FP-1500, F-10, Tec 8500R, Smith-Corona TP-1, Brother HR-1, COMREX Com-Riter CR-1, IDS Microprism 480, and Diablo 630.
- Supports proportional space right-margin justifying on Centronics 737, 739, Radio Shack Line Printer IV, Daisy Wheel II, Grafrax Plus, NEC PC-8023A-C, Spinwriter 5510, 5515, 5520, 5525, C. Itoh Prowriter 8510, Starwriter FP-1500, F-10, and Diablo 630.
- Powerful Mailing List and Mail-Merge capabilities for personalizing standard legal documents and Form Letters, handling infinite number of data records per run, infinite number of data fields per data record, and data fields as large as up to 1000 characters each.
- Brand new feature called "ZAP-PROCESSING", allows you to display and edit any type of data or program file in "ZAP" (byte-hexidecimal) format.
- Any character or symbol your printer can print, even dot graphics, can be used in mid-line printing with the Special Character feature.
- Written in fast Z80 machine language with type-ahead key-stroke buffering for speed typing.
- Single key-stroke control of all editing functions for ease of use.
- Continuous on-screen display of word count, line count, and free memory count.
- Superscripts, subscripts, underlined, bolded, expanded and condensed type styles - combine and intermix within a line.
- Automatically justifies and word-wraps on the screen as you type.
- Search, Replace, and Global Search and Replace.
- Odd and even page user-definable headers, footers, and page number lines, with automatic page numbering.
- User-definable linespacing, sheet size, top, bottom, left, and right margins.
- Move blocks of text and copy blocks of text from disk, to disk, and within the text.
- Examine disk directory on any disk and kill files while editing.
- Powerful full-screen editing features for EDTASM and BASIC files, including automatic renumbering of lines.
- Built in function to dump contents of screen to printer.
- Print-previewing formats text, inserts headers, automatically numbers pages, etc. on the screen without printing it on paper.
- Page by page pausing capability for sheet fed printers.
- Supports both parallel and serial printers.
- Printer control code access.
- Works with NEWDOS, NEWDOS80, TRSDOS, MULTIDOS, LDOS, and DOSPLUS - Single or Double Density.
- Compatible with most all available spelling checker programs.

GUARANTEE

Many word processing systems claim theirs are the best, but few would dare guarantee them. Not us! We are confident that ZORLOF is the most useful word processing system on the market for under \$200. If you don't agree, return it within 30 days for a full refund.

Add \$2.00 shipping & handling. Florida residents add 5% sales tax. Checks require 3 weeks to clear banks.

ANITEK

SEE YOUR LOCAL
DEALER OR CALL

(305) 259-9397

MasterCard

VISA

ANITEK SOFTWARE PRODUCTS □ P.O. BOX 1136 □ MELBOURNE, FL. 32935 □ (305)259-9397

I'd like to tie this edition of The Color Key into the games theme of the August issue. This presents certain problems: I'm not much of a game player.

I do have a soft spot for Pac Attack and Doodle Bug. I've even taken on Zaxxon or Defense to satisfy some primitive blood lust, but I yield to the kids where any claim to dexterity is concerned.

And forget adventure games. I've already spent too long stumbling around one isolated sector of Aardvark's Circleworld, and that's my most successful encounter with the type! I have a tough time getting interested in screen after screen of text when I know what else the CoCo can do.

All of which gives me the structure for this column: a little on games, much more on the graphics that give them their appeal.

A Radar Routine


I might not be too big on games, but simulations are for grownups. My lifelong enthusiasm for aircraft, and so for flight simulators of all types, sets me to thinking about CoCo graphics as applied to war games (I mean tactical and strategic simulations).

I've been flirting with the idea of writing a complex simulation of the Battle of Britain. The setting of Batlbrit (I already have the file name) will be the RAF (Royal Air Force) War Room, with the computer providing a real-time radar display of the battle area: much of England's southern Channel coast, including cities and airfields.

British radar picks up the incoming Luftwaffe formations, and the player has to allocate fighter resources to intercept them. This provides possibilities for strategic considerations and the use of historical data.

I plan to use the short routine in the Program Listing as the basis of the radar display. It needs some polishing; the array that stores the formation could be defined more efficiently, that's clearly not the English coast on the screen, and eventually I'll have multiple aircraft formations present at any given time.

Perhaps the game writers among you can see other uses for the routine even now. It's based on combining Extended



Graphics, games, and the Color Computer

Color Basic's Get and Put commands for simulating motion with periodic screen clearing to provide a satisfactory radar effect. A given return stays fixed on the screen until the next sweep of the beam, then you see its new position.

The listing defines the fictitious coastline as a string variable, CL\$, so you can use it in multiple Draw statements without a lot of retyping.

The M, or Move, subcommand within the definition of CL\$ allows you to draw lines at practically any angle; otherwise, oblique lines would be restricted to the 45-degree positions of the E, F, G, and H subcommands.

The little routine between lines 130 and 160 is useful for constructing a fuzzy radar return for the incoming aircraft. Line 150 defines the fuzziness. Use numbers less than 0.9 to fill more of the array.

Line 240 sets the speed and direction for the radar signal's movement across the screen. I included the random term in the expression for DY to make it harder to predict where the incoming formation would cross the coast.

At this stage of the full-blown game, computer-generated Luftwaffe strategy inserts predefined course changes for the bomber fleets.

Lines 240-320 draw successive radar scans. The PCLS blink in line 250 adds realism. If you find it bothersome, you can delete lines 250 and 260, and blank out the old radar return by putting a blank rectangle on top of it before writ-

ing the updated signal onto the screen.

Line 270 allows the coastline to show up before the aircraft do; I now think the display looks better without this effect, and might get rid of the line in future work. Line 500 is an endless loop to freeze the final display.

It's taken longer to describe the routine than to write it. If these techniques still leave you cold, I recommend a couple of good references.

Color Computer Graphics, by William Barden, Jr., is available for \$5.95 at Radio Shack Computer Centers. The book is for the Basic programmer. Barden's usual style comes through; he might succeed in making Video Display Generator (VDG) and Synchronous Address Multiplexer (SAM) programming comprehensible.

Assembly Language Graphics for the TRS-80 Color Computer, by Don and Kurt Inman, is from Reston Publishing Co., Reston, VA, for \$14.95. It's much headier stuff. The Inmans use sound and graphics as the most attractive vehicles for teaching Assembly language. Much of the book discusses putting text on the screen when using a graphics display mode, which leads me neatly to my next topic.

Using the Keyboard with Graphics


In many games, the player wants to enter keyboard commands while retaining a high-resolution graphics display. That's how the RAF commander will direct his forces in my Battle of Britain simulation. A normal input command won't work, since it causes the machine to revert to the text display mode.

In last month's column, I discussed Arizin Inc.'s Colorkit utility (P.O. Box 8825, Scottsdale, AZ 85252). The .TXOF command defeats the reversion to text display when an input is encountered.

To use this in Batlbrit, I could have the display freeze as a signal for keyboard input. Hitting enter restarts the display, while the program parses the input string and takes appropriate action.

Handy as these utilities are, it's unrealistic to expect prospective game players to rush out and buy Colorkit; besides, it takes up about 5K of RAM that might not be available. Finally, you'd have to make the keyboard en-

Shape your TRS-80 to communicate with any computer you want.



Omniterm is the most flexible, powerful terminal program you can buy. Omniterm lets you adapt your TRS-80 to communicate with 99.9% of the world's computers. Your company's mainframe, for example. Or any other personal computer, time-sharing computer, or communications service.

Omniterm overcomes incompatibilities in screen formats, baud rates, character sets, control codes and file transfer protocols. Seven complete translation tables let you change any character, for complete compatibility of all input and output devices. Omniterm is so flexible, users have even set up their ASCII-coded systems to communicate with EBCDIC-coded systems.

You can send all ASCII characters, even those that aren't on your keyboard. Reformat your screen to neatly accommodate any line length. Run your printer while you're sending or receiving data. And even review data that's scrolled off the top of the screen.

Omniterm's well-thought-out design makes it easy to use. You can get a status display of all functions while on line to tell you what's going on, and make any changes at the same time. You can create a special file of your settings to make it easier next time. You also get X/Y cursor control, single keystroke sign-on and auto-dialing. Even a phone directory. And lots more.

You don't have to be a computer expert to use Omniterm. Just spend a day with what the reviewers call "the best manual in the business." Then if you need help, just call, write, or contact us via CompuServe, Delphi, or Source.

Omniterm is the proven terminal program. The program thousands of people have used successfully. And the one the editors call the "top program available" (*Byte*, *80-Micro*, *Infoworld*, etc.)


Omniterm comes complete with sample setting files, conversion utilities, a practical text editor, seven translation tables, and a 76-page manual with index.

Available at leading dealers, or prompt shipment on direct phone and mail orders. Order Omniterm, for a super-smart TRS-80 that's putty in your hands.

Only \$95 for TRS-80 Models I, III or 4 (32K memory, one disk minimum). \$175 for Models II, 12 or 16 (64K memory minimum). (In Mass., add 5% sales tax.) MasterCard, VISA, and C.O.D.

IBM PC version coming soon.
DEALER INQUIRIES INVITED.

Telephone: (617) 852-0233
CompuServe: 70310,267
Source: TCA818
Delphi: Lindbergh



Omniterm

Lindbergh Systems

49 Beechmont St., Worcester, MA 01609

**NOW Version 1.60 with auto-dial
and log-on direct from DOS!
Plus other new features.**

✓135

tries blind; Colorkit doesn't have a way of echoing them to the high-resolution screen.

However, you can still use the INKEY\$ function to interpret keyboard input one character at a time, even when a graphics display is up. A screen echo is also easy to arrange. Have the program draw a high-resolution graphics representation of the character whose key you just pressed. I've published one such character set (*80 Micro*, Anniversary Issue 1983, p. 469).

You can also retain use of the enter key for command termination. If PEEK(338)=191, that's enter. If PEEK(339)=191, you've pressed clear. That might be handy to rectify a typing error; if the machine detects a clear, it should ignore everything entered up to that point and start over.

Information of this sort is readily available from the many CoCo keyboard maps produced over the past few years. The first one in my files appeared in "The Color Computer" by Philip Martel and Robert Nicholas (*80 Microcomputing*, June 1981, p. 206).

Some Graphics Editors

One of my first projects after adding joysticks to my computer was writing a paintbrush program to create low-resolution graphics without squinting at graph paper or sweating out a mass of Pset commands. I even added a routine to save the video RAM data as an ASCII tape file.

However, it's possible to do much more, and nowadays most software vendors have some sort of graphics editor in their portfolio. These vary from programs that let you create individual figures for incorporation into a game, to full-screen editors that do for graphics what a good word processor does for text.

Larry Ashmun's Color Graphics Editor (CGE) from Soft Sector Marketing (6250 Middlebelt, Garden City, MI 48135) gives you a small screen area in which to build a figure for use in a larger program.

The disk version stores the graphics data as an ASCII file of Basic data statements, or as a file of Form Double Byte (FDB) directives for an Assembly language program. You even have a limited capability to check out animation effects before committing your creation to disk.

A powerful feature of most graphics

```

10 ' "RADAR SCREEN" ROUTINE
20 '
30 '
40 ' SETUP & DRAW "COASTLINE"
50 PMODE 4,1: PCLS: SCREEN 1,0
60 CL$="D41F10D5M-15,35L13D25G12U4M+6,-8U4L23M-40,79"
70 DRAW "BM128,0,XCL$;"
80 '
90 '
100 ' RESERVE ARRAY, CONSTRUCT
110 ' RANDOM "RADAR SIGNAL"
120 DIM R(10,10)
130 FOR X=246 TO 255
140 FOR Y=0 TO 9
150 IF RND(0)>0.9 THEN PSET(X,Y,1)
160 NEXT Y,X
180 '
190 '
200 ' MOVE "RADAR SIGNAL" ACROSS
210 ' SCREEN
220 GET (246,0)-(255,9),R,G
230 X=246: Y=0
240 DX=2: DY=1+RND(0)
250 PCLS
260 DRAW "BM128,0,XCL$;"
270 FOR T=1 TO 100: NEXT T
280 X=X-DX: Y=Y+DY
290 IF X<=0 OR Y>=181 THEN 500
300 PUT(X,Y)-(X+9,Y+9),R,PSET
310 FOR T=1 TO 750:NEXT T
320 GOTO 240
500 GOTO 500

```

Program Listing. Routine to Simulate a Radar Screen

editors is the ability to program the VDG and SAM chips in nonstandard ways. If you've delved into CoCo graphics programming at the Assembly language level, you know that the Microsoft interpreter accesses only certain setups, the four PMODEs of Extended Color Basic.

Other graphics and semigraphics modes exist, and some nice effects are possible if you're willing to get involved with some of the details. How about the equivalent of PMODE 4 with three colors on a black background?

CGE gets you started in the right direction, although the Basic programmer still has a lot of work to do.

After loading the program, you have a choice of four modes, each with two color sets. In resolution, these correspond to PMODEs 1, 3, and 4, plus a 128-by-64-element mode designated as 2C. You then enter the edit mode, in which you create a shape for later use.

The display gives you a rectangular graphics work area, plus a table of four two-digit columns. Each digit will later contain the hexadecimal (hex) representation of the data stored in 1 byte, or four dots, of video memory. Each pair

of bits controls the color of one dot. Thus, the first line of digits represents the first video line, and so on.


There are two shape creation modes. In Dot/Draw, you move a flashing cursor within the work area and press number keys to create color dots. (I could use it to create the aircraft formations in Batlbrit, for instance.) The numbers in the table change as you lay down dots.

Hex/Direct Entry lets you write hex numbers directly into the table. This can be faster if you know the hex representations of the colored dot patterns you want.

However, I've found an effect similar to keybounce that limits the speed with which I can enter data in this mode. I suspect that this results from an insufficient delay time in the keyboard scanning routine, and should be amenable to a software fix.

CGE gives the programmer tools for filling the work area box with a solid background color, Exclusive ORing the box's contents with another color to change background and figure, and moving the figure within the box.

You can use this to simulate animation when combined with the four buf-



SOFTWARE AT SOFT PRICES.

Hoyle and Hoyle's Query!² Database Management System makes record keeping affordable.

What can Query!² do for you? Any information you ever recorded on 3x5 cards (or wished you had) from recipes to mail lists; from stocks and bonds or inventory to book or music collections; from church directories to medical research (at UNC and UT), Query!² owners have done it all — and more.

Wouldn't it be nice to type in the beginning and ending date of next week and ask Query!² if anyone you know has a birthday or anniversary during that period? With our sensible \$29.95 price tag and clear, concise manual, you can have Query!² performing like this in an hour. Use Query!² to organize your information into records with up to 255 fields (that's more lines than the average file card has) of up to 255 characters each. Add records (as many as your disk can hold) by following simple prompts. View your records and edit easily. Print them out in three different formats (one makes mail labels from the first seven fields — allowing you to still keep track of phone numbers, sales, service, products, etc.) Need your records in order? Query!² can sort on any field fast. Looking for one particular piece

of information? Query!² will let you search on as many as 40 fields — so you can find a book even if you can't remember the title or author.

Thousands of satisfied Heath/Zenith users during the past year have put Query!² to the test.

"I stand in awe of you who produce programs such as Query!²"

Dick Smith, Palo Alto, California

"I want to thank you for developing this set of programs. I am very pleased to have a high quality database system at a very reasonable price."

Rev. John F. Potter, Ringoes, NJ

Now for the TRS-80 III, Apple IIe, IBM-PC, Heath/Zenith and Standard 8" IBM format, CP/M. Query!² is sensible, fast (assembly language programs), flexible, affordable, and at \$29.95 you can't afford to wait!

Call today for VISA, Mastercard, COD; or send check or money order to:

Hoyle & Hoyle

SOFTWARE

716 S. ELAM AVENUE
GREENSBORO • NC • 27403 • 919/378-1050

✓326

fers CGE sets aside for storing the current contents of the box. You can sequentially rotate the buffers' contents in and out of the work area, so you can see the effects of storing slightly different versions in each.

Unfortunately, while CGE does make shape creation simple, incorporating the shapes into a Basic program is awkward. The Basic output option of disk CGE generates an ASCII file of data statements (line numbers 100, 110, and so on) that you must renumber and merge with the rest of your program.

Then it's up to you to read the data into an array and use POKE or Get/Put to get it onto the screen. The tape version of the program can't even generate the file for you; you have to copy the data table by hand.

There is no easy road to arcade-quality animation for Basic programmers. If you want high speed, you have to use Assembly language.

CGE author Ashmun doesn't duck this issue; he does provide an Assembly format option. I just think it's important to keep your expectations within

bounds when considering the purchase of a software tool.

Bob Crispin's Foxygraf (Computerware, Box 668, 4403 Manchester Ave., Encinitas, CA 92024; \$29.95 tape, \$34.95 disk) takes another tack. This is quite a comprehensive package, with a manual that features an excellent treatment of graphics in general and CoCo programming in particular.

Few people have done a better job of describing the interactions between the three determinants of a CoCo display: page, the address of the top left corner of the screen; VDG mode, the vertical size of the screen and the vertical separation between bytes; and color set, which controls page width and pixels per byte.

With Foxygraf, you can create images on part or all of the screen, using the arrow keys and space bar to control a cursor of variable size. You can save the images to tape (with the cassette version of the program, anyway) and subsequently recall them. You can also interface them to Extended Color Basic programs.

Foxygraf gives the user an unusual degree of control over VDG and SAM programming. It has its own shorthand commands for drawing lines and ellipses, and for painting rectangular portions of a screen.

You can define the cursor as a graphics block or any alphanumeric character received from the keyboard. This makes it possible to mix text with graphics in semigraphics modes. With practice you can get unusual effects, although it might not be possible to maintain them when recalling an image with Basic.

Foxygraf also supplies complete real-time information about the parameters of the mode and screen in use. A query command lets you leave the graphics screen to examine and possibly change parameters without destroying your work.

The program also keeps track of the cursor's position in two coordinate systems: graphics screen rows and columns, and RAM addresses. This is handy for defining the portion of the screen you want to record.

Images are recorded as binary files,

NEW PRINTERS ADDED! FIND YOURS BELOW.		RIBBON SALE				EXACT REPLACEMENTS, LONG-LIFE, HEAVY INKING			
Good This Month		RADIO SHACK-CENTRONICS-EPSON-ANADEx-BASE 2-HEWLETT PACKARD-MALIBU-IBM-NEC-C.ITOH-IDS							
PRINTER MAKE, MODEL NUMBER (Contact us if your printer is not listed. We can probably RELOAD your old cartridges.)	RIBBON SIZE Inches by Yards	INSERTS EZ-LOAD™ EXACT REPLACEMENTS made in our own shop feature Long-Life and Heavy Inking. Our instructions: DROP IN, NO WINDING! Cartridges NOT included		RELOADS You SEND your used CARTRIDGES to us. We RELOAD them for you.		NEW CARTRIDGES (from the various manufacturers. Subject to availability.)*		SILVER DOLLAR WIND TO LOAD WHY DO WE SELL THESE? This is the type ribbon you get if you order from our fellow advertisers. We sell them for less since we make them ourselves. Do you really like the mess and inconvenience of unwinding and dumping this type ribbon into a wastebasket or out on a newspaper and/or winding it into your cartridge? We don't know why these are being sold. Computers should simplify your life, not make it more complex just to save a few pennies. You are welcome to order these if you cannot afford our EZ-LOAD™ INSERTS, RELOADS, or NEW CAR- TRIDGES. But BEWARE! You now know how to avoid disappointment! One more caution: be sure to check the length of any ribbon BEFORE you buy it. For instance, an MX-100 ribbon should be 30 yards long, not 20 as in the MX-80.	
ANADEx 9000 Series	1/2 x 30	\$21/3	\$78/12	\$10/1	\$9 ea./2 or more	*	*		
BASE 2	1/2 x 20	\$18/3	\$66/12	\$9/1	\$8 ea./2 or more	\$30/2	\$87/6	\$168/12	
RADIO SHACK	DWP-410	↓	↓	↓	↓	\$21/3	\$84/12	\$504/72	
DAISY WHEEL II Carbon Film (26-1419)	1/4 x 145	\$25/6	\$48/12	\$270/72	\$15/3	\$18/3	\$70/12	\$408/72	
COLORS Red, Green Blue, Brown Long-Life Fabric (1449)	1/4 x 130	\$30/6	\$58/12	\$324/72	\$18/3	\$21/3	\$82/12	\$480/72	
LP I-II-IV 700 Zip-Pack (1413) 730/737/739/779	1/4 x 25 NOT EZ-LOAD	\$24/3	\$47/6	\$90/12	\$9/1	\$8 ea./2 or more	\$20/2	\$58/6	\$112/12
DMP-200 (26-1483)	9/16 x 16	\$13/3	\$48/12						
DMP-500 (26-1482)	1/2 x 20	\$18/3	\$66/12	\$9/1	\$8 ea./2 or more	\$30/2	\$90/6	\$180/12	
LP III-V (26-1414)	1/2 x 20	\$18/3	\$66/12	\$9/1	\$8 ea./2 or more	\$24/2	\$72/6	\$144/12	
LP VI-VIII DMP-400 (26-1418)	1/2 x 15	\$18/3	\$66/12	\$9/1	\$8 ea./2 or more	\$25/2	\$75/6	\$150/12	\$12/3 \$44/12 \$252/72
LP VII DMP-100 (26-1424)	5/16 x 14	\$17/3	\$62/12	\$9/1	\$8 ea./2 or more	\$22/2	\$66/6	\$132/12	\$11/3 \$40/12 \$228/72
EPSON MX 70-80 IBM MX 100	Inker Loop					\$16/2	\$48/6	\$96/12	
C.ITOH Prowriter 1550 8510	1/2 x 20	\$18/3	\$66/12	\$9/1	\$8 ea./2 or more	\$18/2	\$52/6	\$100/12	\$12/3 \$44/12 \$252/72
IDS Paper 450/460 Tiger 500 Series	1/2 x 30	\$21/3	\$78/12	\$10/1	\$9 ea./2 or more	\$30/2	\$87/6	\$168/12	\$18/3 \$66/12 \$360/72
DATA ROYAL 5000	1/2 x 18	\$18/3	\$66/12	\$9/1	\$8 ea./2 or more				
NEC 8023 Series	1/2 x 16	\$18/3	\$66/12	\$9/1	\$8 ea./2 or more				
Spinwriter Fabric	1/2 x 18	\$18/3	\$66/12	\$8/1	\$7 ea./2 or more				
MS Carbon Film	1/4 x 130 NOT EZ-LOAD	\$25/6	\$48/12	\$270/72	\$15/3				
COLORS Red, Green Blue, Brown	1/4 x 130 NOT EZ-LOAD	\$30/6	\$58/12	\$324/72	\$18/3				
WORRIED ABOUT ORDERING BY MAIL? Relax. We've been in business for many years and can please the smallest and largest account. You receive some of the finest ribbons available made of our own exclusive IMAGE PLUS™ tw fabric and carbon film. Our ribbons fit your printer exactly. COMPARE, but BEWARE! We order all our competitor's products and are amazed at what we get. Have you ever received a new fabric ribbon you had to unwind and dump out on the table before you could use it? We have. Or, carbon film inserts that had no end-of-ribbon sensor? Or, 7-meg cartridges with only HALF enough ribbon at full retail? Our only business is RIBBON manufacturing and distribution. We use the latest state-of-the-art production equipment and are blessed with a fine, dedicated staff. We fully guarantee all our products because we make them ourselves. You must be completely satisfied, period. Our ribbons are made fresh daily and shipped within 24 hours. Write for our brochure and newsletter "INK SPOTS".									
MODEL II 8" GAME DISCS Volume 1: Biorhythms, Trap, Rip Cord, Yacht Sea, Concentration & 4 more Volume 2: Ugly, Bingo, Towers, Blackjack, Farkle, CODY & 3 more \$25 EACH									
SEND CHECK, MONEY ORDER, or COD TO: BCCOMPCO 800 South 17 Box 246 SUMMERSVILLE, MO 65571 (417) 932-4196 WE PAY UPS SHIPPING ON PREPAID ORDERS. PLEASE INCLUDE STREET ADDRESS FOR UPS DELIVERY. ADD \$1.00 FOR POSTAL, APO, FPO, or AK, AS, CM, GU, HI, PR, TT, VI, CANADA or MEXICO. FOREIGN ADD 10%, U.S. FUNDS.									

retrievable with CLOADM commands. They are not exactly the same as the files that Color Basic's CSAVEM produces—there are extra bits in the header to set the graphics parameters—but they are readable.

The task isn't completely trivial, since you must note and clear the required part of memory to avoid clobbering a program with the imagery. Foxygraf's thorough record-keeping seems to give the programmer the best possible chance of getting things right.

The manual includes a tutorial and command summary, details of memory utilization, subroutine addresses, and other miscellany of interest to the experimenter.

I've recently been using Computerware's other graphics editor, 3-D Drawing Board (16K tape, \$24.95; 32K disk, \$29.95). This is a very different animal: a tool for constructing wire frame drawings of three-dimensional objects, with the ability to view an object from different points in space.

This amounts to a hands-on introduction to the world of computer-aided design, and it's a marvelous demonstration of the Color Computer's powers. Of course, it's important to keep the program's limitations in mind (I almost said in the proper perspective).

An object's shape is defined by a series of cross sections, called z-cuts because they are taken perpendicular to the z-axis of a Cartesian coordinate system. You must make each z-cut up of straight line segments.

The computer's limited memory results in limitations on the complexity of objects. In a 32K system, you can have no more than nine z-cuts, and the outline on each z-cut can have no more than 20 nodes (corners, to be imprecise).

The program, which I'll call 3-D from now on, is capable of connecting corresponding nodes on different z-cuts to give the finished image its wire frame appearance. Again, memory size rears its ugly head; you can have no more than 300 connections in a figure.

You also have a limit on the number of nonprismatic connections, i.e., linkages between dissimilar shapes. An example of a nonprismatic connection is that between the eaves of a house (a rectangular shape) and the ridge of the roof (a straight line). 3-D is limited to ten connecting lines in each such connection.

Within these limitations, it's a terrific

program. If you have the data, you can specify z-cut outlines by the coordinates of their nodes. If you don't have the data, you can draw the z-cuts with a joystick-controlled cursor in what looks like PMODE 4.

"... the subsequent use of files is a weak spot for many graphics editors."

You can also mix the two input modes. If your object has a constant cross section, you can replicate z-cuts with a few keystrokes instead of re-drawing the figure.

3-D shines in its ability to create different views of an imaginary object. Once you've defined an object by z-cuts, you can use the CoCo's joysticks to conduct an imaginary flyaround.

The right stick controls your viewpoint's horizontal and vertical position, while the left governs viewing distance and object rotation about the line of sight (equivalent to cocking your head

to one side).

You don't see continuous motion on the screen. In practice, you generate one view of your object, move the joysticks by a likely amount, and press the right stick's button to command a drawing from your new vantage point. If only the CoCo could use high-resolution light pen techniques...

You can store objects constructed with 3D on tape or disk as ASCII files. In principle, other programs can read and manipulate these, although your math had better be good to do so. In fact, the subsequent use of files is a weak spot for many graphics editors.

3-D still puts on quite a show. You wouldn't use it to design a space shuttle, or even next year's Chevy, but it can do wonders for a mind jaded by too many alien invaders. It's marvelous what you can do with a little trigonometry. ■

Scott Norman welcomes reader response to The Color Key. Write c/o 80 Micro, 80 Pine St., Peterborough, NH 03458.

TRS-80 Model II, 12 or 16 SOFTWARE

NEW! STAT-TO-PLOTTER: Libra Labs integrates 3 programs into 1 Statistical System.

- 1 Move numerical data files created in Radio Shack's PROFILE (II OR +) program into Radio Shack's STATISTICAL ANALYSIS program.
- 2 STATISTICAL ANALYSIS program data can be input from disk data files, the keyboard or PROFILE. Output to printer.
- 3 As an option, output the results of SCATTERGRAM (new), HISTOGRAM (with or without shading), CORRELATION and TIME SERIES onto the Radio Shack MULTIPEN PLOTTER, or Houston Instruments HI-PLOT intelligent plotters.

The *Plotter* option provides auto pen-changing, auto-scaling and improved calculations of numerics. You can use the *Plotter* to provide graphs and legends which are accurate for scientific, business and technical presentations. Multiple copies can be created on paper or projection transparencies.

■ *Plotter* driver subroutines are accessible for installation into other BASIC programs. Suggested corrections to the STATISTICAL ANALYSIS program are provided.

■ Illustrated manual included. Friendly software with easy installation and sample data file. Quick and efficient.

■ 1 Disk, TRSDOS 2.0 format. \$99.00

TRS-80, TRSDOS, Radio Shack trademarks of TANDY Corporation.
© Libra Laboratories, Inc. All rights reserved.

DEALER INQUIRIES INVITED

TERMS: Orders shipped UPS free for M/C, VISA, check, or money order. • Orders shipped UPS C.O.D. for P.O. No. • International orders add 10%. • Specify computer model.


201-494-2224

✓131

LIBRA LABORATORIES INC.
495 MAIN STREET, METUCHEN, NEW JERSEY 08840 (201) 494-2224

☐ YES! I want to buy
☐ STAT-TO-PLOTTER
Enclosed is my ☐ check, ☐ M.O. for \$ _____

Name _____ Address _____ City _____ State _____ Zip _____



★★★½

Prometheus 5 Hard Disk System
Computex, division of
World Wide Data Systems Inc.
17321 El Camino Real
Houston, TX 77058
Model III
\$1,495

DOSPLUS 4.0 Hard Disk Operating System
Micro-Systems Software Inc.
4301-18 Oak Circle
Boca Raton, FL 33431
Models I and III
\$299.95 (included with Prometheus at no extra charge)

by John Ratzlaff

The Prometheus 5 Hard Disk System is a relatively low-cost, mass-storage Model III system based on Winchester technology. Its manufacturer, World Wide Data Systems Inc., is the parent company of Computex, which has been selling disk drive kits and other Model III add-ons for several years.

I purchased a Prometheus 5, a 5-megabyte drive, for my Model III. The drive included DOSPLUS 4.0, the hard-drive operating system by Micro-Systems Software. Fortunately, DOSPLUS is my top choice among all available TRS-80 operating systems.

Preparing the System

Installing the Prometheus drive is simple. Plug a ribbon cable into the back of the drive and into the input/output (I/O) connector on the bottom of the Model III. Then plug the power cord into the wall.

The manual accompanying the hard disk (mine was a preliminary version) did not indicate which way to plug the cable into the drive (exiting to the left or right). I was wrong the first time, but when the computer didn't work, I reversed the cable and it worked properly.

The cable should exit to the right when viewed from the back. The manual indicates no harm is done if you plug it in backward.

Installing the operating system is not so simple. First, use the CONFIG command to set the various parameters for the hard drive, then format the drive using the HFORMAT utility. Transfer the system files using SYSGEN, then the rest of the files using Transfer. Finally, use CONFIG again to signal DOSPLUS that the system now resides on the hard disk.

Once you format the hard drive, it is ready to store files, even before you transfer the system files. Since I was so excited to use my new hard drive, I saved a Basic program onto the newly formatted drive to see if it worked. And it *did* work!

Unfortunately, when I proceeded with SYSGEN, it aborted with an error message. Figuring that I should use SYSGEN without any files on the drive, I killed the file I had saved and tried it again.

This time it seemed to work, but when everything was finished I couldn't boot up from the hard drive. An "unknown error code" message appeared and the program booted from the floppy disk.

Neither the Prometheus nor the DOSPLUS manual provided pertinent suggestions, so I called Micro-Systems for advice. They suggested I reformat the disk and try again, because even a

REVIEW CONTENTS

Prometheus 5 Hard Disk	50
Color Caterpillar	54
POWER!	56
Microcomputers in Large Organizations	60
Sneak Thief	60
Early Games	61
Pascal Reference Manual	64
Structured Assembler and Linker	68
Lazy Writer Extensions	74
Legal Care/Computer Contract Dilemma	76
ProTrade	80
TRS-80 Interfacing Projects	82

Our reviewers use a five-star rating system. One star represents the low end of this spectrum, while five stars represent the spectacular and high end of the spectrum.

killed file can cause problems with SYSGEN.

It makes sense to me now: The system expects system files to occupy certain places in the directory. Since a killed file still occupies a directory slot, one of the system files is forced to an improper slot. Anyway, everything worked fine after that.

The Prometheus manual describes all the settings you use in configuring and formatting the hard drive. However, DOSPLUS 4.0 has tremendous flexibility: You can configure the hard drive any way you want, within some limitations.

The Prometheus 5 hard drive has one platter with 32 sectors per track, and 320 cylinders on that platter. Other models in the Prometheus series have the same specifications, but they have more platters. The Prometheus 10 has two platters, for instance.

The manual directs you to specify 32 sectors per granule, or two granules per cylinder. Since the platter has two sides, each cylinder has two tracks, or 64 sectors.

If you recall that a granule is the smallest unit of disk space you can allocate to a file, you will realize that it's a very large minimum file size. If you store a small Basic program on the disk,

MICRO-DESIGN

If you don't know the number, you should.

1-800-531-5002

Choose a Quality Computer Services hard disk system for your old or new microcomputer

1. Because it is ultra-reliable and warranted to stay that way.

A hard disk drive from Quality Computer Services is compatible with just about any microcomputer, including those listed at the right. So rugged that hundreds are operating on five continents—including many remote sites where service is not available. When you buy one you get a free warrantee for a full year. (It's free because we don't think you'll ever have to use it.)

Learn more about QuCeS hard disk systems—choice of 6, 12, 20 or 40 megabytes; easy hookup; expansion and backup options; new removable 5 megabyte Winchester disk; high-performance specifications; and name of nearest dealer.* Just return the coupon. Or if you prefer, call or write QuCeS.

* Dealer inquiries invited.

2. Because it offers up to 40 million bytes of high-speed performance.

It's nice to know that QuCeS prices are very competitive. Our price for 20 megabytes for example, including 1-year warrantee, attach software and all hardware, is just \$2999.

Choose QuCeS when you want the best ... for a little less

3. Because you'll get the best ... for a little less.

QuCeS hard disk systems are compatible with Apple II®, Epson™, Heath/Zenith™, IBM®, TRS-80® I, II, III, XVI, Osborne™, many SI00™ based, and most other popular microcomputers.



Quality Computer Services
178 Main Street
Metuchen, New Jersey 08840

Please send me:

- ☐ More information.
☐ Name of dealer.
☐ Call me at
()

Name _____

Title _____

Company _____

Address _____

NEW!

Optional cartridge disk for on-line/
off-line backup storage of up to
5 megabytes per cartridge.

QCS
QuCeS inc

Quality Computer Services

178 Main Street ■ Metuchen, New Jersey 08840 ■ 201/548-2135
Toll-free number: (800) 631-5944

it uses 8K of disk space.

After some calculations, I decided that I wanted my granule size to be eight sectors, so I set $GS=8$. This makes the minimum file size 2K. However, a smaller minimum file size allows more files on the disk, so I set the directory size to 32 sectors (22 sectors was the suggested size). This allows a maximum of 240 files in the directory.

DOSPLUS imposes several minor limitations. You can have no more than eight granules per cylinder, so my granule size had to be eight or more. The directory cannot exceed the length of one track, which limits it to 32 sectors on the Prometheus.

Incidentally, the DOSPLUS manual stresses that ideally the directory size should be one granule. I could find no reason for that, and allocating four granules for the directory has worked fine for me.

Another important feature of DOSPLUS is the ability to partition the hard drive into two or more pseudo drives. The Prometheus has 320 cylinders, so you must partition DOSPLUS because it accommodates no more than 200 cylinders per drive.

I decided to have my first drive (drive 4) contain 120 cylinders, and the second drive contain 200 cylinders. I could create as many as three drives, as long as each drive had 100–200 cylinders.

You partition the drive by specifying the base address in the CONFIG command. The base address refers to the cylinder on which the pseudo drive begins. In my configuration, drive 4 has a base address of zero, while drive 5 has a base address of 120.

When you've formatted the drive, specify how many cylinders to format for that drive. It is possible to create overlapping pseudo drives by using improper values with CONFIG and HFORMAT. The DOSPLUS manual warns you against such actions.

The New World of Hard Drives

Once you configure, format, and SYSGEN the hard drive, it's ready to act as the system drive. The Model III still tries to boot from the floppy disk in drive zero, so you must have a system disk in drive zero when you turn on the computer.

When the operating system has read in enough of the system files from the floppy disk, its base of operations transfers to the hard drive (if so con-

figured). All subsequent actions originate from the hard drive, so library commands and utilities execute much faster, and you can remove the system disk from drive zero.

Using the Master parameter in CONFIG, you can also specify that all disk searches must begin with the hard drive or any drive you want. You can have the system consider drive 4 the default drive for DIR and other commands, and the starting point when searching for a file with an unspecified drive number.

This speeds searches considerably, since the hard drive's response time is much shorter than that of floppy disk drives. However, if a search starts at drive 4, the system searches only the hard drives. If you want a file from drive zero or 1, you must specify the drive number.

The hard disk's speed is impressive for two reasons. The disk is always rotating, eliminating the delay while it gets up to speed, and the disk rotates at 3,600 revolutions per minute (rpm), allowing a much faster data transfer rate.

However, track-to-track access time is not that much faster (3 milliseconds), so a lot of head travel results in a noticeable delay. For instance, during the search for a file, the head moves from the drive 4 directory (cylinder 60) to the drive 5 directory (cylinder 220). This travel over 160 tracks (and back again, if necessary) causes a delay of between one and two seconds.

Such a delay also occurs during access to files on drive 5. The operating system usually consults one of the system files on drive 4 near the directory track, so the head travels back and forth between pseudo drives 4 and 5.

This takes a bit longer than it does on floppy drives since the operating system would simply access another drive, reducing the necessary head travel.

As the DOSPLUS manual states, "the name of the game" is minimizing head travel. A hard drive with more platters and fewer cylinders is faster than a drive with one platter and many cylinders (such as the Prometheus), all other things being equal.

A hard drive with two platters and 160 cylinders has the same capacity as the Prometheus drive, with only half the head travel. The difference is quite small, however, and is insignificant under most circumstances.

Head travel aside, the fact is that a

file loads from a hard disk much faster than from a floppy disk, typically in 40–50 percent less time. It's not instantaneous, but it is quicker.

Space is the other main advantage of hard disks. Even after transferring nearly all my files to the hard drive, I still have over 4 megabytes of available memory.

The drive accepts huge files as well as many files. It easily accommodates a monstrous data-base file that you would have to break into several parts and place on several disks with a floppy disk system. This makes the data base much easier to use.

Back-up of the hard drive has traditionally been a problem. Although the hard drive is much more reliable and not subject to the same physical abuses as floppy disks, it is still wise to back up your files periodically.

DOSPLUS 4.0 does not provide a means of backing up the entire contents of the hard disk to floppy disks in one step. Two utilities, Transfer and HCOPY, back up files on the hard drives.

Transfer copies all the files from one drive to another. Since the destination disk (a floppy) is obviously too small to hold them all, it lets you specify a class of files using wildcard file specs.

For instance, "TRANSFER/BAS:4:1" transfers all the files ending with BAS (assuming they would all fit on the destination disk). If you can break down the set of files on the hard drive into subsets small enough to fit on floppy drives, you can back them all up.

Since the hard drive handles large files that wouldn't fit on a single floppy disk, the HCOPY utility breaks a file into pieces and saves each portion on a separate disk. It also reads those pieces back onto the hard drive and reassembles them into the original file.

The floppy disks must be formatted and ready before HCOPY is run. When using HCOPY to read the file back in from floppy disks, enter the disk containing the last portion of the file last. Otherwise, you can present the disks to HCOPY in any order.

The HZAP utility duplicates the functions of DISKZAP, a useful DOSPLUS disk-view-and-modify utility, except that it operates on the hard drive. Because of the many different hard drive systems available, you must use hard drive parameters that HZAP uses. It does not go by the settings in CON-

SFINKS

NEW 4.0 CHESS PROGRAM

Participant
in the 1982
ACM
North American
Computer
Chess
Championship

- thoroughly improved play
- save game feature
- set time controls
- upgradable
- improved display
- move takeback
- all features of 3.0 and more



**The
Best
Gets
Better!**

**48K
Model 1 or 3
disk only
only
\$49.95**

SFINKS 3.0 CHESS PROGRAM

PRIZE WINNER
1981 Paris
World
Microcomputer
Chess
Championship

- 32 book openings
- chess clock
- printer output
- problem mode
- audio alert
- thinking on opponent's time
- infinite levels
- suggests moves

**32K
Model 1 (E.I.)
or Model 3
tape or disk
only
\$34.95**

SFINKS CHESS TUTOR

- programmed learning
- 3 level game
- problem mode
- audio alert
- printer output
- book openings
- superb graphics

Learn to
play chess
**32K
Model 1 or 3
disk only
only
\$19.95**

THOR REVERSI PROGRAM

Programmed by
Sylvain Quin

- eight levels
- problem setup
- move takeback
- suggests moves
- audio alert

PRIZE WINNER
1982 Paris
Othello-Reversi
World Championship
**16K
Model 1 or 3
tape or disk
only \$34.95**

Please specify
tape or disk and
Model 1 or 3
Include \$2.00
Shipping

Florida residents add
5% sales tax.



**(904) 377-4847
EXCEPTIONAL
DEALER
DISCOUNTS
WILLIAM FINK
SUITE 24B
1105 N. MAIN ST.
GAINESVILLE, FL
32601**

REVIEWS

FIG. Tell it the number of platters, number of cylinders, sectors per track, track access time, and write pre-comp track each time you use it.

That latter parameter is not adequately explained in either manual, so I use the default setting. It would be nice to change the defaults so you would not have to specify the settings each time, but no provision is made for that.

A more serious problem with HZAP is that it does not go higher than cylinder 255, so you can't use it on the top 64 cylinders of the Prometheus drive. Other drive brands that don't have more than 255 cylinders present no problem.

DOSPLUS 4.0 provides a new directory command, ACAT, for alphabetical file catalog. DOSPLUS 3.4 and 4.0 are otherwise identical except for the hard disk support. ACAT has an alphabetically sorted catalog that makes it easier to find a specific file among the hundreds that could be in the directory.

ACAT also accepts wildcard specifications, displaying only the files that meet specified criteria. "ACAT A?/DAT" alphabetically displays all the files on the default drive that have file names beginning with A and ending with the extension DAT.

• The sort is extremely quick, with practically no delay while sorting. This is an extremely useful function, although you cannot reliably call it from Basic because of the room required to do the sort.

When the hard drive is turned on, the LED on the front panel flashes until the drive is up to speed and ready. Wait until the hard drive is ready before attempting to boot from it. This usually takes less than 15 seconds.

The hard drive case has a small cooling fan which, along with the constantly

rotating disk, produces a low whir. You can easily adjust to the noise and to the barely audible click as the head steps from track to track. The hard drive's overall sound is preferable to the intermittent whirring and clicking of a floppy drive.

Round-up

The Prometheus 5 hard drive and DOSPLUS 4.0 make an excellent team, with only a few minor drawbacks. DOSPLUS is slightly harder to install than other hard-disk operating systems, precisely because it is more flexible.

The Prometheus hard drive might be better off with two platters and fewer cylinders, but it is a terrific value considering that it includes an excellent operating system at no extra cost, and it is priced much lower than most hard disk systems.

Several competing hard-disk systems cost as much as \$1,000 more and have no significant additional features. The Prometheus 10, with twice the capacity, costs only \$200 more—an even better value!

The only serious deficiency of DOSPLUS 4.0 is the need for a true back-up utility to copy all the files on the hard drive onto as many floppy disks as necessary.

Micro-Systems has recently announced their latest operating system, DOSPLUS 3.5, which should be available by the time you read this. They will no longer have a separate version for hard drives, but will provide add-on drivers to DOSPLUS 3.5 for hard-drive support.

One important change is Micro-Systems' merging HZAP into DISK-ZAP, so the same program operates on both floppies and hard disks. ■

★★★★½

Color Caterpillar
Soft Sector Marketing Inc.
P.O. Box 340
Garden City, MI 48135
Color Computer
\$21.95 cassette

by Carlos Calle

Color Caterpillar is an entertaining and fairly complicated game written in machine language for a Color

Computer with at least 16K.

The program begins with a short introductory display of the title characters, accompanied by sound effects that add to the overall pleasant presentation of the game. Armed with a gun controlled by the right joystick, you become the sole defendant of a valley under attack from menacing insects with uncanny reproductive abilities.

You must shoot and destroy an advancing caterpillar through the surrounding mushrooms. If you succeed,

NO MORE LAZY EPSONS!



FINGER PRINT™ turns an ordinary Epson printer into a more versatile, harder working, problem solving match for your computer!

FINGER PRINT is a plug-in module for your Epson printer that puts 10* special print functions at your fingertips. Tap your printer's panel buttons to instantly select the functions you need. It's that simple. But, seeing is believing...

Want to use compressed to get more columns on your spreadsheet? You got it!
Need a double-wide heading? Easy!
 Want to emphasize print on your final draft? No sweat!
 Tired of printing on the perforation?

With automatic perforation skipover, it doesn't happen!
 Want to use italics to make a paragraph stand out? Simple!
 Need Fine Print for a contract or footnotes on a report? With Fingerprint just tap the buttons!
Even combinations like double emphasized italics are no problem!

That's just a sample of how FINGER PRINT turns your Epson MX 80/100 or IBM PC printer into a hard working printer...and FINGER PRINT has Buffer Clear and Left Margin Control, too!

FINGER PRINT will not interfere with normal printer operation...and installs easily, without soldering. It comes with complete operating/installation instructions, control panel reference label, and it's **WARRANTED FOR 1 FULL YEAR.**

*For Grafrax-Plus equipped printers. Italics and Fine Print cannot be selected on non-Grafrax-Plus models.

\$59.95 Look for FINGER PRINT at your local computer dealer. For the name of a dealer near you, or additional information, call (213) 914-5831. To order directly, call toll free: 800-835-2246, Ext. 441. MC/Visa/COD orders accepted (include \$1.50 s/h...CA residents add sales tax).



**FINGER
PRINT™**
**DRESSELHAUS COMPUTER
PRODUCTS**

We make technology easy to live with.
 837 E. Alosta Ave., Glendora, CA 91740

We welcome dealer inquiries

353

PASCAL

\$14.77!

Now you can try Pascal without spending a fortune! The Pascal 80 Trial Version is a reduced version of Pascal 80, and does not include pointer variables or disk files, and does not allow you to save your programs. But it does let you program in Pascal, list your programs to a printer, and even comes with a coupon worth \$10 off the regular price of Pascal 80. This version of Pascal comes on a diskette that will boot on a Model I or Model III TRS-80.

Here is what you get:

VARIABLE TYPES: real, integer, char, boolean, arrays, sets, records, and user defined types.

CONSTANTS: minint, pi, true, false, and user defined constants.

OPERATORS: + - * / div mod comparison/set operators and or not.

FUNCTIONS: abs sqr sqrt sin cos arctan exp In ord pred succ chr odd round trune.

PROCEDURES: read readln write writeln

STRUCTURES: if..then..else case for..do while..do repeat..until goto

Send \$14.77 by check or money order to:

Pascal 80 Trial Version
New Classics Software
239 Fox Hill Road
Denville, NJ 07834


Sorry, no credit card orders at this price! See our other ad for information on our regular version of Pascal 80.

NEW CLASSICS

SOFTWARE

✓255

REVIEWS



R. DUKETTE

the insect's remaining parts continue living and advance towards you.

If you kill the monster before it gets to you, another one advances rapidly. The second caterpillar has a nasty assistant, a deadly beetle, that attacks you from unexpected directions. While you're busy staying alive, a tarantula joins your enemies in an attempt to devour you.

Two players can use different joysticks to take turns for each round of a game. You score points by completely destroying a mushroom or by hitting a caterpillar segment, a beetle, or the ta-

rantula. After you reach a score of 10,000, you receive a bonus of one extra round.

Magic mushrooms allow the caterpillar to quickly dive towards you. Killer mushrooms break the caterpillar into segments that head down the screen. Regular mushrooms cause the caterpillar to turn away in the opposite direction.

This is one of the most entertaining Color Computer games available. It combines exciting play, attractive graphics, and realistic sound effects in a professional product. ■

★ ★ ★ ★ ★

POWER! (Version 3.03, erroneously advertised as 3.3)

COMPUTING!

2519 Greenwich St.
San Francisco, CA 94123
\$149

by Charles R. Perelman

POWER! is pure joy. It tames your CP/M until it's downright friendly, speeds up CP/M operations, reduces file name entry errors, and gives you a bushel of worthwhile utilities at a reasonable price.

You'll put this 16K of software on all your system disks and wonder how you got along without it. Its flexibility and 50 separate routines are a bargain. POWER!'s new version 3.03 improves an already fine package with greater finesse, more features, and enhanced documentation.

Using POWER! as a wraparound for CP/M gives added protection from nasty BDOS errors, even permitting removal of the system disk after booting. If you change disks and forget to hit control-C before writing to a disk, POWER! politely informs you to mend your ways without crashing the system.

Commands

POWER! supports most CP/M

commands. Copy is a notable substitution for the inscrutable Pip. You can use normal CP/M format, but POWER! syntax is usually shorter and faster.

You'll feel comfortable with POWER! in no time at all, but to get maximum performance you must carefully review the manual and work with it, which is a pleasure compared to bare-bones CP/M. Wildcards are similar to CP/M usage but easier, friendlier, quicker, and more talented. Escape or control-C returns to POWER!, not CP/M.


POWER! does most of the things you've always yearned for with CP/M. Individual utilities available from CP-MUG can't compare to the convenience of this error-trapped, documented, and coordinated composite system.

For openers, DIR alphabetizes your files, shows all system and read-only files appropriately marked, and pauses to let you review a portion of the screen when the directory exceeds your terminal display area.

Convenient wildcard functions display directories by type or with the same initial letters. You can list all user areas or show directories for drives you've previously accessed, or for all user areas on all drives in your system.

Sort lets you change the display so that DIR and other commands involving file lists show system files last, sorted by file extension and alphabetically; by file type, with system files last;

An Affordable Alternative



**First Time Available to the Public Is This
Unbelievably Priced Sub-Set* of the Renowned
LDOS Operating System.**

Order Yours Today for Only \$59.00 plus \$3.00
Shipping & Handling

* Note: smal-LDOS does not contain all the features or utilities of the original "FULL LDOS" system.

* Model-I smal-LDOS provided on 35 track single density media.

* Model-III smal-LDOS provided on 40 track double density media.

* smal-LDOS can be provided on special media configurations at an additional charge.

* Prices & Specifications are subject to change without notice.

† Although not required, LSI recommends two or more drives when using smal-LDOS.

DEALER INQUIRIES WELCOME. smal-LDOS is a product of LSI. TRS-80 is a trademark of Tandy Corp.



Logical Systems, Inc. 8970 N. 55th P.O. Box 23956 Milwaukee, WI 53223

(414) 355-5454 251

or unsorted. Such flexibility forces you to consider which alternative best serves your purposes.

POWER! shines in day-to-day repetitive operations. To Copy, Erase, Type, SETSYS (make a system file), or SETRO (make file read only), start with a menu of files sorted alphabetically with assigned sequential numbers. Choose the numbers or ranges you want, press the enter key, and you get multiple processing of all selected files. This adds tremendous speed to your operations.

You can choose whether to review each file in turn or continue automatically. You can even abort the operation in the middle of a file since the program keeps you informed of the file on which it's working.

When you copy a file and a second file with the same name exists, you must decide whether to overwrite, skip, or make the destination disk file a BAK file.

Other commands in which you select a file for operation use the numbered directory approach as well. You work more rapidly and make fewer mistakes when you type a number and not the entire file name.

Like its CP/M counterpart, Type reviews files on the screen, but it stops to let you read each screen of text rather than testing your reflexes in hitting the hold key as the data flies by. Set Type for continuous scroll and you can increase or decrease scrolling speed by pressing a number.

But wait, there's more. Press the space bar to scroll a line at a time, or to pause and use control-P for printing a specific section of a file. Besides standard Type, TypeA lists text files without formatting commands in 16-character lines, TypeH displays COM files in hexadecimal (hex), and TypeX is DDT (dynamic debugging tool) style with printable ASCII characters at the right side.

If you're not sure which of several files has the data you need, select a group of likely candidates. Start reviewing the first file with Type. As soon as you know you haven't found the right file, break out with control-K to immediately call up the next file in the queue.

Erase a file by mistake? Reclaim displays names of erased files and offers you the chance to revive them if you haven't written over the sectors. Recovered files are set to read-only status; you must reset to read/write to alter the

contents.

Help is only a question mark away when entered from the command prompt. It saves flipping through the manual for proper entry if you forget a command name or mnemonic and get syntax errors. Help doesn't give you any clues to function operation, however.

Run by itself produces a numbered menu of all executable COM files on a disk. You then choose any program. Follow Run with the program name or other parameters, and it works fine with WordStar or a spelling program. Ignore the \$\$\$SUB file in the WordStar directory; POWER! created it to return to the program shell after you finish editing.

When going back to POWER!, don't hit any keys until the sign-on prompt appears or you'll abort the submit file and wind up in CP/M. The alternative form can also directly call CBasic or MBasic and a user program, even if they are on another disk.

POWER! segregates bad blocks with Test, generates checksums with Check to see if two files are exactly the same, and provides file size information in sectors and kilobytes with Size. Log controls a host of display and other options and tells you where POWER! is located in memory.

User and Xuser commands access user areas other than zero. Added capabilities include 32 user areas instead of 16, file copy and move capabilities from one user area to another, and restricted access to programs in user areas 16-31 with the Password command.

Another practical tidbit is a unique customizing command: Pwretool. With a few keystrokes, you can change the name of any command. More important, you can delete or password-protect any command from your customized version of POWER!. This helps prevent hitting the wrong keys and inadvertently making file changes or getting into a file-altering mode.

Pwretool and Pass are separate from Power.COM. They run as COM files rather than within POWER!, and take up an additional 2K each. Excluding these programs from a protected disk prevents a snoop user from altering protection levels.

The Assembly language monitor routines are a hacker's delight. Rather than struggle with DDT, use CM to compare two Assembly language programs and

list the bytes that differ. DS displays one memory address at a time in both hex and decimal, and lets you change any byte within approximately 120 locations before or after your entry point.

Search, which has wildcard functions, lists addresses of ASCII, hex, or combination groups of characters that match your key. POWER! lets you read from or write to any memory location, fill blocks of memory, move programs around in memory, duplicate blocks, and more.

Do you want to add a few favorite routines of your own? User functions (UR1 to UR4) allow you to jump within POWER! to your own utilities.

Documentation

The new spiral binding on the 8½-by-11-inch manual makes it easy to read from a typing stand. Generous margins and spacing make it easy to scan or study. Besides a table of contents and an index titled "Function Index," the manual has an additional alphabetized summary of all commands.

Following a helpful introduction covering manual organization, backing up, and similar start-up information, the manual has a general outline of program function, format, syntax, and scroll controls.

Except for Password and Pwretool, each POWER! command is listed in alphabetical order. Explanations include sample screens, descriptions of function use and syntax, and step by step instructions. Some of the Assembly language commentary is a little terse and needs some expanding, but generally the information is sufficiently detailed.

A couple of pages contain suggestions for correcting problems that cause common error messages. You'll appreciate hints on applying POWER! to save crashed programs, glitched directories, and files with bad blocks. You'll also have customization details for altering keyboard, video, and program operation, commands, and responses.

The manual contains a wealth of information in plain English, particularly for the more advanced programmer. This is truly exceptional documentation for such a program.

I'm enthusiastic about POWER! and recommend it to any CP/M user without reservation. COMPUTING! guarantees to refund your money if you're unhappy with the software. I think their money is safe. ■


CLASH

Clash, Dunlevys best yet! Ride your flying dragon into 9 different playing fields against 5 different foes.



And Others....

LIBERATOR




Liberator. Better than Donkey Kong, has five different screens. Our best selling game.

DIG OUT




Dig out. Dig your way through tunnels and caverns to hunt down deadly monsters.

GAUNTLET



Gauntlet. The ultimate tank game for the Model I/III. Fast, fun and exciting.



All Tapes - 19.95 All Discs 24.95
COMPUTER SHACK

1691 Eason • Pontiac, Michigan 48054

Info: (313) 673-8700 • Orders: CALL TOLL FREE (800) 392-8881

MasterCharge and VISA OK. Please add \$3.00 for shipping charge in the U.S.A. \$5.00 for Canada or Mexico-Proper postage outside of U.S.-Canada-Mexico.

Dealers: We are distributors for all items in this ad. Write for our catalog and price list.

★

Microcomputers in Large Organizations
by Thomas Madron
Prentice-Hall Inc.
Englewood Cliffs, NJ 07362
Softcover, 181 pp.
\$12.95

by Timothy Daniel

A friend of mine who handles the care and feeding of a large company's mainframe computer used to note gleefully that the managers in his organization had to sneak microcomputers in the back door. Otherwise, they might incur the wrath of higher-ups for bringing toys to work.

Times have changed; big business and government are taking the micro seriously. *Microcomputers in Large Organizations*, by Thomas Madron,

builds on this new legitimacy.

This book should have a special place in the hearts of TRS-80 owners. The author makes a strong case for using Model IIIs as executive work stations. He even includes a lengthy Basic program that acts as a master menu and appointments calendar. Great stuff for the home hacker, but not necessarily the direction of tomorrow's automated office!

Microcomputers in Large Organizations seems to be based on thorough but somewhat dated research in hobby and trade literature. In his introduction, the author highlights the problems encountered when micros supplement or replace traditional work methods. Topics include planning for change, networking, and micro-mainframe communication.

Once you get beyond the "Gee, aren't micros great" section, the book's lack of substance might disappoint

you. Madron presents only two real-life cases. Each takes about two pages and neither is truly representative of micro integration into a large organization.

The strongest selling point of this book is its unintentional but effective humor. I didn't know whether I should laugh or cry over the following statement about the IBM PC: "Although IBM announced some software for the system, substantial amounts of off-the-shelf software is not expected until the mid 1980's. . . ." You can get information of equal integrity from a fortune cookie or Ouija board.

The publisher's back-cover claim that *Microcomputers in Large Organizations* is "the book that explains everything you need to know to use microcomputers in your business. . . ." is one more rib tickler. But the joke's on you if you spend \$12.95 to find out the punch line. ■

★★★

Sneak Thief
Soft Sector Marketing Inc.
P.O. Box 340
Garden City, MI 48135
Model I and III
\$19.95 16K cassette
\$21.95 32K disk

by Thomas L. Quindry

If you're the thrifty type who relishes rescuing your riches from inflation or evil-doers, *Sneak Thief* is the game for you. In *Sneak Thief*, each player is a guard whose duty is to protect his gold from the thief.

You can choose a one- or two-player format. The disk version has a talking voice and saves high scores. Both disk and cassette versions have sound effects and the option of keyboard or joystick control.

You start the game with three guards, and gain an additional guard with every 10,000 points. The game ends when you lose all your gold (around 18 pieces) or all your guards.

The gold is in a box in the center of a room. The thief enters from one of three doors. The guard shoots the thief or captures him by running into him. You earn more points by capturing the

thief, who then goes to the brig.

If the thief succeeds in stealing a piece of gold, he turns into a fugitive and tries to escape through one of the doors. The fugitive seems to move aimlessly around the room until he goes through a door by chance.

*"In Sneak Thief,
each player
is a guard
whose duty is
to protect his gold
from the thief."*

If the guard shoots the fugitive, your gold returns and you score points. You cannot capture the fugitive, and running into him brings fatal results.

Sometimes a protector appears who tries to keep you from shooting or capturing the thieves and fugitives. You score points by shooting the protector, but he destroys you if he runs into you.

Another function of the protector is to attempt a jailbreak. If he gets to the brig, the protector removes one prison-

er at a time and each one becomes a thief. For his own protection, it's imperative that the guard shoot the protector as soon as possible.

When the total number of intruders (thieves, fugitives, and protectors) captured or shot equals 20, you've completed a so-called wave. You receive bonus points for all captured thieves, who then disappear from the brig. For each successive wave, the number of bonus points increases for each captured thief.

After ten waves, the bonus points have doubled and you will receive no more increases in the bonus value. You can still score bonus points, however.

If you complete a wave without shooting any intruders (by capturing 20 thieves), you get back all your stolen gold. That's quite a feat, since protectors are releasing prisoners as you capture them. I doubt that a released prisoner is deducted from your 20 count.

As in most arcade games, *Sneak Thief's* complications increase as you score more points. More intruders enter at once, and protectors try to release prisoners or attack the guard more frequently. The guard has his hands full.

One feature I like is that you must press any key to resume action after you've lost one of your guards. This avoids marathon playing and allows you to leave the game for dinner or whatever.

ARRANGER

100% Machine Language Disk Index Program for the TRS-80 Model I & III. Automatically recognizes ALL major DOS's!

The Arranger is a master index system that automatically records the names of your programs, what disks those programs are on and type of DOS. Features include:

- Automatic single and double density recognition.
- Accepts LDOS, DOS+, TRSDOS, DBL.DOS, NEWDOS 80, MULTIDOS...
- Works interchangeably with Model III, I double density.
- Capacity of 250 disks, 44 filenames disk
- Quickly locates any amount of free granules
- Finds a program in less than 30 seconds!
- Alphabetizes 1500 filenames in 40 secs.!
- Option to sort by any extension (BAS, CMD, ???)
- Easily updates diskettes previously added with only 2 keystrokes.
- Backup function built in.
- Uses 1 to 4 drives, 35, 40 or 80 tracks.
- Radio Shack doubler compatible

Requires 32k, 1 disk minimum

JUST... \$29.95

FREE SHIPPING

SATISFACTION GUARANTEED

Specify: TRS-80 Model number
(If you've added double density to your Model I, please indicate)

TRIPLE-D SOFTWARE

P.O. Box 642A PERSONAL CHECK
Layton, Utah 84041 VISA OR
(801) 546-2833 MASTERCARD

✓489

The disk version is unique in that it boots on a 40- or 80-track Model I or III. It should also boot in a 35-track disk.

My main objection to the disk medium is that it's practically impossible to save as a command file on a system disk, even with the proper utility program. I used a utility program to examine the disk and learned that the disk input/output (I/O) routines are not file oriented but are track and sector oriented.

The program saves the scores on a single-density track 16, sector zero that would conflict with TRSDOS 1.3 and other Model III DOSes, because it requires single-density tracks and conflicts with some of the DOS as it is stored. The data for the talking voice is also stored in single-density format. All this makes the program unavailable as a command file.

In spite of this inconvenience in the disk version, Sneak Thief is an entertaining game sure to be popular with arcade fans. ■

K & L SOFTWARE

SCRNWRTR \$24.95

SCREEN WRITER IS A UTILITY PROGRAM USED TO DESIGN AND SAVE CUSTOM SCREENS FOR FUTURE USE IN YOUR BASIC PROGRAMS

MAIL \$40.00

STORE UP TO 2000 NAMES ON ONE DD DATA DISK, 1 TO 4 LABELS ACROSS. FAST SORT ON ALL FIELDS. USER FRIENDLY MENU OPERATION

DBM SUB \$49.95

DESIGN AND WRITE YOUR OWN CUSTOM DATA BASE PROGRAMS WITH THESE UTILITY SUB-ROUTINES. 100+ PAGE MANUAL INCLUDED.

PCJCP \$75.00

PAINT CONTRACTORS JOB CONTROL PROGRAM. KEEP TRACK OF ALL JOBS, DRAWS AND BALANCE DUE. GENERATES STATEMENTS AND REPORTS.

COMING SOON CASH REGISTER \$CALL

POINT OF SALE/INVENTORY/P.O.

THIS ONE IS THE MOST VERSATILE, FASTEST & THOROUGH PROGRAM OF ITS KIND!

FOR MODELS I & III

POSTAGE & HANDLING ADD \$2.00 PER ORDER. NO COD ORDERS PLEASE. ALLOW 21 DAYS FOR DELIVERY ON PERSONAL CHECK ORDERS.

P.O. Box 39093
NORTHBRIDGE STA.
CHARLESTON, S.C. 29407
(803) 552-9990 ✓16



★★★★

Early Games
Counterpoint Software
Shelard Plaza North
Minneapolis, MN 55426
Models I and III
Color Computer
Disk or cassette
\$29.95

by Don Stauffer

Early Games is a delightful disk of nine educational games for pre-school children.

Although the program is essentially self-documenting, a brief but well-written manual accompanies the disk or cassette to explain loading procedures and present a one-paragraph summary of each game. The instructions do not mention the games' sound feature, but it is important.

The menu is educational and appealing in itself. It flashes a typical scene from each game on the screen for a few seconds, in a repeating pattern. The child depresses any key while the frame indicating the game he wants to play is on screen and the game loads. Your child does not need to read to operate the menu.

FLIP-IT

bookmark by D/Punch™

running out of diskettes?
how many floppies do you have?
only listen to records on one side?
only play tapes on one side?

**STOP WASTING HALF
YOUR MONEY & MEMORY**

EXACTLY.

Why should your single-sided diskettes be readable and writeable only to one side? THESE TIMES DEMAND THAT EVERY DOLLAR YOU SPEND HAVE THE POWER OF TWO

GREAT FOR:

1. Saving storage space
2. Increasing memory
3. Making backup copies
4. Saving money
5. Fun to do



Now you can easily convert your single-sided Floppies into Flippies (diskettes) using FLIP-IT's pat. pend., clumpyproof, leeryproof, conversion Kits. Works with single, double or quad density — hard or soft sector. With FLIP-IT, there is:



NO NEED TO:

1. Measure.
2. Make alignment marks.
3. Take media out of jacket.
4. Alter your hardware.
5. Buy additional software.

"FLIP-IT was very easy to use... converted... four boxes of diskettes in less than one half hour... Used other side... No Problems."

John DeMeritt, Belmont, MA

"No errors in reading or writing data in spite of heavy use... will continue to recommend to my friends and clients."

Joseph Wiellette, Brookline, MA

When ordering, remember to specify your computer system.

- a) 5 1/4" FLIP-IT: for all 5 1/4" computers incl. Apple, IBM, Osborne, Atari, Radio Shack, Commodore, Victor, Kaypro, Franklin & more only \$29.95
- b) 8" FLIP-IT: for 8" computers incl. IBM, Wang, Altos, Radio Shack, DEC, DG & more only \$34.95
- c) Labels: (self-sticking, 100 ea.) only \$3.00
- d) Write Protect/Enable Tabs: (100 ea.) \$2.65
- e) Hub-Reinforcer Kit: (positioning tool for hub-opening)
5 1/4" disks: \$10.99 8" disks: \$12.99
- f) Hub-Reinforcer Rings: (50 rings ea. for hub-opening)
5 1/4" disks: \$5.85 8" disks: \$7.20
- g) Disk Sleeves: (Lint free, 10 ea.)
5 1/4" disks: \$2.55 8" disks: \$3.85

Add \$3 for ship & hdlg (AK, HI, PR, Canada add \$5.50, Foreign countries add USD 10.50) — Mass. Res. add 5% tax. Send Check, Money Order to:

D/Punch Co. (8M)

P.O. Box 201, Newton Hds, MA 02161
Tel.: 4991009 CHTRI TECH. INFO: (617) 964-2126



**TOLL FREE 24 HRS ORDER LINE
1-800-227-3800 ext. 128**

copyright 1983 D/Punch Corp.
We acknowledge all trademarks
Dealer inquiries invited. ✓322

For your **FREE** bookmark for your manuals, send us a stamped, self-addressed envelope. **SPECIAL**

FLIP-IT

At any time, the child can return to the menu by pressing enter. He can operate the system by himself once the program is running.

Each game might not hold a child's

attention for long. However, the variety of games and the menu's friendliness allow him to operate the program for a long time without help.

The first program is a matching num-


bers game. A single, large numeral appears on the screen, and the child must press the corresponding key. If he presses the correct key, a happy tune plays and a new letter appears.

Pressing the wrong key results in a sad pair of notes; the character remains for another try. Since the screen display doesn't change until after the happy tune, the positive audio feedback is important to the child. Sound should accompany this game whenever possible.

Next is a counting game. Anywhere from one to five blocks appear on the screen, and the child must press the correct number key. Again, the sound provides immediate feedback for a correct choice. The use of numbers between one and five is important for the preschool audience.

An addition game follows. Two groups of blocks appear with a plus sign between them. The child must choose the key corresponding to the sum of the numbers in the blocks. Again, the total does not exceed five.

A subtraction game has the same for-




Dot Writer Ver3.0

- ★ NEW TINY GEAP CHARACTER EDITOR INCLUDED
- ★ CREATE OR MODIFY TYPE STYLES
- ★ NUMEROUS SUPPLIED TYPE STYLES
- ★ MANY ADDITIONAL TYPE STYLES AVAILABLE
- ★ SUPPORTS EPSON, C.I.TOH PROWRITER, PMC 8510, GEMINI 10, NEC 8023 - MORE TO COME

- ★ COMPATIBLE WITH MOST WORD PROCESSORS
- ★ OVER 50 PRINT CONTROL COMMANDS
- ★ COMPATIBLE WITH MOST DOS's
- ★ CONTROL SPACE BETWEEN LETTERS AND LINES
- ★ TRUE PROPORTIONAL PRINT AND SPACE

- ★ SUBSCRIPT, INTERMIX TYPE STYLES ON LINE OR WITHIN WORD
- ★ INTERMIX GRAPHIC AND TYPE STYLES ON SAME LINE
- ★ USER DEFINED AND CONTROLLED UNDERLINING
- ★ ALL NEW USER FRIENDLY MANUAL
- ★ TRS80, MOD I, III, MAX80, LNW80
- ★ CO CO SUPPORT SOON

You can create and print graphics like these - or you can choose from our library of over 60 type styles!



✓273

RCM Computers

221 Hirschfield Dr., Williamsville, N.Y. 14221 (716) 634-3026

NEW NEW NEW - We are now releasing the long awaited Writer Version 3.0. Dot Writer now includes new Tiny GEAP character creation program that is easy to use and very well documented. All creation commands are available for display on screen any time during the creation process. Tiny GEAP is a short version of the original Graphic Editor And Programmer. Version 3.0 also has many new commands. We have spent a great deal of time working to include the type of options users have asked for. We now have over 50 commands that give virtually total control of the printer. The original power of Dot Writer has been retained and is completely compatible with previously created print files. We have also added such features as vertical tabbing, multiple column printing, automatic index and contents generation, flush right concatenation control and much more. We have spent a great deal of time increasing the speed of the program. Though we are still limited by the printer speed, we have managed to increase the processing time in most applications. We have included more type styles than ever before. You still get the original 12 lettersets but in addition, we have packed even more on the disks. We have rewritten the manuals. New, easy to use and user friendly with plenty of examples! Now we include all printer and computer support with each program. No extra charges! All of this and a lower price too! The new version is only \$79.95 and updates for owners are \$39.95 upon return of the original Dot Writer disk. Now you can do it all for less.

DOT WRITER 3.0 with Tiny GEAP **\$79.95**

GEAP 2.1 is still available for the user who wants to create a video display, including Graphics, Text and INPUT statements and let GEAP write a BASIC program to recreate the screen. The resulting BASIC program can be merged into your own program.

GEAP 2.1 **\$45.95**

Letterset Manipulation Utilities is a package of 12 utilities that the typefounder will love. They allow easy and fast manipulation of graphic files and include: SPLIT to increase a graphic up to 16 times and maintain Hi-RES, COPY to mix letters/groups of letters with a letterset. Put the lowercase of one style with the uppercase of another, EXPAND to magnify letters in the file. Also rotation, mirror, italic routines and more!

Letterset Manipulation Utilities **\$39.95**

ADDITIONAL TYPE STYLES - we have 5 font disks available now and many more on the way. These font disks can be used with LAZY FONT too! Write for samples of the type styles that are currently available.

FONT DISKS **\$29.95 ea.**

mat. A minus sign separates the two groups, and the child must respond with the difference. This game is much harder, since subtraction is a more difficult concept than addition. However, I was impressed with how quickly a child who had never been exposed to subtraction could grasp the concept using this game.

Two alphabet games are similar to the number games. The first is a recognition game, except it displays large alphabetical characters. The second teaches the order of the alphabet. The child presses the key for the letter that follows the one displayed on the screen.

Names is a simple spelling game using the child's name, which the parent enters. The cursor advances after the child types in each correct letter. As in the previous games, sound provides immediate feedback.

The shape comparison game is the highlight of the program. Four shapes appear on the screen, three identical and one different. The shapes are simple ones: blocks with markings, triangles, and hourglasses. This discrimination

between like and unlike forms is crucial to the intellectual skills a young child must master for reading and math readiness.

The last game, a drawing program, is a favorite of children who tried this collection. The child moves the dot with keys, but not the normal arrow key arrangement. Keys on the keyboard's left move the cursor left, keys on the top center move it up, keys on the upper left move it diagonally left and up, and so on.

Even with experience, you might not be sure which key does what. I'm not convinced that this is better than using the arrow keys, and it's the main criticism I have of the program. However, children do not seem to mind the inconvenience of the dot occasionally going where they don't want it to.

Another slight problem is that the cursor always draws a line behind it or erases a previously drawn line. This makes the game easier to handle without a separate menu, but it also creates some frustration.

Aside from math and reading skills, this program teaches computer literacy by increasing the child's familiarity with key positions and with the computer itself.

Other than the criticisms I mentioned in the drawing game, I found few flaws in the program. I'd suggest that a change in the screen display following a correct choice would provide more immediate feedback for models without sound.

This is the most effective educational program I've seen for preschoolers. Three-year-olds could handle many of the games with some adult help, while four- and five-year-olds can spend hours alone with the games.

The ease of operation is truly impressive. Model I and III disk versions are even auto run, so the child can bring up the system by himself if you trust operation of the disk drive to him. If you bought your system with the idea of using educational software to help your children, this is one program you don't want to miss. ■

FREE EPSON MX-80 PRINTER

With the purchase of a TRS-80, Model IV


For a limited time, Data Services, Inc., will give you a FREE Epson MX-80 Printer (\$645 value), when you buy a TRS-80 Model IV, 48K, with two 40 track drives. Call for our newest low prices. (Includes RS-232, Printer Cable, TRSDOS)

The perfect system, the perfect price!
TRS 80 Model III, 48k - two PERCOM 40 track drives - EPSON MX-80 Printer.

Data Services offers more — APPARAT'S NEWDOS 80, version VER 2.0, regularly \$149.95 — now only \$119.95 (Model III units only.)

Up to 20% savings on TRS computers — accessories — programs, Plus: EPSON / PERCOM / APPARAT / HAYES SMARTMODEM / VERBATIM DISKETTES / MEMOREX DISKS.

*TRS-80 is a trademark of Tandy Corporation.



- FREE SHIPPING in 48 contiguous states.
- No Sales Tax on out-of-state orders.
- Visa/Master Card welcome.
- Personal checks, allow 3 weeks to clear.
- (International orders, freight F.O.B. Wichita, Kansas)

CALL TOLL FREE: 1-800-835-1129
or order by mail from:

DATA SERVICES, INC.
COMPUTER SERVICES SINCE 1970

P.O. Box 1157 Wichita, Kansas 67201-1157
(In Kansas, call 1-316-838-9021)

118

★★★

*Standard Pascal
User Reference Manual*
Doug Cooper
W.W. Norton & Company
500 Fifth Ave.
New York, NY 10110
Softcover, 176 pp.
\$12.95

by John B. Harrell, III

Since its inception by Kathleen Jensen and Niklaus Wirth, Pascal has been one of the most controversial of languages. Doug Cooper has written a concise and clear manual to explain all aspects of Pascal as the International Standards Organization (ISO) has defined them.

This is truly a reference document. *Standard Pascal User Reference Manual* attempts to clarify the stilted, terse language definitions in the ISO standard.

Mr. Cooper's *Standard Pascal* is easy to read. He develops the notation of Backus-Naur Formalism (BNF) to describe the productions that precisely specify the language's syntax.

He also develops and uses syntax charts (railroad charts) to amplify his explanation of the constructions. This provides clear, visual representation of the BNF forms, which might be confusing even to the experienced reader. Syntax charts are somewhat simplified and the language's complete definition still comes from the BNF productions.

Standard Pascal User Reference Manual has 12 chapters that fully describe the ISO standard definition's implementation of the language. In addition, several appendices address a quick introduction to Pascal, a cross-reference of the BNF forms to the textual material, and syntax charts for the BNF descriptions.

After explaining the notation and defining the basic element of programs as tokens, Mr. Cooper thoroughly discusses the groups of tokens allowed in Pascal. He discusses each group of tokens using the BNF form to describe allowed syntax and gives examples of proper and improper constructions.

Next, he presents each statement that the ISO standard recognizes. Mr. Cooper discusses each Pascal control statement. Here lies the strength of Pascal: The richness of the control state-

ments allows complete structuring and proper control of programs without the confusing GOTO statement so prevalent in Basic and similar programming languages.

Mr. Cooper describes each valid construction allowed for Pascal statements by giving the BNF production that governs it and a syntax chart to explain the BNF form. Myriad examples illustrate the constructions.

The following chapter launches into a discussion of the ordinary data representations in Pascal and the required functions. The initial discussion centers around the simple types the Standard requires.

The BNF description and several examples of right and wrong constructions explicate each simple type. Data

*"Pascal is a
strongly typed language;
you must define items
prior to use."*

type operators (such as addition and multiplication) are first described with their respective ordinary types.

Next, Mr. Cooper presents the required functions of the language. These have four types: arithmetic functions, transfer functions, ordinal functions, and Boolean functions.

Arithmetic functions provide certain mathematic functions expected in each language. Transfer functions don't have common mathematical analogies. These transfer type real data to and from integer data types. The ordinal functions allow manipulation of the ordering relationships.

After the discussion of the language's simple types, operators, and functions, you are ready for the syntax descriptions of simple expressions. Mr. Cooper presents the operations needed in these expressions with a complete discussion of their function on the operands and the precedence of evaluation. Charts provide a complete understanding of each operator's symbol, the operation performed, the operands' data type, and the result's data type.

A program is worthless if the programmer cannot communicate with it

via some form of input and output. This is often the most difficult part of the program's definition: specifying input and output format so the data makes sense to the user. The simplest form of communication with a program written in Pascal is text.

To allow a reader to understand the program segments more clearly, Mr. Cooper provides an early introductory section on text file input and output. This gives you a basic understanding of input and output in Pascal programs, but by no means presents the intricacies of file manipulation (one of Pascal's strong features).

Pascal is a strongly typed language; you must define items prior to use. This definition creates a data item and a data type that remains associated with the item throughout the activation of the block containing each item. You can think of activation as the execution of a particular block of code.

For example, the procedure block "carddeal" defines several variables for use during its execution, but these variables do not exist outside this procedure and have no space in the computer's memory until it executes this procedure.

The last part of the book discusses the complex data typing that sets Pascal off from other languages and makes it strong. As described before, several ways to represent data exist in Pascal programs. You can combine these data types into very complex and powerful data structures by using Pascal's language features.

In addition to the simple data types, the book describes several other types. The enumerated ordinal type allows the programmer to name values to use as constants. For example,

TYPE cardtype = (spade, heart, diamond, club);

might be the definition of type for the variable "card." Then you can assign card any of the four alternatives specified, and test for any of these selections.

To accomplish this in Basic, you would have to use integer values to represent the cards and then make the assignments. Constants of this type (spade, heart, and so on) do not have any external representation. They are self-sufficient as written and you cannot transmit them to text files for input and output.

Subrange types allow the definition of a variable or type over a preselected



13 TIMES FASTER THAN dBASE II™

If you bought your computer to save time, then you need SUPER, the most powerful database system you can use. Power is a combination of speed, ease of use and versatility. SUPER has them all.

FAST - To demonstrate SUPER's speed, ISA retained a professional dBASE programmer to benchmark SUPER vs. the acknowledged leader. A simple mailing list application was chosen to minimize dBASE programming cost. The results:

Task	SUPER Time	dBASE II Time
Set up/Program	5:20 min.	12:18:00 hrs.
Input 100 records	50:29 min.	1:27:50 hrs.
Sort & Print Labels	6:41 min.	4:18 min.
Totals	1:02:30 hrs.	13:50:08 hrs.

Notice that SUPER was faster at every task where *your time* is involved—and saving your time is probably the whole reason you bought a computer.

EASY TO USE - SUPER won because of its ease of use. Since it is menu-driven, office personnel can easily learn to use SUPER to set up their own applications, speeding and simplifying dozens of tasks without the need of programmer support.

VERSATILE - SUPER, unlike other business programs, doesn't dictate how to run your business. With SUPER the computer does what *you* want, when *you* want, the way *you* want it. **SUPER may be the only business program you'll ever need.** It can handle customer files, payables, receivables, depreciation, appointments, cost accounting, time charges, commissions, inventory, manufacturing control, and even matrix accounting systems!

SUPER PERFORMANCE AT A SUPER PRICE -

That SUPER beats the \$700 dBASE program may surprise you, but in terms of price vs. performance SUPER has no competitors. Among its features are: production input, data compression, multiple databases on line, transaction posting, file reformatting, stored arithmetic files, flexible report formats, hierarchical sort and multi-disk files for up to 131,068 records. It can select by ranges, sub-strings, and field comparisons. It interfaces to word processors such as WordStar™, SuperSCRIPTSIT™, Model II/16 SCRIPTSIT™, and NEWSRIPT™. In fact SUPER has so many features that

it takes a six-page product description to cover them all. Write or call and we'll send you one.

SUPER is available for TRS-80™ Models I & III under NEWDOS™, LDOS™, and DOSPLUS; for TRS-80 Models II, III and 16 under TRSDOS™; and CP/M™ systems.

Prices: TRS-80 and Osborne versions	\$250.00
Other CP/M versions	\$295.00
Manual (Price applicable to purchase)	\$ 25.00
Now available for IBM-PC	\$250.00
MasterCard and VISA accepted.	

OTHER SOFTWARE

- **ManageMint™:** A PERT/CPM project management system compatible with SUPER. It includes scheduling, resource and financial management modules.
- **Sales Planning and Data Extraction System:** Improves hit rates while cutting costs.
- **Small, economical program packages** for accounting, business and office applications as well as utilities.

Write for Catalogue



Institute For Scientific Analysis, Inc.


SOFTWARE FOR HARD USE™

Dept. M-3 Institute for Scientific Analysis, Inc.
P.O. Box 7186 Wilmington, DE 19803 (215) 358-3735

ORDERS ONLY (800) 441-7680 EXT. 500

Trade mark owners: dBASEII - Ashton-Tate. SCRIPTSIT, SuperSCRIPTSIT, TRSDOS, and TRS-80 - Tandy Corp. NEWDOS/80 - Apparat, Inc. WordStar - MicroPro Intl. Corp. NEWSRIPT - PROSOFT. LDOS - Logical Systems, Inc. CP/M - Digital Research.

LOAD 80



TO YOUR RESCUE

LET LOAD 80 AND COLOR LOAD 80 RESCUE YOU

In the dawn of the computer age programmers needed the patience of Job to manually keyboard all the major program listings from a single issue of 80 MICRO.

Then LOAD 80 burst onto the scene and exploded that practice. Today thousands of TRS-80* owners use LOAD 80 cassettes and disks every month. These time-conscious computerists spend more time enjoying all the benefits of those 80 MICRO programs.

LOAD 80 programs come directly from 80 MICRO giving you complete and detailed documentation right there in the magazine. And now, the new disk transfer system allows Model III users to run LOAD 80 disks without conversions.

Save close to 30% on the single issue price by subscribing to LOAD 80 today (choose either monthly cassettes or disks).

Color Computer users can now order our September 1983 Quarterly, containing programs from the July, August, and September issues of 80 MICRO) available September 1983). Also available is the "Best of '82" cassette, containing Color Computer programs from the 1982 issues of 80 MICRO.

Start enjoying all the benefits of the programs in 80 MICRO without all the programming hassels. Fill out the attached order form and send it to LOAD 80, 80 Pine Street, Peterborough, NH 03458. Or call toll free and use your Master Card, Visa, or American Express.

****ATTENTION MODEL III USERS****

New, Improved Operating System!

—Ready To Run!!

1-800-258-5473

NEW DISK TRANSFER SYSTEM ALLOWS LOAD 80 TO NOW BE RUN ON MODEL III SINGLE DRIVE UNITS WITH NO CONVERSIONS NECESSARY!!

LOAD 80 is simply the listing from 80 MICRO. Use the KEYBOX accompanying each article as your guide to system configurations. LOAD 80 runs on the *TRS-80 Model I and Model III computers only. COLOR LOAD 80 runs on the *TRS-80 Color Computer only. *TRS-80 and Color Computer are trademarks of Radio Shack, a division of Tandy Corp.

8-83

Yes! Send me the August LOAD 80

☐ Disk \$21.47 ☐ Cassette \$11.47

Price includes postage and handling.

Foreign air mail please add \$.45 per item for postage and handling

Please enter my subscription for one year, beginning with this month's issue. ☐ Disk \$199.97 ☐ Cassette \$99.97

☐ Check/MO ☐ MC ☐ Visa ☐ AE

Card# _____ Exp. date _____

Signature _____

Name _____

Address _____

City _____ State _____ Zip _____

LOAD 80•80 PINE ST. •PETERBOROUGH, NH 03458

Yes! Send me the COLOR LOAD 80

☐ 3rd Quarterly at \$11.47 (July, August, September)

☐ "Best of '82" at \$16.47

Price includes postage and handling.

Foreign air mail please add \$.45 per item for postage and handling.

☐ Check/MO ☐ MC ☐ Visa ☐ AE

Card# _____ Exp. date _____

Signature _____

Name _____

Address _____

City _____ State _____ Zip _____

COLOR LOAD 80•80 PINE ST. •PETERBOROUGH, NH 03458

Continued from p. 64

subrange of the spectrum of allowed values. Both types aid Pascal programs in self-documentation. They cause the information that must otherwise appear in comments to become an integral part of the programs.

The next chapter describes structuring these data types into complex types you can use to store more than one value in a single variable. These are the building blocks used in Pascal to form complex data structures. Mr. Cooper thoroughly describes the major constructions: record and array.

The remainder of this chapter discusses file type. All previously discussed data types are limited to the working size of the computer's store, while type file is limited only to the external storage device's capacity.

The last chapter describes the use of pointer variables. You allocate memory space for all the variables in a procedure block each time you activate it, and de-allocate memory space on termination of the procedure. Once defined, however, the variable structure (activation record) is fixed during the procedure's execution.

Pointers allow truly dynamic data structures that you can create and alter during execution of the program or any procedure contained in it. These structures can remain active even though the procedure that created them has terminated.

Mr. Cooper has provided a valuable tool to programmers using Pascal and those attempting to establish a working Pascal system on computers. He pre-

sents a difficult topic—the standard definition of the language—in clear, concise terms.

His many examples are extremely helpful in understanding the concepts of BNF productions as a tool to language description. You don't need an education in computer science to read Mr. Cooper's reference text.

The material in *Standard Pascal User Reference Manual* is beneficial to anyone who wishes to increase his working knowledge of Pascal. Due to the complexity of the language description, I do not recommend this as a text for the beginner.

It's a text for the Pascal programmer to enhance his fluency in the language and I heartily recommend this book to him. ■

★★★★

Structured Assembler and Linker
Blackbeard Associates
 13534 Preston Road
 Suite 443
 Dallas, TX 75240
 Models I, II, and III
 \$149

by Bruce Powel Douglass

Structured Assembler and Linker (SALC) is a new concept in assemblers for the microcomputer. It allows *structured* statements in your Assembly-language programs. Conditional branches and loops are easy to write and understand with the English-like struc-

tured control statements. These include If...Then...Else, While, Repeat, and Case. It minimally supports procedures and functions as well.

SALC also supports unstructured Assembly language so you needn't rewrite all the routines and programs you've already written. SALC allows you to create multiple relocatable Assembly-language modules larger than your computer's memory.

The linker links these separately compiled pieces together into a complete program. The programmer can build subroutine libraries with external declarations to use from other Assembly-

language routines.

The assembler is not field sensitive; it recognizes a label or an instruction no matter where it occurs. Thus, you can indent your programs to more clearly show control construct nesting (as is common in Pascal and other structured high-level languages).

SALC allows long labels, and the first 16 characters are significant. Labels can include upper- and lower-case letters, and three special characters: the underline, the at sign, and the colon.

Constructs and Options

The use of structured constructs makes Assembly-language programming much easier to read and write. Consider Program Listing 1. Normally, this takes the form of Program Listing 2.

Which is easier to read? Which do you think is easier to write? The closer the language is to how people think, the higher its level. Defined this way, SALC is a middle-level language. You're still speaking the computer's language, but its IQ is a little higher.

Consider a routine that performs different tasks on the basis of a returned result. In Z80 mnemonics, this involves a series of tests (CP) followed by jumps (JP). SALC simply performs the routine with the Case construct (see Program Listing 3).

The assembled program contains the CP and JP instructions necessary to implement the Case statement, since Case

```
IF CharacterInput,EQ,'X' THEN
...
...
END
WHILE B,NZERO DO
...
...
END
REPEAT
...
...
UNTIL H,OR,L,ZERO
IF C, AND, 080H, ZERO THEN
...
...
END
```

Program Listing 1

```
CP A,'X'
JP NZ
...
...
LD A,B
CP 0
JP NZ
LOOP EQU $
...
...
LD A,H
OR L
JR Z,LOOP
LD A,C
OR 80H
JR NZ
...
...
END
```

Program Listing 2

ARE YOU TIRED OF BLASTING ALIENS?

Have you had too much of firing laser cannons, guarding fuel canisters, eating ghosts, avoiding missiles, and just plain getting killed off in pursuit of a few points? Or maybe you never really liked arcade games in the first place; either way, there is a program that you shouldn't be without. The name of this program:

SUPREME RULER

You become leader of a small and struggling country, attempting to stay alive, and expand if you can. Your government will have to deal with the many things every government runs in to; things like protecting your economy (or else risk a recession), providing services and food for your people, stimulating industry and encouraging new business, managing your government revenues, and controlling your army. From 1 to 4 players can take part if you have 16K of memory, or up to 9 players with more memory. If you don't have enough people around, you can assign any number of the countries for the computer to control. (The computer is a worthy opponent, and it plays by all the rules!) You won't quickly become tired of this program, since you will have to make very many decisions to become a successful ruler; you must ponder tax rates, food distribution, government services, large-scale loans, your army's status, your battles, and much more.

Included with the program is a 40 Page Handbook on how to rule a country successfully. (It is 8 1/2 by 11 inches, spiral bound; most business programs don't have a manual as good as ours!) The program is top-quality with excellent input and display routines.

The 16K and 32K versions are provided together on cassette; the 32K version contains a SAVE GAME feature. PRICE: \$18.50

A 32K version (with SAVE GAME) is provided on diskette. PRICE: \$20.50

For those of you with 48K: SUPREME RULER PLUS!

We fill up the extra memory with features such as Research/Development spending to make your army more efficient, a credit rating system, expanded reports for information about your country, more intelligent computer opponents, selectable computer "skill levels" (the computer countries can be anything from "Defensive" to "Aggressive"), and MUCH MORE!

With a 50+ Page manual (re-written specifically for SUPREME RULER +), and the program provided on either Cassette or Diskette. PRICE: \$26.50

(Note: Any SUPREME RULER Purchaser can upgrade to SUPREME RULER + at any time by returning the original disk/cassette and paying only the difference in price plus \$1 shipping.)

AND FOR THOSE OF YOU WHO ARE NOT TIRED OF ARCADE GAMES . . .

EXTERMINATE!

This 100% Machine Language program will challenge any arcade-game player. An original idea (as far as we know), in which your job is to prevent hordes of alien "BUGS" from escaping out of an underground cavern, by destroying ("Exterminating") them. For the novice, this game becomes only gradually more difficult, so as not to intimidate the player. But for an advanced player, there are methods of getting to the higher skill levels very quickly. EXTERMINATE! is a game with quality graphics and sound, and surprises to keep you busy at every new skill level.

EXTERMINATE: 16K and 32K versions on same Cassette - \$15.50

Model I/III 32K program on Diskette - \$17.50

CLEARANCE!!!

We constantly examine and update our software offerings in order to make sure that they all live up to our current high standards of quality, and sometimes we remove a program from our line-up. This recently happened to our battle-simulation program, THE BATTLE OF ZEIGHTY. So now we have stopped producing it, but we still have a pile of them stocked up in our inventory. To get rid of them, we've cut the price IN HALF! (Previous purchasers have been compensated.) With this special offer there will be no warranty other than the Media Guarantee. (There will be no updates or returns.)

This is not to say that THE BATTLE OF ZEIGHTY isn't a good program; it is a well-made one player game. It allows you to set up a small army to your own specifications, and then you must use it to try to take over the fictional Zeighty Pass. You give each of your army divisions specific orders, while the computer plays the defending army. The display is satisfactory, consisting of a "Map" that shows the position of the army divisions. Land features (terrain) are not taken in to account, but you'll have enough to keep you busy. The program contains a wide set of commands and options (such as mines, artillery, 4 different division types, and more). It also has a built-in "HELP" function.

With a 20 page, full size manual; for 16K, Cassette - \$ 8.95
32K, Diskette - \$10.95

OUR "TRIPLE PROTECTION" GUARANTEE

In today's software world it is hard to tell a good program from a bad one by only a magazine ad; that's why JMG has a warranty plan that will guarantee your satisfaction. Here is our "Triple Protection" guarantee:

- 1) **QUALITY GUARANTEE:** If you are unsatisfied with the software product you have purchased, you may return it (in good condition) within 14 days for a refund, less a \$2 handling charge. (We also ask that you send us a brief letter stating the reason for your return.)
- 2) **UPDATES GUARANTEE:** We always listen to our customers, and we often improve and expand our software products on the basis of their comments. If we make an improvement to a product and release a new version, all our previous purchasers will be notified and offered the update. To receive an update, you only have to return your original disk plus \$1 for shipping costs.
- 3) **MEDIA GUARANTEE:** The diskette or cassette has a Lifetime Guarantee. If yours turns out to be defective, or it fails and you do not have any backups made, then just return the disk/cassette and we'll replace it.

TO ORDER:

Just pull out a piece of paper and write the following information down:

- 1) Your name and address (including zip/postal code)
- 2) The program you would like.
- 3) Disk or Cassette?
- 4) State the computer you own. (Model I or III? How many Disk drives? 16K, 32K, or 48K?)
- 5) Enclose either payment (check / money order) OR Credit Card name & number, and expiry date.
- 6) Mail it to JMG, to either of our addresses.

OR

Go and see your nearest dealer. If he doesn't carry JMG programs, shout at him a bit.

DEALER INQUIRIES INVITED

Software Authors: Do you have a new and original program? Why not check us out! Our royalties are worth looking in to.

JMG SOFTWARE
INTERNATIONAL

✓ 126

THE FINE PRINT:

We accept VISA and MasterCard.


All prices in U.S. Funds.

Please allow 1 or 2 weeks for PERSONAL CHECKS to clear. SHIPPING CHARGES are \$2.00 in North America, \$5.00 overseas.

If you order 2 or more programs, there is no shipping charge in North America; 1/2 charge (\$2.50) overseas.

P.O. BOX 598
FALLS STATION,
NIAGARA FALLS, N.Y.
U.S.A. 14303
OR

710 UPPER JAMES ST.
HAMILTON, ONTARIO
CANADA L9C 2Z8
(416) 389-6086



COMPUTER-PERIPHERAL SWITCHERS

Connect any number of peripherals to a single I/O port — use a single printer to support several microcomputers — use two or more printers to support a single microcomputer — access a modem from any of several microcomputers — ideal for demonstrating or comparing equipment. The Selecto-Switches are designed to eliminate the unnecessary plugging & unplugging of cables which connect printers, terminals, or modems to various computers. By using a Selecto-Switch, you achieve more efficient system operation, better utilization of peripherals & computer ports, eliminate redundant hardware & reduce service calls. 5 yr. limited warranty on all Selecto-Switches. No power required. Size (inches): 10L x 7W x 3H, 2 1/4 lbs.

RS232 SERIAL SELECTO-SWITCH

Switches all lines of asynchronous data • Easy expansion of serial ports • Connectors are female DB25 type

PART NO.	DESCRIPTION	PRICE
GRS232-AB	2-Way Switch	\$139.95
GRS232-ABC	3-Way Switch	\$179.95

DB25 PARALLEL SELECTO-SWITCH

TRS-80, Apple, and IBM compatible • Switches 24 lines (line 1 is ground) • Connectors are female DB25 type

PART NO.	DESCRIPTION	PRICE
GP24-AB	2-Way Switch	\$139.95
GP24-ABC	3-Way Switch	\$179.95

CENTRONICS-STYLE SELECTO-SWITCH

Switches all 36 lines • Connectors are female Centronics

PART NO.	DESCRIPTION	PRICE
GCENT-AB	2-Way Switch	\$199.95
GCENT-ABC	3-Way Switch	\$229.95

Micro-Logic Corp. MICRO-CHARTS

Fully decoded data • Instant access • 2-sided, totally comprehensive • Compact 8 1/2" x 11 in. durable credit card plastic • Perfect for programmers & engineers • Clear & concise tables for full instruction set, assembly, ASCII, base conversion, effect of flags, compare vs. jump, interrupt structure, pinout, cycle times, diagrams, bug notes, & much more...

PART NO.	REFERENCE	PRICE
ML-Z80	Z80 CPU	\$5.95
ML-8080A	8080A/8085A	\$5.95
ML-6502	6502 (65XX)	\$5.95
ML-8048	8048, Relatives, Algorithms	\$5.95
ML-7400	5400/7400 TTL	\$5.95

BOOKS

30001	National CMOS Data Book (1981) (640 pages) 74C, CD4000, and A/D Converters	\$6.95
30003	National Linear Data Book (1982) (1376 pages) LM, LF, AOC, DAC, LH Series	\$11.95
30008	National Memory Data Book (1980) (464 pages) RAMs, ROMs, PROMs, EPROMs Series	\$6.95
30009	Interrel Data Book (1983) (1356 pages) Complete line.	\$9.95
30010	National Audio/Radio Handbook (1980) (240 pages) Pre-Amps, AM, FM & FM Stereo, Power Amps	\$5.95
30011	National Linear Application Handbook (1980) (736 pages) Application Notes, Linear Briefs, etc.	\$15.95
30012	National PAL Data Book (1982) (176 pages) Application Notes, Linear Briefs, etc.	\$5.95
30013	Zilog Data Book (1983) (641 pages) Microprocessors and Support Chips	\$7.95
210830	Intel Memory Components Handbook (1983) (798 pages) Contains all Application Notes, Article Reprints, Data Sheets, and other design information on Intel's RAMs, EPROMs, EEPROMs & Bubble Memories.	\$14.95
210844	Intel Microprocessor & Peripheral Handbook (1983) (1027 pages) Contains Data Sheets on all of Intel's Microprocessors and Peripherals.	\$14.95

ATARI



ATARI PADDLES

JSP (2) \$4.95 pair

ATARI DRIVER

JSD (1) \$2.95 ea.



TV GAME SWITCH

Used on Atari. Cosmetically blemished. 100% functional.

TGS-1 . . . \$2.95 ea.



Jameco Digital Thermometer Kit

Dual sensors — switch controls for indoor/outdoor or dual monitoring — can be extended to 500 feet. Continuous LED 8" ht. display. Range: 40°F to 199°F, 40°C to 100°C. Accuracy ±1° nominal. Calibrate for Fahrenheit/Celsius. Simulated without case. AC wall adapter included. Size: 6 1/2" L x 3 1/2" W x 1 1/2" D.

JE300 . . . \$39.95

Universal

Computer Keyboard Enclosures

"DTE" Design for easy modification — are designed for easy modification. High strength epoxy molded and glass in modica brown finish. Sliding rear/bottom panel for service/component access. Top/bottom panels 0.060" thick alum. slide type 1200 finish (gold tint color) for best paint adhesion after modification. Vented top & bottom panels for cooling efficiency. Rigid construction provides unlimited applications. Assembly instructions included.

DTE-8	Panel Width 7.5"	\$24.95
DTE-11	Panel Width 10.13"	\$27.95
DTE-14	Panel Width 13.5"	\$29.95
DTE-20	Panel Width 19.25"	\$34.95

TIMEX sinclair 1000

Powerful — fully programmable 2K memory • Portable — 6 1/2" x 6 1/2" x 1 1/2" — 12 oz. • Expandable — Optional 16K RAM module • Single-key entry commands • Educational • Unique syntax-check report codes for error identity • Accurate to 9/10 decimal places for full range math and scientific functions • Graph drawing and animated display • Advanced 4-chip design combining power, portability and affordable price.

TS1000 \$54.95

ACCESSORIES FOR TIMEX sinclair 1000 and ZX81

TIMEX sinclair 1016	Expansion from 2K to 16K, size: 3" x 3" x 1.5" (5oz.)	TS1016 \$49.95
TIMEX sinclair 2040	32 column thermal printer (4 lbs.)	TS2040 \$99.95
	Printer paper - 3 rolls (4.3 in. x 82 ft.)	TPP-3 \$5.95

Keyboard Mask for Your ZX81/1000* Computer

BRAND NEW!
FEATURES:
• Install in seconds. Remove adhesive backing from mask and place over keyboard.
• All characters and symbols reproduced on mask.
• Durable — formed with poly-carbonate sheet with finish.

The JE681 Keyboard Mask provides users of the ZX81/1000 series computer the individual feel of each keypad on the keyboard. The mask has a raised outline around each keypad allowing the user to feel and correctly position their fingers onto the keyboard.

JE681 KEYBOARD MASK \$9.95 each

ZX81/1000* Keyboard Conversion Kit

JE682-AK KEYBOARD CONVERSION KIT
The JE682-AK Keyboard Conversion Kit provides a full-size industrial grade keyboard for the ZX81/1000 series computer. The kit also permits the simple disconnection of the Sinclair/Times Keyboard for portability. The JE682 Kit consists of a full-size industrial grade keyboard with 82 keys, 2 p.c. boards, 24" ribbon cable, DIP socket and a rubber feet. The keyboard conversion kit can easily be mounted into the DTE-AK enclosure. This enclosure is large enough to contain the ZX81/1000 computer and the full-size keyboard together. A handy label representing the ZX81/1000 keyboard layout is placed on the enclosure.

JE682-AK Keyboard Conversion Kit \$99.95 ea.

JE682 Keyboard Conversion Kit \$59.95 ea.

(WITHOUT DTE-AK CASE)


*ZX81/1000 is a trademark of Sinclair/Times

80-Key Keyboard



CA150C \$69.95

95-Key Keyboard



CA154A \$79.95

Keytronics 90-Key Soft-Programmable Keyboard

WITH SECURITY KEYLOCK SWITCH

These Control Data Keyboards consist of a base, cover, the keyboard assembly, and an interface cable. Color (case): Harvest gold and black. Color (keycaps): Black, blue, and red. Electrical requirements: +5V @ 600mA, -12V @ 60mA. Size: 21 1/2" x 9" D x 3 1/2" H. Weight: 6 lbs. All units brand new in original boxes, specifications included.

Part No. KB270 \$79.95 each

Made for Visual Technology, this keyboard features: a security keylock (includes two keys) to guard against unauthorized use; an 11-key numeric keypad; cursor keys; 10 user-programmable keys; 40-inch interface cable, and schematics. Weight: 7 lbs.

Part No. KB270 \$79.95 each

MICRO SWITCH 85-KEY KEYBOARD

Word Processing Keyboard, 26 Pin Edge Card Connection. Supply Voltage +5VDC. Main Keyboard is DWTY. Additional Key Pads for Cursor and word processing functions.

Part No. 85SD18-1 \$29.95 each

HI-TEK 14-KEY NUMERIC KEYPAD

SPST switching. Charcoal grey keycaps. Mounted on printed circuit board.

Part No. K-14 \$9.95 each

POWER SUPPLY +5VDC @ 1 AMP REGULATED

Transaction Tech
Output: +5VDC @ 1A (also +30VDC) reg. Input: 115VAC 60Hz. 2-tone (black/beige) self-enclosed case. 6 in. x 3.5 in. black power cord. 6 1/2" W x 7 1/2" D x 1 1/2" H. Wt. 3 lbs. Data sheet incl.

Part No. PS51194S \$14.95 ea.

POWER SUPPLY +5VDC @ 3 AMP REGULATED

Deftron
Input: 115VAC. 47-400Hz. Output: 5VDC Adjustable @ 3 amp. 5VDC @ 2.5 amp. Adjustable current limit. Ripple & Noise: 1mV rms. SWV p-p — 2 mounting surfaces. UL recognized. Size: 4" W x 4 1/2" L x 2 1/2" H — Wt. 2 lbs. Data sheet included.

Part No. QPS-1 \$29.95 each

POWER SUPPLY +5VDC @ 7.5 AMP, 12VDC @ 1.5 AMP SWITCHING

Input: 115VAC. 50-60Hz @ 3 P.S.VAC. 50Hz @ 1.5 amp. Fan vol. / power supply selected switches (115/230VAC). Output: 5VDC @ 7.5 amp. 12VDC @ 1.5 amp. 8 in. Dk. pwr. cord. 11 1/2" W x 13 1/2" D x 3 1/2" H. Wt. 8 lbs.

Part No. PS94V08 \$39.95 ea.

POWER SUPPLY 4-Channel Switching - Apple Compatible

FOR USE AS AN EXTERNAL POWER SUPPLY FOR APPLE
Microprocessor, mini-computer, terminal, medical equipment and process control applications. Input: 90-120VAC. 47-400Hz. Output: +5VDC @ 5A, -5VDC @ 1A, +12VDC @ 1A, -12VDC @ 1A. Line reg. ±0.2%. Ripple: 30mV p-p. Load reg. ±1%. Overcurrent protection. Adj. 5V main output 10%. 6-3/8" L x 1-7/8" W x 4-1/2" H. Wt. 1 1/2 lbs.

Part No. FCS-604A \$69.95 ea.

\$10.00 Minimum Order — U.S. Funds Only
California Residents Add 6 1/2% Sales Tax
Shipping — Add 5% plus \$1.50 Insurance
Send S.A.S.E. for Monthly Sales Flyer!

Spec Sheets — 30c each
Postage — \$1.00 Postage for your
FREE 1983 JAMECO CATALOG
Prices Subject to Change

Mail Order Electronics - Worldwide


MasterCard

Jameco ELECTRONICS

VISA

1355 SHOREWAY ROAD, BELMONT, CA 94002

8183 PHONE ORDERS WELCOME — (415) 592-8097 Telex: 176043



2708, 2716, 2732 & 2764 EPROM Programmer

JE664 EPROM PROGRAMMER

8K TO 64K EPROMS — 24 AND 28 PIN PACKAGES

— PROGRAMS 2716's IN 16 SECONDS —

— PROGRAMS 2764's IN 64 SECONDS —

Programs, validates, and checks for properly erased EPROMs • Emulates EPROMs or EPROMs • RS232C Computer Interface for editing/printing/loading • Loads data into RAM by keyboard • Changes data in RAM by keyboard • Loads RAM from an EPROM • Compares EPROMs for content differences • Copies EPROMs • Power input: 115VAC, 60Hz, 10W power consumption • Enclosure: Color-coordinated, light tan panels w/molded mecha brown and pieces • Size: 15-5/8" L x 8 1/4" D x 3 1/4" H — Wt. 5 1/4 lbs.

JE664-A EPROM Programmer \$995.00

Assembled & Tested (includes JM16A Module)

JE665 — RS232C INTERFACE OPTION — The JE665 RS232C Interface Option implements computer access to the JE664's RAM. Sample software written in BASIC provided for TRS-80® Model I. Level II Computer. Baud rate: 9600. Word Length: 8 bits - odd parity. Stop bits: 2. Option may be adapted to other computers.

JE664-ARS EPROM Prog. w/JE665 Option \$1195.00

Assembled and Tested (includes JM16A Module)

EPROM JUMPER MODULES

The JE664's JUMPER MODULE (Personality Module) is a plug-in Module that pre-sets the JE664's RAM. Sample software written in the EPROM & configures EPROM socket connections for that particular EPROM.

Part No.	EPROM	EPROM MANUFACTURER	PRICE
JM08A	2708	AMD, Motorola, National, Int'l.	\$14.95
JM16A	2716, TMS2516	Intel, Motorola, National, NEC, TI	\$14.95
JM18B	TMS2716	Motorola, TI (+5,-12,+12)	\$14.95
JM32A	TMS2532	Motorola, TI	\$14.95
JM32B	2732	AMD, Fujitsu, NEC, Hitachi, Intel	\$14.95
JM32C	2732A(21V)	Fujitsu, Intel	\$14.95
JM64A	MC68764	Motorola	\$14.95
JM64B	MC68764	Motorola	\$14.95
JM64C	TMS2564	TI	\$14.95
JM64D	HM48764G-4	Hitachi (21V)	\$14.95

iii's Black Hole EPROM Eraser

9 Chips — 8 Minutes

The Black Hole EPROM Eraser completely and safely erases 9 EPROMs in less than 8 minutes. The Black Hole is a fully automatic cassette loading eraser featuring U-shaped 4000 hr. UV lamps mounted in a special ALZAK (UV reflectivity of 9) parabolic light tunnel. In operation, the user slips in an anti-static Bug Box (3 ea. incl.) containing the EPROMs to be erased into the loading slot on the front panel of Black Hole. The rest is fully automatic. The Black Hole latches the Bug Box into place, turns on the UV lamps and starts its fully solid state (CMOS) UV integration dose timer. The percentage erasure time is monitored and displayed on a front panel LED readout. At the end of the erase cycle, the Black Hole ejects the Bug Box containing the 9 erased EPROMs and turns off power.

Part No. ULV-008 \$29.95

ERS-008 Eraser, Auto Eject & LED Readout \$249.95

IBM MEMORY EXPANSION KIT

SAVE HUNDREDS OF \$\$\$ BY UPGRADING MEMORY BOARDS YOURSELF!

Most of the popular memory boards allow you to add an additional 64K, 128K, 192K, or 256K. The IBM64K Kit will populate these boards in 64K byte increments. The kit is simple to install — just insert the nine 64K RAM chips in the provided sockets and set the two groups of switches. Directions are included.

IBM64K (Nine 200ns 64K RAMs) \$59.95

EXPAND YOUR MEMORY

TRS-80 TO 16K, 32K, or 48K

**Model 1 = From 4K to 16K Requires (1) One Kit

Model 3 = From 4K to 48K Requires (3) Three Kits

**Model = From 4K to 16K Requires (1) One Kit

**Model 1 equipped with Expansion Board to 48K Two Kits Required — One Kit Required for each 16K if Expansion —

TRS-16K3 *200ns for Color & Model III \$12.95

TRS-16K4 *250ns for Model I \$10.95

TRS-80 Color 32K or 64K Conversion Kit

Easy to install kit comes complete with 8 ea. 4164-2 (200ns) 64K dynamic RAMs & conversion documentation. Converts TRS-80 color computers with E circuit boards, & all new color computers to 32K. Minor modifications of 32K memory will allow the use of all the 64K of the dynamic RAM providing you have a FLEX DOS operating system.

TRS-64K2 \$54.95

5 1/4" Mini-Floppy Disk Drive

FOR TRS-80 MODEL I - COLOR COMPUTER

Features single or double density. Recording mode: FM single, MFM double density. Seek time: 25msec. track to track. Power: +12VDC (±0.5V) 1.5A max. +5VDC (±0.2V) 0.6A max. Unit as pic. at right does not incl. case, power supply, cables, 30-pp. data book incl. Wt. 3 1/2 lbs. Part No. Limited Quantity! Price

FD200..... \$179.95

Single-sided, 40 tracks, 250K bytes capacity

FD250..... \$199.95

Double-sided, 36 tracks, 438K bytes capacity

8" FLOPPY DISK DRIVE

Siemens

• Shugart 801R compatible

• Single-Sided

• 77 Tracks

• 400/800 Bytes Capacity

• Industry Standard

The FDD100-8 8" Floppy Disk Drive (Industry Standard) features single or double density. Recording mode: FM single, MFM double density. Transfer rate: 250K bits/sec. single density. 500K bits/sec. double density. The FDD100-8 is designed to work with the single-sided soft sector IBM Diskette I, or eq. disk cartridge. Power: 115VAC @ 50-60Hz, +24VDC @ 1.7 amp max. +5VDC @ 1.2 amp max. Unit as pictured above does not include case, power supply, cables. Size: 8.55" W x 14" L x 4.5" H. Weighs 12 lbs. Incl. 96-pp. manual. Part No.

Price

FDD100-8 . . \$169.95 ea.

mally, a function is a subprogram that returns a simple value, but this is not a high-level language so no difference exists between them. Their function is to better document the programs. You can call the subprograms that return values (called functions) as well as those that do not (called procedures).

Besides the structured Assembly-language constructs, SALC supports a number of options, including assembler directives. Some assembler directives include a title for your assembly listing, page ejection, and the Include directive.

The Include directive lets you insert another source assembly file anywhere within a source program being assembled. When the program reads the Include statement, it loads and assembles the specified file name. You cannot nest Included files. This allows a method of linking program segments together besides using the linking loader.

SALC has a multipass assembler. You have several options available during assembly and linking. You specify these with a /X (where X is a letter de-

noting an option) on the command line.

Options include outputting an indented source file, specifying whether or not to be case-blind (a is the same as A), outputting the error messages to a log file or the screen, and waiting for disk change.

Another useful option is creating a Microsoft compatible relocatable object file. You can link these files with the Microsoft linking loader to compiled Basic, Fortran, or any M80-compatible compiled language.

Summary

On the negative side, SALC does not provide an editor. It takes standard ASCII file format. I use my NewScript word processor to create my SALC files.

A more serious problem is that currently SALC only runs with TRSDOS and LDOS. Programmers who prefer MULTIDOS, NEWDOS80, or DOS-PLUS must sit this one out. SALC might work with some of these operating systems, but it doesn't specifically support any besides TRSDOS and LDOS.

The manual is a bit terse for my tastes. It describes all the structured constructs, and presents some brief examples to show syntax. The end of the manual contains a rather large calculator program (provided on disk as well). The manual could use some middle-level examples.

SALC comes with assemblers and linkers for both Z80 code and 8080 code. The 8080 version is primarily for CP/M folks, I suspect. But if you prefer 8080 programming to Z80, it has a separate assembler. The calculator program is in source, absolute object, and relocatable object code format, in both 8080 and Z80 mnemonics.

My opinion of SALC is quite high. There are a few drawbacks, but the only serious one is that the assembler does not support all DOSes. It works well, but you'll take a while to get used to the structured language constructs. However, considering the time and effort using them saves, the work is insignificant compared to the benefits. ■

Gold Plug - 80

TRS - 80+MOD I, MOD III, COCO

A hhhh, instant relief! At last there is a permanent cure for contact oxidation on Model I edge connectors. Many TRS-80 users are familiar with the symptoms: untimely resets, spontaneous reboots, or the inability to get the computer started at all without a frustrating session with a pink eraser.

The Gold Plug 80 is a well made device consisting of an edge-card plug with gold plated contacts, available with either 34 or 40 contacts. The rear of the plug has ter-

minimal tabs which fit exactly over the existing foil fingers on the TRS-80's connectors. After installation, the original plugs have been extended about a half inch, meaning that the plastic door covers no longer fit. This did not trouble me, but you should take it into consideration. E.A.P.'s advertising leaflet, by the way, cautions you about the doors, which is refreshing. They also have the excellent policy of permitting you to return any plugs ordered for a refund if after seeing them you are un-


willing to undertake the installation.

An excellent set of instructions accompany the plugs, and they are shipped promptly. I ordered mine by mail on a Monday and received my set of plugs by first class mail on Tuesday of the next week.

Installation

Installation requires a soldering iron (I use a 40-watt Weller), Rosin-core solder, a Phillips screwdriver, and your last Pink Pearl. The keyboard and Expansion Interface have to be disassembled to get at the connectors, which are then cleaned—the eraser's last fling. The Gold Plug 80 is fitted over the existing plug with the contacts centered, and then soldered to the board. I have some soldering experience, but it proved to be an easy, safe job. The contact is heated, a very small amount of solder applied, and then you go on to the next contact. It took about an hour to do all six plugs.

GOLD PLUG 80 Mod I (6)	\$ 54.95
Keyboard/EI (mod I)	18.95
Individual connectors	9.95
COCO Disk Module (2)	18.95
Disk Drives (all R.S.)	9.95
Gold Disk Cable 2 Drive	29.95
Four Drive Cable	39.95
GOLD PLUG 80 Mod III (6)	54.95
Internal 2 Drive Cable	29.95
Mod III Expansion port	10.95
USA shipping \$1.45	Can/Mex \$4.
Foreign	\$7.
	TEXAS 5% TAX



The Gold Plug 80



GOLD PLUG 80-E.A.P. COMPANY ✓216
P.O. Box 14 Keller, TX 76248 (817) 498-4242



E.A.P. CO.
P.O. BOX 14
KELLER, TEXAS 76248
(817) 498-4242 MC/VISA

How many companies offer
toll free **TOTAL SUPPORT** on
all hardware & software?

There is only one number to call:

1-800-237-8977

In Florida call 1-813-786-1259

Business Applications Software with
TOTAL SUPPORT...specializing in:
IBM[™], APPLE[™], TRS-80[™] and XEROX[™]

The Systems Group

2340 State Route 580/Suite 234
Clearwater, Florida 33575
Telex 701484 ✓ 100

IBM is a trademark of IBM Corporation
APPLE is a trademark of Apple Computer Inc.
TRS-80 is a trademark of The Radio Shack Division of Tandy Corporation
XEROX is a trademark of Xerox Corporation

★★★★

Lazy Writer Extensions
AlphaBit Communications Inc.
 13349 Michigan Ave.
 Dearborn, MI 48126

by **Dan Robinson**

Lazy Writer has grown a bit in recent months. AlphaBit Communications, the original manufacturer of Lazy Writer, has added a number of extensions to the popular word processing program.

Various extensions display text format, align tables by decimal point and produce totals, incorporate illustrations in your documents, and construct Do files to set up your word processing session. Another extension provides fill-in-the-blank capability.

A "quick" version of Lazy Writer is also available, as well as Electric Webster's new option for automatic hyphenation.

Formatter

Formatter displays the location of line and page breaks as an aid to hyphenation, header changes, and footnoting. When you press the clear and enter keys, the Formatter module searches through the text and clears the screen to present the word, byte, and character count, as well as the number of the last page.

If you return to edit from this point, you'll see a large bar across the screen at page breaks, and centered text is indeed centered on the screen. The text does not appear indented or justified, but the lines terminate at exactly the character displayed. The module does not show headers and footers, but it accounts for them.

The Formatter enhancement is particularly valuable in making certain that a heading isn't cut off from its text, or that tables aren't broken in the middle. Knowing the page breaks, you can insert footnotes in the proper place or change headers and footers.

Another option from the Formatter menu is hyphenation. You select the minimum number of characters to add to each line, and your text appears line by line. The cursor blinks at the last opportunity to hyphenate, and you can move it to the word break.

When you press the hyphen key, For-

matter breaks the word, inserts a hyphen, and adjusts line lengths. Lazy Writer moves on to the next hyphenation opportunity. If you want, you can put soft hyphens in the text rather than hard ones, so printed text breaks at that point only if necessary.

Formatter also error-checks for any goofs you might have made with control codes. It flashes an error message and places the cursor over your mistake. You must reformat text prior to printing.

Formatter is now standard on new

"Formatter... is particularly valuable in making certain that a heading isn't cut off from its text..."

copies of Lazy Writer, and is a \$25 upgrade for current owners.

Lazy Calc

Lazy Calc performs the four basic math functions on figures in your text file and inserts the result in printed copy.

It specifies the number of columns to be used in a nonprinting comment line, and identifies the location of the answer using # signs equal to the number of its digits.

Addition is the default function, so the standard mathematical sign (-, *, or /) must precede the number if you want other functions. Then the program places block move markers from the first number to be calculated to the last digit in the total. You call Lazy Calc from the Lazy Writer directory to perform the math and insert the answers in the text file.

You can pass information to Lazy Calc in comment lines, and mark numerical data (such as dates or check numbers) so it does not become a part of the result. Lazy Calc also functions with alternating credit/debit columns like those used in a balance sheet.

The printed result will be much like Basic's Print Using statement, with a

specified number of digits behind the decimal point, and commas and dollar signs in place. If you make an error, the program returns to your text with the cursor over the mistake.

The program doesn't pretend to compete with spreadsheets, and you'll find that totaling short columns is faster if done manually. Longer columns make the formatting worthwhile, but any number-editing requires repeating the whole process.

The price of Lazy Calc is \$29.95.

Lazy Tab

Lazy Tab lets you set or reset tab positions. Place the location of desired tab settings in a nonprinting comment line, and call Lazy Tab from the Lazy Writer directory. All tabs change to the new specifications.

Lazy Tab also includes a decimal align command to neatly stack your figures one above another, and is compatible with Lazy Calc. Lazy Tab sells for \$15.

Lazy Draw and Lazy Do

Lazy Draw is a separate command file that lets you create illustrations. You can include these in your text file and print them as TRS-80 block graphics.

Draw pictures with the arrow keys, and erase errors by holding the clear key while moving the cursor. You can type text into the picture, and save the result to disk. The screen is saved in ASCII code with an optional offset for printers like the MX-80.

You can load the completed file together with text files and print it as you would any other document. It might require a bit of experimentation to get the desired result, since the Lazy Draw could misinterpret the graphics codes and alter format counters.

The program works only with printers that respond to ASCII codes to print block graphics. The MX-80, for example, prints block graphics as it does with Grafrax 80, but it doesn't function with Grafrax Plus.

Lazy Do is very similar to a DOS Do command or chain file. The program holds a series of instructions to load Lazy Writer, bring up a given document, call a menu, set desired parameters, or perform a given task.

Lazy Draw and Lazy Do come as a pair for \$19.95, or you can order the

We can't keep it secret any longer

**Data-Writer outperforms
Maxi-Manager.**

Outperforms Aids-III.

Outperforms Profile III +.

**Data-Writer is
more powerful,
more flexible, and
easier to use.**

Data-Writer™

But you don't have to take our word for it. Here's what the critics said:

- **80-MICRO:** "Data-Writer seems to have good speed and bug-free performance. It has a great deal of flexibility and capacity, and the ability to restructure an existing data base to meet changing needs gives it a big boost. For Electric Pencil or Scripsit fans, the capability of using an old favorite to maintain a mailing list or data base makes Data-Writer a winner."
- **COMPUTRONICS:** "Here's a program capable of outstanding performance in the preparation of any type of data base...without any previous computer software experience being required of the user. I recommend it without qualification."
- **80-US JOURNAL:** "The manual uses a learn-by-doing approach and is so effective that on the first try a complete and highly functional data base was set up. Reports and customized printouts can be generated in minutes."
- **COMPUERVE:** "What most distinguishes Data-Writer is that files can be created and maintained with an ordinary word processing program...The 80-page instruction manual is very well done and the whole system is easy to use."

Data-Writer is useful! Users around the world have discovered the power and flexibility of this extraordinary data base manager that works by itself or with a word processor. Data-Writer is used by managers in large corporations (Bechtel, Honeywell, Owens-Corning, Westinghouse, among others), by small manufacturers, doctors, lawyers, insurance agents, stockbrokers, universities, government agencies, police departments, churches, flower societies, stamp collectors, wine enthusiasts, software retailers, and many more.

Now Data-Writer is even more powerful, with new expanded features:
10,000-record capacity, and hard disk support
40 fields per record
240 characters per field with Data-Writer's ENTRY program
45 characters per field with 1 second access time
Search for any record with multiple selection criteria
Add fields to restructure your data base

If you have form letters to send to a large group or a subset, if you maintain mailing lists, bibliographies, or inventories with reorder levels, if you want to report accounts payable or receivable, expenses, orders, or any other list of numbers with totals and subtotals, then you will find Data-Writer invaluable. You can even create a subset of a larger list (say, all estate-bottled red wines produced in Napa Valley, St. Emilion and Barossa Valley in 1978, priced between \$8 and \$12, sorted in order of decreasing price). The possibilities are endless.

For the TRS-80 Models I, III (48K, 2 drives, lower case required), Data-Writer is available from software dealers or direct from Software Options, Inc., 19 Rector Street, New York, NY 10006, (212)785-8285. Toll-free order line: (800)221-1624. Price \$145 (plus \$3 shipping and handling). NY State residents add sales tax. Visa/Mastercard accepted.

Canada: For the name of a local dealer, contact J&J Electronics Ltd., 310 Notre Dame Avenue, Winnipeg R3B 1P4; (204)942-0963.

Europe: For the name of a local dealer, contact Molimex Ltd., Bexhill-on-Sea, E. Sussex, England; (0424)220391.

Australia: Molimex Pty Ltd, 11 Bourke Avenue, Gosford 2250

Dealer inquiries invited.



Lazy Stuff quartet (Lazy Calc, Lazy Tab, Lazy Draw, and Lazy Do) as a package for \$39.95.

Lazy Doc

Lazy Doc is a utility that permits keyboard input to replace data in a coded text file. When Lazy Doc reaches a fill-in-the-blank location, a request for the data appears on the screen and all references to that data are replaced in the file.

Name, address, and the like can come from the operator to match a lengthy standard file without manually editing the text. Line lengths adjust as necessary to fit the variable input length.

Lazy Doc also supports standard or boilerplate paragraphs that you can call from disk and insert in the current text file.

Lazy Doc takes most of the work out of repetitive typing for similar documents. Lazy Doc takes Lazy Writer out of the home and puts it in the office where it can compete with higher priced business software.

Lazy Doc costs \$59.95.

Q Version

David Welsh prepared a quick version of Lazy Writer with the print module in memory. This edition offers greater speed since you don't need to load the print and edit modules; it ends the thumb twiddling users once endured.

Q Version is useful for those who must process a number of short letters, but the code's presence is at the expense of the text buffer. Use the standard version for longer documents or chain them for printing.

Unless you're writing the great American novel, you'll find plenty of space to accommodate your text, and the added speed is a definite plus. The Q version is available to registered owners for \$20.

In the mill are Lazy Merge, which inserts material from a data file into text to produce form letters, and Lazy Font, which supports customized fonts for printers such as the MX-80 with Grafrax.

Lazy Writer has long been highly regarded, and it started with more features than any other TRS-80 word processing program. Its author continues to add features, printer drivers, data sheets, and newsletters that make it the best supported word processing program available for the TRS-80. ■

★★★★★

Legal Care For Your Software A Step-by-Step Guide for Computer Software Writers

Daniel Remer
Nolo Press
Berkeley, CA 94710
1982
Softcover, 256 pp.
\$19.95

★ 1/2

Solving the Computer Contract Dilemma—A How-To Book for Decision Makers

Bruce K. Brickman
Hayden Book Co.
Rochelle Park, NJ 07662
First Printing, 1982
Softcover, 166 pp.
\$20

by Carl Oppedahl, J.D.

Daniel Remer's *Legal Care For Your Software*, though geared for software authors, is fine reading for anyone who expects to be on the giving or receiving end of a large sum of money involving software. Remer successfully explains the elementary legal principles that govern the relationships between the software writer, publisher, and consumer.

Further, he illustrates the various financial and business interests of writers and publishers, and anticipates some of the conflicts that arise between them. Finally, he shows how, with a bit of thoughtful bargaining, they can resolve some apparent conflicts through properly drawn contracts. The book generally gives good advice and is easy to read.

Thousands of people write software for home computers and profit from it. Some set up their own firms to market

the programs, but most choose to contract with a publisher who sells the software through an established organization.

Most of them have two things in common—they cannot find a lawyer skilled in computer law, and couldn't afford his advice anyway. *Legal Care For Your Software* is for them.

The first few chapters of the book contain detailed discussions of the two common ways to protect software: trade secret and copyright.

Basically, you accomplish trade secret protection by making sure everyone who gets your program has signed a contract promising not to give it to anyone else. Remer provides tear-out forms to use for this purpose, and lucidly explains the advantages and disadvantages of relying on trade secret protection.


For example, if you absent-mindedly leave a copy of your program lying in the street, someone who has not signed your contract might pick it up and use it. You will be powerless to stop them.

Copyright protection, as Remer describes, is easy to get and easy to keep under the 1976 Copyright Act and 1980 revision. He explains the copyright office forms line by line, and tells how and where on the program to put a proper copyright notice.

The new act and its revision brought computer software securely under the wing of copyright protection, and removed most of the pitfalls for the unwary. Before 1976, for example, if you released even a copy or two of your program to the public without a copyright notice, you ran the risk of losing all rights to the program.

Under the new law, you can often save most of your rights, as long as you don't take too long to affix notices to all the copies.




Remer devotes five well-written chapters to the contracts all software writers negotiate sooner or later. After



THE COMPUTER CONNECTION





ADD THE BI-TECH BAR CODE READER TO YOUR EPSON HX-20 OR YOUR RADIO SHACK MODEL 100 BAR CODE READER INCLUDES DEMONSTRATION AND SAMPLE ROUTINE.



GET IT ALL TOGETHER WITH THE BI-TECH MULTIPLEXER

By adding the Multiplexer to your Hard Disk you can add more computers to your system.



SPECIFICATIONS:

- Single Circuit Board
- No External Power Required
- Multiplexers may be Daisy Chained.
- 4 Users per Multiplexer
- WD 1001 compatible
- Software Independent.
- No Speed loss between CPU & Hard Disk

ADD COMPUTERS TO YOUR HARD DISK

Adding a hard disk to your computer is the first step in making your micro a powerful computer. Adding more computers to your hard disk makes it a real system. The Bi-Tech **MULTIPLEXER** does just that. Joining a **MULTIPLEXER** with your hard disk sub-system enables you to share a hard disk with many computers, and it does so without the need for additional sub-systems. The **MULTIPLEXER** allows users to share programs and data present on the hard disk, thus affording a true data base to all of its users.

The Bi-Tech **MULTIPLEXER**:

- ★ is capable of operating at a faster speed than the hard disk. There is no waiting time as with other systems.
- ★ offers the same data transfer rates as in a single computer to hard disk sub-system.
- ★ is totally transparent to the user, software, and hardware
- ★ is now available for most computers with a BT Hard Disk sub-system and also for many other hard disk systems.

COMPUTERS SUPPORTED


TRS 80 Model I, III, 4 APPLE II E, FRANKLIN Model II, I2
EPSON QX-10 IBM PC

THE BI-TECH REMOVABLE CARTRIDGE HARD DISK DRIVE

KEY FEATURES of Micro Magnum Removable Drive and Cartridges

- Formatted Capacity 5.0 MByte Disk Cartridge
- Tab to Write-Protect the Cartridge
- Lightweight (11 ounces), Durable, and Transportable
- Compact size: 7.48 inches high by 5.39 inches wide by 5.551 inches long
- Embedded Servo Information for Reliable Cartridge Interchange and Data Integrity
- Cartridge Front Loaded for Easy Use
- Fast Access Time
- 5 MBit/Second Data Transfer Rate

- Self-Seals to Maintain Contaminant Free Environment



BT Enterprises Dept. 1-h
10B Carrough Road
Bohemia, NY 11716

BT Enterprises is a division of Bi-Tech Enterprises Inc

(516) 567-8155 (voice) (516) 588-5836 (modem)

Orders Only

800-645-1165

NY call (516) 567-8155

Dealer Inquires Welcome
Prices subject to change
N.Y.S. Residents add tax

✓ 300

American Express Carte Blanche
Diners Club MasterCard & Visa

spelling out what is and what isn't required in a valid agreement, he discusses the many issues likely to come up, gives suggestions on how to negotiate them, and points out the areas where a lawyer's help is useful or necessary.

In these chapters, *Legal Care* stands out from many other books in the field. Chapter eight, for instance, discusses areas where the programmer and publisher are likely to clash during negotiation. For example, the parties must decide the term of the contract and arrive at a formula to divide up the sales proceeds.

The natural tendency is to find a particular percentage-of-sales royalty rate and a fixed term. Assuming the publisher offers what seems like a low royalty rate, the programmer might want a short term of license. He assumes that if the program is a success he can renegotiate a higher royalty rate later.

Yet the publisher might not promote the software vigorously unless assured of a long-term agreement within which the promotional investment might be repaid. An impasse follows.

To quote Remer: "... instead of limiting the length of the license, allow the publisher as much time as he wants to sell the program. Then you can motivate him to really push your program by including a clause in the royalties section (of the contract) that guarantees you a minimum royalty level. A publisher who doesn't quite manage to meet an agreed-upon sales quota is faced with the choice of making up the monetary difference (in the hope of selling more programs next quarter) or returning the license to the programmer."

Through examples like this, Remer points out ways in which situations that appear to be adversarial can become cooperative. These range from a variety of negotiation methods to imaginative contract terms described in the text and appearing in the pull-out licenses at the end of the book.

Patent and trademark are the next subjects. As Remer explains, the United States patent laws are of little help to programmers, at least given recent court interpretations.

While copyright registration usually does not require the assistance of a lawyer, applying for a patent almost always does. When you seek a software patent, the patent office is likely to reject the application. Even if they grant the patent, a court will probably find it

invalid if it later becomes the subject of litigation.

Since all granted patents are public records (the word patent means open for all to see), a patented program cannot be kept as a trade secret. Anyone who wants to learn about the program can order a copy from the patent office.

Trademarks, like patents, generally require the help of a lawyer. Fortunately, it is not essential that a program have a trademark. The chapter on trademark discusses the many steps you have to take to get one, as well as the benefits gained.

"Remer spells out the relatively few areas requiring a lawyer's advice, and discusses the remaining topics in plain language..."

Even if you have no trademarks, you must avoid infringing the trademarks and service marks of others. Remer explains the footnotes that should appear in any advertisement or manual that refers to someone else's trademark.

No book on software publishing law is complete without a chapter on warranties, and Remer's thorough discussion is recommended reading for everyone, including end users. If a program is published with no mention of a warranty, for example, state and federal laws provide one.

The various pull-out forms let a publisher tailor the warranty for the level of coverage, ranging from lifetime support to Radio Shack's "as is" non-warranty.

A complete index also serves as a glossary by pointing to definitions within the text.

Legal Care For Your Software gives sound, understandable legal advice. Remer spells out the relatively few areas requiring a lawyer's advice, and discusses the remaining topics in plain language with a minimum of legalese.

Clear examples supplement the important concepts, and humorous, explanatory cartoons occasionally break up the text.

The Dilemma

Bruce Brickman's *Solving the Computer Contract Dilemma—A How-To Book for Decision Makers* is hard reading, and is more likely to put you to sleep than teach you anything about computer contracts.

The cover claims that *Computer Contract Dilemma* is for "business executives, data processing managers, and lawyers," but even lawyers specializing in commercial contract law will find the book difficult to understand.

Furthermore, a majority of the court cases discussed are from New Jersey, and have only limited applicability to the rest of the United States. A partial explanation for this lies in the book's apparent origin—the New Jersey Institute for Continuing Legal Education.

Only the first two and final chapters are accessible to laymen. They introduce the book's subject, negotiation of contracts for computer acquisition and leasing, and discuss a variety of bargaining techniques.

None of the negotiation methods—good guy/bad guy, controlled anger, and bargaining solely with the ultimate decisionmaker—is unique to the computer field, but they deserve repetition if only because your opponents will eventually use them all.

Some chapters appear to be transcriptions of lectures. For example, the third chapter, "Computer Contract Basics," starts out: "Litigation with its coincident evidentiary issues forms the prism through which the attorney perceives his client's situation in order to prepare a document able to survive the ultimate litmus of drafting skill."

The punctuation and spelling errors that crop up about every fourth page are what you'd expect from unedited lecture transcripts.

Six of the eleven chapters contain extremely dry top-to-bottom coverage of the Uniform Commercial Code, a body of law that has been enacted, more or less, in each of the fifty states. The chapters discuss sections of the code and actual court cases interpreting them.

Lawyers who read these chapters will be disappointed to find that, despite the 1982 press date, none of the cases cited is more recent than 1979. Also, the case citations are often sloppy in form, and sometimes incorrect.

These chapters are hard going for laymen, partly because they use

DiskCount Data

WHERE QUALITY PROGRAMS MEET COMPETITIVE PRICES

2701-C W. 15th • SUITE 324 • PLANO, TX 75075 • (214) 680-8268

SPECIAL OFFER

Any order of \$100.00 or more from this ad will receive one choice of the following absolutely **FREE**

A. Green Window MOD I/II/III
B. PowerDraw
C. PowerDriver E, P, or S

Please select one only. Note: Orders of LDOS 5.1 do not qualify since the Master Mechanics set is already included at no charge.

ULTRATERM

by United Software

OVER 15% OFF

The Ultimate Communications Package of a Very Reasonable Price

Retail \$59.95
Special Sale **40.95**

This communications package is one of the most versatile available. It includes a full featured intelligent terminal program, host program, direct file transfer function, and hex conversion utilities for bulletin board downloading plus... Support for virtually all manual and auto dial modems... Exclusive Ultra Term direct disk file transfer function allows full control from the transmitting computer, and unattended operation at the receiving computer... Split screen feature lets you type outgoing messages on the bottom half of the screen while incoming messages are displayed on the top of the screen... Full Line printer support... Universal ASCII format for the transmission and reception with memory input/output buffer supports delays between characters, delays between lines, and prompt controlled transmission for compatibility with virtually all systems. A counter continuously displays the amount of free memory remaining whenever the buffer is in use... Full featured host program that supports PRINT and PRINT graphics from basic, and automatically relocates and protects itself in the top of memory is included... Auto Dial phone numbers stored in program with single Key Auto Dial MOD I or MOD III

POWERDRIVER

By Powersoft

\$29.95

NEW PRINTER DRIVERS

This new generation of custom printer drivers allows you to utilize all of SUPERSCRIPIT's features with your EPSON (Graftrax Required), PROWRITER and CITOH F-10 STARWRITER printers. You can now utilize all of the printers custom features such as compressed, expanded, and proportional print, underlining, bold-face, superscripting, and subscripting. All drivers can be called from within SUPERSCRIPIT at "document open time." Order by printer designation as follows:

POWERDRIVER E EPSON MX70/80/100
POWERDRIVER P CITOH PROWRITER
POWERDRIVER S CITOH STARWRITER
MOD I or MOD III

SUPER UTILITY PLUS

VERSION 3.0
By Powersoft

40% SAVINGS

SU+ 3.0 79.95
Inside SU+ 19.95
Detail 99.90
SALE... 59.95

NEW SUPER UTILITY+ VERSION 3.0

Includes Operators Manual and 2nd Backup Disk
The Book Inside SU+ 2.2 Included **FREE**

A 19.95 Value at no extra charge
Experience a legend with the program voted as the outstanding utility of 1982.

MOD I or MOD III Protected Media

More Specials

PROGRAM NAME	RETAIL	SPECIAL
THE MASTER MECHANIC SET FOR LDOS	39.95	34.95
BASIC/S SYSTEM MOD I/MOD III	49.95	39.95
MAKE 80 MOD I	19.95	14.95
MAKE 80 MOD III	19.95	14.95
POWER TERM MOD I/MOD III	29.95	24.95
SCRIPPLUS 3.0 MOD I/MOD III	39.95	29.95
STBO III MOD I/MOD III	150.00	124.95
DOSPLUS II MOD II	249.95	199.95
MICROCASH MOD III	199.95	149.95
ALL SNAPP-WARE	10% OFF	
MZAL RELEASE 2 MOD I/MOD III	149.95	129.95
DOSPLUS 3.5 MOD I OR III SPECIFY	149.95	129.95
SUPER UTILITY TECH MANUAL 3.0	14.95	11.95
INSIDE SUPER UTILITY+ 2.2	19.95	15.95
THE CUSTOM TRS-80	29.95	26.95

INFOSCAN

By The Small Systems Center

NEW ITEM

Retail 49.95
Special 44.95

InfoScan is an information utility that is used to organize, store and retrieve any type of useful information in any format. It combines the features of a word processor, data base manager, and information retrieval and display utility. You compose information reports on the screen using the word processing features in many formats (each record is described by a 17 character key phrase that you specify). Once created the information is keyphased and can be scanned as a list on the screen, using an interactive key scan "bracket." You scroll the keyphrases thru the brackets with the arrow keys on your keyboard. When the desired keyphrase is found, you press a single key and the corresponding information record is retrieved from disk and displayed on the screen. The record displays in exactly the same format as you used to create it. You can even design your own forms to fill in.

A stunning visual presentation utilizes the display window technique. Menu Keyphrase lists, displayed text, and status information are displayed in a series of display windows on your screen. Impressive graphic display panels are used to enhance the visual orientation of the product and visual information.

MOD I/III MINIMUM 48K 1 Drive

LDOS 5.1

LOGICAL SYSTEMS INC.

Buy LDOS 5.1 at 129.00
You will receive the MASTER MECHANICS set for LDOS at no extra charge

A 39.95 VALUE FREE

9 UTILITY PROGRAMS TO ENHANCE YOUR LDOS LIBRARY

PMOD/CMD	DISK MODIFICATION UTILITY
PMOD/CMD	DIRECTORY CHECK UTILITY
PMOD/CMD	DIRECTORY REPAIR UTILITY
PMOD/CMD	SECTOR VERIFICATION UTILITY
PMOD/CMD	FILE CLEANUP UTILITY
PMOD/CMD	DISK STATUS STATUS
PMOD/CMD	REFORMAT WITHOUT ERASE
PMOD/CMD	DISKETTE AND FILE MAP
PMOD/CMD	PASSWORD REMOVAL

MOD I or MOD III

MULTIDOS 1.6

by Cosmopolitan Electronics

SUPER SAVINGS NOW WITH EZ-ZAP

MOD I
MOD I DD
MOD III
\$84.95

(Specify when ordering)

SAVE 15%

READS ALL DOS SYSTEMS

SuperDirectory

By Computer Shack

Manufacturer's Suggested List 49.95
DiskCount Data Special 44.95

SAVE 10%

- Build a Complete Library of All Your Programs
- Automatic Directory Recognition
- Automatic Track Count Recognition
- Automatic DOS Recognition
- The Best Directors On the Market

A great new directory program with its own operating system written by Vernon Hestor. This program will read any DOS there is, even compatibility between MOD I and MOD III with double installed. The MOD I program can read most MOD III disks and the MOD III program can read most MOD I disks. 80 track double density is also supported.

NEWSCRIP

By Prosoft

10% OFF

Manufacturer's Suggested List 124.95
DiskCount Data Special 112.95

THE WORD PROCESSOR FOR BUSINESSMEN AND PROFESSIONALS

A FEW OF NEWSCRIP'S STANDARD FEATURES

- Form letter with merging of names and addresses
- Comprehensive manual with hundreds of examples
- Carriage top bottom lines, indents, alignment
- Underlining, boldface, double width, italics
- Sub scripts, super scripts, proportional pitch
- Allows block graphics, special symbols
- Search and replace globally within a range
- Block move copy delete insert function
- Based on IBM's EDGAR and SCRIPT systems
- Supplied ready to run on any DOS/PLUS
- Easy transfer to NEWSOS, NEWSOS 80, LDOS, TRS-80
- Includes handy Quick Reference Card and controls menu printers

SPECIFY MOD I or III

THE TOOLBOX FOR LDOS

By Powersoft

Previously 99.95
Reduced to 69.95

SPECIAL 59.50 SALE

SAVE 15%

PCHECK/CMD	PCOMPAR/CMD
PFIX/CMD	PCLCLEAR/CMD
PREFORM/CMD	PSS/CMD
PV/CMD	PMAP/CMD
PERASE/CMD	PMX/FLT Mx80
PMOVE/CMD	PHelp/CMD
PDIRT/CMD	PBOOT/CMD
PASSGO/CMD	PFLT/FLT
PUN/CMD	DVORAK/FLT
PEX/CMD	DVORAK/JCL
PMOD/CMD	CODE/JCL
PFIND/CMD	DECODE/JCL

MOD I or MOD III

POWERDOT

By Powersoft

20% OFF

Retail 49.95
Special 39.95

HI-RES GRAPHICS

A brand new concept, POWERDOT allows you to create high-resolution screen prints on EPSON (GRAFTRAX & GRAFTRAX+) CITOH PROWRITER printers without any hardware additions or modifications to your TRS-80. You can draw directly on your screen which is a "picture window" of a much larger drawing area and move the window to other areas of the drawing. Your only limitations are imagination and disk space. The completed drawing is dumped to the above printers by reducing and transforming the complete graphic pixels to single hi-res dots. Use the same disk for booting on MOD I or MOD III. Designers, architects, engineers and artists will love this unique drawing program.

MOD I or MOD III

EYE EASE GREEN CRT SCREEN FOR TRS-80 MODEL III

A MUST FOR THE SERIOUS COMPUTERIST

MACHINE BEVELED EDGES
READY TO INSTALL
SELF BONDING
DUSTPROOF SEAL
OPTICALLY CORRECT
NO DISTORTION
REDUCES EYE FATIGUE
SHATTERPROOF
ENHANCES IMAGE

SAVE 25%
MOD I 14.99
MOD II 17.99
MOD III 17.99

GREEN WINDOW

\$24.95

PREFERRED BY COMPUTER PROFESSIONALS EVERYWHERE

OPTICOM

POWERMAIL

By Powersoft

Manufacturer's Suggested List 99.95
DiskCount Data Special 74.95

SAVE 25%

Powermail is a highly sophisticated mass mailing system designed to run under all of the popular DOS's currently available for the Mod I or Mod III. The program is written entirely in machine language for maximum operation speed and occupies only 4K of the available RAM in your computer. There are no slow periods when Powermail is running. New features have been added to the program that others have always lacked. You now have the ability to keep track of mailings using the 24 flags that are incorporated into the Powermail program. The Powermail system will handle a file up to 8 megabytes, or 65,535 entries, which is never as small. The program will also sort the entire maximum file size and open up to 168 files simultaneously during the process. Author Kim Watt

MOD I or MOD III

TALLYMASTER

By Prosoft

Manufacturer's Suggested List 79.95
DiskCount Data Special

ONLY 74.95

TALLYMASTER can help you find out "It's the big picture" financial management tool designed for people responsible for budgets and sales. Revenues and expenses can be placed in up to 702 categories and grouped and tallied into higher categories. Results are displayed immediately and can be printed and stored on disk. TALLYMASTER is easy to learn and easy to use. It's menu driven and the built-in HELP command displays information on any of 21 specific topics. Facilities include sorting in four ways, selection of ranges of categories to be changed or reported, merging of several files, and multi-column printed reports. Arithmetic functions even allow simple sales projections. TALLYMASTER was designed to fill the gap between a bookkeeper's detailed journals and the "CALC" programs. It was designed to help the person running a business (or a household) gain better control over the finances of that business.

MOD I/III

LC COMPILER AND EDAS

By Misosys

LC Compiler Retail \$100
EDAS Retail \$100
SPECIAL BUY BOTH FOR **\$139.99**

SAVE OVER \$60

Now program in the "C" language compiler subset for LDOS. LC generates Z-80 EDAS IV source code as output. Compiled programs run on both MOD I and MOD III. Save \$60.00 with the best LDOS editor assembler package on the market. Over 200 pages of documentation. Requires 2 drives and 48K.

FOR LDOS MOD I/III

DiskCount Data

214-680-8268

Phone Your Order In Today Or Mail To
DISKCOUNT DATA
2701-C W. 15th St., Suite 324
Plano, TX 75075
Office Hours Mon-Fri 10 A.M. to 9 P.M. C.S.T.

Send Cash, Check or Money Order
Please add \$3.00 for postage and handling additional \$1.50 for C.O.D.'s

Foreign orders welcome, please specify air or surface. All shipping charges assumed by purchaser.

When ordering by mail, please specify computer model number (I, II, or III), drive configuration, and memory size.

AND Cheerfully Accepted

technical legal terms, such as "parol evidence" and "tolling a statute of limitations," yet define them nowhere in the text. Neither a glossary nor an index helps the reader or indicates definitions that do appear in the text.

The analysis of court cases, though usually legally sound, is often cloaked

in impenetrable prose. However, the clarity of writing style varies greatly over the many chapters.

It's also regrettable that only nine pages consider the fast-growing subjects of copyrightability and patentability of software.

As a final comment on the book, the use of the word dilemma in the title is somewhat misleading. The reader who gets through all eleven chapters finds that no particular dilemma (a difficult choice between two equally distasteful alternatives) is ever identified, let alone solved. ■

★★★½

ProTrade—The Professional Tool for Stock and Option Trading

Nevins Microsystems Inc.

210 Fifth Ave.

New York, NY 10010

Model I or III

\$350

\$35 for manual and demonstration disk

by Frederic S. Goldstein

ProTrade is designed specifically for an investor familiar with the securities markets in general and the listed option market in particular. It provides two types of information: realized and unrealized profit and loss on groups of transactions, and theoretical values of options based on the Black-Scholes model.

To calculate an option's correct theoretical values, you must provide the program with specific, up-to-date information concerning both the stock and the option. You need to know the underlying stock's volatility, the anticipated amounts of the next several dividends along with their ex-dividend dates and the risk-free interest rate for alternate investments. You also need the option's strike price, conversion ratio, and its expiration date or dates.

The program is menu-driven and the 98-page manual explains each of the 12 menu items. However, the documentation does not contain a good system overview, so I had to work with it awhile.

You execute the program by typing PROTRADE. A message asks if you want to change the usual start-up. If you hit the enter key, or type N and then hit the enter key, the system uses its regular data files. Otherwise, enter the file names you wish to use. This feature allows you to use the same set of disks to work with different data files.

Next, enter the date in the MM/

DD/YY format. If you don't, the system rejects your input.

The main menu gives you 12 choices in two categories. Items 1-4 are called Information Displays and items 5-12 are called Data Bank Changes.

To run any of the information displays, first enter data through the data bank changes. Your first choice should be number 5: Add or Change Security. This lets you enter or correct relevant data on a security.

For stocks, ProTrade prompts you for volatility and the next four ex-dividend dates along with the appropriate amounts. For options, it prompts

"ProTrade evaluates completed trades based on their closing prices and marks open trades to market..."

you for the underlying security, the option strike price, its expiration date, and the conversion ratio. Menu item 6 allows you to delete a security. You must enter every security, stock, or option with which you work.

Item 8, Buy or Sell, lets you accumulate a series of trades into a strategy. The program as a whole allows up to ten different strategies. Item 7 allows you to set a current market price for a security subsequent to its entry into a strategy.

Menu item 1 calculates a net realized and unrealized profit or loss based on an analysis of all the trades in a strategy. ProTrade evaluates completed trades based on their closing prices and marks open trades to market using item 7.

For example, suppose you purchase stock in a company and write a call against that position. Then you close the position by buying back the call and

write a new call against the position. The program calculates the realized gain or loss on the position you just closed, an unrealized gain or loss on positions that are still open, and a net of the two.

Item 11 sets the cost of money. The profit and loss routine uses this figure to indicate how much it would cost if you had borrowed the entire amount of funds committed to the strategy. The bottom line of the profit and loss screen reflects the strategy's daily cost.

It's interesting to see a strategy's gross trading profits reduced by a theoretical amount allocated as an interest charge. Unfortunately, the program does not take into account any dividends you might have earned over the period the position was open. The program developers indicated to me that they would correct this oversight in the program's next version.

ProTrade's most valuable feature is its ability to calculate theoretical values for options. You invoke this procedure by selecting item 2. However, you first must select item 10 and enter the interest rate for risk-free money.

If you forget, the option valuation routine tells you to hit the enter key to continue. At this point you'll probably realize that you forgot to enter the necessary number.

The program calculates theoretical option prices in two ways. If you ask for a stock's option prices, the program calculates theoretical values and hedge ratios for calls and puts for the nearest strike below the current price, as well as the next two above the current price.

Unfortunately, since the computations are complex they are also time-consuming. It takes about five minutes to complete the analysis for one company. Furthermore, the break key is disabled. If you want to abandon a set of computations before the program is complete, you either have to reboot or wait until the program finishes.

Also, the routine assumes that op-

Since 1978

- REPUTATION BACKED BY YEARS OF EXPERIENCE.
- PIONEER IN DIRECT TO CONSUMER SALES OF MICRO COMPUTERS AND ELECTRONICS
- MILLIONS OF DOLLARS IN SALES OVER THE YEARS
- TENS OF THOUSANDS OF CUSTOMERS
- HONEST
- RELIABLE
- LARGE INVENTORY
- NAME BRAND PRODUCTS



Micro Management Systems, Inc.

2803 Thomasville Road East
Cairo, Georgia 31728
(912) 377-7120

**DISCOUNT
PRICES**



**BUY
DIRECT**

**It's simple. . . .
CALL & SAVE MONEY**

"TELEMARKETING WORKS"

**1-800-841-0860
CONVENIENT ORDER ENTRY**


Ga & Info 912-377-7120

COMPUTERS & EQUIPMENT

TRS-80 COMPUTERS

BUSINESS

MODEL 16 TRS-80



\$4012
From 26-6001

MODEL 12 TRS-80

\$2639
From 26-4004

DESK TOP


**MODEL 4 TRS-80
COMPUTER**



\$828
From 26-1067

HOME


**TRS-80 COLOR
COMPUTER**



\$CALL

PERSONAL

**MODEL 100
PORTABLE
TRS-80**



\$677
From 26-3801

ALL PRODUCTS WE SELL ARE BRAND NEW AND COVERED BY THE MANUFACTURER'S SPECIFIC WARRANTIES. COPIES AVAILABLE UPON REQUEST.
WE DO NOT SELL ANY USED, RECONDITIONED, FOREIGN OR INFERIOR MODIFIED EQUIPMENT.
PRICES AND PRODUCTS SUBJECT TO CHANGE WITHOUT NOTICE.

**WE CARRY THE
COMPLETE TRS-80
COMPUTER PRODUCT LINE**
• PURE RADIO SHACK EQUIPMENT

FREE UPON REQUEST

- DISCOUNT PRICE LIST AND INFORMATION KIT
- COPY OF MFR'S WARRANTY ✓ 96

WRITE
MICRO MANAGEMENT SYSTEMS

TELEMARKET DEPT. NO. 4A
2803 THOMASVILLE RD. E. • CAIRO, GA. 31728

tions expire on the fifteenth of the month. In reality, options expire at noon on the Saturday following the third Friday of the month.

You can also ask the program for a specific option's valuation. This approach is much faster because ProTrade makes only one set of computations. This approach is also more accurate because you provide the computer with the exact expiration date back in item 5.

Other menu items let you display transactions in a strategy or securities in the data bank. You also can cancel a trade or security by using a special program called Propurge.

To check for accuracy, I made a series of runs that compared ProTrade with one of the services providing data to option market makers on the floor of the stock exchange. For calls and hedge ratios, the numbers were in complete

agreement to at least two places of accuracy.

However, there were significant differences with respect to puts. The system is high by about ¼ to ½ point. This was not particularly surprising, since there are a number of ways to evaluate puts and the investment community itself is not in agreement on this subject.

Is this program useful for an investor? The answer is a qualified yes. Although the call prices agreed with my other model, both were different from the prices published in the newspaper. Unless you can get accurate volatility readings and an appropriate interest rate, you will have trouble getting meaningful numbers out of the program.

However, it is helpful in spotting options that are greatly over or under priced. It also can help a call writer by indicating what kind of spread to expect when rolling an option from one period

and series to another.

One of ProTrade's weaknesses is that it prints out only lists of securities or trades, but not a chart of the theoretical values for options. You can overcome this limitation on the Model III by using DUAL ON to route the screen display to the printer. Unfortunately, the Model I doesn't have a comparable feature and you must copy by hand any figures you wish to retain.

According to Nevins, all registered owners will receive complete software updates and enhancements for at least two years. Enhancements to the Model I/III versions are scheduled for later in the year. A CP/M version is also in process.

Remember that option trading can be risky. Should you decide to purchase this program, follow its results on paper before committing any funds based on its results. ■

★★★★★

TRS-80 Model I, III, and Color Computer Interfacing Projects
William Barden, Jr.
Howard W. Sams & Co. Inc.
4300 West 62nd St.
Indianapolis, IN 46268
Softcover, 272 pp.
\$14.95

by Gary Shade

TRS-80 Model I, III, and Color Computer Interfacing Projects does an excellent job of demonstrating and explaining how you can interface custom circuitry to these Tandy computers.

For the most part, the circuitry is simple to implement. Most projects require three or fewer integrated circuits and a couple of resistors and capacitors. Design examples cover interfacing the circuitry to the Model I's and III's expansion or input/output (I/O) bus, cassette port, and RS-232 port.

The book presents similar designs for the Color Computer. Mr. Barden uses the CoCo's RS-232, joystick, and ROM cartridge ports to interface to his projects. Each computer receives equal treatment from the author.

This is what makes the book unique. It covers information on three of Tandy's computers in one publication.

Each chapter is devoted to different projects or concepts. The projects also provide the software required to test, calibrate, and drive each of the circuits. Most of the hardware projects require software drivers written in Assembly language.

"...you get information on three computers, the author's knowledge, and some nifty projects..."

You need not be an expert on Assembly language, or even own an editor/assembler, to get the programs to run. The author provides you with loader programs in Basic that POKE the required code into memory. This allows even the most inexperienced experimenter to get up and running with minimum difficulty.

The projects cover analog to digital (A/D) converters, a joystick interface for the Models I and III, and RS-232 communications. Mr. Barden includes an excellent description of the Western Digital TR1602B UART used in the Models I and III. He also describes how

to sense and drive switches, transducers, and light-emitting diodes (LEDs) from each system.

One of the projects is a device to digitize a speaker's voice, store it in the CoCo, and play it back through the speaker in your television set. There are several other Color Computer projects in the book, including a half-year clock.

Mr. Barden discusses the circuitry contained in the three computers, and examines the Model III's I/O bus, the Model I's expansion interface bus, and the CoCo's ROM cartridge port in great detail. He also covers the differences between the Z80 and 6809E CPUs.

Mr. Barden wrote several articles for various publications on interface projects for these computers. Some of the information appears to be reprinted from these articles, although I could only verify one chapter as coming from a magazine.

This by no means detracts from the book's usefulness. The material is coherently organized and provides the reader with a valuable reference.

About the only complaint I have with the book is the length of its title! Considering you get information on three computers, the author's knowledge, and some nifty projects, the book is a bargain at \$14.95.

I highly recommend it to the novice or to anyone interested in learning more about his Tandy computer. ■

REVIEW DIGEST

CHROMAtrs, South Shore Computer Concepts, 1590 Broadway, Hewlett, NY 11557, Model I or III, \$99 kit, \$169 assembled.

"CHROMAtrs is another attempt to add color to the uncolorful TRS-80 Models I and III.

"...CHROMAtrs does give a Model I or III an added 15-color display, assuming that you have a color TV or monitor attached.

"...it offers the devout hobbyist a new toy at an attractive price. I don't see it becoming popular enough to attract any high-level programmers. ...However, for users who like to roll their own, it offers an incredible price-to-performance ratio, especially if built from a kit." *80-U.S. Journal*, June, p. 103.

Word Processing Buyer's Guide, Arthur Naiman, McGraw-Hill Inc., New York, NY, 325 pp., \$15.95.

"(The author) sets up a 100-point scale for his evaluation of word processors, and tells you why each of the points is awarded or, in some cases, deducted. ...whether you're a novice or a hacker, you'll find this book informative and fun. (The) style is conversational, yet clear and succinct. The book covers the word-processor field better than most works of this type..." *Personal Computing*, June, p. 148.

Milestone, Digital Marketing for Organic Software, 2670 Cherry Lane, Walnut Creek, CA 94596, Model I or III with CP/M and Model 4, \$295.

"Milestone is a project management program...intended to complement critical-path analysis. Specifically, it provides information on project completion, project cost, schedule performance and rescheduling impact.

"Considering the complexity of the subject, it is convenient and even easy to use. This is the result of a well-thought-out, menu-driven program. ...This software does require a video-personalization package. The process of customization...can be difficult. ...You should check out the installation procedure in advance to make sure it serves your purposes." *InfoWorld*, May 30, p. 41.

Daisy, Med Systems Software, P.O. Box 3558, Chapel Hill, NC 27514, Model I or III, Model I Scripts, \$74.95.

"Daisy is a carefully written program that enhances Scripsit in many practical ways. ...If you have a need to prepare highly technical documents, or just long, nontechnical ones, Daisy supplies just about everything you could need. ...If you are looking for a program that will expand Scripsit...and you don't care about right-justified proportional print, then buy Daisy." *Creative Computing*, June, p. 86.

Writing in the Computer Age, Andrew Fluegelman and Jeremy Joan Hewes, Anchor Press/Doubleday & Co., Garden City, NY, 254 pp., \$10.95.

"If you write at all, either professionally or as a casual correspondent, *Writing in the Computer Age* will be useful to you. ...If you have absolutely no experience with word processors, some chapters may be a little daunting, but they're worth reading and digesting before taking the plunge into electronic word-smithing.

"...the authors discuss becoming comfortable with a word processor, the mechanics of editing on paper and on the screen, proofreading, producing elegant manuscripts, organizing research and files, and using computer communications." *Personal Computing*, June, p. 150.

The Works, Omikron Systems, Berkeley, CA, Model I or III, \$299.

"...The Works...has been bundled with software such as WordStar, MBasic and CBasic that are individually worth a great deal more than the hardware modification alone.

"...The Works can be installed by any neophyte following instructions included with the package. ...I have been using my CP/M conversion for six months. ...The Mapper I has never caused any problems, nor interfered with the normal non-CP/M functioning of the computer.

"...The Works *does* work, and represents an excellent value. The user must decide whether the trade-offs involved in switching to CP/M are worth giving up some of the features of newer operating systems." *Interface Age*, June, p. 67.

Sprinter II, Holmes Engineering, 3555 South 3200 West, Salt Lake City, UT 84119, Model I or III, \$99.

"Sprinter II...is the fastest speed-up modification for the TRS-80 Model I and III currently available. It is also the easiest to install and one of the least expensive. The Sprinter II gives you 16 different speeds from which to choose, all integer multiples or dividends of the standard 1.77 MHz clock speed.

"...I have used the modification without any problems whatsoever on any programs, including database management programs, compilers, statistical and other mathematical analysis programs, and programs to load neurological data from an external A/D converter connected to electrodes stuck in my pet leeches." *Creative Computing*, June, p. 161.



SOMEWHERE, OUT THERE, A BEST-SELLING PROGRAM WHERE IS IT?

Wherever it is, we want it. Maybe, just maybe, we're searching for your program, but we'll never find it unless you call us.


It has to be good, though. Because we're the Software Guild™, an organization devoted to finding the very best microcomputer programs for packaging and distribution under the Softsmith™ label. Hundreds of titles have already been licensed to the Softsmith library. But they're only the beginning. Our goal is to have the best program in major categories on every

popular machine. Of course, we can't do it without you.

If you're a program author or publisher, The Software Guild offers some distinct professional and monetary advantages.

First, you devote your time to what you do best: programming. You can leave the manufacturing, packaging, documentation, distribution and customer service to us.

Second, our revolutionary retail merchandising system will put your program before the public through the normal computer and software stores, plus record outlets, department stores, book shops, and more places where software has never before been available.



IS BEING WRITTEN.

Third, is royalties. Wider distribution means more substantial royalties. And, your Software Guild royalties start to accrue when the dealer makes his purchase in quantity, so you aren't left waiting while money trickles in.

Fourth is flexibility. We do not insist on the exclusive rights to your program. You can deal with other publishers and distributors, or market your program yourself, while it is in Softsmith distribution.

We know you're out there, working and dreaming, and we want to help make your dream come true. Our full staff of professional evaluators are waiting to review your best-seller.

**So call us, wherever you are.
Contact Regina Roberts at (415) 487-5200.**

Or write:

**The Software Guild
2935 Whipple Rd.
Union City, CA 94587**




The Software Guild™

✓ 399 **(415) 487-5200**

Armageddon

by Tom Alar



Flaming meteors plummet into the heart of Madison, WI, obliterating city blocks. Your mission is to man a missile-firing rocket and save the Fauerback brewery, the Capitol building, the Frank Lloyd Wright-designed Unitarian church, and the University of Wisconsin's Sterling Hall from destruction.

Your rocket has 10 missiles that you fire right or left. When your ammunition runs low, reload from the Sterling Hall rooftop deck before another meteorite smashes Madison. If ten meteorites reach the city, or if a meteor hits your rocket, you've failed your mission and the game is over.

Playing Armageddon

The space bar shoots missiles singly or in rapid fire. Missiles are effective only at short range. Your rocket is controlled by either a joystick or by keys on the keypad. The number 4 key moves the rocket left, the 5 key moves it up,

You need speed and dexterity if you are to save Madison, WI, from certain destruction.

the 6 key moves it right, and the 2 key moves it down.

Armageddon has four skill levels, but you cannot advance to the next level unless you've earned it with spectacular bombing raids.

Armageddon's Program

The 16K Model III action is fast because the main control loop directs program action, and branches to other routines. Four loops perpetuate themselves whenever your rocket goes right, left, up, or down. As many character

strings and math functions as possible perform outside the loops.

Program Changes

If you don't have a joystick, delete lines 2400-2555, 3090, 3140, and 3190. Change line 2260 to

```
2260 IF PEEK(14400)=128 GOTO 2270 ELSE 2570
```

If skill level 4 proves too difficult, delete it by changing line 4030 to

```
4030 IF SC>9999 LS=2:IF SC>19999 LS=3
```

and deleting lines 4040 and 4050. If you can't reach skill level 4 with bombing tactics, but want to try it, change line 110 so LS=4, and delete line 4030.

Change the delay between meteorites by altering the reset value of H from H=10. The higher the number you assign H, the faster the meteorite drops.

To fly around the sides of the screen, delete lines 10-90 and change lines 3210 and 3310 to:

```
3210 E=225-INP(0): IF B>828 THEN
B=B-2
3310 E=255-INP(0): IF B<132 THEN
B=B+2
```

NMS	Player's Name
SC	Score
SH	High Score
B	Location of Rocket
G	Location of Meteorite
J	Location of Missile
F	Location of Landscape
LS	Skill Level
DIS	Direction Missile Fires
WL	Location of Missiles (*) on Screen
W	Number of Missiles
H	Counter to Increment Frequency of Meteorites
U	Level of Flight (For The Array)

Table 1. Variables List

The Key Box

Model III
16K RAM
Cassette Basic
Joysticks Optional

While these program changes alter playing strategies, the big question remains—can you prevent Armageddon in Madison? ■

Tom Alar is employed by Hostess. You can write to him at 959 Lawrence St., Madison, WI 53715.

Program Listing

```

10 REM BUILD THE ARRAY
20 RGT=132:LFT=188:Y=1:DIM A(12,3):CLS:PRINT @404,"A R M A G E D
D O N";
30 FOR X=1 TO 11
40 A(X,Y)=RGT
50 RGT=RGT+64
60 NEXT X
70 Y=2:FOR X=1 TO 11
80 A(X,Y)=LFT
85 LFT=LFT+64
90 NEXT X
100 REM INITIALIZE ARMAGEDDON SYMBOLS AND PREPARE GAME
110 B=784:U=11:F=831:C=20:G=196:H=0:I=0:L=5:T=0:SC=0:LS=1:GS=" "
:DIS="U":RUP$=CHR$(176)+CHR$(191)+CHR$(176):RRT$=CHR$(191)+CHR$(
140)+CHR$(140):MS=CHR$(153)+CHR$(166):WL=75:W=10
120 DEFDBL R-T:DEFINT E
130 CLS
140 GOSUB 910 'INSTRUCTIONS
150 CLS:GOSUB 1610 'DRAW LANDSCAPE
160 GOTO 2210 'GO TO THE MAIN LOOP
170 GOTO 5010 'CONCLUDE THE GAME
600 RESTORE:GOTO 110
900 REM INSTRUCTIONS
910 CLS
920 INPUT "DO YOU WANT INSTRUCTIONS (Y OR N)";GS
930 IF GS="Y" GOTO 1010
940 IF GS="N" RETURN
950 GOTO 920
1010 PRINT @86,"A R M A G E D D O N";
1020 PRINT @261,"FLAMING METEORITES ARE FALLING TO EARTH. PROTE
CT THE CITY BY DISINTEGRATING THE METEORITES. YOUR SHIP TAKES O
FF FROM A "
1030 PRINT @384,"ROOFTOP BASE. YOU CAN RELOAD BY LANDING ON THE
SAME BASE. YOUR"
1040 PRINT @448,"FIRING RANGE IS LIMITED SO YOU MUST FLY TO BE W
ITHIN RANGE."
1050 PRINT @512,"PRESS SPACEBAR FOR INSTRUCTIONS."
1060 IF PEEK(14400)=128 GOTO 1100
1070 GOTO 1060
1100 CLS: PRINT @86,"A R M A G E D D O N";
1110 PRINT @261,"USE THE KEYPAD OR JOYSTICK TO FLY. PRESSING '4
MOVES LEFT,PRESSING '5' MOVES UPWARDS. PRESSING '6' MOVES RIG
HT. PRESSING '2' MOVES DOWNWARD. PRESSING THE SPACEBAR
FIRES THE MISSILES."
1120 PRINT @458,"THE GAME CONTINUES UNTIL 10 METEORITES HAVE HIT
THE CITY, UNLESS A METEORITE HITS THE ROCKET FIRST. GOOD LUC
K."
1130 PRINT @581,"(SUGGESTION: USE YOUR LEFT HAND ON THE SPACEBAR
TO FIRE. KEEP YOUR RIGHT HAND ON THE KEYPAD AND USE YOUR INDE
X FINGER FOR LEFT, YOUR RING FINGER FOR RIGHT, AND YOUR MIDDLE
FINGER FOR UP AND DOWN).
1140 PRINT @837,"PRESS SPACEBAR TO BEGIN PLAY";
1150 IF PEEK(14400)=128 RETURN ELSE 1150
1600 REM DRAW LANDSCAPE
1610 FOR X=1 TO 28:READ DTA:F=F+1:PRINT @F,CHR$(DTA):NEXT
1620 DATA176,176,176,176,176,176,176,176,128,128,128,128,128
,128,128,128,128,128,128,128,128,128,128,160,128,128,128
1630 FOR X=1 TO 28:READ DTB:F=F+1:PRINT @F,CHR$(DTB):NEXT
1640 DATA128,128,128,128,128,128,160,188,189,180,128,128,128,128
,128,128,128,128,128,128,128,128,128,149,149,149
1650 F=F+8
1660 FOR X=1 TO 31:READ DTC:F=F+1:PRINT @F,CHR$(DTC):NEXT
1670 DATA191,191,191,191,191,191,191,191,159,129,128,128,128,191
,191,191,191,191,191,128,128,188,188,191,189,128,188,188,128
,128
1680 FOR X=1 TO 31:READ DTD:F=F+1:PRINT @F,CHR$(DTD):NEXT
1690 DATA128,128,151,151,151,151,149,128,128,128,188,188,188,128
,128,170,128,128,128,128,128,128,149,149,149,128,128,128,176,128
,176
1700 F=F+2
1710 FOR X=1 TO 31:READ DTE:F=F+1:PRINT @F,CHR$(DTE):NEXT
1720 DATA191,191,191,191,191,191,191,191,128,128,160,188,148,128,191
,191,191,191,191,191,168,188,191,191,191,191,191,191,191,128
,188
1730 FOR X=1 TO 31:READ DTF:F=F+1:PRINT @F,CHR$(DTF):NEXT
1740 DATA188,191,191,191,191,191,191,189,188,148,191,191,191,191
,191,191,191,128,191,191,191,191,191,191,191,191,128,191,191
,191,191
1750 PRINT @B-1,RUP$;

```

Listing continues

Langley-St.Clair Gets Mail

From unsolicited letters of testimonial

Gentlemen:

....Thank you for such an excellent product! I spent part of last evening installing the CRT and had absolutely no problems with the installation. I wish all modifications could be as easy and as well supported as the one I received from your organization. You can be sure of recommendations for your product from me.

Thanks again

D.C.

AP0, NY

Dear Langley-St.Clair:

[This] letter [is] to thank you for putting together a really great addition to the Radio Shack Model II.

I had unsuccessfully tried two different kinds of anti-glare products prior to the purchasing of your anti-glare Green Phosphor CRT.

Not being an electronics expert I was hesitant to try the installation myself. But, after reading the instructions that were supplied with the CRT, I decided to try it. The instructions were so outstanding that the whole process was accomplished without any problem or question....

We hope you will develop some other additions or improvements for the Model II. We can be counted as an enthusiastic supporter.


Cordially,

B.T.

Gregory, Michigan

LSIS's NEW SOFT-VIEW
REPLACEMENT CRT

FOR THE
FULL STORY,
SEE PAGE 41



Langley-St.Clair



Instrumentation
Systems, Inc. 462

132 West 24th St., NY, NY 10011
1-800-221-7070



**NOW
ONE FINGER TYPING
IS FAST
WITH SUPA-EDIT**



SUPA-EDIT™

Supa-Edit is a powerful machine language utility, designed to enhance LIST/EDIT commands of Level II Basic.

Supa-Edit uses less than 0.5K of computer memory and suits Model I and Model III.

Supa-Edit comes with and without lower-case driver for 16K, 32K and 48K systems, on premium tape.

SUPA-EDIT SINGLE KEY FEATURES

- LIST FIRST LINE
- LIST LAST LINE
- ENTER EDIT MODE
- LIST LINE BY LINE
- BACK AND FORTH
- RECOVER AFTER NEW

SEND PAYMENT
U.S. CURRENCY

U.S. \$10 plus U.S. \$3 FOR
RETURN AIRMAIL DELIVERY

Elite Electronic Industries

36 LUXMOORE STREET,
CHELTENHAM, VIC. 3192
AUSTRALIA

TELEPHONE +61-3-583 1201

Model I & III products of Tandy Corp

Listing continued

```

1800 PRINT @WL,"*****"
1810 PRINT @64,"MISSILES: "
1820 PRINT @54,"SKILL: ";LS;
1830 PRINT @0,"SCORE: ";SC;
1840 PRINT @22,"HIGH SCORE: ";NM$;SH;
1850 PRINT @86,"A R M A G E D D O N";
1860 RETURN
2000 REM MAIN ACTION CONTROL LOOP
2200 REM KEYPAD COMPATABILITY
2210 IF PEEK(14352)=0 GOTO 2260
2220 IF PEEK(14352)=32 GOSUB 3010
2230 IF PEEK(14352)=4 GOSUB 3110
2240 IF PEEK(14352)=16 GOSUB 3310
2250 IF PEEK(14352)=64 GOSUB 3210
2260 IF PEEK(14400)=128 GOTO 2270 ELSE 2410
2270 IF DI$="U" GOSUB 3610
2280 IF DI$="R" GOSUB 3510
2290 IF DI$="L" GOSUB 3410
2400 REM JOYSTICK COMPATABILITY
2410 OUT 236,16
2420 E=255-INP(0)
2430 IF E=0 GOTO 2560
2500 IF E=1 THEN GOSUB 3010
2510 IF E=2 THEN GOSUB 3110
2520 IF E=4 GOSUB 3310
2530 IF E=8 GOSUB 3210
2540 IF E=16 GOTO 2545 ELSE 2560
2545 IF DI$="U" GOSUB 3610
2550 IF DI$="R" GOSUB 3510
2555 IF DI$="L" GOSUB 3410
2560 IF B=834 GOSUB 3910
2570 H=H+LS+I
2580 IF H>L GOSUB 3710
2590 GOTO 2210
3000 REM MOVE ROCKET UP SUBROUTINE
3010 E=255-INP(0):IF B<192 GOTO 3020 ELSE 3030
3020 B=B+64:U=U+1:GOTO 3060
3030 PRINT @B-1,RUP$;
3040 PRINT @B-1,STRING$(3,128);
3050 PRINT @B-1,STRING$(3,131);:PRINT @B-64,CHR$(188);
3060 PRINT @B-1,STRING$(3,128);:B=B-64:U=U-1
3070 PRINT @B-1,RUP$;
3080 H=H+LS+I:IF H>L GOSUB 3710
3085 DI$="U"
3090 IF E=1 GOTO 3010
3095 IF PEEK(14352)=32 GOTO 3010 ELSE RETURN
3100 REM MOVE ROCKET DOWN SUBROUTINE
3110 E=255-INP(0):IF B>766 GOTO 3120 ELSE 3150
3120 B=B-64:U=U-1:GOTO 3160
3150 PRINT @B+63,STRING$(3,131);:PRINT @B,CHR$(188);
3160 PRINT @B-1,STRING$(3,128);:B=B+64:U=U+1
3170 PRINT @B-1,RUP$;
3180 IF B=784 GOSUB 3910:H=H+LS:IF H>L GOSUB 3710
3185 DI$="U"
3187 H=H+LS+I:IF H>L GOSUB 3710
3190 IF E=2 GOTO 3110
3195 IF PEEK(14352)=4 GOTO 3110 ELSE RETURN
3200 REM MOVE ROCKET RIGHT SUBROUTINE
3210 E=255-INP(0):IF B>A(U,2) THEN B=B-2
3220 PRINT @B-1,STRING$(2,128);:B=B+2
3230 PRINT @B-1,RRT$;
3240 H=H+LS+I:IF H>L GOSUB 3710
3250 IF B=784 GOTO 3260 ELSE 3270
3260 GOSUB 3910:PRINT @B-1,RRT$;
3270 DI$="R"
3280 IF E=8 GOTO 3210
3290 IF PEEK(14352)=64 GOTO 3210 ELSE RETURN
3300 REM MOVE ROCKET LEFT SUBROUTINE
3310 E=255-INP(0):IF B<A(U,1) THEN B=B+2
3320 PRINT @B,STRING$(2,128);:B=B-2
3330 PRINT @B+1,CHR$(191);:PRINT @B-1,STRING$(2,140);
3340 H=H+LS+I:IF H>L GOSUB 3710
3350 IF B=784 GOTO 3360 ELSE 3370
3360 GOSUB 3910:PRINT @B+1,CHR$(191);:PRINT @B-1,STRING$(2,140);
3370 DI$="L"
3380 IF E=4 GOTO 3310
3390 IF PEEK(14352)=16 GOTO 3310 ELSE RETURN
3400 REM FIRE MISSILES LEFT
3410 C=19:X=0:J=B-2:M=INT(J/64)
3420 W=W-1:PRINT @WL," ";:WL=WL+1:IF W<0 GOTO 3430 ELSE 3440
3430 WL=WL-1:RETURN
3440 K=J/64:A=INT((K-M)*64):IF A<C THEN C=A
3450 PRINT @J-C,STRING$(C,140);
3460 PRINT @J-C,STRING$(C,128);
3470 IF G<J GOTO 3480 ELSE 3485
3480 IF G>J-C GOTO 4010:IF G=J-C GOTO 4010
3485 C=20:H=H+LS+I:IF H>L GOTO 3710
3490 RETURN

```

Listing continues


```

3500 REM FIRE MISSILES RIGHT
3510 X=0:J=B+2:M=INT(J/64)
3520 W=W-1:PRINT @WL," ";:WL=WL+1:IF W<0 GOTO 3530 ELSE 3540
3530 WL=WL-1:RETURN
3540 K=J/64:D=INT((K-M)*64):A=64-D:IF A<C THEN C=A
3545 IF K=M RETURN
3550 PRINT @J,STRINGS(C,140);
3560 PRINT @J,STRINGS(C,128);
3565 C=20
3570 IF G>J-1 GOTO 3580 ELSE 3585
3580 IF G<J+C GOTO 4010:IF G=J+C GOTO 4010
3585 H=H+LS+I:IF H>L GOTO 3710
3590 RETURN
3600 REM FIRE MISSILES UP
3610 J=B-64:P=J:K=3
3620 W=W-1:PRINT @WL," ";:WL=WL+1:IF W<0 GOTO 3630 ELSE 3640
3630 WL=WL-1:RETURN
3640 IF J<192 GOTO 3690
3650 FOR X=3 TO U:P=P-64:PRINT @P,CHR$(191);:NEXT X
3660 FOR X=3 TO U:PRINT @P,CHR$(128);:P=P+64:NEXT X
3680 IF (J/64)-INT(J/64)=G/64-INT(G/64) THEN GOTO 4010
3685 H=H+LS+I:IF H>L GOTO 3710
3690 RETURN
3700 REM DROP METEORITES
3710 PRINT @G,STRINGS(2,128);
3720 H=0:G=G+64:IF G=B GOTO 3810
3730 IF G=B-2 GOTO 3810
3740 PRINT @G,M$;
3750 IF G>958 GOTO 3760 ELSE 3790
3760 H=-10:T=T+1:IF T>9 GOTO 170
3770 G=RND(30):G=G*2:G=G+128:IF G=144 GOTO 3770
3780 IFG=142 GOTO 3770
3790 RETURN
3800 REM METEORITE HITS THE ROCKET
3810 X=0
3820 PRINT @B-1,STRINGS(3,128);
3830 PRINT @B-1,STRINGS(3,191);
3840 PRINT @B-1,STRINGS(3,128);
3850 X=X+1:IF X<12 GOTO 3820
3860 G=G+64:GOSUB 3740
3870 FOR X=1 TO 100:NEXT X
3880 GOTO 5010
3900 REM ARM THE ROCKET
3910 PRINT @B+63,STRINGS(3,131);:PRINT @B,CHR$(188);
3920 PRINT @B-1,STRINGS(3,128);:B=B+64
3930 PRINT @B-1,RUP$;
3940 WL=75:PRINT @WL,"*****";
3950 W=10:FOR X=1 TO 25:NEXT X
3960 PRINT @B-1,STRINGS(3,140);:PRINT @B,CHR$(143);:PRINT @B-64,
CHR$(176);
3970 PRINT @B-1,STRINGS(3,131);:PRINT @B-64,CHR$(188);
3975 PRINT @B-1,STRINGS(3,128);:B=B-64
3980 PRINT @B-1,RUP$;
3990 RETURN
4000 REM SCORING ROUTINE
4010 SC=SC+500
4020 PRINT @7,SC;
4030 IF SC>9999 LS=2:IF SC>19999 LS=3:IFSC>49999 GOTO 4050
4040 GOTO 4060
4050 I=6:LS=4
4060 PRINT @60,LS;
4100 REM METEORITE EXPLOSION
4105 M=1
4110 PRINT @G,STRINGS(2,128);
4120 PRINT @G,STRINGS(2,140);
4130 PRINT @G,STRINGS(2,128);
4140 PRINT @G,STRINGS(2,191);
4150 PRINT @G,STRINGS(2,128);
4160 M=M+1:IF M<3 GOTO 4110
4170 G=RND(30):G=G*2:G=G+128:H=-10
4175 IF G=142 GOTO 4170
4180 IF G=144 GOTO 4170
4190 RETURN
5000 REM CONCLUDE THE GAME
5010 IF SH<SC THEN GOTO 5020 ELSE 5060
5020 CLS:PRINT @0,"SCORE: ";:PRINT @7,SC;
5030 PRINT @329,"C O N G R A T U L A T I O N S !!!"
5040 INPUT "YOUR SCORE IS THE HIGHEST SO FAR, ENTER YOUR INITIAL
S";NM$
5050 SH=SC:IF LEN(NM$) >4 GOTO 5020
5060 PRINT @960,"DO YOU WISH TO PLAY AGAIN (Y OR N)";:INPUT AN$
5070 IF AN$="Y" GOTO 6000
5075 IF AN$="N" GOTO 5090
5080 GOTO 5070
5090 END
6000 GOTO 600
6100 REM THIS IS AN ORIGINAL PROGRAM BY TOM ALAR
6110 REM 959 LAWRENCE MADISON, WISCONSIN,53715
6120 REM DATE WRITTEN: 12,19,1982

```

Langley-St.Clair Gets Mail

From unsolicited letters of testimonial

I have just received one of your SOFT-VIEW CRT's and I wanted to write you to tell you that I am impressed. I ordered the CRT by phone on Wednesday afternoon, and I received it this morning (Friday) by UPS. When the UPS truck pulled up, I commented that it would be weird if that was the CRT, figuring that it would show up in about a week. That was the fastest shipment from a telephone order I've ever got!

I should also mention that I was pleased to find that the people I talked to on the phone were very nice and friendly, a quality lacking in many companies I have dealt with by phone....

I have installed RAM chips and two disk drives on my Model III and many times in doing so I could have used directions as good and adequate as I got with the CRT. I congratulate the writer of the instructions for doing a very good job. The directions were intelligent, well-written and described the operation very well without becoming dull or technical....

....By the way, this is the first letter I've written to a supplier of computer hardware that was in praise. I have told a few off by mail, but this is the first time I have been this pleased with a company supplying hardware for my computer. I only hope that your attitude is contagious.

Sincerely,

W.B.

Albemarle, NC

LSIS's NEW SOFT-VIEW
REPLACEMENT CRT

FOR THE
FULL STORY,
SEE PAGE 41



Langley-St.Clair

Instrumentation
Systems, Inc. 462

132 West 24th St. NY, NY 10011
1-800-221-7070

IJG DEALERS HAVE TRS-

Computer Books and Software for the TRS-80s, are at your IJG Dealer Today.

Books

TRS-80 Disk & Other Mysteries.

The "How To" book of data recovery by H. C. Pennington. 128 pages, \$22.50

Microsoft BASIC Decoded & Other Mysteries.

The complete guide to Level II operating systems & BASIC by James Farvour. 312 pages, \$29.95

BASIC Faster & Better & Other Mysteries.

Microsoft BASIC programming tricks & techniques by Lewis Rosenfelder. Software available on disk. Radio Shack Cat. No. 62-1002. 290 pages, \$29.95

The Custom TRS-80 & Other Mysteries.

A guide to customizing TRS-80 hardware and software by Dennis Bathory Kitz. Schematics and listings. 336 pages, \$29.95



TRSDOS 2.3 Decoded & Other Mysteries.

The TRSDOS operating system explained by James Farvour. Disassembly of code with commentary. 300 pages, \$29.95

BASIC Disk I/O Faster & Better & Other Mysteries.

Programming techniques and helpful subroutines, by Lewis Rosenfelder, for BASIC programs which store or retrieve data from disk. (Available in June) \$29.95



How To Do It On The TRS-80.

The applications guide to the TRS-80 Models I, II, III & Color Computer by William Barden, Jr. 300 pages, \$29.95 (Available in Spring '83)

Machine Language Disk I/O & Other Mysteries.

The guide to machine language disk software for TRS-80 Models I & III by Michael Wagner. 288 pages, \$29.95

Electric Pencil Operators Manual.


By Michael Shrayner and H. C. Pennington. 123 pages, 24.95

The TRS-80 Beginners Guide To Games & Graphics.

Simple programs teach basic concepts of graphics and game design, by Tom Dempsey. (Available in July) \$24.95

The Captain 80 Book of BASIC Adventures.

Eighteen program listings plus Adventure program generator, by Bob Liddil. 252 pages, \$19.95



NEW BOOK!

Software



Electric Pencil 2.0z Word Processing System.

The easy to learn, easy to use word processing system by Michael Shrayner. Includes operators manual. Disk \$89.95, Cassette or Stringy Floppy \$79.95




BLUE Pencil — 50,000 Word Expandable Dictionary. Companion to the Electric Pencil 2.0z word processing system. Disk \$89.95

RED Pencil — Automatic Spelling Correction. For use with the Electric Pencil 2.0z word processing system. Must be accompanied by Blue Pencil to operate. Disk \$89.95

BFBDEM — BASIC Faster & Better Library disk by Lewis Rosenfelder. 32 demonstration programs, BASIC overlays, video handlers, sorts and more for the Model I & III. Radio Shack Cat. No. 260-2021. Disk only \$19.95

80 BOOKS & SOFTWARE.



NEW BOOK!

BFBLIB — BASIC Faster & Better Demonstration disk by Lewis Rosenfelder. 121 functions, subroutines and user routines for the Model I & III. Disk Only 19.95

Utilities

TRANSLATE Convert any character to any character or string. Create your own shorthand. Print special characters. Disk \$49.95

DISKMAP Produces two different reports; a listing of disk space allocation by granule, and a listing of all granules allocated to each data file. Disk \$29.95

Games

CYBERCHESS Chess Improvement System. Not a game, but a powerful and effective method for improving one's skill in chess. Choose from 55 amateur or 55 professional disk packets with 4 different games on each. System Disk \$29.95 (Includes four games). Each amateur or professional disk \$19.95 each.

FLAG RACE Race your car through a maze and try to reach all the flags before being caught and killed by drone cars. Can you do it?

For Models I & III. Disk \$24.95

SPACE ROBBERS

Inter-galactic thieves are after your supplies and you must stop them before they take it all. For Models I & III. Disk \$24.95

INTERCEPTOR

The aliens are attacking you in wave after wave, can you survive and get back to the mother ship to refuel? For Models I & III. Disk \$24.95

ALIENS

Invaders attempt to land and you must stop them. But watch out, you're dead if they land on you. For Models I & III. Disk \$24.95



FUNSOFT Games distributes through IJG for Models I & III.

BABLE TERROR Bables are roaming the maze like complex everywhere but you can only see a few yards ahead, can the Bables be cleared out before they clear out you? Disk \$24.95, Cassette \$19.95

MAD MINES Mad Mines are being placed into the space around your planet. As their mad pace speeds up, the situation becomes more difficult. Can they all be destroyed? Disk \$24.95, Cassette \$19.95

APPLE PANIC Crazy apples chase you over many ladder connected brick levels. Your only hope is to dig holes in the floor and beat them down when they get stuck. Disk \$24.95, Cassette \$19.95

THE BLACK HOLE Your mission is to seek-out and destroy the Dorian leader. But, can you survive the perils of the Black Hole? Disk \$24.95, Cassette \$19.95

TIME RUNNER Newly discovered land is yours for the taking. All you have to do is take it . . . before the defender droids catch you that is. Disk \$24.95, Cassette \$19.95

IJG products are available at computer stores, B. Dalton Booksellers, Radio Shack Computer stores, and independent dealers around the world.

If IJG products are not available from your local dealer, order direct from IJG. Include \$4.00 for shipping and handling per item. Foreign residents add \$11.00 plus purchase price per item. U.S. funds only please.

IJG, Inc.
1953 West 11th Street
Upland, California 91786
Phone: 714/946-5805

446
**If it's from IJG
IT'S JUST GREAT!**

Lost On the Great Barrier Reef

by Tom Johnstone and Mike Matthews

Finally, the summer holidays! You decide to go fishing in your new speedboat. Leaving Australia's Sydney Harbour you head northeast across the Pacific Ocean to a well-known fishing spot off the Great Barrier Reef.

Arriving there, you start to lay down your nets around a deserted island when your engine suddenly fails. Hurriedly, you examine the fuel tank and find it empty. Before you drift too far, you drop your anchor and look at the isle before you. You are hopelessly stranded and your only hope lies in what might be on this seemingly desolate landscape.

You hop into your lifeboat and head for the island. Unfortunately, you have no survival equipment and must exist on what you can find on the island.

You must find fuel for your speedboat before dark so you can reach the safety of the Australian mainland. But many secrets and intriguing puzzles await you.

Move about the island and manipulate objects using two-word commands (a verb followed by a noun). Since the program recognizes over 50 words, you should have no problem finding the correct word for each situation.

One program feature lets you enter just the first three letters of each command. Also, the directions north, south, east, and west can stand alone and don't require the verb "go."

One aggravating aspect of many adventures is that they can't be logically

While fishing Down Under, your boat runs out of gas. How will you get back to the mainland?

mapped; Lost on the Great Barrier Reef can be mapped.

The Program

This game was written for a TRS-80 Model I or III with at least 16K of memory (see Program Listing). The program is numbered in multiples of 10 to make it possible to use the Auto command when typing it in. Some features of the program, such as scroll protection, are apparent only on a Model III.

A main control loop at lines 250-500 branches off to the separate routines for different commands, located in lines 510-2560. The end of the program lists the instructions, descriptions of all the locations, and a number of data statements containing the different verbs and the island map.

The main control loop is an important part of the program since it identifies the different two-word commands. The computer automatically identifies the first three letters of the

verb. It then searches the input for a space and, upon finding one, assumes the next three characters denote a noun.

Then the program processes the verb and noun and checks them against a number of flags. If they match, the program branches out to the separate routines that handle them. If they don't match, the computer scans through the data statements containing the different verbs and compares these with the input verb. If this verb doesn't match any of the program verbs, it prompts the user for another input. When a verb does match, the program branches out by means of an ON...GOTO statement to a separate routine that handles that verb.

The routines that process the different commands are set up so the program compares the input noun to a number of nouns that apply to the verb. If the noun doesn't apply to the situation, an appropriate message is displayed and the program prompts for another input. If the noun does apply, the correct process is performed.

The Key Box

**Model I and III
16K RAM
Cassette or Disk Basic**

On the data map, each location is represented by five numbers contained in a data statement. The first is the location number. The remaining four numbers correspond to the directions north, south, east, or west, respectively. A zero in any of these four numbers means that the player cannot go in that direction.

Before you run the game for a friend, we suggest that you type in the following lines:

5 POKE 16396,175:POKE16397,201
3320 NEW

The first change traps the break key, preventing him from looking at the listing. The second erases the program from memory when he is finished playing. ■

Tom Johnstone can be reached at 75 Buntine Road, Wembly Downs, Western Australia 6019, Australia.

Mike Matthews can be reached at 7 Benson Court, Bunbury, Western Australia 6230, Australia.

Program Listing

```

10 REM -----
20 REM ----- LOST ON THE GREAT BARRIER REEF -----
30 REM ----- BY TOM JOHNSTONE -----
40 REM ----- AND MIKE MATTHEWS -----
50 REM -----
60 CLEAR 1000:DIMOB$(30,10),INS$(6),NN$(30),DES$(28)
70 CLS:RANDOM
80 MH=0:CK=0:FC=0:CN=0:LF=0:SS=0:LC=1:TM=100
90 OB$(2,1)="SHELL":OB$(3,1)="TREE"
100 OB$(4,1)="CANNON":OB$(6,1)="KEY"
110 OB$(8,1)="LINE":OB$(9,1)="WATER"
120 OB$(10,1)="SIGN":OB$(11,1)="TRUCK"
130 OB$(13,1)="SIGN":OB$(15,1)="CROCODILE"
140 OB$(18,1)="DEAD FISH":OB$(20,1)="CHAIR"
150 OB$(25,1)="RUBBER DINGY":OB$(28,1)="DESTROYED LIFE RAFT"
160 OB$(28,2)="PLANK":OB$(16,1)="SKULL"
170 OB$(22,1)="LEECH":OB$(21,1)="ABORIGINE"
180 OB$(26,1)="SEA URCHIN":OB$(27,1)="JELLY FISH"
190 GOSUB 2800
200 POKE16419,196
210 POKE16916,0
220 CLS
230 PRINTDES$(LC);
240 GOSUB2580
250 REM ----- CHECK THE FLAGS -----
260 IFLC=1FORI=1TO10:IFOB$(1,I)<>"FUEL CAN"THENNEXTELSEGOTO3240
270 INPUT"YOUR COMMAND ";CMS
280 IFRND(20)<3THENPRINT"YOU HEAR A DRONING AS A PLANE FLIES OVER
THE ISLAND.....AND RECEDES INTO THE DISTANCE."
290 IFLEN(CMS)=1ANDCMS="N"THENCMS="NOR"
300 IFLEN(CMS)=1ANDCMS="S"THENCMS="SOU"
310 IFLEN(CMS)=1ANDCMS="E"THENCMS="EAS"
320 IFLEN(CMS)=1ANDCMS="W"THENCMS="WES"
330 IFLEN(CMS)=1ANDCMS="I"THENCMS="INV"
340 IFLC=6THENFORI=1TO10:IFOB$(6,I)<>"PLANK"THENNEXTELSE370
350 IFLC=6SS=SS+1
360 IFS>1PRINT"ARRGGHH! I'VE SUNK! I CAN'T BREATHE! ARRGGHH!":G
OTO3250
370 RESTORE
380 CMS=LEFT$(CMS,3)
390 FORI=1TOLEN(CMS)
400 IFMID$(CMS,I,1)<>" "THENNEXTELSENN$=MID$(CMS,I+1,3)
410 TM=TM-1:IFTM<=0THENPRINT"NIGHTFALL....OH DEAR! I HEAR A GROW
LING....IT'S GETTING CLOSER....ARRGGHH! A CROCODILE! YOU AR
E RIPPED TO PIECES!":FORI=1TO1000:NEXTI:GOTO3250ELSEIFTM<30PRINT
"IT'S BEGINNING TO GET DARK!"
420 REM ----- COMMAND SEARCH -----
430 FOR I=1 TO 29
440 READ DAT$
450 IF DAT$=CMS THEN ON I GOTO 520,650,830,830,830,830,980,1050
,1090,1200,1290,210,1340,1420,1740,1910,2030,2090,2120,2160,2200
,2260,2350,2370,1420,2470,520,650,2550
460 NEXT I
470 PRINT"I'M SORRY ,BUT THAT WORD IS NOT PART OF MY VOCABULARY
.PLEASE"
480 PRINT"ENTER A VALID COMMAND SO THAT I CAN UNDERSTAND WHAT YO
U ARE "
490 PRINT"SAYING ."
500 GOTO 270
510 REM ----- GET -----
520 FORD=1TO6
530 IFIN$(D)=" "THEN560
540 NEXTD
550 PRINT"YOU ARE CARRYING TOO MUCH.":PRINT:GOTO270
560 FORD=1TO10

```

Listing continues



\$22.50
(PER BOX OF 5 1/4")

Scotch
DISKETTES
1 side/D Density
(744D-O) diskettes
compatible with
Verbatim (MD525-01)

\$19.95 Scotch
Head Cleaning
Kits 5 1/4" and 8" Kits —

DISKETTE-JUNCTION
stocks a complete
line of **3M** magnetic media
including 96TPI Quad Density.
Call now to order the Scotch
diskette for your equipment.

TOLL FREE
800-321-5134
Ohio Residents Call
216-676-5640
DISKETTE JUNCTION
5918 Smith Rd.
Cleveland, Ohio 44142

WE ACCEPT
VISA • MASTER CARD
CHECKS • MONEY ORDERS • C.O.D.
• Add \$3.00 for shipping & handling.
• \$2.00 EXTRA for U.S. Mail delivery.
• \$3.00 EXTRA for C.O.D.
• Ohio residents add 6.5% sales tax.

Authorized Distributor
Information Processing Products



Listing continued

```

570 IFLC=OB$(LC,E),3)=NN$THEN610
580 NEXT E
590 IF NN$="LIF" THEN610
600 PRINT "I DON'T SEE IT HERE.":GOTO270
610 IFNN$="CHA" ORNN$="SIG" ORNN$="TRE" ORNN$="WAT" ORNN$="CAN" ORNN$
="TRU" ORNN$="CRO" ORNN$="LIF" THEN PRINT "I AM NOT STRONG ENOUGH":GO
TO270
620 IFNN$="KEY" ANDLC=6PRINT "I CAN'T REACH THE KEY":GOTO270
630 INS(D)=OB$(LC,E):OB$(LC,E)="":PRINT:GOTO210
640 REM ----- DROP -----
650 FOR D=1 TO 10
660 IF OB$(LC,D)=" " THEN720
670 NEXT D
680 PRINT "THIS AREA IS PILED HIGH WITH JUNK AND I DON'T HAVE ANY
ROOM TO "
690 PRINT "PUT ANYTHING."
700 PRINT
710 GOTO270
720 FOR E=1 TO 6
730 IFLC=INS(E),3)=NN$THEN780
740 NEXT E
750 PRINT "YOU AREN'T CARRYING ANY ";NN$
760 PRINT
770 GOTO270
780 PRINT
790 OB$(LC,D)=INS(E)
800 INS(E)=" "
810 GOTO210
820 REM ----- MOVEMENT -----
830 RESTORE
840 FOR I=1 TO 29
850 READDT$
860 NEXT I
870 IFLC=6THENS=0
880 IFLC=4ANDCN=0AND(DAT$="SOU" OR DAT$="WES") THEN PRINT "BANG!!!! Y
OU ARE BLOWN TO SWITHERNES!!!":GOTO3250
890 FOR I=1 TO LC
900 READKL,N,S,E,W
910 NEXT I
920 IF DAT$="NOR" ANDN>0 THENLC=N:GOTO210
930 IF DAT$="SOU" ANDS>0 THENLC=S:GOTO210
940 IF DAT$="EAS" AND E>0 THENLC=E:GOTO210
950 IF DAT$="WES" ANDW>0 THENLC=W:GOTO210
960 PRINT "I CAN'T GO IN THAT DIRECTION.":GOTO270
970 REM ----- DRINK -----
980 IFNN$="WAT" PRINT "IT IS NOT POSSIBLE TO DRINK THAT":GOTO270
990 IFLC=9PRINT "UGGHHH! THIS RIVER WATER IS TERRIBLE! I THINK I'
VE BEEN POISONED":GOTO3250
1000 IFLC=20PRINT "I CAN'T SEE ANY WATER HERE.":GOTO270
1010 IFLC=6ORLC=7ORLC=10ORLC=11ORLC=12ORLC=15ORLC=16ORLC=17ORLC=
21ORLC=22PRINT "UGGHHH! THIS SWAMP WATER IS STAGNANT! I THINK I'V
E BEEN POISONED":GOTO3250
1020 PRINT "IT TASTES RATHER SALTY."
1030 GOTO270
1040 REM ----- DIG -----
1050 IFLC<>LANDLC<>20PRINT:PRINT "I FOUND NOTHING.":GOTO270
1060 PRINT "THE GROUND HERE IS TOO HARD TO DIG IN."
1070 GOTO270
1080 REM ----- CLIMB -----
1090 IFLC<>LANDLC<>16ANDLC<>3 THEN PRINT "THERE IS NOTHING HERE TO
CLIMB":GOTO270

```

```

1100 IFNN$<>"HI" ANDNN$<>"TRE" THEN PRINT "I CANNOT CLIMB SUCH A TH
ING":GOTO270
1110 IFNN$="TRE" ANDLC<>3PRINT "I CANNOT SEE ANY TREE.":GOTO270
1120 IFNN$="TRE" THEN PRINT "ARRGGHH! A COCONUT HAS FALLEN ON MY H
EAD AND KNOCKED ME OUT!":TM=TM-50:FOR I=1 TO 100:NEXT:PRINT"TIME =
":TM:GOTO270
1130 IFLC=3 THEN PRINT "I CANNOT SEE ANY THICKET.":GOTO270
1140 PRINT "WHOOPS! I FELL."
1150 IFLC=11 THENLC=16 ELSELC=11
1160 FOR I=1 TO 500
1170 NEXT I
1180 GOTO210
1190 REM ----- EAT -----
1200 IFNN$<>"DEA" ANDNN$<>"FIS" THEN PRINT "IT IS NOT POSSIBLE TO EA
T SUCH A THING":GOTO270
1210 FOR I=1 TO 6
1220 IFINS(I)="DEAD FISH" THEN1260
1230 NEXT I
1240 PRINT "YOU DO NOT HAVE A DEAD FISH"
1250 GOTO270
1260 PRINT "UGGHHH! THE FISH WAS ROTTEN! I THINK I'VE BEEN POISON
ED."
1270 GOTO3250
1280 REM ----- READ -----
1290 IFLC<>10ANDLC<>13 THEN PRINT "THERE IS NOTHING HERE TO READ.":
GOTO270
1300 IFNN$<>"SIG" THEN PRINT "I CAN'T READ THAT.":GOTO270
1310 IFLC=10PRINT "CARNIVORES DEVOUR MANY INTERESTING ITEMS!" ELSE
PRINT "TRY TO DIG UP AS MANY CLUES AS POSSIBLE!"
1320 GOTO270
1330 REM ----- EXAMINE -----
1340 IFNN$="CHA" ORNN$="TRU" ORNN$="LIN" ORNN$="CAN" THEN1350 ELSEPRI
NT "I SEE NOTHING SPECIAL":GOTO270
1350 IFNN$="CHA" ANDLC=20PRINT "THERE IS A CRACK IN THE LUG":GOTO2
70
1360 IFNN$="TRU" ANDLC=11PRINT "INSIDE THERE IS A LARGE CAN OF GAS
OLINE":GOTO270
1370 IFNN$="LIN" THEN FOR I=1 TO 6:IFINS(I)<>"LINE" THEN NEXT ELSEPRINT "
IT HAS A HOOK ON THE END":GOTO270
1380 IFNN$="CAN" ANDLC=4PRINT "IT IS A SWIVEL MOUNTED ARTILLERY GU
N":GOTO270
1390 PRINT "I CAN'T SEE THAT HERE"
1400 GOTO270
1410 REM ----- GO -----
1420 IFNN$="LIF" ORNN$="DIN" ORNN$="RUB" ORNN$="RAF" THEN1470
1430 IFNN$="EAS" ORNN$="WES" ORNN$="NOR" ORNN$="SOU" THEN DAT$=NN$:GO
TO830
1440 IFNN$="BUI" ANDLC=15 ANDMH=1 THENLC=20:GOTO210 ELSE IFNN$="BUI" T
HEN PRINT "I FIND IT HARD TO DO THAT AT THE MOMENT":GOTO270
1450 PRINT "HOW IS IT POSSIBLE TO ENTER SUCH A THING!"
1460 GOTO270
1470 IFNN$="RUB" ORNN$="DIN" THEN1490
1480 GOTO1540
1490 FOR I=1 TO 10
1500 IF OB$(LC,I)="RUBBER DINGY" THEN1600
1510 NEXT I
1520 PRINT "I CAN'T SEE A DINGY"
1530 GOTO270
1540 IF (NN$="RAF" ORNN$="LIF") AND LF=0 THEN1560
1550 GOTO1580
1560 IFLC=1 THENLC=4:GOTO210

```

Listing continues

Expensive Expansion



EXPENSIVE – The *LNW System Expansion II* and built-in comes with a full 32K of 200ns RAM, RS232c 20 MA current loop serial interface. That's for starters. Next, consider our heavy gauge steel case, power indicator lamp, gold-plated connectors, FR-2 glass epoxy circuit board with solder mask and silk screen legends. Then there is the parallel printer port, screen printer port, real time clock, and extra heavy duty onboard power supply with over current protection, over voltage protection and thermal shutdown. If that's not enough then there is the floppy disk controller, guaranteed operation at a 4MHz CPU speed and our 6 month warranty. Every one of these features is *STANDARD*. This is true system expansion. You get every 'expensive' feature without spending more.

CHEAP – Our price is \$399.95. Any way you compare, features or price, *LNW's System Expansion II* is the clear winner. The *LNW System* has been field tested for over two years with thousands of users. It works with any DOS, is 100% TRS-80 Model I compatible and it works 'right out of the box'. If there is any doubt in your mind as to whether you should buy ours or the 'other guys', just ask an *LNW* owner!

WE ARE #1 – Number one in price, features, reliability, performance and delivery. *LNW* is committed to 'expensive' features and quality at reasonable prices. *LNW* is committed to support, thorough documentation, and reliability.

LNW Research Corp.

2620 WALNUT Tustin, CA. 92680
(714) 641-8850 (714) 544-5744

This has made us the number one manufacturer of system expansion units and accessories for the Model I computer. **EXPANSION OPTION** – 8-inch drive capability is as easy as plugging in the *LNDoubler 5/8* option*. Now you can have any combination of single- or double-density, single- or double-sided, 8" and/or 5" disks on-line! 8-inch disk storage increased to 591,360 bytes – 77-track single-sided, double-density or 1,182,720 bytes – 77-track double-density, double-sided.

The *LNDoubler's* unique 5/8 switch allows you to boot from 5- or 8-inch system disks and it's accessible from outside the interface. The \$219.95 *LNDoubler 5/8* comes with a double-density disk operating system (DOS+ 3.3.9), complete with BASIC and utility programs... ready to run your software.

Each of your present 40-track, single-sided 5-inch drives will store up to 184,320 bytes (formatted storage) – that's an 80% increase in storage capacity for only half the cost of just one disk drive. With three 8-inch double-density, double-sided drives your Model I will have 3.75 Megabytes of online storage – that's more storage than a Model II or Model III!



*8" drive operation requires special cable, 8" double-density requires 3.55MHz CPU speed-up modification or LNW-80 4MHz computer.

```

1570 IFLC=4THENLC=1:GOTO210
1580 PRINT"THE LIFEBOAT WAS PREVIOUSLY DESTROYED"
1590 GOTO270
1600 IFLC=1THENLC=4:GOTO1620
1610 IFLC=4THENLC=1
1620 IFLC=1THENOB$(4,I)="" :GOTO1640
1630 GOTO1700
1640 FORI=1TO10
1650 IFOB$(1,I)=""THEN1680
1660 NEXTI
1670 GOTO1700
1680 OB$(1,I)="RUBBER DINGY"
1690 GOTO210
1700 IFLC=4THENOB$(1,I)="" :FORI=1TO10:IFOB$(4,I)<>"THENNEXTIELS
EOB$(4,I)="RUBBER DINGY"
1710 IFLC<>4ANDLC<>1THENPRINT"NOTHING HAPPENS":GOTO270
1720 GOTO210
1730 REM ----- HELP! -----
1740 ONRND(5):GOTO1750,1780,1810,1840,1870
1750 PRINT"OPEN YOUR EYES!"
1760 PRINT
1770 GOTO270
1780 PRINT"I'M SORRY, BUT I CANNOT HELP YOU HERE"
1790 PRINT
1800 GOTO270
1810 PRINT"I'M NOT IN A HELPFUL MOOD!"
1820 PRINT
1830 GOTO270
1840 PRINT"YOU COULD EXAMINE THE LISTING!"
1850 PRINT
1860 GOTO270
1870 PRINT"YOU'RE NOT GOING TO DIG ANY INFORMATION OUT OF ME!"
1880 PRINT
1890 GOTO270
1900 REM ----- OPEN -----
1910 IFNNS="DOO"ANDMH<>1ANDLC=15ANDCK=1THENFORI=1TO6:IFN$(I)<>"
KEY"THENNEXTELSE1980
1920 IFNNS="DOO"ANDLC=15ANDCK=0THENPRINT"THE CROCODILE TEARS YOU
TO PIECES!":GOTO3250
1930 IFNNS="TRU"ANDLC=11ANDFC<>1THENFORI=1TO6:IFN$(I)<>"HAIR PI
N"THENNEXTELSE2000
1940 IFNNS="DOO"ANDLC=15ANDMH=1PRINT"IT'S ALREADY OPENED":GOTO27
0
1950 IFNNS="TRU"ANDLC=11ANDFC=1PRINT"IT IS ALREADY OPENED":GOTO2
70
1960 PRINT"I CAN'T OPEN SUCH A THING"
1970 GOTO270
1980 MH=1
1990 GOTO210
2000 FORI=1TO10
2010 IFOB$(LC,I)<>"THENNEXTELSEOB$(LC,I)="" :FUEL CAN":FC=1:GOTO21
0
2020 REM ----- FEED -----
2030 IFNNS<>"URO"PRINT"IT IS NOT POSSIBLE TO FEED A NON-LIVING T
HING":GOTO270
2040 IFLC<>15PRINT"I CAN'T SEE A CROCODILE":GOTO270
2050 FORI=1TO6:IFN$(I)<>"DEAD FISH"THENNEXTELSE2070
2060 PRINT"YOU AREN'T CARRYING ANYTHING TO FEED IT WITH":GOTO270
2070 CK=1:IN$(I)="" :PRINT"THE CROCODILE GORGES HIMSELF ON THE FI
SH":GOTO270



```

```

2080 REM ----- KILL -----
2090 IFNNS<>"CRO"ORLC<>15PRINT"THAT ISN'T POSSIBLE":GOTO270
2100 PRINT"KILL A CROCODILE? IT RIPS YOU TO TINY SHREDS AND KNAW
S YOU TO THE BONE":GOTO3250
2110 REM ----- QUIT -----
2120 POKE16916,0
2130 POKE16419,176
2140 END
2150 REM ----- BREAK -----
2160 IFNNS<>"CHA"PRINT"I AM NOT ABLE TO DO THAT":GOTO270
2170 IFOB$(LC,I)="" :PRINT"THEN2180ELSEPRINT"I CAN'T SEE ANY CHAIR"
:GOTO270
2180 PRINT"IT SPLITS APART AND SOMETHING FALLS OUT":OB$(20,1)=""H
AIR PIN":FORI=1TO100:NEXTI:GOTO210
2190 REM ----- INVENTORY -----
2200 PRINT"YOU ARE CARRYING THE FOLLOWING :--"
2210 FOR D=1 TO 6
2220 IFN$(D)<>"THENPRINT" " ;IN$(D)
2230 NEXT D
2240 PRINT:GOTO 270
2250 REM ----- HOOK -----
2260 FORI=1TO10
2270 IFOB$(LC,I)="" :NNSTHEN2300ELSENEXT
2280 PRINT"I CAN'T SEE THAT HERE"
2290 GOTO270
2300 IFNNS<>"KEY"THENPRINT"IT IS NOT POSSIBLE TO HOOK SUCH A THI
NG":GOTO270
2310 FORD=1TO6:IFN$(D)<>"LINE"THENNEXTELSE2330
2320 PRINT"YOU HAVE NOTHING TO HOOK IT WITH":GOTO270
2330 OB$(LC,I)="" :FORI=1TO6:IFN$(I)<>"THENNEXTELSEIN$(I)="" :KEY"
:PRINT"OKAY":GOTO210
2340 PRINT"I AM CARRYING TOO MUCH":GOTO270
2350 PRINT:PRINTNNS:PRINT:GOTO270
2360 REM ----- TURN -----
2370 IFNNS<>"CAN"THENPRINT"I CANNOT TURN ONE OF THOSE":GOTO270
2380 IFLC<>4THENPRINT"I CANNOT SEE THAT HERE":GOTO270
2390 IFCN=1THENPRINT"NOTHING SEEMS TO HAPPEN":GOTO270
2400 CN=1
2410 PRINT:PRINT"OH NO! THE CANNON HAS BLOWN UP YOUR LIFEBOAT!"
2420 LF=1
2430 FORI=1TO1000
2440 NEXTI
2450 GOTO210
2460 REM ----- LISTEN -----
2470 FORI=1TO6
2480 IFLF$(INS(I),3)<>NNSTHENNEXTELSE2510
2490 PRINT"YOU AREN'T CARRYING IT"
2500 GOTO270
2510 IFNNS<>"SHE"PRINT"I CANNOT HERE A THING":GOTO270
2520 PRINT"THERE MAY BE MORE THAN ONE KEY TO SOLVING THIS ADVENT
URE"
2530 GOTO270
2540 REM ----- TIME -----
2550 PRINTTM" TURNS LEFT UNTIL IT GETS DARK"
2560 GOTO270
2570 REM ----- SCREEN SETUP -----
2580 IFLF=0AND(LC=1ORLC=4)PRINT" THERE IS A LIFEBOAT HERE."ELSEP
RINT""
2590 PRINT"VISIBLE ITEMS :--"
2600 FORD=1TO10

```

In the center ring ...



GREAT PROGRAMS DELIVERED ON DISK OR TAPE WHILE KEEPING YOUR BUDGET BALANCED!!!

Hurry, hurry! Put a little variety into your computing life! Step right up to the quality programs from **CLOAD Magazine** — and have enough money left over for cotton candy!

A subscription to **CLOAD Magazine** consists of 6 to 8 ready-to-load useful, practical, and fun programs delivered by First Class Mail every month. Some of our past performers: Loan Amortization, Menu, Ship Adventure, Bond, Cave Raider, Planets, and Shrink.

Don't clown around (another cliché!). Get a subscription to **CLOAD Magazine**. Or just catch a single act and try a back issue. You'll be dazzled by the Greatest Software Deal on Earth!

The Bottom Line:	Tape	Disk
1 year (12 issues)	\$50.00	\$95.00
6 months (6 issues)	\$30.00	\$55.00
Single Copies		
Back Issues	\$ 6.00	\$11.00
Good Games #1	\$12.00	\$23.00
Adventures #1	\$12.00	\$23.00

*In the Model III mode only!

The Fine Print:

Issues from Oct 78 available on tape. Issues from Oct 82 available on disk, also. Ask for list (Level I issues also available).

California residents add 6% to single copies.
North America — First Class postage included.
Overseas — add \$10 to subscriptions and \$1 to single copies. Sent AO rate.



MasterCard/Visa
P.O. Box 1448
Santa Barbara,
CA 93102
(805) 962-6271

102

If you have a Radio Shack Color Computer or TDP System 100 there is



with programs on tape especially tailored for your system.

P.O. Box 1087 Santa Barbara, CA 93102 805 963 1066

103


```

2610 IF OB$(LC,D)="" THEN 2620 ELSE PRINT OB$(LC,D);" ";
2620 NEXT D
2630 PRINT:PRINT:PRINT"POSSIBLE EXITS:- ";
2640 RESTORE
2650 FOR I=1 TO 29
2660 READ DT$
2670 NEXT I
2680 FOR I=1 TO LC
2690 READ KL,N,S,E,W
2700 NEXT I
2710 IF MH=0 AND LC=15 THEN S=0
2720 IF N>0 PRINT" NORTH ";
2730 IF S>0 PRINT" SOUTH ";
2740 IF E>0 PRINT" EAST ";
2750 IF W>0 PRINT" WEST ";
2760 PRINT$(384,STRINGS$(64,140))
2770 POKE 16916,7
2780 RETURN
2790 REM ----- INSTRUCTIONS -----
2800 PRINT" WELCOME TO LOST ISLAND, A MOST CHALLENGING
ADVENTURE"
2810 PRINT" WRITTEN BY TOM JOHNSTONE AND MIKE MATTHEWS. IN THIS
ADVENTURE"
2820 PRINT" YOU WILL TRAVEL THROUGH A MYSTERIOUS, ABANDONED WOR
LD WAR TWO"
2830 PRINT" NAVAL BASE ON A DESERTED TROPICAL ISLAND IN THE PACIF
IC HOPING"
2840 PRINT" TO FIND A WAY TO GET OFF THE ISLAND AND BACK HOME SAF
ELY. WHILE"
2850 PRINT" PLAYING THIS GAME YOU MAY USE VARIOUS TWO-WORD COMMAN
DS TO MOVE"
2860 PRINT" AND PERFORM ACTIONS. THESE COMMANDS MUST CONSIST OF
A VERB AND"
2870 PRINT" A NOUN ( IN THAT ORDER ). OVER FIFTY WORDS CAN BE USE
D TOGETHER"
2880 PRINT" IN ANY COMBINATION, SO IF YOU GET STUCK FOR A WORD T
RY ANOTHER"
2890 PRINT" WITH A SIMILAR MEANING. SOME WORDS WHICH CAN BE USED
ARE DROP "
2900 PRINT" GET, ENTER AND INVENTORY. IT MAY ALSO BE A GOOD IDEA
TO MAKE A"
2910 PRINT" MAP AS YOU GO ALONG. REMEMBER, YOU ONLY HAVE A LIMI
TED AMOUNT"
2920 PRINT" OF TIME BEFORE IT GETS DARK, AND ALL SORTS OF CREATUR
ES ROAM IN"
2930 PRINT" THE DARK, DON'T THEY? ( TO FIND OUT HOW MUCH TIME IS
LEFT ENTER"
2940 PRINT" THE COMMAND 'TIME' )."
2950 INPUT"
";AS
2960 REM ----- DESCRIPTIONS -----
2970 DES(1)="YOU ARE IN A MOTOR BOAT ANCHORED OFF A PACIFIC ISLA
ND.";DES(2)="YOU ARE STANDING ON A STRETCH OF DESOLATE, SANDY BE
ACH.";DES(3)="YOU ARE ON A STRETCH OF COMPLETELY DESERTED BEACH
ON AN ATOLL."
2980 DES(4)="THIS IS A LARGE AND ROTTING LANDING PLATFORM FOR LA
NGER SHIPS.";DES(5)="A GRASSED AREA STRETCHES AWAY TO EITHER SIDE
OF YOU ALONG THE SEA.";DES(6)="OH NO! YOU ARE SLOWLY SINKING

```

[illegible]

PRESS <ENTE



Predictable.

A flawless future is in sight with 3M diskettes.

When it comes to keeping track of precious data, predictable means reliable. Being able to count on every diskette, every time. At 3M, reliability is built into every diskette. We've been in the computer media business for over 30 years. And we've never settled in. We're constantly improving and perfecting our product line, from computer tape and data cartridges to floppy disks.

3M diskettes are made at 3M. That way, we have complete control over the entire manufacturing process. And you can have complete confidence in the reliability of every 3M diskette you buy.

Look in the Yellow Pages under Computer Supplies and Parts for the 3M distributor nearest you. In Canada, write 3M Canada, Inc., London, Ontario. If it's worth remembering, it's worth 3M diskettes.



3M hears you...

3M

Once More, With Feeling

by G. Michael Vose

Tandy has come a long way since the days of the Model I. Just look at the Model 4, with 64K, 4 MHz, and CP/M potential, for only \$1,999.

★★★★★

Model 4
Tandy/Radio Shack
Fort Worth, TX 76102
\$1,999

In the microcomputer game, the byword of late seems to be, "Anything you can do, I can do better." If it's not a price reduction or a smaller disk drive, it's a computer with a lower chip count.

Denser VLSI chips with low power

consumption not only bring us exciting new products like Tandy's portable Model 100, they also make possible second- and third-generation spinoffs of existing machines.

For Apple, new chip technology provided the Apple IIe earlier this year. Similar advances now bring us the TRS-80 Model 4, an improved version of the computer that started life as the Model I.

If you own a Radio Shack computer, your mailbox brought the news of this new computer in late April. You proba-

bly remember the basics—4 MHz Z80 CPU, 64K of memory expandable to 128K, and an 80-column screen display, plus a new version of TRSDOS and the prospect of CP/M. Now it's time to find out what all the hoopla is about.

A Wolf in Sheep's Clothing

The Model 4 comes in three standard configurations: a 16K cassette-based system selling for \$999, a 64K one-drive system without an RS-232 communications port for \$1,699, and a 64K two-drive system with RS-232 port for \$1,999. All this is packaged in a textured, off-white cabinet similar to that on the Model III.

Like the Apple IIe, however, it's what's inside that makes the Model 4 different. Using advances in chip design and packaging, Radio Shack reduced the number of components required to build the Model 4's circuits.

This component reduction provides increased computing power *and* lower cost. Radio Shack passed these savings along to consumers and simultaneously beefed up the Model 4 with additional features in a machine priced less than a 1982 Model III.

For example, using new video circuitry, the Model 4 provides an 80-column by 24-line high-resolution video display of excellent quality. An on-board speaker generates sound, and a reworked keyboard is easier to use.

I'll examine these features in detail below and tell you how Radio Shack put it all together. I think the Model 4's new hardware makes this machine as powerful as any Z80 computer available today, particularly at its price.

With computers, however, "hardware doth not a workable solution make," as the Bard might have quipped. The \$64,000 question is always, "What




Photo 1. The Model 4. (All photographs in this article by Jeff DeTray.)



My wonderful upgrade offer:
If you bought my accounting software a while back,
it's good news.
If you didn't, it's a good reason to buy it now.

You're probably growing. My software keeps growing too.

I've tinkered with it right along, improving it constantly. My accounting systems now work for CP/M, TRSDOS and MS/DOS (the IBM PC). It's a natural outgrowth of my support. Talk to a few thousand users on the phone, and you get a few new ideas.

Early on, I resolved that none of my customers would suffer if they bought a system before I improved it. So I've made this offer ever since I started over four years ago:

No matter when you bought, I'll upgrade any of my accounting systems to its latest capability on the same machine for \$25. If you've upgraded your machine, I'll give you a replacement system for either \$25 or the difference between what you paid for your software originally and the price of the new

software. If you've gone from a TRS-80 Model I to a Model II/16 or an IBM PC, say, you get a full credit for whatever you paid me for your Model I systems. Just send me your old disks and I'll send you the new ones.

It's this simple. If you ever buy any of my software, you'll never lose your investment.

I wish the whole world were that simple.

Taranto
 & ASSOCIATES, INC.

✓70

Model I, Model III and Model 4 systems: Accounts Payable, Accounts Receivable, General Ledger, Inventory Control, Invoicing, Payroll.

Model II, Model II/12/16, CP/M and IBM PC systems: General Ledger, Accounts Payable/Purchase Order, Accounts Receivable (Open Item or Balance Forward), Payroll/Job Costing, Inventory Control.

Post Office Box 6216, 121 Paul Drive, San Rafael CA 94903. Outside California, toll free (800) 227-2868. In California, (415) 472-2670.

Instant Assembler

New Version!

The **Instant Assembler** is a powerful assembly language development system for the TRS-80, and our new version is better than ever. If you are already an assembly language programmer, its unique design will greatly increase your productivity. If you're just getting started, there is no better assembler to help you learn machine language programming. Our new version includes the following features:

- Immediate assembly which detects syntax errors as source is entered.
- Compact source format that allows you to write programs nearly three times as large as other assemblers in the same amount of memory.
- Produces relocatable code modules that can be saved on disk or tape and linked together in memory for large or modular assemblies.
- Assembles to disk, tape, or directly to memory for immediate debugging with the built-in debugger.
- The built-in debugger will step through your programs one instruction at a time, showing each disassembled instruction and its effect on the registers and memory.
- The debugger can use the symbols in your source code when stepping or disassembling.
- Input and output of conventional source or condensed INTASM source.
- Assembly and disassembly of undocumented Z-80 instructions.
- Comprehensive 65 page instruction manual with many examples.

The **Instant Assembler** package includes six separate programs. The assembler itself includes the editor and built-in debugger. The **Linking Loader** is included in several versions for different memory sizes. A stand-alone version of the debugger (**MicroMind**) is also included. **MicroMind** can be relocated in memory and has commands to single-step, set breakpoints, display or alter registers or memory, find bytes or words, disassemble to screen or printer, convert between hex and decimal numbers, and write SYSTEM tapes.

INTASM 2.1 is \$39.95 for the tape version and \$49.95 for disk (specify Model I or Model III). The instruction manual only is \$5, refundable with purchase of the program. Include \$2 postage, and California residents add 6% sales tax. VISA, MASTERCARD, and COD orders are accepted. Satisfaction is guaranteed or a full refund will be made.

✓ 55

MUMFORD MICRO SYSTEMS
Box 400-A, Summerland, CA 93067
(805) 969-4557

Quality software since 1978.

software will it run?" Let's first look at the Model 4 from the software angle.

The Software

Earlier, Radio Shack tried to maintain software compatibility between the Model I and III; they followed this tradition with the Model 4. The machine has a Model III mode—much like the

*"...you can run
virtually any
Radio Shack software
that runs
on a Model III..."*

Model 16 has a Model II mode—so it runs Model III software.

In the Model III mode, however, you only get a 64 by 16 display and 2 MHz CPU operation, and you can only use a Model III operating system and Basic. It's a bit like putting a Volkswagen engine in a Cadillac.

In this Model III mode, you can run virtually any Radio Shack software that runs on a Model III—including Model I software that runs on a Model III. Model III software manufactured by companies other than Radio Shack might *not* run on the Model 4, however.

For example, certain game programs that feature special loaders (designed to foil attempts to copy the disks the games are shipped on) might fool the Model 4's bootstrap loader, since this loader is different from the Model III's; these programs can't be loaded so they can't be run in either mode.

Some people will be uncomfortable with the Model 4 in Model III mode because the video display looks slightly squashed. The letters appear to have the same width as they do on a Model III screen, but they look more squat. The Model 4's characters in Model III mode actually have better resolution than the characters on a Model III screen but they take a while to get used to.

What software does the Model 4 run as a Model 4? For the time being, the only Model 4 software available is an operating system, TRSDOS 6.0, and the latest version of Microsoft Basic, version 5.0. In the next few months, Radio Shack is expected to announce SuperScript, VisiCalc, and other applications packages for the Model 4.

At the official debut of the Model 4—the general meeting of the prestigious Boston Computer Society on

April 27, chosen partly to commemorate the 20th anniversary of Tandy's acquisition of Radio Shack—Jon Shirley claimed that "lots of software never offered for the Model III will be available for the Model 4, taking advantage of its 80-column display and 128K memory."

The biggest news is that CP/M 3.0 will be available for the Model 4 in mid-summer, opening up another dimension of software possibilities from WordStar to Supercalc, dBASEII to PerfectWriter. You can expect to see dozens of ads from companies selling CP/M software converted to the Model 4's disk format in these pages in the near future.

While there have been no official announcements, you can also expect the Model 4 to support the UCSD p-system, along with several good Pascal compilers. Eventually, you might be able to run C and Ada compilers on the Model 4.

A New Version of Basic

For now, however, you must be content with TRSDOS 6.0 and Basic. This certainly poses no limitation as both these software constructs are as powerful as any Radio Shack has ever offered.

Microsoft Basic 5.0 (identified on the Model 4 screen as "BASIC 01.00.00 for TRSDOS Version 6" and in the manual as "TRSDOS 6 Basic") is the same Basic that runs on the IBM Personal Computer, the NEC PC8000, the Victor 9000, and several other major microcomputers.

This version of Basic supports all Level II Basic commands except CSAVE, CLOAD, Clock, CMD, POSn, Rename, and Verify. The Model 4 does not support cassette-based operations from Basic.

Basic 5.0 adds these new keywords: Chain, Common, ERR\$, OCT\$, Option Base, RENUM, Row, SPACE\$, SPC, Swap, Wait, While...Wend, and WRITE#. Table 1 summarizes the functions of these new keywords.

There are some significant differences in the new Basic and Level II Basic. One that takes some getting used to is the new Basic's requirement that all reserved words be delimited by spaces. You cannot write `FORX=1TO10`, for example, or `DEFUSR`. Instead, you must write `FOR X=1 TO 10` and `DEF USR`.

This is no small task when you start converting Level II Basic programs to run on the Model 4. Since you can copy Level II programs onto Model 4 disks and subsequently load them into TRSDOS 6.0 Basic, you will have to convert programs before you run them.

A feature of TRSDOS 6.0 Basic that

is easy to get used to is its ability to use variable names of up to 40 characters in length—with all 40 characters significant. This lets you use descriptive variable names, including multiple word names like *first.counter*. Meaningful variable names enhance program readability.

TRSDOS 6.0 Basic rounds numbers rather than truncates them in converting real numbers to integers. Since the Model 4 uses an 80-column display, its internal print zones are 20 spaces apart rather than the 16 spaces in the Model I and III. As discussed under hardware, the Model 4 is a RAM-based machine, so there are no ROM routines to access from Basic.

TRSDOS 6.0 Basic dynamically allocates string space, making Clear statements unnecessary. Division-by-zero errors are not fatal and Then is optional in If...Then...Else statements.

These features make TRSDOS 6.0 Basic a more powerful language, but there are a few "gotcha's."

The first gotcha is the amount of memory available for Basic programs. With the operating system and the entire Basic interpreter residing in user memory, only 29,424 bytes of program space are available. The Model III, with

much of the interpreter in ROM, gives you 38,202.

Second, with spaces necessary to delimit key words and with long variable names possible, TRSDOS 6.0 Basic programs eat up memory more quickly.

Conspicuous by its absence in TRSDOS 6.0 Basic are the key words Sound and Play, used by other computers to access the machine's sound capability. In fact, the Model 4 manual says very little about the unit's sound capability.

TRSDOS 6.0

The Model 4 operating system is called TRSDOS 6.0, and is an upgrade of Logical Systems Inc.'s LDOS 5.x.x. It was christened version number 6.0 to distinguish it from previous versions of TRSDOS and from previous versions of LDOS.

LDOS has been reviewed extensively in these pages; it is a powerful operating system offering job control language, device control, software filters, and numerous utilities. I call LDOS a programmer's operating system, due both to its power *and* (another gotcha) its complexity.

The main criticism I'll level at Radio Shack regarding the Model 4 is this

operating system—not because it lacks power, but because it is hard to use.

I've used LDOS extensively and know my way around it pretty well. I've also used DOSPLUS and MULTIDOS extensively, in addition to TRSDOS 2.x and 1.x. Of all these operating systems, LDOS is the most difficult to use. TRSDOS 6.0, unfortunately, features all of LDOS's obscurity.

For experienced computerists or semiprofessional and professional programmers writing applications software for the Model 4, LDOS presents no problems. But many newcomers to computing, buying a Model 4 as their first machine, might find TRSDOS 6.0 a difficult introduction.


Radio Shack would better serve the vast new audience the Model 4 will attract (since it can double as a CP/M computer) by writing a shell to insulate the average user from the operating system. This shell could present a menu offering major choices such as formatting and backing up a disk, loading a program, copying a program, and exiting to the operating system. Such a shell could make operating system blues a thing of the past.

Part of the problem with LDOS and TRSDOS 6.0 is the documentation.

BODEX CORP.

224 East Main St. Marlboro Mass.

Phone 1 617 485 5115
or 481 1027



MODEL 4 \$1629⁰⁰

64K 2 Disk RS232

Model 4 Upgrade Kit. Converts TRS-80 Model III computers (except for cabinet and disk drives). Includes new keyboard, 64K RAM, sound, TRSDOS and Disk BASIC. #26-1123, \$699⁰⁰

PRINTERS:


24K Model 100	\$799
Model 12 80K 2 Drive	3250
Model 16 128 K 2 Drive	4699
Color Computer	Call
Modem I D.C.	125
Modem II D.C.	195
Modem D.C.-1200	599

DMP-100	\$299
DMP-200	590
DMP-400	999
DMP-500	1499
Microline 80	315
Microline 82A	395
Microline 92	499
Microline 93	855
P.C. Plotter Printer	199
GEMINI 10	320
GEMINI 15	450

Prices subject to change without notice.
Not responsible for typographic errors.

• TRS-80 is a trademark of Tandy Corporation.

Control Cash & Inventory at Check-out



NEW SYSTEM MAKES TRS-80 III A TOTAL CASH REGISTER & POINT-OF-SALE COMPUTER

Which performs all the normal functions of a computer and is specially programmed to....

- **COMPUTE** Sales Taxes, Discounts, Special Sales and Promotions
- **TRACKS** Sales by Type, such as Visa, Mastercard, Check, Charge, etc. and by Employee/Operator for up to 30 people
- **SELF-PROMPTING** to Cashiers
- Produces Audit Trails and **ACCOUNTING DATA** for entire operation
- **CONTROLS** up to 20,000 **INVENTORY** LINE ITEMS on our Hard Disk Drive
- **CONTROLS** up to 1,500 **INVENTORY** LINE ITEMS on your Floppy Drive
- Complete, Ready-to-Run **SOFTWARE** comes with Cash Control Drawer Unit
- **AUDIBLE SIGNAL** produced when any key is depressed by any operator
- **DRAWER** operates automatically or by manual override anytime
- Generates **RECEIPTS** on Printer
- Available to display in English, French, Spanish, or German Languages
- Operates on 110AC or 220AC...just plug it in
- **NO INTERFERENCE** with or modification of regular TRS-80 Mod III...plugs right into computer

FREE Specifications and Data Package or order complete Operating manual for \$15 from

ICR/FutureSoft
Box 1446 - Orange Park, Florida 32073
(904) 269-1918 for technical assistance
and Dealer Information

Integrated Cash Register Systems from as low as \$449.

ICR-FutureSoft →

Software of Tomorrow Today 211

While the manual is well organized and reasonably well-written, it seldom tells you all you need to know to accomplish a task.

For example, TRSDOS 6.0 comes with a filter file called CLICK/FLT. This software filter is used to produce an audible click when you strike the Model 4's keys. To engage the filter, you must set the keyboard.

In Appendix A, where you are directed by looking in the index for the entry CLICK/FLT, the manual offers this syntax for engaging the filter:

```
SET devspec CLICK/FLT
FILTER *KI devspec
```

The accompanying text states, "In order to use the click filter, you must SET it to this filter program, and activate it with the FILTER command." If you follow these instructions an error message appears stating that the device (the keyboard) is already set.

A lot of additional reading indicates that you must first set the physical device equal to a phantom device before you activate the filter. The information is there, but *not in one place*, a drawback typical of the manual.

When you're working with a complex program, it's impossible to provide concise instructions. But I believe that it can be done more effectively than it has been with the Model 4 TRSDOS manual.

(By the way, here is the syntax needed for the CLICK/FLT filter:

```
SET *PD TO CLICK/FLT
FILTER *KI *PD
```

This sequence sets a phantom device (PD) to the filter file and then filters the keyboard through the phantom device, which in turn invokes the filter file. All this to make your keys click!)

In spite of its complexity and inadequate documentation, TRSDOS 6.0 is the best operating system offered by Radio Shack for one of its computers (Xenix and CP/M 3.0 were not available for inspection at this writing).

Of major importance is the conversion (CONV) utility, which lets you copy files from TRSDOS 1.2- and 1.3-formatted disks to TRSDOS 6.0. Therefore, Model III owners who buy the Model 4 upgrade kit (see Hardware, below) can easily convert Basic programs to the Model 4, as can anyone with Model III programs on disk.

The only Model III disk the Model 4 won't copy is a copy-protected Scripsit or VisiCalc disk, or a disk with a non-standard format.

You can even convert machine-language programs. But they might not run on the Model 4 (remember, there are no ROM routines). I immediately copied Scripsit and VisiCalc from an LDOS 5.1 disk to a TRSDOS 6.0 disk (TRSDOS 6.0 reads LDOS disks without the need for CONV) only to discover that the programs did not execute in the Model 4 environment.

Another major utility is the communications (COMM) program, a terminal program that lets you use your Model 4 to talk to other computers via the RS-232 communications line. COMM even allows you to obtain information from another computer and send it directly to a printer attached to your machine.

Two other interesting utilities are the TAPE100/CMD file, which allows the Model 4 to read Model 100 tapes, and the MEMDISK/DCT file, which allows a disk drive to be simulated in RAM if you have a full 128K. (80 Micro will present separate articles about these capabilities of the Model 4 in upcoming issues.)


TRSDOS 6.0 supports hard-disk

Chain	Chains one program to another and initiates a run of the last program chained.
Common	Reserves space for variables so they can be passed to a chained program.
ERRS	Returns a system error number and message.
OCTS	Converts a decimal number to octal.
Option Base	Resets the minimum value for an array subscript.
RENUM	Renumbers a program.
Row	Returns the row position of the cursor.
SPACES	Prints a string with zero-255 spaces.
SPC	Prints a line with between zero-255 spaces.
Swap	Exchanges the values of two variables.
Wait	Suspends program execution until an input/output port receives a value.
While...Wend	Executes a loop as long as the entry condition is true.
WRITE#	Writes data to a sequential-access disk file (replaces PRINT#).


Table 1. New TRSDOS 6.0 Basic keywords

EXTRAORDINARY VALUES


\$449.
DISK III KIT
W/DRIVE



\$559.
SMITH CORONA
TP I



\$995.
HARD DISK III
5MEG



DISK III for MOD III

Disk III kit dual drives **\$699.00**

Disk III kit no drives **\$299.95**

External Floppies
(Model I/Model III) **\$229.00**

80 track or 2 sided **\$319.00**

80 track and 2 sided **\$459.00**

Power supply & enclosure only **\$54.59**

MODEL III COMMUNICATIONS VR-RS232

Direct Replacement For R.S.

RS232, Fully Tested &
Burned-in, Easy Installation.

120 Day Warranty, Programmable Pinout,
Prototype Area

\$80.

SPECIAL BUYS ON C.O.D. & PREPAID MAIL ORDERS ONLY:

C. Itoh Prowriter Par	\$489.00	Paper 14 7/8 x 11 (green bar)	\$39.95	D.C. Hayes Smartmodem	
C. Itoh Prowriter Serial	599.00	Printer cables	25.00	1200	\$569.00
C. Itoh F10-40CPS	1395.00	Okidata Microline 82A	429.00	Amdek 12" Green Monitor	
C. Itoh F10-40CPS Serial	1395.00	Okidata Microline 83A	699.00	(Apple)	149.00
C. Itoh Tractor	225.00	Okidata Tractor	55.00	Amdek 13" Color Low Res	369.00
MX-80 Ribbons	9.95	Percom Doubler II	169.00	Amdek 12" Green Monitor	
MX-100 Ribbons	19.95	Percom Data Separator	29.95	(IBM)	189.00
C. Itoh & Diablo Ribbons	7.50	DOS-plus Operating System	149.00	Anchor Signalman Modem	149.00
Nec Ribbons (min. 6)	4.95 (ea.)	Verbatim 525-01	26.90	Xedex Baby Blue CP/M Card	529.00
Epson Grafrax	75.00	D.C. Hayes Micro Modem II	529.00	Internal TM100-2 Drives	365.00
Paper 9 1/2 x 11 (fanfold)	29.95	D.C. Hayes Smartmodem 300	229.00	TRSDOS & Manual	21.90
				LNW research (full line)	CALL

VRdata

If You Don't See It Advertised
Call Us & Ask For It.

777 Henderson Boulevard N-6
Folcroft, PA 19032 (215) 461-5300



Call Toll-Free
800-345-8102

Published prices reflect cash discount. All prices
are subject to change without notice. TRS-80 and
TRSDOS are trademarks of Tandy Corp. DISK III
is a trademark of VR Data Corp.
8:30AM-7PM E.S.T. Mon.-Fri., Sat. 10AM-3PM
CABLE "VRDATA" TELEX 845-124




Photo 2. The Model 4's Keyboard.

operation, although the Model 4 manual contains virtually no information about this. The occasional reference to hard disks refers the reader to the Radio Shack hard-disk manual for information.

The Hardware

Now that you have an idea of what

the Model 4 can and cannot do from a software standpoint, let's look inside the cabinet to discover what hardware goodies make up this affordable new machine.

But before we go inside, let's look at the outside. The primary difference is a new paint job and a modified keyboard. There isn't much to say about the paint—it's off-white—but the keyboard has some nice new keys (see Photo 2).

The first thing you notice is that where the Model III has three white keys, the Model 4 has 15. In addition to the enter keys, the four cursor control

keys, the shift keys, and the break and clear keys are white. Also white are five new keys—control, caps, and three function keys (labelled F1, F2, and F3).

Besides the keyboard and cabinet color, you'll find that only the nameplate and the RAM-size emblem differ from those on the Model III.

The Model 4 uses the same disk drives as the Model III—single-sided, double-density drives with 160K capacity—and supports a maximum of four drives.

Disk operation is a bit different with the Model 4. A small, on-board ROM turns on the disk drive when you first turn on or reset the machine. This ROM reads the first track on the disk in drive zero and determines whether the disk is a Model III or Model 4 (or, ultimately, a CP/M) disk.

If the disk is for a Model III, a hardware multiplexer switches out the first 16K of RAM and switches in 14K of ROM, plus 2K of system RAM, and emulates a Model III. When a Model 4 (or CP/M) disk is decoded, the full 64K of RAM is used and the entire operating system loads into RAM from the disk.

The CPU Board

The main reason for the Model 4's increased processing power and lower cost is a lower chip count. Overall, the 64K Model 4, with 84 chips, has 23 fewer chips than a 48K Model III (with 107 chips).

The Model 4 uses NEC 64K x 1 dy-

PEL-TEK Announces EXTRAORDINARY VALUES for the TRS-80 MOD I/III

Pel-Tek's Word Machine Version 2.0

A full featured line oriented word processor in machine language... now better than ever with these features:

- Block graphics (for printers that support it)
- Embedded printer controls
- Help screen
- Lower case support for unmodified Mod I's
- Variable margins, line length, page length, line spacing
- Access to D.O.S. with warm start re-entry
- Scroll up/down text
- Save/load disk files
- Insert/delete characters/lines
- String search
- Printer independent
- Simplified commands
- Twenty-four page typeset manual with command summary sheet (Manual FREE with S.A.S.E.)

Easy to learn, easier to use, now compatible with Aspen's RANDOM HOUSE proof reader.

for Mod I/III 32/48K Disk. **\$20.00**

The Random House Proof Reader

From Aspen Software, the best price/performance spelling checker on the market today. Based on the Random House Dictionary:

- Shows spelling errors in context
- Allows immediate correction
- Add or delete words from dictionary
- 32,000 word dictionary

Suitable for use with Pel-Tek's word machine or other TRS-80 Mod I/III Word Processors.

for Mod I/III 32/48K Disk **\$50.00**

SAVE \$10.00!! Order Pel-Tek's Word Machine and the Random House Proof Reader together for one low price, only. **\$60.00**

PEL-TEK

P.O. Box 1026 • Southampton, PA 18966
TOLL FREE ORDER LINE 800-523-2445
In Pennsylvania Call (215) 947-2334

- Check or Money Order • Visa, MasterCard accepted
- Add \$2.00 per order for postage and handling
- PA residents add 6% sales tax

Semi-Custom Logic Circuits

The Model 4 makes use of new, VLSI (very large-scale integration—over 1,000 transistors on a chip) semi-custom logic chips. These chips are also called programmable gate array logic chips.

Essentially, a semi-custom logic chip contains a large number of standard circuits, called gates, for hardware implementation of Boolean logic functions—ANDs, ORs, NORs, and NANDs. These circuits are not connected to each other until the chip is programmed, a process similar to encoding ROM chips.

A gate is simply a circuit with two or more inputs and one output. A gate array is a geometric pattern of gates that can be combined during manufacture (or when programmed, as in the newest generation of pro-

grammable gate arrays) to perform a complex function.

The logic circuits on the chip are combined to produce multiplexing circuits, flip-flops, address decoding circuits, bus control logic, and the like. Once the design of the circuits is fixed, many chips (in Tandy's case, hundreds of thousands) are programmed.

Semi-custom chips have several advantages. Because they are already fabricated, economies of scale keep their cost down. They allow circuit designers to build boards with empty sockets while all the other circuits on the board are built—the designer can design around this "hole" and come back later to install the customized IC once the overall design is complete. ■

—GMV

Ammicro introduces the first letter quality printer for \$680 that can also be used as a typewriter.



The MICROWRITER™ Daisy wheel printer.

There was a need for a low cost letter quality machine that would be suitable for use as an office typewriter, and as a computer printer. Ammicro met that need by combining the Microwriter parallel interface and the traditional Olivetti craftsmanship that was available in their Praxis machine.

With the Microwriter you can have the best of both worlds a letter quality printer, and a high quality office typewriter all in one machine, that sells for less than the cost of a good dot matrix printer!

It's not just printer or a typewriter that comes complete with a deluxe carrying case, but a feature-packed, lightweight machine that doubles as an office typewriter. This printer is a simple, low cost, reliable unit which can be utilized with word processing systems, microcomputers, personal computers, and small business systems. The Microwriter's low noise level and slim modern styling allow it to blend with any decor.

The Microwriter's print quality is identical to the finest office typewriters on the market. This machine is not only perfect for letters and manuscripts, but with its 165 character, 12 inch print width, the machine is perfect for letter quality budget spread sheets, price lists, data sheets, and forms.

The Microwriter can tab, rule single lines both vertical and horizontally, underline and print at 10, 12, or 15 characters per inch (switch selectable)! Its ten character memory for automatic error correction, lift off correction ribbon, and fixed or programmable page formats are a few of the many features that make it a perfect office typewriter. Microwriter not only handles letter and legal size sheet paper in widths up to 12 inches wide, but also handles fanfold paper.

There's a wide selection of 21 interchangeable daisy wheels available. And ribbon cassettes that just drop in.

Its operation as a computer printer is simple. Just load it up with paper and you are ready to go. Centronics compatible parallel output cables are currently available from stock for the following computers: IBM PERSONAL COMPUTER™, OSBORNE 1™, ZENITH Z-100™, BURROUGHS B-20™, Convergent Technologies models IWS & AWS™, TRS-80 MODEL I, II, III™, APPLE II™. . . custom cables also available by special order.

This machine creates a new standard by which all current low cost letter quality printers will follow. Ammicro's Microwriter is truly designed for the lifestyles of the 80's and for decades to come.

Why settle for just any printer when you can have a MICROWRITER. . . a fine letter quality typewriter for you and your computer.

The Microwriter is the only daisy wheel printer on the market for \$680. For more information, see your local computer dealer or contact Ammicro directly.

Ammicro™ corp
122 East 42 Street, Suite 1700, New York, N.Y. 10168
(212) 254-3030

258



MICROWRITER is a trademark of Ammicro Corporation. PRAXIS 30 is a trademark of Olivetti.




Photo 3. Model III CPU Board.

dynamic RAM chips rated at 100 nanoseconds versus the Model III's 16K x 1's. This alone reduces the chip count for 64K from 24 to eight chips.

Much of the bus control logic circuitry and address decoding circuitry is consolidated onto programmable gate array logic chips (see accompanying box), further reducing the chip count.

Finally, the video control circuitry is replaced by a custom video chip to reduce the chip count even further, while providing better resolution plus two character sets—one for the 64 by 16 (Model III mode) display, the other for the 80 by 24 or 40 by 24 display.

The microprocessor is the workhorse Z80A running at a fast 4 MHz. The increased speed of the processor accommodates the extra decoding hardware and software necessary to bank-select an extra 64K of RAM. (It'll also sort your mailing list faster.)

The Model 4's power supply is consolidated onto one board, replacing the two-board power supply in the Model III, giving the machine a much cleaner look (see Photos 3 and 4). The disk drive housing is better shielded than the Model III's.

The Model 4 I reviewed carried the serial number 0026691 (the model number is 26-1069). This machine's CPU board has a substantial number of reworked and rewired circuits; in fact, one IC has a pin bent up away from the socket it normally occupies and an attached wire leading to another circuit.

It thus appears that some early models were altered in the latter stages of production. (An American folk tale says never buy a new model car until

they've made a few thousand; does this wisdom apply to computers, too?)

The Model 4 video display offers substantially higher resolution than the Model III. It looks like the Model II/12/16 display, with the same 80-column character set. Preproduction rumors claimed the Model 4's display would be green—they were wrong; it's white-on-black. The display does support reverse video, however, and a high-resolution graphics board is offered as a \$249.95 option.

Model III owners can upgrade their machine to a Model 4 for \$799. The upgrade includes a new CPU board and keyboard installed in your existing Model III cabinet (installation charges

are extra). A Model 4 upgrade also provides the new operating system and Basic.

The 64K memory expansion for the Model 4 costs \$149. The CPU board has eight empty sockets for the extra chips needed for this upgrade.

The 50-pin expansion bus on the Model 4 is identical to that of the Model III, as is the RS-232 circuitry.

Little information is available at this time about the machine's sound capability. As mentioned previously, Basic does not offer any sound commands (in spite of advertising claims) and the only sound I generated in my review was a faint clicking noise from a tiny speaker under the keyboard. *80 Micro* will hasten to uncover more about this mysterious sound facility.

Evaluation

My opinion of the Model 4 is positive. With the exception of the new Osborne Executive and one or two other portable computers, the Model 4 is the least expensive Z80 machine on the market today.

With CP/M and TRSDOS capability, it has the potential to address a massive market. A big market means outstanding software support, new peripherals, and hundreds of great articles in *80 Micro* about a powerful machine.

The recent shift by Tandy away from proprietary system software bodes well for the future of the TRS-80 line. If you're like me, you'll applaud this trend and look forward to other new computer products both from Radio Shack and the companies that support the TRS-80s. ■




Photo 4. Model 4 CPU Board.

THE CUTTING EDGE

THE CONCEPT

A series of computer games in which players become characters of their own design, characters who must grow in skill and wisdom to survive the challenges presented them. Characters developed in the simpler of the games would be transferrable to the more difficult as their abilities increase. Rather than offering one fixed goal in one set maze, the software would have to contain thousands of potential goals and thousands of possible pitfalls, for thousands of hours of amusement. The concept, in short, was for the creation of a series of games unlike any available in the microcomputer market.

THE GAMES

demanded by such a concept would be unlike common software. They would require machine-language speed, and dungeon-master complexity. Graphics would have to be an integral part of the adventure, rather than pretty but static pictures with no real-time connection to action. They would have both a game-save and character-save feature. And, on whatever machine they were implemented, the software would have to have the same great graphics, the same speed of command interpretation, the same complexity and mind-bending challenge.

A stiff challenge. But ScreenPlay™ found an author up to it.

THE SERIES

Called The Warrior of RAS. The programs in the series are **DUNZHIN**, **WYLDE**, **KAIV** and **ZIGGURAT**. **DUNZHIN** is the simplest of the series, and gives the beginning warrior a chance to learn the techniques necessary for success in the others. **DUNZHIN** is set in a massive dungeon. **WYLDE** takes place in a trackless wilderness. Subterranean adventures are presented in **KAIV**, and **ZIGGURAT** takes place in a giant pyramid, with an adventure so complex and challenging even the author wonders if he can ever complete it.

The Warrior of RAS series. From Randall Don Masteller and ScreenPlay™.

The choice is simple. You can play the Warrior of RAS games, or something not quite as good.

DUNZHIN	\$29.95
KAIV	\$29.95
WYLDE	\$29.95
ZIGGURAT	\$29.95

Available in cassette versions for Atari 400/800, Radio Shack Model I/III, and Commodore 64.

Available in diskette versions for Atari 400/800, Radio Shack Model I/III, Apple II+ /IIe, IBM Personal Computer, and Commodore 64.

All versions require 48K.

THE AUTHOR


Randall Don Masteller. Well-known within the close-knit fraternity of non-computer fantasy role-players, Masteller combines years of professional programming experience with an awe-inspiring imagination and dedication to fantasy gaming. No other fantasy role-playing game author has skills comparable to Masteller's. And Masteller's software demonstrates that skill.

Only From ScreenPlay.

ScreenPlay™

A Division of Intelligent Statements, Inc.
P.O. Box 3558, Chapel Hill, NC 27514

At dealers everywhere
or call 1-800-334-5470



by Richard Ugum

You're a slimy rat. And you're stuck—in a 3-D Color Computer maze straight out of the twilight zone. Escape if you can!

Have you ever wondered what it's like to be a laboratory rat? Consuming mass quantities of cancer-causing food and drink, being injected, dissected, and molested? And those crazy mazes!

This Color Computer game simulates the life of an experimental rat. It gives you a rat's-eye view of a maze you must

successfully negotiate. The game is based on a two-dimensional maze, but gives you a three-dimensional view as you travel through it.

The Maze

The maze comprises a 20- by 20-element array (DIM A(20,20)) of

ones and zeros. The ones represent the walls, the zeros corridors. The maze's starting location is the value two, and the exit is the value three. The walls form the boundaries and cannot be traversed.

The screen display is divided in half to create the rat's-eye view. Each half is divided into three ranges: the current location of the rat and the two locations immediately in front of the rat.

There are four possible corridor combinations for each area on each side of the screen. For example, at range zero (the rat's current coordinates), the following combinations of corridors and walls exist for the left side of the screen:

- corridor to the left, corridor to the front.
- corridor to the left, wall to the front.
- wall to the left, corridor to the front.
- wall to the left, wall to the front.

This scheme produces 24 combinations that have to be checked to print the entire screen. The program keeps track of your direction and accordingly

A(20,20)	array that holds the maze
X,Y	the current coordinates of the rat
XS,YS	the starting coordinates of the maze
XE,YE	the exit coordinates of the maze
XT,YT	temporary coordinates for the rat's position
XF,YF	position immediately in front of the temporary rat position
XR,YR	position immediately right of the temporary rat position
XL,YL	position immediately left of the temporary rat position
XA,YA	values used to increment the range of view
F	value of array in front of rat ($F = A(XF,YF)$)
L	value of array to the left of the rat
R	value of array to the right of the rat
D	direction the rat is facing
A\$	command input variable

Table 1. Variables List

The Key Box

Color Computer
32K RAM
Extended Color Basic

VIDEO INSTRUCTION TAPES!

HOW MANY HOURS HAVE YOU SPENT READING DOCUMENTATION?

LYNN Computer Service presents a new concept for computer users — The Video Instruction Series. A "REAL TIME" learning aid where the user is shown step by step how to use complicated operating systems and programs. Your VCR, used side by side with your computer, serves as your personal tutor.

**PICTURES ARE WORTH
THOUSANDS OF WORDS AND SAVE
HOURS OF FRUSTRATION**

VIDEO INSTRUCTION SERIES TOPICS:

TRSDOS 1.3 MOD III
TRSDOS 6.0 MOD 4
NEWDOS 80v2.0
LDOS
DOS PLUS 3.5
MULTIDOS

VISICALC
LAZY WRITER
SUPER SCRIPSIT
SCRIPSIT
PROFILE III PLUS

VHS or BETA FORMAT

ONLY **\$39⁹⁵** EACH TAPE

MASTERCARD — VISA and C.O.D. Orders accepted add \$3.00 per order for shipping and handling. Telephone orders taken 9:00 a.m. - 6:00 p.m. Central Time.

Specify either VHS or BETA Tape Format

C.O.D. Orders add \$3.00

TO ORDER PHONE
OR WRITE




LYNN COMPUTER SERVICE

6831 West 157th Street Tinley Park, Illinois 60477

(312) 429-1915

THE OLD HARD WAY



THE NEW EASY WAY

Lazy Writer Word Processor AND Video Instruction Tape, a SIMPLE to use WP program POWERFUL enough to design this AD. With documentation and registration card. MOD I, III & 4

ONLY **\$150.⁰⁰**

Learn to PROGRAM! Level II BASIC for the Model I or III computers. Step by step tutorial lessons on video cassette ...

ONLY **\$49⁹⁵**

Newdos 80 disk operating system AND video instruction tape, a powerful DOS for the TRS 80 model I or III computers. With documentation and registration card ...

ONLY **\$150.⁰⁰**

Table 2 continued

1180-1200	Left closed, front open.
1210-1260	Left closed, front closed.
1270-1320	Right open, front open.
1330-1350	Right open, front closed.
1360-1380	Right closed, front open.
1390-1440	Right closed, front closed.
1450-1490	Check for termination of view at wall. If no termination then extend range forward one. Redetermine L, R, and F.
1500-1560	Left open, front open.
1570-1600	Left open, front closed.
1610-1630	Left closed, front open.
1640-1690	Left closed, front closed.
1700-1760	Right open, front open.
1770-1800	Right open, front closed.
1810-1830	Right closed, front open.
1840-1890	Right closed, front closed.
1900-1940	Check for termination of view at wall. If no termination then extend range forward one. Redetermine L, R, and F.
1950-2010	Left open, front open.
2020-2050	Left open, front closed.
2060-2080	Left closed, front open.
2090-2140	Left closed, front closed.
2150-2210	Right open, front open.
2220-2250	Right open, front closed.
2260-2280	Right closed, front open.
2290-2350	Right closed, front closed. End of routine.
2360-2390	This routine prints the letter "N".
2400-2450	This routine prints the letter "S".
2460-2500	This routine prints the letter "E".
2510-2550	This routine prints the letter "W".

causes problems.

The line commands in the program (see Table 2) draw the maze so that the line-end coordinates are obvious for converting this program to other machines. Try converting the program to draw commands; it requires some extra effort, but it might make the program execute faster.

Version Two

The object of the second version of Rat Maze is similar to the first, but the maze is smaller and the rat slower. In addition, an invisible exit is included in the maze at a randomly chosen juncture. A tone increases in pitch as the rat nears this exit.

The most significant change, however, is the addition of five rat-eating cats to the maze. The cats, represented by circles, try to corner the rat. Three of the cats produce increasingly shrill noises as they get near the rat. The other two cats are silent. If you try to avoid the cats, you'll never find the exit.

Use POKE 65495,0 to make this version playable. ■

Write to Richard Uglum at 1117A E. Potter Ave., Milwaukee, WI 53207.



PIK'EM

1983

67%

ACCURATE

AGAINST POINTSPREAD
1982 SEASON
INCLUDING
AN OUTSTANDING
13 OF 15
PLAY-OFF GAMES

ORDERS CALL COLLECT
PHONE LINES OPEN 24 HOURS



C.O.D.



NAME _____
ADDRESS _____
CITY _____ ST _____ ZIP _____
PIK'EM 29⁹⁵ ☐ STAT SER 35⁰⁰ ☐
MI ☐ MIII ☐ APPLE ☐ IBMP ☐
VISA ☐ MC ☐ PAY ENC ☐
CARD EXPIRES

**A COMPLETE PRO FOOTBALL PREDICTION PROGRAM
FOR THE 1983 NFL SEASON—INCLUDING PLAY-OFFS**

★ ★ ★ ★ ★

***20 MIN DATA INPUT PER WEEK WILL GIVE YOU
THE EDGE**

\$29⁹⁵

INCLUDES: DISC
DOCUMENTATION

TRS-80 MODEL I / III
IBM PC
APPLE
REQUIRES 32K

*STATISTICS NEEDED TO RUN THIS PROGRAM ARE AVAILABLE IN LOCAL NEWSPAPERS
OR:
MARATHON WILL FURNISH ALL NECESSARY STATS IN AN EASY TO READ ONE PAGE FORMAT FOR 19 WEEKS.

STATS ONLY \$35⁰⁰

— FEATURES —

- DISPLAYS PREDICTED SCORES 219 GAMES
- DISPLAYS ACCUMULATED STATS/TEAM
- DISPLAYS AVERAGE STATS/TEAM
- HARDCOPY PRED — STATS — AVE
- AUTOMATIC OPPONENT INPUT
- AUTO STORE DATA — NO 'SAVE'
- UPDATEABLE FOR 1984

IF PROGRAM IS BOUGHT AFTER SEASON STARTS — ALL PREVIOUS STATS NECESSARY TO UPDATE WILL BE INCLUDED — NO CHARGE.

OTHER PROGRAMS

- PIK'EM 1984 FOR USFL •
- HOME BUDGET PLANNER •
- LETTER WRITER •

Marathon Software Dept M
P. O. Box 1349
Jacksonville, Texas 75766
Phone (214) 586-8212

241


```

340 DATA 1,0,1,0,0,0,0,0,1,0,0,0,0,1,0,0,0,0,1
350 DATA 1,0,1,1,1,0,1,0,1,1,0,1,0,0,0,0,0,0,1
360 DATA 1,0,1,0,0,0,1,0,1,0,0,1,0,1,0,1,1,0,1
370 DATA 1,0,0,0,0,0,1,0,0,0,0,0,0,0,0,0,0,0,1
380 DATA 1,1,1,1,0,0,0,1,1,1,1,1,0,1,0,1,1,1,1
390 DATA 1,0,0,0,0,1,0,1,0,0,0,0,0,0,1,0,0,0,0,1
400 DATA 1,1,0,1,0,1,0,1,0,1,0,1,0,1,1,1,1,1,1,0,1
410 DATA 1,0,0,1,0,0,0,0,0,0,0,0,0,1,0,0,0,1,0,0,0,1
420 DATA 1,0,1,1,1,0,1,0,0,1,0,1,0,1,0,1,0,1,0,1,0,1
430 DATA 1,0,0,0,0,0,0,0,1,0,1,0,0,0,0,0,0,0,0,1,0,1
440 DATA 1,1,1,1,3,1,0,0,0,0,1,0,1,0,1,0,1,0,1,0,1,0,1
450 DATA 1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1
460 FOR J=1 TO 20
470 FOR I=1 TO 20
480 READ A(I,J)
490 IF A(I,J)<>2 THEN 520
500 XS=I: YS=J: X=I: Y=J
510 A(I,J)=0
520 IF A(I,J)<>3 THEN 550
530 XE=I: YE=J:
540 A(I,J)=0
550 NEXT I
560 NEXT J
570 D=1: GOSUB 990
580 A$=INKEY$
590 IF A$="" THEN 580
600 IF A$<>"Q" THEN 650
610 CLS
620 PRINT "RATS FOILED AGAIN"
630 PRINT "X = ";X" Y = ";Y
640 STOP
650 IF A$="N" THEN D=1
660 IF A$="S" THEN D=2
670 IF A$="E" THEN D=3
680 IF A$="W" THEN D=4
690 IF A$<>"L" THEN 750
700 ON D GOTO 710,720,730,740
710 D=4: GOTO 750
720 D=3: GOTO 750
730 D=1: GOTO 750
740 D=2: GOTO 750
750 IF A$<>"R" THEN GOTO 810
760 ON D GOTO 770,780,790,800
770 D=3: GOTO 810
780 D=4: GOTO 810
790 D=2: GOTO 810
800 D=1: GOTO 810
810 IF A$<>"F" THEN 910
820 ON D GOTO 830,850,870,890
830 IF A(X,Y-1)=0 THEN Y=Y-1
840 GOTO 910
850 IF A(X,Y+1)=0 THEN Y=Y+1
860 GOTO 910
870 IF A(X+1,Y)=0 THEN X=X+1
880 GOTO 910
890 IF A(X-1,Y)=0 THEN X=X-1
900 GOTO 910
910 IF X=XE AND Y=YE THEN 940
920 GOSUB 990
930 GOTO 580
940 CLS
950 SCREEN 0,1
960 PRINT "CONG'RATS' YOU HAVE"
970 PRINT "FOUND THE EXIT"
980 END
990 XT=X: YT=Y:
1000 PCLS
1010 SCREEN 1,1
1020 ON D GOTO 1030,1050,1060,1070
1030 YA=-1: YL=YT: YR=YT: YF=YT-1: XA=0: XL=XT-1: XR=XT+1: XF=XT:
:
1040 GOSUB 2360: GOTO 1080
1050 YA=1: YL=YT: YR=YT: YF=YT+1: XA=0: XL=XT+1: XR=XT-1: XF=XT:
GOSUB 2400: GOTO 1080
1060 YA=0: YL=YT-1: YR=YT+1: YF=YT: XA=1: XL=XT: XR=XT: XF=XT+1:
GOSUB 2460: GOTO 1080
1070 YA=0: YL=YT+1: YR=YT-1: YF=YT: XA=-1: XL=XT: XR=XT: XF=XT-1:
: GOSUB 2510: GOTO 1080
1080 L=A(XL,YL): R=A(XR,YR): F=A(XF,YF)
1090 IF L<>0 OR F<>0 THEN 1150
1100 LINE(4,24)-(36,24),PSET
1110 LINE -(36,184),PSET
1120 LINE -(4,184),PSET
1130 LINE(36,24)-(68,56),PSET
1140 LINE(36,184)-(68,152),PSET
1150 IF L<>0 OR F<>1 THEN 1180
1160 LINE(4,24)-(116,24),PSET
1170 LINE(4,184)-(116,184),PSET

```

```

1180 IF L<>1 OR F<>0 THEN 1210
1190 LINE(20,8)-(68,56),PSET
1200 LINE(28,191)-(68,152),PSET
1210 IF L<>1 OR F<>1 THEN 1270
1220 LINE(20,8)-(32,24),PSET
1230 LINE -(32,184),PSET
1240 LINE -(28,191),PSET
1250 LINE(32,24)-(116,24),PSET
1260 LINE(32,184)-(116,184),PSET
1270 IF R<>0 OR F<>0 THEN 1330
1280 LINE(208,24)-(196,24),PSET
1290 LINE -(196,184),PSET
1300 LINE -(228,184),PSET
1310 LINE(196,24)-(164,56),PSET
1320 LINE(196,184)-(164,152),PSET
1330 IF R<>0 OR F<>1 THEN 1360
1340 LINE(116,24)-(228,24),PSET
1350 LINE(116,184)-(228,184),PSET
1360 IF R<>1 OR F<>0 THEN 1390
1370 LINE(212,8)-(164,56),PSET
1380 LINE(204,191)-(164,152),PSET
1390 IF R<>1 OR F<>1 THEN 1450
1400 LINE(212,8)-(200,24),PSET
1410 LINE -(200,184),PSET
1420 LINE -(206,191),PSET
1430 LINE(116,24)-(200,24),PSET
1440 LINE(116,184)-(200,184),PSET
1450 IF F=1 THEN 2350
1460 XF=XF+XA: YF=YF+YA
1470 XR=XR+XA: YR=YR+YA
1480 XL=XL+XA: YL=YL+YA
1490 L=A(XL,YL): R=A(XR,YR): F=A(XF,YF)
1500 IF L<>0 OR F<>0 THEN 1570
1510 LINE(68,56)-(68,152),PSET
1520 LINE(68,72)-(84,72),PSET
1530 LINE -(84,136),PSET
1540 LINE -(68,136),PSET
1550 LINE(84,72)-(100,88),PSET
1560 LINE(84,136)-(100,120),PSET
1570 IF L<>0 OR F<>1 THEN 1610
1580 LINE(68,56)-(68,152),PSET
1590 LINE(68,72)-(116,72),PSET
1600 LINE(68,136)-(116,136),PSET
1610 IF L<>1 OR F<>0 THEN 1640
1620 LINE(68,56)-(100,88),PSET
1630 LINE(68,152)-(100,120),PSET
1640 IF L<>1 OR F<>1 THEN 1700
1650 LINE(68,56)-(84,72),PSET
1660 LINE -(84,136),PSET
1670 LINE -(68,152),PSET
1680 LINE(84,72)-(116,72),PSET
1690 LINE(84,136)-(116,136),PSET
1700 IF R<>0 OR F<>0 THEN 1770
1710 LINE(164,56)-(164,152),PSET
1720 LINE(164,72)-(148,72),PSET
1730 LINE -(148,136),PSET
1740 LINE -(164,136),PSET
1750 LINE(148,72)-(132,88),PSET
1760 LINE(148,136)-(132,120),PSET
1770 IF R<>0 OR F<>1 THEN 1810
1780 LINE(164,56)-(164,152),PSET
1790 LINE(96,72)-(164,72),PSET
1800 LINE(96,136)-(164,136),PSET
1810 IF R<>1 OR F<>0 THEN 1840
1820 LINE(164,56)-(132,88),PSET
1830 LINE(164,152)-(132,120),PSET
1840 IF R<>1 OR F<>1 THEN 1900
1850 LINE(164,56)-(148,72),PSET
1860 LINE -(148,136),PSET
1870 LINE -(164,152),PSET
1880 LINE(148,72)-(116,72),PSET
1890 LINE(148,136)-(116,136),PSET
1900 IF F=1 THEN 2350
1910 XF=XF+XA: YF=YF+YA
1920 XR=XR+XA: YR=YR+YA
1930 XL=XL+XA: YL=YL+YA
1940 L=A(XL,YL): R=A(XR,YR): F=A(XF,YF)
1950 IF L<>0 OR F<>0 THEN 2020
1960 LINE(100,88)-(100,120),PSET
1970 LINE(100,96)-(108,96),PSET
1980 LINE -(108,112),PSET
1990 LINE -(100,112),PSET
2000 LINE(108,96)-(116,104),PSET
2010 LINE(108,112)-(116,104),PSET
2020 IF L<>0 OR F<>1 THEN 2060
2030 LINE(100,88)-(100,120),PSET
2040 LINE(100,96)-(116,96),PSET
2050 LINE(100,112)-(116,112),PSET

```

Listing 1 continues



USE YOUR RADIO SHACK[§] COMPUTER TO WRITE SOFTWARE FOR ALL THE REST

• IBM • DIGITAL EQUIPMENT • NEC • HEWLETT-PACKARD • SAGE • TEXAS INSTRUMENTS • APPLE • RADIO SHACK • XEROX • COMMODORE • TERAK • OLIVETTI • ALTOS • ZENITH • CORVUS • COMPAQ • VICTOR

If you have been writing programs on microcomputers for any length of time, you've discovered that nearly all operating systems lock you into one family of microprocessors (or worse, into one brand of computer). That leaves you some hard choices about your software development. Whether you are writing programs at home for personal use, or in the corporate environment, or for national distribution, the question about portability to other machines now and in the future is the same. Should you go after the 8-bit or the 16-bit market? Would it be better to target IBM, Apple, Radio Shack, Commodore, or Osborne? How will you move your programs to Digital Equipment machines, or the Texas Instruments market? And what about next year's crop of microcomputers?

The UCSD p-System "Universal Operating System"* has the answer.

Compare Market Coverage (Microprocessors)											
O.S.	8080	Z-80	8085	6509	6502	8086	HP-87	LSI-11	68000	9900	VAX
p-System	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CP/M	✓	✓	✓								
CP/M-86						✓					
MSDOS						✓					
TRSDOS		✓									
8-bit				16-bit				32-bit			

While some operating systems **claim** to be universal, only one is, in fact. And with the UOS, the entire operating system — editors, linkers, assemblers, compilers and all applications written under the UOS are designed for portability which means that a program written and compiled on one computer under the UOS can be ported to any other supporting the UOS and run without change. **No** other operating system can beat that degree of portability. Not only that, but the system features complete and integrated programmer productivity tools to conserve your software investment. The p-System "virtual" operating system characteristics make it possible to run very large applications in only 64K of RAM, yet allows you to take advantage of the additional speed and memory of the 16 and 32 bit computers.

Here is what we have for the Radio Shack line of micros:

UOS includes screen editor, bios, file manager, disk format, utilities, library for:

Model 16 (68000)	\$475
Model 12 (Z-80)	\$375
Model 4 (Z-80)	\$375
Model II (Z-80)	\$375

New Release - Model III upgrade board (Holmes)
with 16K RAM (for 64K total) 80 x 24 video and the **UOS** \$595

Add-On's (Run on all)

Pascal Compiler	\$375
FORTAN-77 Compiler	\$350
BASIC Compiler	\$225

File Conversions:

TRSDOS to p-System	\$100
CP/M to p-System	\$100
IBM 3741 to p-System	\$285

Plus a complete line of high performance software including spreadsheet, data base, mailing list, word processing, accounting, medical and mathematical applications programs from some of the best names in the software business. Applications have been selected for sale and national distribution by IBM, Texas Instruments, DEC, and others.

Write or call for our free newsletter and listing of applications software for these computers and the Apple, IBM-PC, IBM Displaywriter, DEC Pro 350, DEC 11/03 & 11/23, Altos 8000 series, Terak & Sage.


[§]trademark of Tandy Corporation.

[†]PCD Supports Systems Software on DEC LSI-11, Radio Shack Models II, III, 4
12 & 16, Altos, Terak, IBM PC, Apple II[±], & Sage.


*UOS is a trademark of SofTech Microsystems, UCSD p-System is a trademark of the University of California.
IBM is a trademark of International Business Machines.

PCD Systems, Inc.
P. O. Box 143
Penn Yan, N.Y. 14527
(315) 536-7428

✓433



MISOSYS ANNOUNCES!



- Disassemble from disk / memory
- Disassemble to disk / printer / video
- Automatic output partitioning
- Full label generation
- Data area screening - generates DB, DW
- \$40 + \$2 S&H

MISOSYS
P.O. BOX 4848
ALEXANDRIA, VA. 22303
703-960-2998

Listing 1 continued

```

2060 IF L<>1 OR F<>0 THEN 2090
2070 LINE(100,88)-(116,104),PSET
2080 LINE(100,120)-(116,104),PSET
2090 IF L<>1 OR F<>1 THEN 2150
2100 LINE(100,88)-(108,96),PSET
2110 LINE -(108,112),PSET
2120 LINE -(100,120),PSET
2130 LINE(108,96)-(116,96),PSET
2140 LINE(108,112)-(116,112),PSET
2150 IF R<>0 OR F<>0 THEN 2220
2160 LINE(132,88)-(132,120),PSET
2170 LINE(132,96)-(124,96),PSET
2180 LINE -(124,112),PSET
2190 LINE -(132,112),PSET
2200 LINE(124,96)-(116,104),PSET
2210 LINE -(124,112),PSET
2220 IF R<>0 OR F<>1 THEN 2260
2230 LINE(132,88)-(132,120),PSET
2240 LINE(116,96)-(132,96),PSET
2250 LINE(116,112)-(132,112),PSET
2260 IF R<>1 OR F<>0 THEN 2290
2270 LINE(132,88)-(116,104),PSET
2280 LINE(132,120)-(116,104),PSET
2290 IF R<>1 OR F<>1 THEN 2350
2300 LINE(132,88)-(124,96),PSET
2310 LINE -(124,112),PSET
2320 LINE -(132,120),PSET
2330 LINE(124,96)-(116,96),PSET
2340 LINE(124,112)-(116,112),PSET
2350 RETURN
2360 LINE(112,16)-(112,10),PSET
2370 LINE -(120,16),PSET
2380 LINE -(120,10),PSET
2390 RETURN
2400 LINE(112,16)-(120,16),PSET
2410 LINE -(120,13),PSET
2420 LINE -(112,13),PSET
2430 LINE -(112,10),PSET
2440 LINE -(120,10),PSET
2450 RETURN
2460 LINE(120,16)-(112,16),PSET
2470 LINE -(112,10),PSET
2480 LINE -(120,10),PSET
2490 LINE(112,13)-(120,13),PSET
2500 RETURN
2510 LINE(112,10)-(112,16),PSET
2520 LINE -(120,16),PSET
2530 LINE -(120,10),PSET
2540 LINE(116,10)-(116,16),PSET
2550 RETURN
    
```

Program Listing 2

```

10 REM THIS PROGRAM SIMULATES A
20 REM RAT MAZE AT EYE LEVEL
30 REM BY R.D. UGLUM 6/82
40 CLS
50 PRINT "THIS IS THE RAT MAZE"
60 PRINT "YOU HAVE THE FOLLOWING"
70 PRINT "OPTION KEYS ... GOOD LUCK"
80 PRINT
90 PRINT "    N = NORTH"
100 PRINT "    S = SOUTH"
110 PRINT "    W = WEST"
120 PRINT "    E = EAST"
130 PRINT "    F = FORWARD"
140 PRINT "    L = LEFT"
150 PRINT "    R = RIGHT"
160 PRINT "    Q = QUIT"
170 PRINT
180 PRINT "ENTER 'C' TO CONTINUE"
190 PRINT "(WAIT 15 SEC)"
200 Z$=INKEY$
210 IF Z$<>"C" THEN 200
220 PCLEAR 4
230 DIM A(15,15),XC(5),YC(5),S2(5)
240 PMODE 4,1
250 PCLS
260 REM SCORE
270 SC=100
280 DATA 1,1,1,1,1,1,1,1,1,1,1,1,1,1,1
290 DATA 1,0,1,0,0,0,0,0,0,0,0,0,1,0,1
300 DATA 1,0,1,1,0,1,1,0,1,1,0,1,1,0,1
    
```

Listing 2 continues

Listing 2 continued

```

310 DATA 1,0,0,1,0,1,0,0,0,1,0,1,0,0,1
320 DATA 1,0,1,1,0,1,0,1,0,1,0,1,1,0,1
330 DATA 1,0,1,0,0,0,0,0,0,0,0,0,1,0,1
340 DATA 1,0,1,1,0,1,1,0,1,1,0,1,1,0,1
350 DATA 1,0,0,0,0,0,0,0,0,0,0,0,0,0,1
360 DATA 1,0,1,1,0,1,1,0,1,1,0,1,1,0,1
370 DATA 1,0,1,0,0,0,0,0,0,0,0,0,1,0,1
380 DATA 1,0,1,1,0,1,0,1,0,1,0,1,1,0,1
390 DATA 1,0,0,1,0,1,0,0,0,1,0,1,0,0,1
400 DATA 1,0,1,1,0,1,1,0,1,1,0,1,1,0,1
410 DATA 1,0,1,0,0,0,0,0,0,0,0,0,1,0,1
420 DATA 1,1,1,1,1,1,1,1,1,1,1,1,1,1,1
430 DATA 1,0,1,1,1,0,1,0,0,1,0,1,0,1,2,1
440 FOR J=1 TO 15
450 FOR I=1 TO 15
460 READ A(I,J)
470 NEXT I
480 NEXT J
490 XS=8: YS=2
500 X=XS: Y=YS
510 XE=RND(15): YE=RND(15): IF A(XE,YE)=1 THEN 510
520 FOR I=1 TO 5
530 XC(I)=RND(15): YC(I)=RND(15)
540 IF A(XC(I),YC(I))=1 THEN 530
550 NEXT I
560 D=1: GOSUB 1240
570 AS=INKEY$
575 IF AS="" THEN 570
580 FOR I=1 TO 5
590 CX=RND(3): CY=RND(3)
600 CX=CX-2: CY=CY-2
610 CX=CX+XC(I): CY=CY+YC(I)
620 IF A(CX,CY)=1 THEN 640
630 YC(I)=CY: XC(I)=CX
640 NEXT I
650 REM GOTO HERE
670 IF AS<>"Q" THEN 720
680 CLS
690 PRINT "RATS FOILED AGAIN"
700 PRINT "X = ";X" Y = ";Y
710 STOP
720 IF AS="N" THEN D=1
730 IF AS="S" THEN D=2
740 IF AS="E" THEN D=3
750 IF AS="W" THEN D=4
760 IF AS<>"L" THEN 820
770 ON D GOTO 780,790,800,810
780 D=4: GOTO 820
790 D=3: GOTO 820
800 D=1: GOTO 820
810 D=2: GOTO 820
820 IF AS<>"R" THEN GOTO 880
830 ON D GOTO 840,850,860,870
840 D=3: GOTO 880
850 D=4: GOTO 880
860 D=2: GOTO 880
870 D=1: GOTO 880
880 IF AS<>"F" THEN 980
890 ON D GOTO 900,920,940,960
900 IF A(X,Y-1)=0 THEN Y=Y-1
910 GOTO 980
920 IF A(X,Y+1)=0 THEN Y=Y+1
930 GOTO 980
940 IF A(X+1,Y)=0 THEN X=X+1
950 GOTO 980
960 IF A(X-1,Y)=0 THEN X=X-1
970 GOTO 980
980 S1=SQR((X-X)^2+(Y-Y)^2)
990 S1=255-S1*15
1000 FOR I=1 TO 5
1010 S2(I)=SQR((XC(I)-X)^2+(YC(I)-Y)^2)
1020 S2(I)=255-S2(I)*15
1030 NEXT I
1040 IF S2(1)>S2(2) AND S2(1)>S2(3) THEN S4=S2(1)
1050 IF S2(2)>S2(1) AND S2(2)>S2(3) THEN S4=S2(2)
1060 IF S2(3)>S2(1) AND S2(3)>S2(2) THEN S4=S2(3)
1070 IF S4<S1 THEN S4=S1
1080 SOUND S4,1
1090 SC=SC-1
1100 FOR I=1 TO 5
1110 IF X<XC(I) OR Y<YC(I) THEN 1140
1120 CLS: PRINT"TO BAD, THE CAT GOT YOU"
1130 GOTO 1130
1140 NEXT I
1150 IF X=XE AND Y=YE THEN 1180
1160 GOSUB 1240
1170 GOTO 570
1180 CLS

```

Listing 2 continues

INNOVATION QUALITY SUPPORT

PIONEER SOFTWARE
1746 North West 55th. Ave. No 204
LAUDERHILL, FLORIDA 33313
PHONE 1-(305)-739-2071

PIONEER tm

SCRIPTR

SCRIPTR makes **SCRIPTSII** a **FULL SYSTEM**
Special Custom Versions Support *All Popular Printers*

MX-80 version allows for Underlining Emphasized, Sub + Super Scripting, Double and *ITALICS*, MID-LINE even on Justified text lines without disturbing the formatting. **SCRIPTR** supports **EVERY** programmable feature of the **GRAPHTRAX 80** and **PLUS** roms. No other MOD. does as much!

STANDARD FEATURES INCLUDE

OUTPUT any code or string of codes to your printer.
Write FORM LETTERS by inserting data during printing
Print any page DIRECT with correct headers / footers
Reenter SCRIPTSII to get use of ALL DOS FUNCTIONS.
See where PAGES start and end without printed copy.
Edit mode for errors, changes or GRAPHICS entry.
(7) TEACHING PROGRAMS fully explain every function.
66 page manual-bound - CASS-DISK Ver. Model I/III for
- **CUSTOM VERS FOR FOLLOWING**
- Centronics 737 + 739 / LP-8 + LP-4 - Daisy Wheel II.
- Microline 80 + 82A - Prowriter + Cioth 8510A + F-10
- SCM-TP-1 - DMP-200 + 400 + 410 - Gemini 10 + 15 MORE
LDOS COMPATIBLE

SYSTEM REQ TRS-80 MOD I/III, 32k, lower case.
Disk ver. requires **SCRIPTSII/ILC** on both Model's I/III.
PRICE \$40.00 on DISK / CASS. 5.5K. program.
FREE BROCHURE Demonstrates all features.
Customer support by phone or letter after the sale makes
Scriptr a pleasure to own and use. 1,500 fully satisfied
customers in over 14 countries. **CALL / WRITE FOR INFO.**

PLEASE INCLUDE THIS INFORMATION WHEN ORDERING

Name MODEL 1/3 ☐ Cass/Disk ☐
Address - Phone - Zip Printer Type MEM SIZE

CHECKS - MONEY ORDERS - C.O.D.'S

CRAYON DELUXE

FULL SUPPORT FOR: PROWRITER
MX-80 / 100 + **NEW GEMINI 10 +15**
NEW CIOTH 8510A + NEC-8023A

DON'T LET THIS SIMPLE NAME FOOL YOU **CRAYON DELUXE** is not a toy but a COMPLETE WORD/GRAPHICS PROCESSOR which offers complete versatility in creating custom letter-sets and graphics. Written in **Z-80 Assembler** it is fast, flexible and very easy to use. No program of this kind written in BASIC can compare to it. Computing the bit patterns for 760,320 bits per page of printing demands **Z-80 Assembler**. COMPARE + you won't get G.E.A. Fed

STANDARD FEATURES INCLUDE

1. Programmable Underlining, even create lined paper
2. Mix WIDE and regular sizes MID-LINE.
3. INVERT any part of the text even MID-LINE.
4. SHORT LINE SEEKING for maximum speed. NO WAITING!!
5. **Reversed Block Capitals Character Set.**
6. **FONTHAKER** - A 15K. Machine Language program which enables you to create your own custom fonts. STORE, RETRIEVE AND PRINT letters **INSTANTANEOUSLY**. Allows 3 1/2 coresident character sets in memory. PLUS a fast easy way to print sample LETTERS and SETS
7. Repeat printing capability without carriage advance even on graphic lines gives *Typewriter Quality* print.
8. Create 100, or any number of copies of High-Res MAIL LABELS or LETTERHEADS with easy hands off operation.
9. Complete FORMATTING CONTROLS within the text allow for multiple page printing without operator control.
10. The sharpest dot matrix print you've ever seen!!
11. Variable DOT Linespacing control for text documents.
12. Bit Masking allows creation of graphs and the graph paper simultaneously. Superimpose any background!!!
13. CREATE Block Graphics in any size and with every set.
14. Fine Line Drawing for creating real business forms.
15. Character sets may contain letters up to 40H x 127W.
16. Continuous WIDE printing in any font or style. Even allows for partial EXPANDED from this mode.

FREE BROCHURES!!


ORDERING INFORMATION

CRAYON - Disk/Cass MOD 1/3 \$45 DISK / \$35 CASS
CRAYON DELUXE - DISK MOD 1/3 \$80.00 w/7 SETS
ADDITIONAL FONTS AVAILABLE
HERITAGE = AMERICAN TEXT + OLD ENGLISH \$15.00
ELITE = 4 Variations on disk for \$15.00
DIGITAL = 3 computer fonts for \$15.00 on disk.
PRINT SAMPLES - AVAILABLE ON REQUEST.
CRAYON DELUXE THE FUTURE IS NOW
WE ARE NOW CARRYING A 25 MEG. HARD DISK SYSTEM FOR THE TRS-80 MODEL III. PRICE = \$3300 COMPLETE WITH DOSPLUS 4.0 ASSEMBLED - FORMATTED - SYSTEM SEES IT AS 4 DRIVES. CALL! JUST BOOT-UP AND YOU ARE UP AND *FLYING* WITH HARD DISK.


```

1190 SCREEN 0,1
1200 PRINT "CONG'RATS' YOU HAVE"
1210 PRINT "FOUND THE EXIT"
1220 PRINT "YOUR SCORE = ";SC
1230 END
1240 XT=X: YT=Y:
1250 PCLS
1260 SCREEN 1,1
1270 ON D GOTO 1280,1300,1310,1320
1280 YA=-1: YL=YT: YR=YT: YF=YT-1: XA=0: XL=XT-1: XR=XT+1: XF=XT
:
1290 GOSUB 2700: GOTO 1330
1300 YA=1: YL=YT: YR=YT: YF=YT+1: XA=0: XL=XT+1: XR=XT-1: XF=XT:
GOSUB 2740: GOTO 1330
1310 YA=0: YL=YT-1: YR=YT+1: YF=YT: XA=1: XL=XT: XR=XT: XF=XT+1:
GOSUB 2800: GOTO 1330
1320 YA=0: YL=YT+1: YR=YT-1: YF=YT: XA=-1: XL=XT: XR=XT: XF=XT-1
: GOSUB 2850: GOTO 1330
1330 L=A(XL,YL): R=A(XR,YR): F=A(XF,YF)
1340 FOR I=1 TO 5
1350 IF XF=XC(I) AND YF=YC(I) THEN CIRCLE(116,104),28
1360 NEXT I
1370 IF L<>0 OR F<>0 THEN 1430
1380 LINE(4,24)-(36,24),PSET
1390 LINE -(36,184),PSET
1400 LINE -(4,184),PSET
1410 LINE(36,24)-(68,56),PSET
1420 LINE(36,184)-(68,152),PSET
1430 IF L<>0 OR F<>1 THEN 1460
1440 LINE(4,24)-(116,24),PSET
1450 LINE(4,184)-(116,184),PSET
1460 IF L<>1 OR F<>0 THEN 1490
1470 LINE(20,8)-(68,56),PSET
1480 LINE(28,191)-(68,152),PSET
1490 IF L<>1 OR F<>1 THEN 1550
1500 LINE(20,8)-(32,24),PSET
1510 LINE -(32,184),PSET
1520 LINE -(28,191),PSET
1530 LINE(32,24)-(116,24),PSET
1540 LINE(32,184)-(116,184),PSET
1550 IF R<>0 OR F<>0 THEN 1610
1560 LINE(228,24)-(196,24),PSET
1570 LINE -(196,184),PSET
1580 LINE -(228,184),PSET
1590 LINE(196,24)-(164,56),PSET
1600 LINE(196,184)-(164,152),PSET
1610 IF R<>0 OR F<>1 THEN 1640
1620 LINE(116,24)-(228,24),PSET
1630 LINE(116,184)-(228,184),PSET
1640 IF R<>1 OR F<>0 THEN 1670
1650 LINE(212,8)-(164,56),PSET
1660 LINE(204,191)-(164,152),PSET
1670 IF R<>1 OR F<>1 THEN 1730
1680 LINE(212,8)-(200,24),PSET
1690 LINE -(200,184),PSET
1700 LINE -(206,191),PSET
1710 LINE(116,24)-(200,24),PSET
1720 LINE(116,184)-(200,184),PSET
1730 IF F=1 THEN 2690
1740 XF=XF+XA: YF=YF+YA
1750 XR=XR+XA: YR=YR+YA
1760 XL=XL+XA: YL=YL+YA
1770 L=A(XL,YL): R=A(XR,YR): F=A(XF,YF)
1780 FOR I=1 TO 5
1790 IF XF=XC(I) AND YF=YC(I) THEN CIRCLE
1800 NEXT I
1810 IF L<>0 OR F<>0 THEN 1880
1820 LINE(68,56)-(68,152),PSET
1830 LINE(68,72)-(84,72),PSET
1840 LINE -(84,136),PSET
1850 LINE -(68,136),PSET
1860 LINE(84,72)-(100,88),PSET
1870 LINE(84,136)-(100,120),PSET
1880 IF L<>0 OR F<>1 THEN 1920
1890 LINE(68,56)-(68,152),PSET
1900 LINE(68,72)-(116,72),PSET
1910 LINE(68,136)-(116,136),PSET
1920 IF L<>1 OR F<>0 THEN 1950
1930 LINE(68,56)-(100,88),PSET
1940 LINE(68,152)-(100,120),PSET
1950 IF L<>1 OR F<>1 THEN 2010
1960 LINE(68,56)-(84,72),PSET
1970 LINE -(84,136),PSET
1980 LINE -(68,152),PSET
1990 LINE(84,72)-(116,72),PSET
2000 LINE(84,136)-(116,136),PSET
2010 IF R<>0 OR F<>0 THEN 2080
2020 LINE(164,56)-(164,152),PSET
2030 LINE(164,72)-(148,72),PSET
2040 LINE -(148,136),PSET
2050 LINE -(164,136),PSET
2060 LINE(148,72)-(132,88),PSET
2070 LINE(148,136)-(132,120),PSET
2080 IF R<>0 OR F<>1 THEN 2120
2090 LINE(164,56)-(164,152),PSET
2100 LINE(96,72)-(164,72),PSET
2110 LINE(96,136)-(164,136),PSET
2120 IF R<>1 OR F<>0 THEN 2150
2130 LINE(164,56)-(132,88),PSET
2140 LINE(164,152)-(132,120),PSET
2150 IF R<>1 OR F<>1 THEN 2210
2160 LINE(164,56)-(148,72),PSET
2170 LINE -(148,136),PSET
2180 LINE -(164,152),PSET
2190 LINE(148,72)-(116,72),PSET
2200 LINE(148,136)-(116,136),PSET
2210 IF F=1 THEN 2690
2220 XF=XF+XA: YF=YF+YA
2230 XR=XR+XA: YR=YR+YA
2240 XL=XL+XA: YL=YL+YA
2250 L=A(XL,YL): R=A(XR,YR): F=A(XF,YF)
2260 FOR I=1 TO 5
2270 IF XF=XC(I) AND YF=YC(I) THEN CIRCLE(1
2280 NEXT I
2290 IF L<>0 OR F<>0 THEN 2360
2300 LINE(100,88)-(100,120),PSET
2310 LINE(100,96)-(108,96),PSET
2320 LINE -(108,112),PSET
2330 LINE -(100,112),PSET
2340 LINE(108,96)-(116,104),PSET
2350 LINE(108,112)-(116,104),PSET
2360 IF L<>0 OR F<>1 THEN 2400
2370 LINE(100,88)-(100,120),PSET
2380 LINE(100,96)-(116,96),PSET
2390 LINE(100,112)-(116,112),PSET
2400 IF L<>1 OR F<>0 THEN 2430
2410 LINE(100,88)-(116,104),PSET
2420 LINE(100,120)-(116,104),PSET
2430 IF L<>1 OR F<>1 THEN 2490
2440 LINE(100,88)-(108,96),PSET
2450 LINE -(108,112),PSET
2460 LINE -(100,120),PSET
2470 LINE(108,96)-(116,96),PSET
2480 LINE(108,112)-(116,112),PSET
2490 IF R<>0 OR F<>0 THEN 2560
2500 LINE(132,88)-(132,120),PSET
2510 LINE(132,96)-(124,96),PSET
2520 LINE -(124,112),PSET
2530 LINE -(132,112),PSET
2540 LINE(124,96)-(116,104),PSET
2550 LINE -(124,112),PSET
2560 IF R<>0 OR F<>1 THEN 2600
2570 LINE(132,88)-(132,120),PSET
2580 LINE(116,96)-(132,96),PSET
2590 LINE(116,112)-(132,112),PSET
2600 IF R<>1 OR F<>0 THEN 2630
2610 LINE(132,88)-(116,104),PSET
2620 LINE(132,120)-(116,104),PSET
2630 IF R<>1 OR F<>1 THEN 2690
2640 LINE(132,88)-(124,96),PSET
2650 LINE -(124,112),PSET
2660 LINE -(132,120),PSET
2670 LINE(124,96)-(116,96),PSET
2680 LINE(124,112)-(116,112),PSET
2690 RETURN
2700 LINE(112,16)-(112,10),PSET
2710 LINE -(120,16),PSET
2720 LINE -(120,10),PSET
2730 RETURN
2740 LINE(112,16)-(120,16),PSET
2750 LINE -(120,13),PSET
2760 LINE -(112,13),PSET
2770 LINE -(112,10),PSET
2780 LINE -(120,10),PSET
2790 RETURN
2800 LINE(120,16)-(112,16),PSET
2810 LINE -(112,10),PSET
2820 LINE -(120,10),PSET
2830 LINE(112,13)-(120,13),PSET
2840 RETURN
2850 LINE(112,10)-(112,16),PSET
2860 LINE -(120,16),PSET
2870 LINE -(120,10),PSET
2880 LINE(116,10)-(116,16),PSET
2890 RETURN
2900 SCREEN 1,1
2910 GOTO 2910

```



After 2 years of extensive research and development
XYZT Computer Dimensions, Inc is proud to announce ...

NICE™

the NEW INTERACTIVE COMPUTING ENVIRONMENT

NICE is nothing less than a comprehensive integration of all computing facilities – including DOS, numerous utilities, application programs, even games combined with menus, database, screens, libraries, reports – an interactive environment friendly to the first time user and the sophisticated systems intergrater alike. If you know what a turbo-charger can do for an auto engine, that is what **NICE** does for a computer. Clearly, it is the most exciting news to come along in software for the microcomputer

**DO YOU KNOW HOW TO BOOT YOUR SYSTEM?
THEN YOU KNOW HOW TO TURN YOUR COMPUTER
INTO THE MOST POWERFUL USER FRIENDLY BUSINESS MACHINE!!**

NICE makes development and using software – EASY. Based on a new concept this state-of-the-art software gives you the interactive power until now found only on mainframes, but at micro prices. Put a powerful menu-driven command structure at your fingertips! Run word-processors, spell-checkers, spread-sheet programs, utilities, application programs without remembering command sequence or constantly checking the manuals. Everything you need is on the screen. Create your own applications and add them to the system – use menus, relational files, customized screens, special forms. In a matter of hours, you zip through the programming projects you usually expected to take months. All thanks to a modular, consistently designed system.

**IS YOUR WORDPROCESSOR WORKING?
THEN THOSE SCREENS OUGHT TO BE IN YOUR SYSTEM !**

Using a computer should not be difficult – no more complicated than driving a car. With **NICE** you are no longer required to know all of the intricate internal operations of the computer. Creation of all types of screens, menus, inquires and reports or customized forms is as simple as writing a letter – type it on your word-processor, save it to disk, and it is ready for use. You don't have to be a programmer – just a computer user.

It's **NICE** for you!

NICE system consists of:

Interactive Control & Programming Language (ICPL)	\$150.
Menu and Screen management facilities (MSF)	\$75.
Database facility (DBF)	\$75.
Forms and Report Writer (FRW)	\$75.
Library Support Option (LSO)	\$75.
Minimal NICE configuration — ICPL+MSF+LSO.	

Minimal hardware requirements — 2 disk TRS-80® mod I/III. System is compatible with NEWDOS/80®-LDOS®-DOSPLUS®-MULTIDOS® floppy or hard disk.








Check, M.O., C.O.D., VISA,
MC plus \$4.00 s/h.
Foreign orders — extra \$10.00



XYZT Computer Dimensions, Inc. ✓158
2 Penn Plaza, Suite 1500
New York, N.Y. 10121
(212) 244-3100

Order by Mail or Check Your Local Dealer

DEALER INQUIRIES WELCOME!





Muddy Pig Simulator

by Mike Conforti

Get ready for your next big muddy pig competition with this snazzy simulation in which it's your job to round up two escaped pigs.

```

10 CLEAR500:CLS:PRINT@464,"":IFPEEK(275)<>50V=253:K=214:L=195:W
=222:S=254:N=196:GOTO160ELSEV=120:K=42:L=43:W=89:N=35:S=111:GOTO
160
20 CLS:PRINT@467,"":INPUT"LEVEL(0-HARD / 15-EASY)":LV:IFLV<0ORL
V>15THENGOTO20ELSECLS:PRINT@65,STRING$(11,131):PRINT@0,STRING$(
64,176):FORI=1TO14:POKE15360+I*64,191:POKE15423+I*64,191:NEXTI
30 PRINT@0,NM$:"...":HSS:PRINT@960,STRING$(63,131):POKE16383,1
31:PRINT@91,STRING$(7,131):FORI=1TO10:P(I)=15834+I:POKEP(I),V:N
EXTI:J=1:POKE16919,0:POKE16920,0
40 H=(RND(3)-2)*64:IFH=0GOTO40ELSEA=15424+(RND(12))*64:FORI=1TOR
ND(18)+6:POKEA+I,L:IFI=6ORI=7POKEA+I,32:NEXTIELSENEXTI:A=A+I-1:F
ORI=1TO13:A=A+H:IFPEEK(A)=32POKEA,L:NEXTIELSENEXTI
50 FORI=1TO2:B(I)=15420+RND(900):IFPEEK(B(I))<>32GOTO50ELSENEXTI
60 FORI=1TORND(LV*20)+10:A=15420+RND(900):IFPEEK(A)<>32NEXTIELSE
POKEA,W:NEXTI:FORI=1TORND(5*LV)+5:A=15420+RND(900):IFPEEK(A)<>32
,NEXTIELSEPOKEA,K:NEXTI
70 FORF=1TO2:H=B(F):Z=RND(4):IFZ=1B(F)=H+64ELSEIFZ=2B(F)=H-64ELS
EIFZ=3B(F)=H+1ELSEB(F)=H-1
80 H(F)=H:NEXTF:PRINT@28,RIGHT$(TIME$,5):PO=P(J):X=P(EK(14400)):
IFX=0GOTO90ELSEIFX=64P(J)=P(J)+1:GOTO90ELSEIFX=32P(J)=P(J)-1:GOT
O90ELSEIFX=16P(J)=P(J)+64:GOTO90ELSEIFX=8P(J)=P(J)-64:GOTO90ELSE
IFX=128POKEP(J),V:J=J+1:IFJ=11J=1:PO=P(J):ELSEPO=P(J)
90 FORI=1TO2:IFPEEK(B(I))<>32B(I)=H(I):NN=NN+1:POKEB(I),N:NEXTIEL
SEPOKEB(I),N:POKEH(I),32:NN=0:NEXTI
100 IFPEEK(P(J))<>32P(J)=PO:POKEP(J),SELSEPOKEP(J),S:POKEPO,32
110 IFNN<50GOTO70ELSESE=RIGHT$(TIME$,5)
120 A=VAL(LEFT$(ES,2)):IFHM>A,T=2ELSEIFHM=AANDHS>VAL(RIGHT$(ES,
2),T=2ELSESET=1
130 JS=INKEYS:H=0:A=VAL(LEFT$(ES,2)):B=VAL(LEFT$(ES,2)):IFHM<AOR
HM=AANDHS<B,GOTO150ELSEPRINT@464,"YOU HAVE BEATEN THE HIGHSCORE"
:PRINT@530,"PLEASE ENTER YOUR INITIALS":PRINT@596,"=====
<=====":HM=A:HS=B:HSS=ES:NM$=""
140 IS=INKEYS:IFIS="":THEN140ELSEH=H+1:IFH=3PRINT@604+H,IS:NM$=N
M$+IS:GOTO150ELSENM$=NM$+IS:PRINT@604+H,IS:GOTO140
150 PRINT@980,"PRESS <SPACE> BAR TO RUN":IFINKEY$="" ,GOTO20
ELSEGOTO150
160 CLS:PRINT@28,"CORRAL":PRINT@87,"BY MIKE CONFORTI":PRINT@150
,STRING$(18,131):PRINT:PRINTTAB(5)"GUIDING YOUR CREW, TRY TO CA
PTURE 2 PIGS WHO ESCAPED":PRINTTAB(5)STRING$(52,131):FORI=1TO10
:POKE15700+I,V:NEXTI
170 PRINT@352,"<== THE CREW":POKE15766,N:POKE15773,N:PRINT@416,"
<== THE WILD PIGS":FORI=2TO10STEP2:POKE15827+I,K:NEXTI:PRINT@48
0,"<== ROCKS":FORI=1TO9STEP2:POKE15892+I,W:NEXTI:PRINT@544,"<==
CACTI":FORI=1TO10:POKE15956+I,L:NEXTI:PRINT@608,"<== FENCE":
180 POKE16022,V:POKE16150,V:POKE16085,V:POKE16087,V:POKE16086,N:
POKE16028,L:POKE16092,K:POKE16156,W:POKE16093,N:POKE16094,V:POKE
16029,V:POKE16157,V:PRINT@736,"<== A CAPTURE":HS=59:HM=59:NM$=""
***:HS="59:59":GOTO150

```

Program Listing. The Corral

Airplane pilots have all the fun. When they're not out flying, they can boot up Flight Simulator on a Model III.

But suppose your avocation is capturing muddy pigs. How can you practice your skills if you don't have any swine handy?

This may be the piece of software you're looking for—a muddy pig simulator.

How It Works

The corral fence is broken and two pigs have escaped. It's up to you and your crew to capture the pigs in as little time as possible.


This task isn't easy. The pigs are very muddy, and you must surround them on all sides to capture them. Guide your crew to strategic positions and use obstacles and corners to your advantage. Use the arrow keys to move players and the space bar to change which player you control.

The upper left corner holds the high scorer's initials and time. In the upper middle is your present time. ■

Contact Michael Conforti at 28 Somerset Road, Glastonbury, CT 06033.

The Key Box

Model III
4K RAM
Disk or Cassette Basic




YES, IT'S ALL THAT AND MORE ...
IT'S **BASESCRIPT**

FASTER THAN A SPEEDING BYTE, ABLE TO LEAP TALL STACKS OF DATA WITH A SINGLE PASS, AND DEDICATED TO MAINTAINING **TRUTHFUL** DATA RECORDS, **JUSTIFIED** DOCUMENTS, AND THE **ALL AMERICAN** MAILING LIST!

Fast... Reliable... Flexible... Easy To Use
A Full Featured Letter Processor:

Word wraparound, auto centering and margins, left/right justification, headers, page numbering, columnar math, insert, delete, merge, append, on-screen help, and more...



✓228

A Mail Merge Program:

Produce single or multiple "custom" letters with virtually unlimited selectivity by zip, sub-category assignment, activity levels, "wild card" search and more...

A Complete Mailing List System:

Large and flexible name/address fields including preferred form of addressing, large comments field, letters sent, replies received, and activity tracking. Expanded tracking abilities are user selectable. Supports foreign zip codes.

A Forms Program:

Create, fill out, update and store your in-house "forms." Users report finding almost unlimited applications for this unique feature.

Priced at just \$99.95 including 70+ page manual. Shipped on a DOS PLUS® TDOS operating system. Specify Model I, Model III, or LNW 80. Postage and handling \$2.50. Out of U.S. \$10.00. Florida residents add 5% sales tax. Mastercard and Visa accepted.

™Micro Systems Software ™Tandy Corporation ™LNW Research

making a name for itself.

FLORIDA MICRO COMPUTER SYSTEMS

8106 Rose Marie Circle, Boynton Beach, FL 33437 • 305-737-9626

WE'RE GIVING MAIL ORDER A GOOD NAME . . .

You no longer have to sacrifice quality products, personal service, or fast delivery for rock-bottom prices. With **MICRO DATA SUPPLIES**, you can have it all. And it's only a phone call away: (216) 481-1600. Looking forward to your call.

Russ Knotts

Russ Knotts • President



We sincerely thank our thousands of past customers who have made this claim possible.

NEWDOS/80 Version 2.0

Model I and Model III

The hottest Disk Operating System is now available in its latest version. This is the ONE from Apparat, Inc., the people whose systems have made the TRS-80 the reliable computer.

\$139.95



THE FLOPPY DOCTOR

By Dave Stambaugh

FLOPPY DISK/MEMORY DIAGNOSTIC programs are designed to thoroughly check out the two most trouble prone sections of the TRS-80, the disk system (controller and drives) and the memory arrays.

MODEL I \$24.95
MODEL III \$29.95

BOOKS

OTHER MYSTERIES

TRS-80 DISK \$19.95
Microsoft Basic Decoded \$24.95
The Custom TRS-80 \$28.95
Basic Faster & Better \$29.95
How To Do It On The TRS-80 \$28.95
TRSDOS 2.3 Decoded \$28.95
The Custom Apple \$28.95
Machine Language Disk I/O \$29.95
CP/M Primer \$15.95

ELECTRONIC PROTECTION DEVICES

The PLUS - 3-way EMI-RFI AC Power Line Noise Filter (wall outlet) \$49.95
The LEMON - 6-way Surge Suppressor for AC Power Lines (wall outlet) \$54.95
The LIME - same as LEMON w/5ft. cord and on-off switch \$79.95
The PEACH - 6-way Surge Suppressor, EMI-RFI Line Filter (wall outlet) \$89.95
The ORANGE - same as LIME w/EMI-RFI Filtering PLUM & LIME Combined \$129.95
GRIZZLY 200 - 250 Watt Uninterruptable Power Supply (universal install.) \$1495.00
GRIZZLY 750 - 750 Watt Uninterruptable Power Supply (universal install.) \$1895.00

DISKIT III™

MODEL III & IV DISK UPGRADE



Floppy Doctor with the purchase of any DISKIT III \$30.00 VALUE!



Features

- Gold Plated Edge Connectors
- Switching Power Supply
- Supports 5" or 8" Drives
- 40 80 Track Supported
- Single Dual Head Supported
- Metal Disk Drive Brackets
- All Hardware and Cables
- 1 Hour or Less for Installation
- 100% Compatible
- No Soldering Needed
- 180 Days Warranty on Controller

DISKIT III w/o Drives \$229.00
DISKIT III w/one Tandem \$439.00
100-1 40 Track Drive \$639.00
DISKIT III w/two Tandem \$799.00
100-2 40/40 Dual Drive

DEALER INQUIRES WELCOME

PRINTERS

New Lower Prices

Epson FX 80 w/Graftrax \$CALL
Epson w/Graftrax \$CALL
Epson MX-100 w/Graftrax \$CALL
GEMINI 10 by Star Micronics \$349.00
GEMINI 15 by Star Micronics \$549.00
IDS Prism 80 \$CALL
IDS Prism 132 \$CALL
Okidata Microline 80 \$CALL
Okidata Microline 82 \$469.00
Okidata Microline 83A \$CALL
Okidata Microline 84 \$CALL

EPSON PRINTERS

Graftrax Plus \$63.95
MX-80 Ribbons \$9.95
MX-100 Ribbons \$18.95
Epson Service Manual \$30.00

16 K RAM SPECIAL

4116 200ns. Guaranteed one full year \$13.95

ELECTRIC PENCIL Version II

Model I and Model III

An expanded version of the critically acclaimed original word processing system! Includes all features of Version I plus many new extensions.

Disk Version \$79.95
Tape Version \$69.95

ELECTRIC WEBSTER

"Cadillac" of Spelling Checkers 80 Micro 9/82.

- 50,000 WORD DICTIONARY
- FAST and ACCURATE - No other Spelling Checker comes close!
- INTEGRATED - Proofs and corrects from within most popular word processing programs!
- SMART - Finds and displays correct spelling!
- HYPHENATES automatically - inserts discretionary hyphens with 100% accuracy (optional).
- COMPLETE - One step proofing system.

Electric Webster w/correcting feature \$129.95
Hyphenation feature \$49.95
Grammatical feature \$39.95
COMPLETE SYSTEM all Four Programs \$199.00

NEWSSCRIPT 7.0

NEWSSCRIPT is the versatile TRS-80 word processing program. It supports "smart" printers like the Epson, Okidata, NEC, C.Itoh, Spinwriter, Centronics 739 and more.

NEWSSCRIPT \$109.95

MORE SOFTWARE

Inventory + \$29.95
Cash Register/80 \$29.95
UNITERM Terminal \$79.95
UNITERM/80 Terminal \$89.95
ACE MAIL for Hayes Smart Modem \$69.95
LABELMAKER for MX80 \$19.50
Maxi Manager w/utilities \$129.95

CP/M • IBM • APPLE • TRS-80 owners
dBASE II™ \$790.00 \$489.00
WordStar \$500.00 \$299.00

**MICRO
DATA SUPPLIES**

MICRO DATA SUPPLIES

A SUBSIDIARY OF THE COMPUTER WAREHOUSE, INC. OF OHIO

22295 EUCLID AVE. EUCLID, OHIO 44117

Verbatim®
PREMIUM DISKETTES AT
AFFORDABLE PRICES



DATALIFE™

Seven data-shielding improvements mean greater durability and longer data life.

VERBATIM DATALIFE™
DISKETTES

5 1/4-inch (box of 10)
MD525-01
1S/DDen

SPECIAL!
\$25.95

Soft-Sector Diskettes

5 1/4" 2S/D Den (MD550-01)	\$39.95
5 1/4" 2S/4 Den (MD557-01)	\$51.50
8" 1S/D Den (FD34-8000)	\$43.95

Hard-Sector Diskettes

5 1/4" 1S/D Den 10-sector (MD525-10)	\$26.95
5 1/4" 2S/D Den 10-sector (MD550-10)	\$39.95
5 1/4" 2S/4 Den 10-sector (MD557-10)	\$51.50

SUPPLIES

5 1/4" File Box for 50 diskettes	\$24.95
EVERETT TABULABLES	
5,000 3 1/2 x 15/16	\$15.95
FAN FOLD PAPER (Prices F.O.B.S.P.)	
9 1/2 x 11 18 lb. WHITE 3,000 ct.	\$29.95
14 1/2 x 11 18 lb. WHITE 3,000 ct.	\$39.95

★ ★ ★ THIS MONTH'S SPECIAL ★ ★ ★

FLIP'n FILE w/10 Bulk Diskettes	\$39.95
Head Cleaning Kit w/10 Bulk Diskettes	\$34.95
(5 1/4" 1S/DD)	

DISK DRIVE CABLES

Disk Drive Cable for 1 Drive	\$18.95
Disk Drive Cable for 2 Drives	\$24.95
Disk Drive Cable for 4 Drives	\$29.95
All Cables Are 5 Ft. Long	

DISK DRIVES Tandon

Complete with Chassis & Power Supply:

Fully assembled silver chassis with external card edge connector for easy cable installation. With MDS 120 days warranty.



COMPLETE

TM100-1 40 Trk	\$249.00
TM100-2 40/40 Trk	\$329.00
TM100-4 80/80 Trk	\$399.00

MOD. III COMPLETE CASE & POWER SUPPLY

SIEMANS FDD100-8 SS/DD 8 in	\$472.00
-----------------------------	----------

BARE DRIVES

TM100-1 40 Trk	\$189.00
TM100-2 40/40 Trk	\$259.00
TM100-4 80/80 Trk	\$329.00
SIEMANS FDD100-8 SS/DD 8 in	\$279.00
TM84B-1 SS/DD 8" 77 Trk Thinline	\$369.00
TM84B-2 DD/DD 8" 77 Trk Thinline	\$479.00

SUPER SALE!

WABASH Bulk Diskettes* with envelopes

5 1/4" SOFT SECTORS

SINGLE SIDE
SINGLE DENSITY
W/HUB RING
100% CERTIFIED
1 YEAR WARRANTY

\$1.59*

8" SOFT OR 32 SECTORS

SINGLE SIDE
SINGLE DENSITY
100% CERTIFIED
1 YEAR WARRANTY

\$1.69*

5 1/4" SOFT SECTORS

SINGLE SIDE
DOUBLE DENSITY
W/HUB RING
100% CERTIFIED
1 YEAR WARRANTY

\$1.89*

8" SOFT OR 32 SECTORS

SINGLE SIDE
DOUBLE DENSITY
100% CERTIFIED
1 YEAR WARRANTY

\$2.29*

5 1/4" SOFT SECTORS

DOUBLE SIDE
DOUBLE DENSITY
W/HUB RING
100% CERTIFIED
1 YEAR WARRANTY

\$2.79*

8" SOFT OR 32 SECTORS

DOUBLE SIDE
DOUBLE DENSITY
100% CERTIFIED
1 YEAR WARRANTY

\$3.09*

*Now Get High Quality at a Low Price.
Manufactured by a Major Disc Company
For MDS Without Their Name on Diskettes.

*Minimum order 20 diskettes with
Tyvek envelope and storage shipping box
*Quantity discounts - 100 deduct 3%
1000 deduct 5%, 10,000 deduct 10%

MODEMS

Hayes Micromodem II (APPLE)	\$299.00
Hayes Smart Modem (RS-232)	\$239.00
SIGNALMAN DIRECT CONNECT (RS232) 300 Baud	\$94.95

U.S. ROBOTICS Inc.

Auto Dial 212A, 300/1200 Baud Modem	\$599.00
Auto Link 212A, 300/1200 Baud Modem	\$549.00
Micro Link 1200, 1200 Baud Modem	\$449.00
Auto Link 300, 300 Baud Modem	\$219.00

Practical Peripherals MICROBUFFER

MBP-16K Parallel	\$149.00
MICROBUFFER IN-LINE For Most Printers	
32K Parallel	\$289.00
64K Parallel	\$339.00
32K Serial	\$289.00
64K Serial	\$339.00
64K Memory Expansion Modules	\$169.00



LNW

TRS-80 Mod. I Expansion \$349.00

- RS232c serial I/O
- Parallel printer port
- Gold-plated connectors
- Floppy disk controller
- Full 32k 200ns RAM
- Real time clock
- 6 month warranty
- Heavy steel case
- Thousands of users
- Works with any DOS 100%

SPRINTER

Double Your Speed

Speed-up cuts computer operation time in half, saves time and money. Fast 4 MHz Z80B CPU included, installs in 15 minutes with no soldering or cutting.

SPRINTER III for MOD III	\$95.95
SPRINTER I for MOD I	\$95.95

MODEL I DOUBLE DENSITY PACKAGE

Everything you need to convert your TRS-80 Model I to run double density. Complete with software hardware, and instructions, installs in minutes with no soldering, wiring or cutting.

Dosplus V 3.4 w/LNDOUBLER 5/8	\$199.00
LNDOUBLER 5/8 Board w/o dos	\$169.00

★ ★ ★ THIS MONTH'S SPECIAL ★ ★ ★

LSIS Softview™ REPLACEMENT CRT's

Green Phosphor w/Anti-Glare	\$79.95
Amber Phosphor w/Anti-Glare	\$89.95

★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★

HEAD CLEANING KIT 5 1/4"



Clean the heads in just 30 seconds and save on costly service calls and data drop-outs.

SPECIAL \$17.95

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

head cleaning diskettes

Call (216) 481-1600
MONDAY thru SATURDAY
DEALER INQUIRIES WELCOME

WE ACCEPT

- Visa
- MasterCard
- Checks
- Money Order
- C.O.D.

ALL PRICES ARE FOR

MAIL ORDER ONLY
Prices, Specifications and Offerings subject to change without notice.

ADD \$3.00 FOR

SHIPPING & HANDLING
\$6.00 Extra for C.O.D. Orders
Ohio Residents add 6.5% Sales Tax

MAIL ORDER PRICES ONLY

Free U.P.S. on all prepaid orders over \$100.00 in U.S.A.

My Foe Flicker

by Joseph Dlhopsky

Eliminate the flickering that plagues your animation routines. This technique alerts your Z80 when the electron gun's aim is on target.

Does your Model III animation program exhibit jerky, flickering screen movement, instead of the smooth motion you see on a television, movie, or arcade screen? It's a common problem in machine-language animation programs. Here are some tips on how to eliminate that annoying screen flicker.

Microcomputer CRTs operate on the same principle as black and white television sets: The electron gun that excites (and lights) screen phosphors aims a beam of electrons in a sequential pattern over the screen's surface. In a television, the information displayed on the screen is a picture. In the Model III, and other computers, the information consists of ASCII and graphics characters.

The computer's electron beam scans the entire screen starting at the top left. The beam moves to the right to finish the top line, then executes a horizontal retrace to return the beam to the screen's leftmost point. It jumps down to the second line and traverses it from left to right. After 192 lines (for a TRS-80), the beam executes a vertical retrace and starts at the top again. The entire process operates at a frequency of 60 Hz (cycles per second) in the United

States (50 Hz in Europe and other countries), refreshing the video screen every 16.667 milliseconds (ms).

The 17-ms interval is important in animation. Most human beings detect no flicker in a display updated at 60 Hz. This frequency is the minimum at which most people physiologically fuse a flickering display into one that appears to be solid—called critical flicker frequency or CFF. If you reduce the frequency, more and more people detect flicker. Animators must keep this in mind. A good animation program is written in machine language to make screen changes every 17 ms; a program written in Basic is much too slow for animation.

Sometimes, even machine language is too slow. To display movement of an object on the screen, an animation routine must erase the old material from the screen before, or as, the new material appears. A complex animation program can take longer than 17 ms to determine the new position of the screen's contents. So, a certain amount of jumping can occur as the video frame frequency falls below the critical flicker frequency. This can be written off as a practical limitation of the system, although a clever programmer might be able to speed up the routines to reduce the problem.

There is another flicker problem not associated with a limitation of the machine-language program. Rather, it is a characteristic of how the microcomputer displays information on the video

screen. Many programmers are not aware of the design attributes that influence the quality of their visual displays.

For instance, Sublogic's T80-FS1 Flight Simulator program for the Model III, which lets the user "fly" a Sopwith Camel, is a very complex machine-language program that updates the video screen three to six times per second. This rate is well below the critical fusion frequency, so considerable screen flicker and jumping is apparent.

These video irregularities result from display design problems. When the machine-language routines update screen data, the update information is immediately loaded into video RAM. The results of some routines alter video RAM already changed by other routines. The changes in video RAM occur more often than the 3- to 6-Hz rate of the screen. As a result, material appears and disappears from the screen randomly. Moreover, noticeable flicker occurs when entire material is momentarily erased from the screen, only to be replaced a split second later.

The psychological experimentation I do requires precise, non-flickering video displays of visual stimuli. It is often necessary to know exactly when a stimulus appears on the screen so that the experimental subject's reaction time is precisely measured. In the process of my experimentation, I realized the stimulus does not merrily appear on the screen precisely when the Z80 tells it to. It appears when the electron beam gets around to it in its 60-Hz cyclic journey across the screen. Video screen scanning occurs independently of the intentions of the Z80 or of the program designer.

The TRS-80's video display is memory-mapped. There are 1,024 locations in random-access memory (RAM) for each character location on the video

The Key Box

**Model III
16K RAM
Basic, Assembly Language
Editor/Assembler**

screen (RAM addresses 3C00-3FFF hexadecimal, 15360-16383 decimal). Most TRS-80 programmers are aware that whenever the TRS-80 is instructed to load a value into a video RAM location, the corresponding ASCII or graphics character appears on the video screen in the assigned location. However, the Z80 has not carried out the act of drawing the stimulus on the screen.

Rather, it has loaded a byte code into a video RAM address. The video RAM, then, serves as a base from which the video circuitry, operating independently of the Z80, reads and translates data to control the intensity of the electron beam as it scans the screen.

Since the Z80 does not actively draw material on the screen, a major problem exists for animators. Suppose, for example, you have a machine-language program that prints very large letters on the screen. It takes 17 ms for each 16-line letter to appear on the screen, even though the Z80 loads data into video RAM in a fraction of a millisecond.

Suppose your program draws the letter A, waits three seconds and then draws the letter B. The Z80 has no idea where the electron beam is pointing when it loads the letter data into video RAM. Ideally, the beam should be at the top of the screen. But, if the beam is in the middle of the screen, you could see the top half of the letter A and the bottom half of the letter B for an instant.

This nonsensical figure lasts only for an instant. For an alphabet display, the problem might not be acute. But if you're trying to navigate your Sopwith F.1 Camel, bomb a fuel depot without crashing into the mountains, and avoid being shot down by five German fighters on your tail, you don't want any distractions and you want clear screen displays.

What might resolve Flight Simulator's problems? Ideally, all intended screen updates should be carried out on an invisible page dedicated to video memory. Once an update is complete, the Z80 should wait until the electron beam is at the top of the screen or at an invisible location (more on this later). Then a block load instruction should be executed, transferring the invisible page to active video RAM just ahead of the electron beam. The resulting program retains the original jumpiness, but it is flicker-free. However, the TRS-80 display generator is not precisely timed nor is it designed to provide flicker-free, steady animation.

I wanted the Z80 to determine the electron beam's location at any given moment, a feature not included as a

hardware option. Mike Berger, a design engineer for the Model III, helped me develop a routine, written in Z80 machine language, that uses the Model III's real-time clock (RTC). The RTC is software driven through an RTC interrupt operating at 30 Hz.

When an RTC interrupt occurs, the Z80 finishes the current machine-language instruction. Then processing shunts to an interrupt-handling address containing the RTC interrupt-handling routine.

A normal RTC routine increments a counter at RAM address 4216 hexadecimal (16918 decimal). This counter, therefore, increments every 33.3 ms. Every 30 incrementations, one second is added to the RTC's second counter. After the RTC is updated, the Z80 returns from the interrupt and continues its previous task. In short, the interrupt causes the Z80 to suspend its current processing for a fraction of a millisecond every 33.3 ms to update the clock.

The interrupt's 30 Hz operating frequency derives from the 60 Hz video scan frequency. The video circuitry produces a signal after every second screen page (every 33.3 ms). The Z80 interprets this signal as a maskable in-

terrupt. Video synchronization is achieved because the electron beam's screen location is known when the interrupt occurs.

The programmer steals the interrupt from the real-time clock. The clock stops keeping accurate time (or stops altogether, depending on how you work it) but you don't have to tell time to produce a good animation.

RTC interrupt normally vectors the Z80 to RAM address 4046 hex (16454 decimal). This address and the following two addresses contain codes for an Assembly-language jump instruction, JP 2935H. This instruction tells the Z80 where to jump to in RAM to update the RTC. Normally, the address is 2935 hex (13609 decimal).

To use the RTC interrupt for video synchronization, the programmer must change the 2-byte address in 4047 and 4048 hex from the RTC interrupt-handling address to the address of the machine-language routine coordinating the Z80's screen printing.

Program Listing 1 is a machine-language routine that uses the RTC interrupt to move a 16-line vertical bar from the left side of the screen to the right side. The program assembles with any TRS-80 editor/assembler and loads

EPSON GRAPHICS



FROM YOUR BASIC • FORTRAN • PL-1 • PASCAL PROGRAMS

Grafpac-80 will read data from a disk file on your system and convert it to a hi-resolution plot or graph. Grafpac-80 plots up to 960 dots across and ± 32000 dots vertically on the Epson MX-80 — that's ± 25 pages !!

Grafpac-80 commands include: circle, ellipse, two and three dimensional data, penup/down, plot/move relative or absolute, single character or string plotting with rotation and size control, border generation, and many more . . .

Grafpac-80 is available for CP/M on 8 inch disk, TRS-DOS (model I and III) on 5 1/4 inch disk. Requires 48K memory. TRS-DOS systems need two disks.*

Prices: TRS-DOS I & III \$49.95

CP/M \$69.95

(Please include \$3.00 shipping charge with all orders)

* A version is available for TRS-DOS users with one disk, however, you must send us a copy of your TRS-DOS and include \$10.00 for copying.

M.E.S.C. • Parkhurst Drive • Salisbury, MD 21801 • (301) 742-7333

The following are registered trademarks: CP/M • Digital Research; TRS-DOS, TRS-80 • Tandy Corp.; MX-80 • Epson Corp.

✓398


```

00100 ;17 MSEC MOVING BAR
00110 ;By Joseph G. Dlhopsky, Ph.D.
00120
FE00 00130 ORG 0FE00H ;RAM of routine
0060 00140 DELAY EQU 0060H ;Delay ROM
FE00 F3 00150 DI ;Disable interrupts
FE01 210FFE 00160 LD HL,START;New RTC int address
FE04 224740 00170 LD (4047H),HL;New RTC int vect
FE07 FB 00180 EI ;Enable interrupts
FE08 01320D 00190 LD BC,3378 ;50 msec delay
FE0B CD6000 00200 CALL DELAY
FE0E C9 00210 RET ;Return to BASIC
FE0F F3 00220 START DI ;DRAW BAR ROUTINE
FE10 21003C 00230 LD HL,3C00H ;Video start
FE13 22FCFF 00240 LD (0FFFC),HL
FE16 113F00 00280 LD DE,3FH
FE19 0610 00290 DRAW LD B,10H ;Counts lines
FE1B FD2AFCFF 00300 LD IY,(0FFFC)
FE1F 3E80 00310 LOOPA LD A,128 ;Print blank
FE21 FD7700 00320 LD (IY),A
FE24 3EBF 00330 LD A,191 ;Bar CHR$ in A
FE26 FD23 00340 INC IY ;IY --> next space
FE28 FD7700 00350 LD (IY),A ;Print CHR$
FE2B FD19 00360 ADD IY,DE ;Skip to next line
FE2D 10F0 00370 DJNZ LOOPA
FE2F ED4BDBFF 00380 LD BC,(0FFDBH);Finish 16.7 msec
FE33 CD6000 00390 CALL DELAY
FE36 21FCFF 00400 LD HL,0FFFC
FE39 34 00410 INC (HL) ;Move to next space
FE3A 3E3F 00420 LD A,3FH ;Check screen end
FE3C AE 00430 XOR (HL)
FE3D C219FE 00440 JP NZ,DRAW ;Do next bar
FE40 212935 00450 LD HL,3529H;Normal RTC int
FE43 224740 00460 LD (4047H),HL
FE46 FB 00470 EI
FE47 ED4D 00480 RETI
FE00 00490 END 0FE00H
00000 Total Errors

```

Program Listing 1

from disk. Alternatively, the object code (see Table 1) can be POKEd into RAM as part of a Basic program. Regardless of the technique used to get the program in RAM, it must begin at location FE00 hex (65024 decimal). If running the program as a USR call from Basic, be sure to answer less than 65024 to the Memory Size query.

Before delving into the details of Listing 1, you may want to run a simple Basic program that moves a vertical bar across the screen in a fashion similar to Listing 1. An example appears in Program Listing 2 that demonstrates the fatiguing flicker. While a machine-language routine might perform the task more quickly and efficiently, without video synchronization the program shows no great improvement in flicker.

Listing 1 revector the RTC interrupt, waits for the interrupt, draws the first line, waits for 16.667 ms to pass, then erases the line and simultaneously draws the next line. When the vertical line moves to the right edge of the screen, the RTC interrupt returns to normal.

Line 140 locates the Delay ROM address so the program can call it when a delay is desired.

FLEXPLUS DOS.....\$69.95

A powerful, easy-to-use disk operating system!

COLOR COSMIC INVADERS

***FREE* \$21.95 Value.
on every FLEX+ DISK**

Advantages of FLEXPLUS DOS

- Best price anywhere
- Wealth of existing software
- Easy start-up—just type "RUN FLEX+"
- Allows you to save RS compatible binary disk files from FLEXPLUS
- NO HARDWARE MODIFICATIONS NEEDED
- Warranty will not be voided—no need to open computer
- Most FLEX compatible software will run.

FLEXPLUS.....\$69.96

for new F Boards

FLEXPLUS with Supercharger.....\$89.95

for E and F Boards

- Print Spooling—print while editing, assembling, etc.
- All Flex compatible software will run including INTERRUPT DRIVEN SOFTWARE.

E Board to F Board Conversion.....10.95

- Eliminates need for Supercharger. Simple Installation
- Full Instructions. Just remove two chips and plug in our prewired ICs.
- Soldering of one wire to a test point required.

ARCADE GAMES

ALL MACHINE LANGUAGE.....\$21.95 each

LANCER — Best JOUST type game — 32K
MS GOBBLER — Great MS PACMAN type game — 32K
WHIRLYBIRD RUN — Like SCRAMBLE — 16K
STORM ARROWS — TARG type game — 16K
ANDROID ATTACK — Like BERSERK — 16K
32K VERSION TALKS
SPACE RACE — Best OMEGA RACE type game — 16K

FLEXPLUS is a powerful, easy-to-use disk operating system. Spectral Associates has adapted TSC's FLEX to the best DOS completely compatible with Radio Shack software for use on the Color Computer. Eliminate the need for Radio Shack's TRS DOS — use **FLEX PLUS** with Editor/Assembler and have the options of a full range of utilities. **FLEXPLUS** works on the 32K Radio Shack disk system with 64K memory chips with a High Resolution multi-screen format that supports a 24 line by 51 character display! Also included are special enhancements to Radio Shack's Disk system when you are running FLEX with single or double sided, single or double density, 35, 40 and 80 track drives.

SUPERCHARGER \$39.95

Allows machine language access to all 64K RAM in a Series E PC board. No hardware modis

COLOR COMPUTER

Quality Hardware and Software Support

TRS-80 • TDP SYSTEM 100 • DRAGON 32

For Orders Only

Call or write for a complete catalog
Business Office and Information Call:

1-800-426-1830

except WA, AK, HI

Office open 8:30—4:30 P.S.T.

We accept Visa, MASTERCARD, AMERICAN EXPRESS

All prices U.S. Funds. Add 3% for shipping. No C.O.D. WA residents add 7.8% sales tax.

**SPECTRAL
ASSOCIATES**
3414 South 90th Street
Tacoma, WA 98409

Line 150 disables all maskable interrupts, including the RTC interrupt. This avoids the possibility of an interrupt occurring while the vector is being changed.

Lines 160 and 170 change the RTC interrupt vector to the RAM address of the Start routine (beginning at line 220).

Line 180 enables the interrupts so the new vector will operate.

Lines 190 and 200 execute a 50-ms pause during which the Z80 waits for the interrupt to occur. Once it does, 100 microseconds pass and the Z80 then begins processing the instructions in the Start routine. The RETI instruction in line 480 returns the Z80 to line 200 to complete the 50 ms pause.

Line 210 executes a return to Basic or to the machine-language program that called the routine.

Line 220 begins the interrupt-handling routine. It first disables all maskable interrupts because the routine takes longer than 33.3 ms to complete. If the interrupts are not disabled, the RTC interrupt would restart the routine every 33.3 ms and it would never be completed.

Lines 230 and 240 load the starting address (the top left location on the

```

10 ' BASIC MOVING BAR
    By Joseph G. Dlhopsky, Ph.D.
    St. John's University
    Staten Island, New York 10301

20 ' Revised 8208.21

990 DEFSTR A-H:DEFINT I-N
1000 B0="":A=CHR$(191)+CHR$(24)+CHR$(26)
1001 FORJ=1TO15:B0=B0+A:NEXT
1002 B0=B0+CHR$(191)
1005 B1="":A=CHR$(128)+CHR$(24)+CHR$(26)
1006 FORJ=1TO15:B1=B1+A:NEXT
1007 B1=B1+CHR$(128)
1009 FORJ=1TO10
1010 FORJ0=0TO64
1012 PRINT@J0,B0;
1014 PRINT@J0,B1;
1016 NEXT
1020 NEXT:GOSUB9200:CLS:END
9200 A=INKEY$
9210 PRINT@962,"( P R E S S   A N Y   K E Y   T O   C O N T I
N U E ) ";
9220 A=INKEY$
9230 IFA=""THEN9220ELSERETURN

```

Program Listing 2

screen) of the first bar into RAM addresses FFFC (LSB) and FFFD (MSB) hex (65532 and 65533 decimal). This value is incremented as the bar appears in new locations.

Line 280 loads 3F hex (63 decimal) in to the DE register for adding to the IY register. The IY register points to the

current video address for printing one of the 16 portions of each bar.

Lines 310-360 erase an old bar and draw a new one in the video location immediately to the right.

Lines 380 and 390 time the remainder of the 16.7-ms duration of the screen page. This assures that the electron

TRS-80 Model III 16K	\$ 699.00
TRS-80 Model III 48K	719.00
TRS-80 Model III 48K w 2 Drives	1395.00
TRS-80 Model 4 16K	895.00
TRS-80 Model 4 64K w 2 Drives	1695.00
TRS-80 Disk Kit w 2 Drives	599.00
Corvus 5 meg hard disk	1995.00
Corvus 20 meg hard disk	3595.00
Davong 5 meg hard disk	1579.00
Davong 18 meg hard disk	2295.00
Okidata ML-82A	399.00
Okidata ML-83A	639.00
Okidata ML-84	969.00
Okidata ML-92	539.00
Okidata ML-93	889.00
Gemini 10	329.00
Gemini 15	459.00

SMALL BUSINESS SOFTWARE PACKAGE

Visacalc Spreadsheet	\$99.95
Script Word Processor	\$99.95
Versafile Database	\$99.95
PURCHASE ALL 3 FOR ONLY	\$199.95

This business software package has many features not available on higher priced versions. The complete package is available on disk or tape for your Model I, III, IV, Apple IIE, or VIC-20. The package comes with 3 manuals and all future updates of the package are free!

Defendoids

A superior arcade style game with fast action graphics and sounds! Your mission is to rescue the fuel tanks from the planet's surface. You must do battle with the evil enemy ships hovering above the planet. Watch out though . . . after 10,000 points, the Vapor Gas Attack begins! Accept your mission and order this machine language game for only \$15.95 for any Mod I, III, or IV computer. Cass or Disk.

We've just cut our prices . . .

SOFTRONICS COMPUTER SYSTEMS

Call or send check, money order, or wire.
Include 3% for shipping. \$1.00 minimum.
Oklahoma residents must add 5%.
Prices and availability subject to change.

Office Hours: 10 a.m. to 6 p.m. weekdays.
BBS Hours: All other times.

918-749-6211

**2300 E. 14th Suite 204
Tulsa, Oklahoma 74104**

Hex Address	Code	Dec Address	Code				
FE00	F3	65024	243				
FE01	21	65025	33	FE25	BF	65061	191
FE02	0F	65026	15	FE26	FD	65062	253
FE03	FE	65027	254	FE27	23	65063	35
FE04	22	65028	34	FE28	FD	65064	253
FE05	47	65029	71	FE29	77	65065	119
FE06	40	65030	64	FE2A	00	65066	0
FE07	FB	65031	251	FE2B	FD	65067	253
FE08	01	65032	1	FE2C	19	65068	25
FE09	32	65033	50	FE2D	10	65069	16
FE0A	0D	65034	13	FE2E	F0	65070	240
FE0B	CD	65035	205	FE2F	ED	65071	237
FE0C	60	65036	96	FE30	4B	65072	75
FE0D	00	65037	0	FE31	DB	65073	219
FE0E	C9	65038	201	FE32	FF	65074	255
FE0F	F3	65039	243	FE33	CD	65075	205
FE10	21	65040	33	FE34	60	65076	96
FE11	00	65041	0	FE35	00	65077	0
FE12	3C	65042	60	FE36	21	65078	33
FE13	22	65043	34	FE37	FC	65079	252
FE14	FC	65044	252	FE38	FF	65080	255
FE15	FF	65045	255	FE39	34	65081	52
FE16	11	65046	17	FE3A	3E	65082	62
FE17	3F	65047	63	FE3B	3F	65083	63
FE18	00	65048	0	FE3C	AE	65084	174
FE19	06	65049	6	FE3D	C2	65085	194
FE1A	10	65050	16	FE3E	19	65086	25
FE1B	FD	65051	253	FE3F	FE	65087	254
FE1C	2A	65052	42	FE40	21	65088	33
FE1D	FC	65053	252	FE41	29	65089	41
FE1E	FF	65054	255	FE42	35	65090	53
FE1F	3E	65055	62	FE43	22	65091	34
FE20	80	65056	128	FE44	47	65092	71
FE21	FD	65057	253	FE45	40	65093	64
FE22	77	65058	119	FE46	FB	65094	251
FE23	00	65059	0	FE47	ED	65095	237
FE24	3E	65060	62	FE48	4D	65096	77

Table 1. Object Code for 17 Millisecond Moving Bar (Program Listing 1)

```

10 ' VIDEO SYNC MOVING BAR
    48 K DISK MODEL III TRS-80
    By Joseph G. Dhopolsky, Ph.D.
    St. John's University
    Staten Island, New York 10301

20 ' Revised 8208.11

100 CLEAR500:CLS
110 DEFSTR A-H:DEFINT I-J
120 CMD"L","MOVEBAR/CMD":DEFUSR0=&HFE00
200 CLS:INPUT"How many passes";JA
270 P0=50000/3-882.5:'Removes bar draw & erase time from 17 msec
272 OA=(P0-2.46)/14.8:'Gets EC value for DELAY call
274 GOSUB9000:'Rounding
276 JD=INT(OA)
280 J0=JDAND255:J1=(-256ANDJD)/256:IFJ1<0THENJ1=-1-J1
282 J1=(-256ANDJD)/256:IFJ1<0THENJ1=-1-J1:'Gets MSB
290 POKE&HFFDB,J0:POKE&HFFDC,J1:'LSB & MSB for rest of 17 msec
300 GOSUB9200:CLS
400 FORJ=1TOJA:'Start flash sequence loop
410 J0=USR0(0):'Calls 17 msec MOVING BAR
430 NEXT:'Next pass
440 GOSUB9200:GOTO200:'Wait for response then start over
9000 IFOA=INT(OA)<.49999THENOA=INT(OA)ELSEOA=INT(OA+1)
9010 RETURN
9200 A=INKEY$
9210 PRINT@962,"( P R E S S   A N Y   K E Y   T O   C O N T I
N U E )";
9220 A=INKEY$
9230 IFA=""THEN9220ELSERETURN

```

Program Listing 3

beam is at the same starting position for each new bar. The BC register contains an MSB-LSB (most significant byte-least significant byte) value equivalent to $14.8 * (\text{desired delay} - 2.46 \text{ microseconds})$ described in Radio Shack's ROM call definition. This value must be stored in RAM addresses FFDB (LSB) and FFDC (MSB) hex (65499 and 65500 decimal) before the routine is called. It takes 882.5 microseconds to erase an old bar and draw a new one, so the value in FFDB and FFDC contains a value that carries out a pause of 15.78 ms (16.667 - .8825 ms).

Lines 400-430 increment the value in addresses FFFC and FFFD (the video starting location for each bar) to set up for drawing the next bar. They also check to see if the end of the screen is reached.

If the end of the screen is not reached, line 440 jumps to draw the next bar. If it has been reached, the program goes to line 450.

Lines 450 and 460 return the RTC interrupt vector back to normal.

Lines 470 and 480 enable the interrupts and return from the current interrupt. Note that the Start routine must end with an EI instruction and a RETI instruction. You cannot use a RET instruction. If you leave out these commands, there is no telling what might happen, but it wouldn't be what you wanted.

The software I designed to perform psychological experiments is a hybrid of programs where machine-language routines carry out critical functions within larger Basic programs. Similarly, Program Listing 3 shows a Basic program that loads the machine code for Listing 1 from a disk file and carries out a demonstration.

Line 120 of Listing 3 performs the disk load. The disk file with the machine-language object code should be named MOVEBAR/CMD for proper loading. For non-disk users, replace line 120 with commands to POKE the object code in Table 1 into RAM. When you do this, you must include the following two commands that tell Basic where the USR routine starts: POKE 16526,0 and POKE 16526,254.

To understand the timing of the RTC interrupt and its relationship to the location of the electron beam, you should understand the characteristics of the video screen operation. See Fig. 1 for a diagram of the video organization.

Most TRS-80 programmers are aware that the Model III's video screen consists of 16 lines of 64 characters each. Each of the 16 video lines consists

NEW

NEW

the "Phoenix"

The New Personal Computer by Progressive Electronics

TRS-80 Mod-III & CP/M* Compatible

Plus:

- 128k Ram
- 80 x 24 Video
- 512 x 240 Graphics
- Alpha - Graphics
- Parallel Printer
- Light Pen
- Audio



- 5 mhz Z-80 CPU
- Double Den. Disks
- RS-232
- Upper/Lower Case
- Typewriter Keyboard
- 6 Expansion Slots
- 5 Rom Sockets

Available NOW! as a Kit: Less Rom & Ram

Includes:

- ... 6 Slot - Cpu Board with Video, Graphics, Printer, Light pen, & Audio Interfaces
- ... Disk Controller Card
- ... 128k Ram Card
- ... Keyboard, Enclosure, Power Supply, Boot Rom, Parts Kit and Assembly Manual

\$ 599.00

Disk Drives for Models 3 and 4

A Complete "Top Quality" Kit with Double Density "REMEX" Drive,
Premium Quality Drive Controller
Power Supply, Cables & Hardware

\$ 379.00

Second Drive \$ 179.00 -- Double Sided \$ 248.00

DOUBLER: (Model-I)	\$ 99
CHARACTER GENERATOR:	\$ 18
MDX-2 EXPANSION INTERFACE	\$ 469
BOARD & MANUAL :	\$ 74
PARTS KIT :	\$ 189
"ZIPPY" Mod-3 SPEED UP	\$ 69

Bare BOARDS & MANUALS for the "Phoenix"

• CPU • \$ 99	• RAM • \$ 49
• DISK-3 • \$ 49	• RS-232 • \$ 49
• DISK-1 • \$ 59	• P/S • \$ 15

PROGRESSIVE ELECTRONICS

537 East Main St.
Lancaster, Ohio 43130

✓143

Phone 614-687-1019
9-5 Weekdays
Sat. 9-Noon
Visa-M.C.

*TRS-80 is a trademark of Tandy
*CP/M is a trademark of Digital Research

... Add Shipping & Handling ...

of 12 scan lines. The electron stream travels from left to right as it draws each of the 12 lines in each character (actually, alphanumeric characters use only the top eight scan lines). It travels back from right to left before it starts the next scan line. This is called horizontal retrace and the beam is blanked during this interval. For convenience, it is said that the horizontal retrace really consists of 16 non-displayed characters that are tagged on at the end of the 64 character line; the TRS-80 thinks it is printing 80 character lines.

After the electron beam completes the last scan line on video line 16, it travels up to line 1 to begin the process anew. Just as 16 extra characters are figuratively added to the horizontal lines to accommodate the time it takes to make a horizontal retrace, six extra lines are added to the last line to accommodate the time it takes to complete a vertical retrace.

During vertical retrace, the electron beam is once again blanked. The result is that we have six video lines—17 through 22—that are not displayed. This would seem to be the ideal time to load data into video RAM because the changes wouldn't appear until the electron beam returned to the first scan line on the top of the screen. Even more advantageous, the RTC interrupt occurs at the beginning of invisible line 17!

Listing 1 uses this to accomplish all the changes in video RAM before the electron beam completes its vertical retrace to return to the top scan line: The Start routine begins 100 ms after the interrupt, and the changes in video RAM are completed 882.5 microseconds later.

LINE NUMBER	VISIBLE PORTION OF VIDEO LINE (64 CHARACTERS)	16 INVISIBLE CHARACTERS
1	4.54 msec from Real Time Clock interrupt	
2	5.30 msec	
3	6.06 msec	
4	6.82 msec	
5	7.58 msec	
6	8.33 msec	
7	9.09 msec	
8	9.85 msec	
9	10.61 msec	
10	11.36 msec	
11	12.12 msec	
12	12.88 msec	
13	13.64 msec	
14	14.39 msec	
15	15.15 msec	
16	15.91 msec	
17	..Real Time Clock Interrupt occurs at beginning of line 17.....	
18	..0.757 msec from Real Time Clock interrupt.....	
19	..1.52 msec.....	
20	..2.27 msec.....Invisible lines.....	
21	..3.03 msec.....devoted to.....	
22	..3.79 msec.....vertical retrace.....	


Fig. 1. Video configuration in the Model III. The visible portion of the video screen is the 16 dark horizontal lines. Each 64-character video line has 16 non-displayed characters at the end, shown here as dots. These characters describe the time it takes for the electron beam to complete a horizontal retrace. Lines 17 through 22 are non-displayed. These describe the time it takes for the electron beam to complete a vertical retrace. The Real Time Clock interrupt occurs at the beginning of line 17.

As to timing requirements, simple arithmetic tells you how much time you have to work. Twenty two lines are drawn in 16.7 ms. Each line, therefore, is drawn in 757.57 microseconds (including horizontal retrace). If the RTC


interrupt arrives at zero microseconds, line 1 is printed 757.57×6 microseconds, or 4.54 ms, later. If your machine-language routines are completed in under 4.5 ms, it is possible to update video RAM before the electron beam

ALWAYS AT SALE PRICES **TRS-80** ALWAYS AT SALE PRICES

OUR TRS-80s Have the Radio Shack warranty



PRINTERS




MODEL 12



WE SHIP FAST!


DFW COMPUTER CENTER
326 MAIN ST., GRAPEVINE
TEXAS 76051 — (817) 481-7283



MODEL 4

To get YOUR SALE price CALL:

1-800-433-SALE



DISPLAY PHONE

* RADIO SHACK

When it comes to superior performance, we study our lines very carefully.

Superior printer performance is not a fluke. It evolves from analyzing printed line after printed line. Taking the time to test and retest. After 30 years of manufacturing precision parts, we know that there are no shortcuts.

And so we took the Gemini-10X and methodically put it through its 120 cps pace. We achieved a print head life of over 100 million characters with an extremely precise dot alignment creating each crisp character.

So far so good.

Next, sophisticated performance demanded versatility. A wide choice of character sets, a buffer expandable to 8K, and the ability to interface with all popular personal computers. We added macro

instruction, giving Gemini-10X the capability to perform up to 16 operations with one command. We included as standard a paper feed system that has a friction and fully adjustable tractor feed. Then we even built in the dexterity to print graphics and text on the same line.

Done.

And, of course, staying the best means constant reviewing and fine-tuning. Keeping the Gemini easy to find, easy to afford and so reliable it can be warranted for up to twice as long as its major competitors.


Only the most careful engineering has built the new hard-working Gemini-10X. You'll applaud its performance.

starTM
MICRONICS INC.

THE POWER BEHIND THE PRINTED WORD.

Computer Peripherals Division
2803 N.W. 12th Street, Dallas/Ft. Worth Airport, TX 75261

506



Join the club.

ITM
is for those people
who want
straight talk about
what software
is available in
the marketplace
and want to buy it
at the
lowest prices.
Expertise
and low prices
are just two reasons
you should
call ITM first.
For complete
information on the
eight other reasons
call toll free
today.

**We make
software buying simple.**

800-334-3404

IN CALIFORNIA CALL

415-284-7540

ITM™

936 Dewing Ave., Suite E
Lafayette, CA 94549

281

Hex Address	Code	Dec Address	Code				
FE00	F3	65024	243	FE24	00	65060	0
FE01	21	65025	33	FE25	FD	65061	253
FE02	0F	65026	15	FE26	19	65062	25
FE03	FE	65027	254	FE27	10	65063	16
FE04	22	65028	34	FE28	F9	65064	249
FE05	47	65029	71	FE29	ED	65065	237
FE06	40	65030	64	FE2A	4B	65066	75
FE07	FB	65031	251	FE2B	DB	65067	219
FE08	01	65032	1	FE2C	FF	65068	255
FE09	32	65033	50	FE2D	CD	65069	205
FE0A	0D	65034	13	FE2E	60	65070	96
FE0B	CD	65035	205	FE2F	00	65071	0
FE0C	60	65036	96	FE30	06	65072	6
FE0D	00	65037	0	FE31	10	65073	16
FE0E	C9	65038	201	FE32	3E	65074	62
FE0F	F3	65039	243	FE33	80	65075	128
FE10	ED	65040	237	FE34	FD	65076	253
FE11	4B	65041	75	FE35	21	65077	33
FE12	E0	65042	224	FE36	20	65078	32
FE13	FF	65043	255	FE37	3C	65079	60
FE14	CD	65044	205	FE38	FD	65080	253
FE15	60	65045	96	FE39	77	65081	119
FE16	00	65046	0	FE3A	00	65082	0
FE17	11	65047	17	FE3B	FD	65083	253
FE18	40	65048	64	FE3C	19	65084	25
FE19	00	65049	0	FE3D	10	65085	16
FE1A	06	65050	6	FE3E	F9	65086	249
FE1B	10	65051	16	FE3F	21	65087	33
FE1C	FD	65052	253	FE40	29	65088	41
FE1D	21	65053	33	FE41	35	65089	53
FE1E	20	65054	32	FE42	22	65090	34
FE1F	3C	65055	60	FE43	47	65091	71
FE20	3E	65056	62	FE44	40	65092	64
FE21	BF	65057	191	FE45	FB	65093	251
FE22	FD	65058	253	FE46	ED	65094	237
FE23	77	65059	119	FE47	4D	65095	77

Table 2. Object Code for Beam Calibration (Program Listing 4)

```

00100 ;BEAM CALIBRATION
00110 ;By Joseph G. Dlhopsky, Ph.D.
00120
FE00 00130 ORG 0FE00H ;RAM of routine
0060 00140 EQU 0060H ;Delay ROM
FE00 F3 00150 DI ;Disable interrupts
FE01 210FFE 00160 LD HL,START;New RTC int address
FE04 224740 00170 LD (4047H),HL;New RTC int vect
FE07 FB 00180 EI ;Enable interrupts
FE08 01320D 00190 LD BC,3378 ;50 msec delay
FE0B CD6000 00200 CALL DELAY
FE0E C9 00210 RET ;Return to BASIC
FE0F F3 00220 START DI ;DRAW BAR ROUTINE
FE10 ED4BE0FF 00230 LD BC,(0FFE0H);Pause
FE14 CD6000 00240 CALL DELAY
FE17 114000 00250 LD DE,40H
FE1A 0610 00260 LD B,10H ;Counts lines
FE1C FD21203C 00270 LD IY,3C20H;Video RAM
FE20 3EBF 00280 LD A,191 ;Print bar CHR$
FE22 FD7700 00290 LOOPA LD (IY),A
FE25 FD19 00300 ADD IY,DE ;Skip to next line
FE27 10F9 00310 DJNZ LOOPA
FE29 ED4BDBFF 00320 LD BC,(0FFDBH);Finish 16.7 msec
FE2D CD6000 00330 CALL DELAY
FE30 0610 00340 LD B,10H ;Sets counter
FE32 3E80 00350 LD A,128 ;Blank character
FE34 FD21203C 00360 LD IY,3C20H;Points video RAM
FE38 FD7700 00370 LOOPB LD (IY),A ;Draws blank
FE3B FD19 00380 ADD IY,DE ;Jump to next line
FE3D 10F9 00390 DJNZ LOOPB
FE3F 212935 00400 LD HL,3529H;Normal RTC int
FE42 224740 00410 LD (4047H),HL
FE45 FB 00420 EI
FE46 ED4D 00430 RETI
FE00 00440 END 0FE00H

```

Program Listing 4

begins to print the updated information. Hence, no flicker is apparent.

Program Listing 4 shows the source code for a machine-language routine that prints a vertical bar in the center of the screen. The decimal conversions for the object code appear in Table 2. Program Listing 5 is a Basic program that allows the user to enter a microsecond pause that Listing 4 takes before it draws the bar. If you select a microsecond pause within the 16.7-ms range, you can demonstrate the location of the electron beam at various times from the RTC interrupt. Listing 4, therefore, can calibrate the electron beam's location at different times.

The machine-language program re-assigns the RTC interrupt to the Start address and then waits for the interrupt. RAM addresses FFE0 and FFE1 hex (65504 and 65505 decimal) contain the LSB and MSB codes for the user-selected delay. During this time, the elec-

tron beam completes its vertical retrace and starts to scan the visible lines. When the pause ends, the Z80 loads 191s into the video RAM addresses for a single vertical bar in the middle of the screen. It takes 380 microseconds to complete this loading. So, in effect, the bar data is loaded into video RAM just ahead of the electron beam.

Once the bar is drawn, the program pauses (lines 320 and 330). The codes in addresses FFDB and FFDC hex (65499 and 65500 decimal) create a pause for the remainder of the 16.7 ms from the beginning of the Start routine. Then the code for a blank graphics character (128) is loaded into each of the 16 video RAM locations for the segments of the bar. With the next pass of the electron beam 17 ms from the RTC interrupt, the bar is erased.

For example, if you selected a 10-ms pause from the RTC interrupt before the data is stored in video RAM, the

```

10 '      Z-80 VIDEO SYNCH DEMONSTRATION
      48 K DISK MODEL III TRS-80
      Written for TRSDOS 1.3
20 '      Revised 8208.21

100 CLEAR500:CLS
110 DEFSTR A-H:DEFINT I-J
120 CMD"L","BEAMCAL/CMD":'Loads 17 MSEC VERTICAL BAR
130 DEFUSR0=&HFE00:'Defines origin of machine code
200 CLS:INPUT"How many flashes";JA
210 INPUT"Length of pause before drawing line (usec)";JB
240 P0=JB-40:'Corrects for machine language routine overhead
242 OA=(P0-2.46)/14.8:'Converts to BC register value
244 GOSUB9000:'Rounding
246 JC=INT(OA)
250 J0=JCAND255:'LSB
252 J1=(-256ANDJC)/256:IFJ1<0THENJ1=256+J1:'MSB
260 POKE&HFF0,J0:POKE&HFF1,J1:'LSB & MSB for DELAY call
270 P0=50000/3-P0-403.5:'Gets rest of 16.7 msec
272 OA=(P0-2.46)/14.8:'Converts to BC register value
274 GOSUB9000:'Rounding
276 JD=INT(OA)
280 J0=JDAND255:'LSB
282 J1=(-256ANDJD)/256:IFJ1<0THENJ1=256+J1:'MSB
290 POKE&HFFDB,J0:POKE&HFFDC,J1:'LSB & MSB for rest of 17 msec
300 GOSUB9200:CLS
310 CLS:'Lines 310-340 draw screen display
320 FORJ=29TO989STEP64
322 PRINT@J,CHR$(170);
324 PRINT@J+6,CHR$(149);
326 NEXT
330 PRINT@16,"VIDEO LINE";
331 J0=1:FORJ=26TO538STEP64
332 PRINT@J,J0;:PRINT@J+4,STRING$(5,95);
333 J0=J0+1:NEXT
334 FORJ=601TO985STEP64
335 PRINT@J,J0;:PRINT@J+5,STRING$(5,95);
336 J0=J0+1:NEXT
340 PRINT@361,"Pause from Real Time";
342 PRINT@425,"Clock interrupt:";
344 PRINT@488,JB;" + 100 usec";
400 FORJ=1TOJA:'Start flash sequence loop
410 J0=USR0(0):'Calls BEAM CALIBRATION
430 NEXT:'Next flash
440 GOSUB9200:CLS:GOTO210:'Wait for response then start over
9000 IFOA=INT(OA)<.49999THENOA=INT(OA)ELSEOA=INT(OA+1)
9010 RETURN
9200 A=INKEY$
9210 PRINT@962,"( P R E S S   A N Y   K E Y   T O   C O N T I
N U E )";
9220 A=INKEY$
9230 IFA=" "THEN9220ELSERETURN

```

Program Listing 5

ALL ABOARD FOR THE...

**COMPUTER
EXPRESS**

Radio Shack™

DEALER P-164

SALE


THIS MONTH ONLY!

MODEL 100, PORTABLE

24K COMPUTER

774.⁰⁰

*Style may vary from picture shown



- 10% Over Cost
- Free Shipping Anywhere
in the Continental
United States
- Trade-ins Welcome
- Epson and Others



**THE
COMPUTER
EXPRESS**

32 EAST MAIN ST.
MILAN, MICH. 48160

(313) 439-2475



TRS-80 REGISTERED TM
OF TANDY

✓138

PRICES SUBJECT TO CHANGE

electron beam is located within line 8 (see Fig. 2). The video data loads just in front of the beam. The Z80 then waits for the rest of the 16.7 ms from the RTC interrupt before it loads blank codes into video RAM. As a result, the top portion of the bar never appears. All you see is a bar starting somewhere within line 8, ending at the bottom of the screen, and lasting 17 ms.

When you run Listing 5, you must reserve high memory above address 65000. The object code for the machine-language routine should be in a disk file called BEAMCAL/CMD, as indicated in line 120. For non-disk users, POKE the object code decimal values starting in the address listed in Table 2.

Listing 5 asks the user to set two parameters. The first question, "How

many flashes?," allows you to call the machine-language routine a number of times in succession. Each time the routine is called, the bar is displayed for 17 ms, so multiple flashes are helpful. The second question, "Length of pause before drawing line?," lets you select the initial microsecond pause that the machine-language routine takes.

When you select a pause, 40 microseconds are subtracted in line 240 of Listing 5. This is because those sections of the machine-language routine that precede drawing the bar take 40 microseconds to carry out. If you wish to use the values in Fig. 1 for each video line, be sure to subtract 100 microseconds, the time required for the Z80 to trigger the Start routine after the interrupt.

Upon answering the computer's que-

ries, you can implement the demonstration by pressing any key. The program POKes the correct values in RAM locations used by the machine-language routine and draws a screen display that helps to locate and interpret the length of the 17-ms bar (see Fig. 2). For calibration purposes, the short horizontal lines indicate the general location of each video line. About 2/3 of the video line (seven scan lines) is located above the horizontal line, 1/3 below it (four scan lines). All alphanumeric characters appear in the space above the horizontal line; some graphics characters span both above and below the horizontal line.

I tested Listings 4 and 5 on my Model III and found a lack of agreement between the initial pause and the expected location of the electron beam. For example, a 10 ms pause should show a complete bar from the middle of line 8 down to the bottom of the screen. The actual line displayed, however, only started at line 9, an error on the order of some 500 microseconds.

The pattern of errors indicates that Listing 4 is either pausing 38 microseconds for each visible line or that the visible lines are drawn 38 microseconds sooner than the 757 microseconds supplied by Radio Shack. The 100-microsecond delay from the interrupt to the beginning of the Start routine appears to be accurate. But the microsecond values given for each line in Fig. 1 are not accurate. I found that the top of the bar appears in the expected location if the pause is adjusted based on the following equation:

$$\text{MEASURED TIME} = \text{PREDICTED TIME} - (\text{LINE NUMBER} \times 38 \text{ microseconds})$$

From this value, you also have to subtract the 100 microseconds overhead from the RTC interrupt. Table 3 lists the results.

I am not certain where the error lies. It may be that the video circuitry of my unit isn't operating at the intended 60 Hz, or my system clock is off, but I somehow doubt this. I may have incorrectly timed the duration of the machine-language instructions. For this, I used Rodney Zak's book, *How to Program the Z80*. And I double-checked my calculations.

Another problem might be in the Delay subroutine in the Model III's ROM. The user's manual gives instructions that imply a microsecond accuracy for this delay call. But if the Delay subroutine is the problem then it underestimates the time with a 5 percent error (38 microseconds per 757-microsecond line). However, I find it difficult to




Fig. 2. Two sample screen displays produced by Program Listing 5 for electron beam calibration. The short horizontal lines are produced by CHR\$(95) which appears as a short line about 2/3 of the way down the video line. When displayed, alphanumeric characters appear in the space above this character. The central grey bar depicts the vertical bar displayed by Program Listing 4. In (a), the entire bar appears. This would be the display if no pause were executed after the RTC interrupt. A 10-ms pause would give a result similar to (b). The entire bar is loaded into video RAM, but the top portions are erased before the electron beam can get to them.



QUEST — A NEW IDEA IN ADVENTURE GAMES! Different from all the others. Quest is played on a computer generated map of Alesia. Your job is to gather men and supplies by combat, bargaining, exploration of ruins and temples and outright banditry. When your force is strong enough, you attack the Citadel of Moorlock in a life or death battle to the finish. Playable in 2 to 5 hours, this one is different every time. TRS-80 Color, and Sinclair, 13K VIC-20. Extended BASIC required for TRS-80 Color and TI99/A. \$14.95 each.

32K TRS 80 COLOR Version \$24.95.

Adds a second level with dungeons and more Questing.



WIZARDS TOWER — This is very similar to Quest (see above). We added wizards, magic, dragons, and dungeons to come up with a Quest with a D&D flavor. It requires 16k extended color BASIC. 13k VIC, Commodore 64, TRS-80 16k Extended BASIC, TI99/A extended BASIC. \$14.95 Tape, \$19.95 Disk.

Authors — Aardvark pays the highest commissions in the industry and gives programs the widest possible advertising coverage. Send a Self Addressed Stamped Envelope for our Authors Information Package.

ZEUS



ZEUS — It's fast and furious as you become the WIZARD fighting off the Thunderbolts of an angry ZEUS. Your Cone of Cold will destroy a thunderbolt and your shield will protect you — for a while. This is the best and highest speed arcade action we have ever done. Difficulty increases in wave after wave, providing hours of challenging fun and a game that you may never completely master. Commodore 64, Vic20 (16k expander), and 16k TRS-80 Color Computer. (ALL MACHINE CODE!)

\$19.95 tape \$24.95 disk. (Tape will not transfer to disk.)



ADVENTURES!!!

The Adventures below are written in BASIC, are full featured, fast action, full plotted adventures that take 30-50 hours to play. (Adventures are interactive fantasies. It's like reading a book except that you are the main character as you give the computer, commands like "Look in the Coffin" and "Light the torch.")

Adventuring requires 16k on Sinclair, and TRS-80 Color. They require 8k on OSI and 13k on VIC-20. Now available for TI99. Any Commodore 64.

\$14.95 Tape — \$19.95 Disk.


ESCAPE FROM MARS

(by Rodger Olsen)

This ADVENTURE takes place on the RED PLANET. You'll have to explore a Martian city and deal with possibly hostile aliens to survive this one. A good first adventure.


PYRAMID (by Rodger Olsen)

This is our most challenging ADVENTURE. It is a treasure hunt in a pyramid full of problems. Exciting and tough!



SEAWOLFE — ALL MACHINE CODE In this high speed arcade game, you lay out patterns of torpedoes ahead of the attacking PT boats. Requires Joysticks, at least 13k RAM, and fast reflexes. Lots of Color and Sound. A fun game. Tape or Disk for Vic20, Commodore 64, and TRS-80 Color. NOTE: tape will not transfer to disk!

\$19.95 Tape — \$24.95 Disk.



Dungeons of Death — This is the first D&D type game good enough to qualify at Aardvark. This is serious D&D that allows 1 to 6 players to go on a Dragon Hunting, Monster Killing, Dungeon Exploring Quest. Played on an on-screen map, you get a choice of race and character (Human, Dwarf, Soldier, Wizard, etc.), a chance to grow from game to game, and a 15 page manual. 16k Extended TRS-80 Color, 13k VIC, Commodore 64. At the normal price for an Adventure (14.95 tape, \$19.95 disk), this is a give-away.

Dealers — We have a line of about 100 original programs for the machines listed here. We have High speed Arcades, Quality Adventures, Word processors and Business Software for Small machines. Better yet, we have excellent Dealer support. Phone for information.

Send \$1.00 for Complete Catalogue - Please specify system on all orders - \$2.00 Shipping Charge on each order



AARDVARK L.T.D.
2352 S. Commerce, Walled Lake, MI 48088 / (313) 669-3110
Phone Orders Accepted 8:00 a.m. to 4:00 p.m. EST. Mon.-Fri.



believe that this rather large error might have gone undetected by the Model III designers.

If you use Listings 4 and 5 on your own computer and enter the values in the third column of Table 3, the top of the bar should be located about 1/3 of the way down from the horizontal line. For each of the pauses listed, the corresponding video line should be lighted; that is, if you entered 8,005 microseconds, the bar should begin at the top of line 6. It would be interesting if there were some variation between different computers. This would mean that the error is due to a hardware inconsistency. If, on the other hand, the 38 microsecond-per-line error is constant from one unit to another, it reinforces our faith in the precision of TRS-80 hardware, but still causes us to wonder why the error is there.

While the existence of an error is apparent, the strength of Listing 4 is that it facilitates detecting and correcting the error in the programmer's own routines. As an experimental psychologist, I was unaware of the error until I designed and tested Listing 4. Now I can use this program to calibrate other machine-language routines that require

the precise timing characteristic of psychological experimentation.

Animation techniques are not likely to be as demanding as psychological research, but it's nice to know that the video screen operation is predictable. I hope that software designers find the

technique I described here to be useful in developing improved animation routines. ■

Joseph Dlhopsky is employed by St. John's University, Staten Island, NY. Write to him at 27 Wilson St., Port Jefferson Station, NY 11776.

Line Number	Predicted Time From RTC (ms)	Measured Time From RTC (ms)	Difference (us-100)
1	4.545	4.407	38
2	5.303	5.127	76
3	6.061	5.847	114
4	6.818	6.566	152
5	7.576	7.286	190
6	8.333	8.005	228
7	9.091	8.725	266
8	9.848	9.444	304
9	10.606	10.164	342
10	11.364	10.884	380
11	12.121	11.603	418
12	12.879	12.323	456
13	13.636	13.042	494
14	14.394	13.762	532
15	15.152	14.481	571
16	15.909	15.201	608

Table 3. Predicted millisecond pauses for beam calibration at each video line (column 2) do not show the electron beam to be in the expected position. When the values in column 3 are entered in Program Listing 5, the electron beam appears at the beginning of each video line. Column 4 lists the differences, in microseconds, between the predicted and measured pauses for each line. If you divide the value by the line number, you get a constant of 38 microseconds.

CONVERT YOUR SERIAL PRINTER TO PARALLEL CONVERT YOUR PARALLEL PRINTER TO SERIAL

The UPI serial printer interfaces allow an ASCII serial printer to be connected to the parallel printer port of the TRS-80 computers or any other computer which has a Centronics compatible parallel printer port.

Software compatibility problems which normally result when a serial printer is used are totally eliminated because, the computer "thinks" that a parallel printer has been connected. Special driver programs and changes to the operating system are not required with computers designed to work with a parallel printer.

The UPI interfaces are completely self contained and ready to use. A DB25 socket mates with the cable from your serial printer. The ribbon cable attaches to the parallel printer port of your computer. The UPI interfaces convert the output of your parallel printer port into serial data in both the RS232-C and 20 ma. loop formats. Switch selectable features include:

- Linefeed after Carriage Return
- Handshake polarity (RS232-C)
- Nulls after Carriage Return
- 7 or 8 Data Bits per word
- 1 or 2 Stop Bits per word
- Odd, Even, or, No Parity
- Baud rates 110 to 9600

UPI-3VB for TRS-80 I & III	\$149.95
UPI-2VB for TRS-80 II & 16	\$149.95
UPI-3VB-6 for TRS-80 I & III with 6 ft. cable	\$159.95
UPI-2VB-6 for TRS-80 II & 16 with 6 ft. cable	\$159.95
Models for most other computers available at	\$159.95

NEW SERIAL TO PARALLEL INTERFACES

The SPC SERIAL to PARALLEL interfaces convert serial ASCII data into parallel format for use with Centronics type parallel printers. A DB25 socket accepts serial data from your computer. The 36 contact ribbon connector plugs into your parallel printer. Can be used to add a second parallel printer port to computers which reliably support both serial and parallel printers.

Switch selectable options include the following:

- 7 or 8 Data Bits per serial word
- Odd or Even parity for serial word
- Parity or No parity for serial word
- 1 or 2 Stop Bits per serial word
- 300, 600, 1200, 2400, or 4800 BAUD

SPC-1 as described above	\$89.95
SPC-CC with DIN plug and cable for the TRS-80 Color Computer	\$69.95

All prices U.S. funds. VISA, MASTER CARD, COD, Purchase Orders accepted from schools, major corporations, and government agencies. Shipping and Handling on U.S. orders \$4.00. Ten day return period. Ninety day warranty.



BINARY DEVICES
11560 TIMBERLAKE LANE
NOBLESVILLE, IN 46060
(317) 842-5020

106

TRS-80 is a trademark of TANDY

OUR PRICES, SELECTION AND SAME-DAY SHIPPING MAKE US COMPETITIVE. OUR PEOPLE MAKE US EXPERTS.

Red Baron. Home of the Nation's Largest Computer Printer Inventory.

NEC 8023/DMP 85

Quality and Performance




- 100 CPS
- 5 unique alphabets including Greek
- 8 character sizes
- Dot graphics
- Vertical and horizontal tabbing

NEC 8023/DMP 85 **\$Call**

The Epson Series


High-Quality Printers



- 160 CPS
- Dot graphics
- Proportional spacing
- Super/subscript
- Underlining
- Downloadable character sets

Epson FX series. **\$Call**

Star Micronics Gemini 10/15



- 100 CPS
- 120 x 144 dot graphics
- 2.3 K buffer
- Underlining
- Super/subscript

Gemini 10
Gemini 15

Lowest Priced Dot Matrix

The Okidata Series Advanced, Multifunction Printing



- 160/200 CPS
- Correspondence quality
- Okigraph dot graphics
- Alternate downline loadable character set

Okidata 92 List \$ 699
Okidata 93 (w/Tractor) . . . List \$1249
Okidata 84 (Parallel) . . . List \$1395 **\$Call**


IDS Microprism 480 Prints like a daisy, priced like a matrix!



- Correspondence quality in a single pass
- Dual speed 75, 110 CPS
- Proportional spacing
- Text justification

IDS Microprism 480 List \$799 **\$Call**

IDS Prism Affordable Color, High Speed



- 200 CPS
- 24 x 9 dot matrix
- Color graphics
- Text justification
- Proportional spacing

Prism 80 Base List \$1,299 **\$Call**
Prism 132 Base List \$1,499

The Buffered Grappler +™ Apple Buffered Graphics Interface

- 16K Buffer, upgradable to 32K or 64K
- All Standard Grappler + features, 23 Text and Graphics Commands in all
- Compatible with most popular dot matrix printers
- Automatic memory configuration, self test

Buffered Grappler + \$239
Grappler + \$175
Grappler + (IDS Color) \$175
The Bufferboard \$175

Anadex Silent Scribe The Quiet Matrix Printer




- Up to 500 CPS
- Industrial duty
- Correspondence quality printing
- Graphics

	List	Discount
Anadex DP-9501A	\$1,725	\$1,325
Anadex DP-9620A	\$1,845	\$1,475
Anadex 9625A	\$1,995	\$1,605
Anadex WP-6000 (w/Tractor)	\$3,450	\$2,960

Brother HR-1/DX-15

Perfect for quality word processing



- 15/16 CPS
- Bi-directional printing
- Quiet, efficient operation for word processing

Brother HR-1 List \$1150 **\$Call**
Brother DX-15 List \$ 599

TeleVideo CRT's

Price, Performance and Reliability



TeleVideo knows top value means top features at a low price!

	List	Discount
910	\$ 699	\$575
925	\$ 995	\$730
950	\$1195	\$945
970	\$1495	\$Call

Cables and Accessories

Custom Printer Cables for Apple, Atari, IBM, TRS-80 (and MORE!) **\$Call**
CCS Apple Serial Interface and Cable \$150
Complete Stock of Epson Accessories **\$Call**
Printer Stands: Large \$ 99
Small \$ 25
Printer Ribbons—Most Types **\$Call**
Signalman Modem **\$Call**
Hayes Micromodem II \$300

Other Quality Products at Red Baron

	List	Discount
Printers		
NEC Spinwriter RO		
Serial Parallel 7710	\$3055	\$2500
Serial 3510	\$1895	\$1640
Smith-Corona TP-1	\$ 895	\$Call
Monitors		
Amdek Video 300	List \$ 249	\$160
Amdek Color 1	List \$ 499	\$355
Diskettes		
Verbatim Diskettes		\$Call
Color Coder Diskette Cases		\$ 16

Here's How To Order:

Phone orders are welcome; same-day shipment on orders placed before 11:00 a.m. Free use of MasterCard and Visa. COD's accepted. Personal checks require 2 weeks clearance. Manufacturer's warranty included on all equipment. Prices subject to revision. APO/FPO Orders Welcome.



4501 E. Eisenhower Cir., Anaheim, CA 92807

National Order Desk:
(800) 854-8275

Product Information/
Order Inquiries:
(714) 779-2779



✓ 275

Model II/12/16 Games

You might expect Color Computer and Model I/III game players, used to sitting out CLOADs or seeing ads for 32K games that won't fit their 16K machines, to be jealous of the Models II/12/16. A Model II disk can hold 416K; a Model 12 disk, over a megabyte. Someday, someone's going to use one to write the *War and Peace* of adventures.

In the meantime, however, Tandy's business machines seem stuck in the 9-to-5 grind. Comparatively few

companies make games for the II/12/16; most answered 80 *Micro's* questionnaire, while data on others was gleaned from ads. Even so, this is one of 80's skimpier Buyer's Guides.

The following programs run under TRSDOS on 64K or larger Z80 machines. No one yet makes games for the 68000 or the Model 16's multi-user Xenix system, though workers blasting each others' starships from remote terminals is a lovely idea.

Advanced Data Design Inc., 184-08 Tudor Road, Jamaica Estates, NY 11432, 212-380-0124.

Two multi-game disks, with a modified Basic interpreter that allows finer graphic detail. Game Pack I (\$50) features the two-player games Intercept (block your opponent's line while directing your own to avoid obstacles) and Reversem (Othello), and the arcade-style Lunar Lander and Sink the Battleship.

Game Pack II (\$70) contains the above four, plus Eat'Um (control a growing snake at 10 levels of play) and Reversem II (you against the computer).

Adventure International, Box 3435, Longwood, FL 32750, 305-862-6917.

Scott Adams' Adventures 1-12—from Adventureland and Pirate Adventure through Ghost Town and Golden Voyage—on one TRSDOS 2.0 disk, for \$129.95 (Florida residents add 5 percent tax).

B.O.S.S. Computer Group Ltd., 4136 Burke St., Burnaby, B.C., Canada V5H 1B1, 604-430-4612.

A TRSDOS 2.0/2.0a/2.0b/4.2 disk for \$82.95 (Canadian), with 20 programs. The first 11 are "logic-oriented games," ranging from Biorhythm and Tic-Tac-Toe to Guillotine (you are a French aristocrat trying to talk the peasants out of beheading you) and Joseph (you have been sold to the Egyptians by your brothers and must prepare for the coming drought).

The other nine are graphics games: Extendapede, Parachutist, Satellite, Volleyball, and others like Farmyard

(Farmer Brown chasing a chicken) and Subway (a Russian spy evading a Western agent).

Eberhard Engineering, P.C., 27 Pine Ridge Drive, Smithtown, NY 11787, 516-543-7777.

To quote the press release, Above Intelligence is a collection of "over 25 sophisticated games, brain teasers, and nude printer graphics" (if you have a Daisy Wheel II or line printer). The disk lets you check your I.Q. or biorhythm, rate the men and women in your life, play Hangman and Casino, and print the ever-popular Snoopy calendar as well as pictures of naked ladies.

"Targeted for use by the sophisticated executive," not to mention "ideal for children," the package "promotes interest by computer-fearing staffs, and dramatically reduces the mystique and apprehension associated with computers." All this for \$49.95.

Kuzel Computer Services, 8654 W. Berwyn Ave. #3S, Chicago, IL 60656, 312-399-0273.

Programmer Kenneth Kuzel offers a Star Trek game called The Wrath of Ken, as well as 10 other programs. Munchman, Galactic Invaders, Meteors (an Asteroids game), and Bustout are familiar arcade adaptations. Wormy obliges you to control a ravenous, growing worm; Racer X involves dodging cars and potholes. In Quest for Adventure, you "recruit an army of adventurers and chart an unknown land." Traditional gamers can try Othello, Chess, or Computer Casino (blackjack and slots).

Each Kuzel game sells for \$19.95; any two are available for \$29.95.

Maryland Model II Games, 3304 Carlton Ave., Temple Hills, MD 20748, 301-894-1274.

Skydiver, Star Battle, The Wall, Space Swarm, and Mayhem—five arcade-style games for \$29.95 (Maryland residents add \$1.50 sales tax).

Rizzo Data Systems Corp., 577 Burlington Road, P.O. Box 458, Bridgeton, NJ 08302, 609-451-7979.

By day a small-business-systems dealer, Rizzo doubles as a distributor for AI's Adventures 1-12 (\$132.95) and Interactive Fiction (\$52.95) and the two ADD Game Packs (\$53 and \$73).

In addition, the firm offers Ricochet, Star Trek, and Biorhythms (\$28 each), as well as Lance Micklus' \$78 game disk (checkers, Starflight, Concentration, Treasure Hunt, Banko, and the Dog Star Adventure).

Tycoon (\$38) is a Monopoly-like game, and Starship/I (\$42) lets you save the galaxy in real time. Finally, Electro Casino (\$78) includes blackjack, five-card stud, roulette, and horse racing, and Handicapping (\$103) classifies and ranks thoroughbreds.

Wilson Software Division, 539 Springhouse Lane, Camp Hill, PA 17011.


More gamblers' software: Draw5 (\$23.50) is five-card draw poker and Stud5 (\$18.50) is five-card stud. Spread80 (\$25) computes pro football winners; Pool80 (\$20) operates and maintains an office football pool; and Tout3 (\$22.50) handicaps horse races. ■

NEW

MODEL IV FEATURES ON YOUR MODELS I and III FOR 1/2 THE PRICE

but only with . . .

The **HOLMES VID-80™**
80 character video, which includes:



FEATURES:

- Easy plug-in installation inside case.
- Software patches available for many programs.
- Improved Graphic Resolution.
- 80x24 or 64x16 selectable modes.
- CP/M® 2.2, 112K RAM. (CP/M® 3.0 4th quarter '83)

ALL OF THESE FEATURES FOR
a SPECIAL price of \$499⁰⁰

(Model III) or \$599⁰⁰ (Model I) Installed
(Includes VX-3 or VX-1, CP/M®, 64 K extended memory,
Easy Installation Instructions, & MF-2 on Model I only)

VID 80 PURCHASE ALTERNATIVES INCLUDE:

Model III	VX-3	80x24 video only	\$279.50
Model I	VX-1	80x24 video only	\$279.50
CP/M® 2.2	OP system	(with VX-3 or VX-1 only)	\$120.00
64K RAM	Extended Memory		\$125.00

NOTE: The VX-1 requires an MF-1 or MF-2 expansion Mainframe.

ORDERING INFORMATION:

- ONE YEAR WARRANTY ON ALL PRODUCTS
- Add shipping and handling
 - MF-1 or MF-2 \$9.00 USA, \$15.00 Canada & \$30.00 Overseas
 - Other products add \$5.00 U.S. & Canada all others add 15%.
- Prices subject to change without notice.
- Payment by cashiers check, money order, cash, Visa or Mastercharge - Personal checks subject to 3 week clearance.

About HOLMES ENGINEERING, INC.

- All Holmes Products come complete with easy to follow installation and trouble shooting guides and our technical group is available for support as required.
- Installation can be performed with out system modifications, soldering and little or no technical background.
- MORE DETAILED PRODUCT INFORMATION IS AVAILABLE UPON REQUEST. Send a self-addressed, stamped envelope or call today for a FREE full product brochure.
- QUALITY IS BUILT INTO HOLMES PRODUCTS FROM THE START - ALL BOARDS ARE PRE-TESTED AND PROPERLY BURNED IN

TRS80 is a registered trademark of Tandy Corp., CP/M is a registered trademark of Digital Research Corp.




HOLMES
ENGINEERING, INC.

5175 Green Pine Drive
Murray, Utah 84107
(801) 261-5652

✓ 153



EXPAND and UPGRADE your Models I, III, and IV



with Holmes . . .

Disk Controllers/Adaptors for all TRS 80® Model Computers

Double Density Adaptor DX-1D (Model I)	\$129.00
Disk Controller DX-2D (Model I requires MF-1)	\$149.95
Disk Controller w/clock DX-3DC (Model III)	\$189.95
Disk Controller w/o clock DX-3D (Model III)	\$149.95
Disk Controller w/clock DX-4DC (Model IV)	\$189.95

"DOUBLE YOUR SPEED"

CUT COMPUTER OPERATION TIME IN HALF

Sprinter II for Model I	\$99.50
Sprinter III for Model III	\$99.50
Sprinter KX 6MHz for Mod. III and IV	\$147.50

MEMORY EXPANSION

Internal Installation

Model I - IM-2 (W/32K RAM)	\$139.50
PMC-80/81 IM-2P (W/32K RAM)	\$99.50

OTHER PERIPHERALS:

Expansion Mainframe-MF-1 (For 4 boards)	\$150.00
Expansion Mainframe-MF-2 (For 2 boards)	\$99.50
Prowriter (dot matrix printer)	\$495.00
Starwriter (daisy wheel printer)	\$1,495.00
Color coded diskettes (box 10) 96 TPI	
SSDD	\$29.95
DSDD	\$37.95
Epson Printer Driver	\$24.95
Drive O Package w/DX-3D, drive, power supply	\$599.00
RS232 (RX-232)	\$119.50
RS232 w/32K RAM (RX-232M)	\$199.50
Expansion Interface-Mod I (Includes DX-2D,	
RS232 w/32K RAM, MF-1)	\$429.00

DISTRIBUTORS:

Bi-Tech, N.Y. (800) 645-1165 / Level IV Products, MI (800) 521-3305 / Soft Sector Marketing, MI (800) 521-6504 / Digital Distributing, TX (214) 330-1332 / M&M Micro Mart, Quebec, Canada (514) 731-9486

PLEASE CALL OR WRITE FOR AUTHORIZED
DEALER NEAREST YOU.

DEALER INQUIRIES INVITED!

Put 64K CP/M® 2.2 in your TRS-80 Model III and tap into 2,000 business programs.

Now you can run programs such as WordStar, dBASE II, SuperCalc, MailMerge and virtually thousands of other CP/M-based programs on your TRS-80 Model III.

CP/M 2.2 is the industry standard operating system that gives you access right now to over 2,000 off-the-shelf business programs.

Our plug-in Shuffleboard III comes with 16K of RAM, giving your Model III the power of full 64K CP/M 2.2 without interference of the ROM or video memory. In fact, the Shuffleboard will appear transparent in the TRS-80 mode and will not interfere with any DOS operation.


READ and WRITE Osborne, Xerox and IBM personal computer software plus many more popular formats.

Unfortunately, there is no standardized CP/M format for 5¼" diskettes. But we have developed a way to READ/WRITE and RUN standard programs under the following single-sided formats: Osborne 1 S/D, Xerox 820 S/D, IBM PC* D/D for CP/M 86 only, Superbrain D/D, Kapro II D/D, HP 125 D/D and TeleVideo D/D.

*Will Read and Write Only.

Easy plug-in installation.

It's so simple. The Shuffleboard III plugs into two existing sockets inside your Model III. There are no permanent modifications, no cut traces and no soldering. You'll be up and running in minutes.




New Products.

80 x 24 VIDEO BOARD: Features dual intensity screen, programmable cursor control for block, underline & blink rate, on-board bell with audible keyclick, battery-operated real time calendar/clock, full ASCII character set plus 256 special character graphics, dual RS-232 outputs and composite video output.

FLOPPY DISK CONTROLLER: Now you can access 5¼" and 8" floppy disk drives in any combination up to 4 drives of S/D density, S/D sided. Tap into a wealth of CP/M software which comes on 8" IBM 3740 format or Pickles & Trout CP/M for the Model II.

SOFTWARE: Additional CP/M software programs are available. Call or write for details.

OEM and DEALER inquiries invited.



Introductory price of

\$299.

The Shuffleboard III comes fully burned-in and tested complete with 64K CP/M 2.2 and MBASIC 80 interpreter, plus software manuals and a first class user's manual — with a 1-year limited warranty and 15-day no-risk free trial — for only \$299.

See the Shuffleboard III at your dealer's now.

Once you see what the Shuffleboard can do for your Model III you'll want one at once. If your dealer does not yet stock the Shuffleboard have him give us a call. Or send check, money order, VISA or MASTERCARD number (sorry, no COD's) plus \$5 shipping per board (\$17 outside the USA & Canada)* directly to the address below. Cal. residents please add sales tax. Credit card purchases can be phoned in directly and we'll ship from stock.

(415) 483-1008

*Air mail shipments to Canada & all other countries.

Memory™ Merchant

14666 Doolittle Drive San Leandro, CA 94577
(415) 483-1008

WordStar & MailMerge are trademarks of MicroPro.
SuperCalc is a trademark of SORCIM.

dBASE II is a trademark of Ashton-Tate.
CP/M is a trademark of Digital Research.

TRS-80 is a trademark of Tandy Corporation.
IBM is a trademark of IBM Corporation.

Maxi Mail

by Jim Heid

Maxi Mail provides its own DOS to help your Model III manage a mailing list, but this is a system that requires time and patience.

★ ★ ★

Maxi Mail
The Business Division
P.O. Box 3435
Longwood, FL 32750
48K Model III
Two disk drives, printer
\$99.95

No, Maxi Mail is not the misspelled name of a new body-building magazine. It's a mailing list management system for the Model III, offered by the business software arm of Adventure International. Maxi Mail is an easy-to-use, well-documented system, but some of its functions take maxi-time.

System Components

The Maxi Mail software is a combination of machine-language programs and Basic programs with machine-language subroutines. The system comes on one double-density disk, packaged with a 50-page manual in a 7-by 9-inch binder.

The software includes a disk operating system (DOS), a scaled-down version of DOSPLUS called TDOS. It includes Format and Back-up utilities, and supports the seven library commands listed in Table 1. (A library is a list of commands that lets you control the DOS and manipulate your disk files.)

The DOSPLUS people mysteriously

chose the word Cat (for catalog) as the command to display the directory. Most TRS-80 users are used to typing Dir for a directory display. The Cat command displays file names only; if you need more information, such as free disk space or file size, you must read the directory with a DOSPLUS 3.3 or 3.4 system disk.

Because DOSPLUS is a reliable, time-tested operating system, most users will be content with its scaled-down version. If you strongly prefer another DOS, you're on your own.

The manual provides no information on interfacing Maxi Mail with other operating systems. In fact, it states, "...there is no need to transfer Maxi Mail to another DOS." Owners of souped-up TRS-80s with nonstandard disk drives might disagree.

The manual says nothing about high-speed CPU support or about the types of drives TDOS supports. If you have a modified CPU machine or nonstandard drives (8-inch, for example), check with The Business Division before buying Maxi Mail.

Using Maxi Mail

Maxi Mail executes automatically when you press reset. A title page appears while the program loads, and the main menu appears after a few seconds (see Fig. 1). Before you can enter names and addresses, you must initialize a data disk by selecting option 5, "Create New Mailing List."

This option creates a series of data disk files that hold your mailing list. It also initializes a few data files on the system disk. You have several opportunities to abort the initialization process

Maxi Mail Main Menu

Code	Function
1	— Add New Records
2	— Edit Existing Records
3	— Print Options
4	— Text Merge
5	— Create New Mailing List
6	— End Program

Enter the function code desired

Fig. 1. Maxi Mail's Main Menu

if, for example, you insert a disk you don't want to use.

Maxi Mail requires a separate system disk for each of your mailing lists. If you want to keep three separate lists—one for past customers, one for present customers, and one for prospective customers—you must have three system disks, one for each list.

This doubles the number of back-up disks required, since you have to dupli-

cate each system disk. To back up the three lists above, you need six blank disks—one for each data disk and one for each system disk. This can cost you a lot of blank disks.

The same requirement also invites disaster if you mistakenly use a system disk in combination with the wrong data disk. To see what would happen, I set up a mailing list and entered 55 sample records. (A record contains name

and address information for one person—like one card in a Rolodex file.)

Using the same system disk, I set up another list and entered eight sample records. Everything worked properly. When I went back to add names to the first list, however, the system forgot there were 55 records. It stored only nine records, and sent the other 46 into magnetic oblivion.

Maxi Mail needs a test to warn you if you try to use a bad disk combination. Careful users will label their disks explicitly.

Adding Records

Adding records to your list is easy. When you select option 1, "Add New Records," the screen clears and a data-entry form appears (see Fig. 2). The program also displays the total number of records stored in your list.

Each record contains 13 fields. A field is comparable to a single line on the Rolodex card; each field contains a line of data pertaining to the record. The first two fields are "Last Name" and "First Name." You can replace these labels with "Company Name" and "Attention" by typing @ and pressing enter.

"Telephone Number" actually comprises three fields: area code, exchange, and number. The telephone number fields accept numbers only. This is a minor inconvenience if you refer to telephone exchanges by letter (such as KL5-1212). Maxi Mail does not let you type letters or other characters into the three numeric-code fields either.

Maxi Mail's code fields hold only three alphanumeric characters and 12 numeric characters. If you need to store more data with each record, or if you prefer to spell out data rather than code it into numeric fields, you might want a mailing list system that allows larger code fields or a data-base manager that lets you create the format to store your information.

The periods in each field represent possible characters. Enter your data one field at a time; the field you are working on is highlighted with small graphics squares instead of periods. To leave a field blank, simply press enter.

When you've entered a complete record, the program asks you if it's correct. If you answer no, it asks you for the number of the incorrect field. After you correct that field, Maxi Mail again asks you if the record is correct. By answering no and providing another field number, you can correct any incorrect data.

This method of field correction is common in Basic mailing list programs.

Field Information

Thirteen fields per record; names and lengths as follows:

Last name: 28
First name: 28
Address: 26
City: 15
State/Country: 6
Zip code: 9
Telephone area code: 3
Telephone exchange: 3
Telephone number: 4
Numeric code #1: 4
Numeric code #2: 4
Numeric code #3: 4
Alpha code: 3

The user cannot change field lengths. He can change "Last name" and "First name" fields to "Company name" and "Attention," respectively. Other field names are permanent.

Sorting

Records are kept in zip code order, and in alphabetical order within zip code. No other sorting is possible.

Data File Specifications

Maximum size limited only by free disk space.
Holds approximately 1,000 records per disk.
Separate system disk required for each mailing list.

Label Printing

Capable of printing up to four labels across.
Multiple search criteria allowed.
Label size is user-definable.
Capable of printing summaries.

Form Letter Generation

Lets you supply data from keyboard during printing session.
Printing parameters are user definable.
Multiple search criteria allowed.
Separate word processor required that can save in ASCII format.

DOS Overview

TDOS (scaled-down version of DOSPLUS).
Supports 5-inch, single- or double-density, 35-96 track drives.
Utilities include Back-up and Format.

Description of Library Commands

Auto—activates/deactivates program loading upon reset.
Cat—displays disk contents.
Config—sets track-to-track stepping rate (6, 12, 20, 30, or 40 milliseconds).
Copy—duplicates files from one disk to another.
Kill—deletes files.
Rename—changes a file's name.
Verify—enables read-after-write feature to verify accuracy of disk writes.

Table 1. Maxi Mail Specifications

It's not as easy to use as a screen editor with a movable cursor, but it's adequate.

Once your record is correct, the program stores it on the system disk, clears the screen, and displays another data-entry form. As you type in the information for each field, the bottom of the screen displays your entry for that field in the last record.

By pressing clear, you can assign the data at the bottom of the screen to the current field without retyping it.

Assume you typed the last name Kelly into the first record. You are now at the "Last Name" field of the next

record. The bottom of the screen displays the message "Press CLEAR if LAST NAME: KELLY". If you press clear, the name Kelly appears in the new "Last Name" field. This feature is valuable when many of your records share the same data.

When you finish a data-entry session, Maxi Mail begins the file insertion routine, a lengthy process in which the program sorts and transfers your data from the system disk to the data disk. It takes the system almost four minutes to transfer about 25 records. If you've added only one name, storing still takes

almost a minute. It might be more convenient to wait until you have a number of records to add.

Editing

Maxi Mail's editing features are not as flexible as some other mailing lists. To edit or delete a record, you must supply the last name and the zip code under which you stored the record.

You can search for up to 100 different names and zips at a time, but the program does not permit other search criteria. You cannot search for a record by state, phone number, or any other field, for instance.

If you do not know a record's zip code, you must go to a different part of the program to display an abbreviated record listing of your mailing list, then go back to edit to search for the records. This is a significant restriction, especially if you have a large mailing list.

It would be easier to locate a record by searching any field you wanted. It would also be convenient to browse through your mailing list one record at a time, but Maxi Mail doesn't let you.

Once you supply a last name and zip code, the system searches your data disk for the record. If Maxi Mail doesn't find the record, it simply returns to its

Data Entry Function	Total Records Filed = 11
1. LAST NAME:	
2. FIRST NAME:	
3. ADDRESS:	
4. CITY:	
5. STATE/COUNTRY:	
6. ZIP CODE:	
7. TELEPHONE NUMBER:	
10. NUMERIC CODE #1:	
11. NUMERIC CODE #2:	
12. NUMERIC CODE #3:	
13. ALPHA CODE:	

Fig. 2. Data-entry Form

LEVEL IV PRODUCTS, INC.



**** LEVEL IV MEANS FOUR LEVELS OF EXCELLENCE ****
✓QUALITY ✓VALUE ✓SERVICE ✓SUPPORT



PREMIUM GRADE TRS80'S

BUILDING A PREMIUM GRADE MICROCOMPUTER IS A CLAIM FEW COMPANIES CAN MAKE, AND EVEN FEWER CAN BACKUP. WE DO IT EVERY DAY. EACH LEVEL IV COMPUTER SYSTEM IS CAREFULLY ASSEMBLED FROM PRE-TESTED COMPONENTS OF THE HIGHEST QUALITY, AND TESTED FOR PERFORMANCE TO A LEVEL FAR ABOVE THAT FOR WHICH IT WAS DESIGNED. AFTER BURN-IN, EACH UNIT IS DELIVERED WITH THE FAMOUS LEVEL IV 90 DAY LIMITED, PARTS AND LABOR WARRANTY (COPIES AVAILABLE ON REQUEST).

A LEVEL IV COMPUTER IS DESIGNED TO BE COMPLETELY COMPATIBLE WITH THE MOUNTAIN OF SOFTWARE AND HARDWARE READILY AVAILABLE FOR IT. ANY ITEM THAT WORKS ON OR ATTACHES TO, A STANDARD R/S UNIT WILL FUNCTION WITH OUR VERSION.

CONSIDER THESE OPTIONS TO ENHANCE YOUR COMPUTER:

- 1) .40 AND 80 TRACK SINGLE AND DOUBLE HEAD DISK DRIVES
- 2) .WINCHESTER DRIVES 6.4 MEG THRU 31 MEG
- 3) .CPU SPEED-UP MOD'S, MORE THAN DOUBLE YOUR SPEED
- 4) .80 COLUMN, 24 LINE DISPLAY, AND CP/M FOR MOD3
- 5) .MOD3 AND MOD4 DISK UP-GRADE AND MEMORY KITS

BUILDING A MOD3 OR MOD4 WITH THE ABOVE CAPABILITIES CERTAINLY MAKES IT A PREMIUM GRADE UNIT, BUT OUR MOST IMPORTANT PRODUCT IS AFTER-THE-SALE-SERVICE-AND-SUPPORT.

NOW FOR THE SURPRISE, BASE PRICE FOR OUR 64K MOD4 IS ONLY REMEMBER LEVEL IV MEANS *QUALITY *VALUE *SERVICE *SUPPORT SOME MAY GET CLOSE TO OUR PRICES, BUT NONE WILL MATCH OUR VALUES.

 OUR \$500,000.00 INVENTORY OF ITEMS
 FROM LEADING HARDWARE AND SOFTWARE
 MFG'S ASSURES YOU PROMPT SERVICE
 AT THE VERY LOWEST DISCOUNT PRICES

3 COMPANY STORE LOCATIONS:

MAIL & PHONE ORDER CENTER
 32429 SCHOOLCRAFT ROAD
 LIVONIA, MICHIGAN 48150

COMPUTER SALES CENTER
 182 NORTH 20TH STREET
 BATTLE CREEK, MICHIGAN

FULL LINE R/S SALES CENTER
 134 SOUTH FRONT STREET
 DOWAGIAC, MICHIGAN 49047

**ASK ABOUT OUR
 BACA
 DOLLARS
 DISCOUNT PROGRAM**

**CALL FOR OUR CURRENT LOW DISCOUNT PRICING
 IN-STATE (313) 525-6200 OTHERS 800-521-3305
 WE ACCEPT PAYMENTS BY VISA, M/C, CHECK, COD**

**YOUR ONE-STOP
 COMPUTER
 SHOPPING CENTER**

main menu. Some kind of "record not found" message would be helpful, especially to novice users.

If the program finds the record, it appears on the screen and you have the opportunity to delete it, edit it, display the next matching record, or search for the next name and zip you entered. If you delete the record, Maxi Mail manipulates its data files for a few seconds, then returns to the main menu.

If you choose to edit the record, the program asks which line you want to change. The field correction procedure is identical to that in the "Add New Names" section. A screen editor with movable cursor would be easier to use, but the line-oriented method serves its purpose.

The edit mode is also slow. It took about a minute for Maxi Mail to search through my 55-record mailing list. If you enter a name or zip code incorrectly, you have to wait while the system searches in vain for it. Pressing break stops the program and puts you in Basic's command mode, with nothing but open files and a "Break in line XXX" message to comfort you.

If you change the last name or the zip code of a record, the file insertion routine forces you to wait even longer. I changed the last name of one entry and had to wait over a minute. And the delays get longer as your mailing list grows.

Printing Your List

Maxi Mail performs well when printing. You can print up to four labels per line, and you can change the default values for margins and number of blank lines between labels. If you change the default values, the program stores the new values on the system disk, eliminat-

ing the need to change them in the future.

Maxi Mail supports printers with up to 132 columns. The system does not let you send control codes to the printer. This is a limitation if you have a dot-matrix printer with several print options.

You can print labels for your entire mailing list, or only for those records that match certain criteria. If you select the latter option, you must tell Maxi Mail which fields to search, and what to search for.

You can specify up to ten search fields, designating each search as exclusive or nonexclusive. An exclusive search looks for and prints records that match every parameter you specify; a nonexclusive search prints records that meet one or more of the parameters.

Telling Maxi Mail what to look for is easy. Type in the number next to the name of the field you want to search. Maxi Mail then asks if the search is to be exclusive or nonexclusive.

After you answer, a data-entry line of the appropriate length appears, and the system asks you for the search's beginning and ending range. If you want to print labels for all zip codes starting with zero, for example, you specify 00000 as the beginning range, and 10000 as the ending range.

Version A.0 contains a bug in its record search routine that crashes the program if you try to search by the area code or the area code and exchange fields. The crash results in no data loss, but it does rob you of two valuable search options.

Another search routine bug prohibits you from typing more than 11 characters when searching by the city field, which is 15 characters long. You can't search for a city with a name longer

than 11 characters.

The Business Division is aware of these bugs, and future versions of Maxi Mail will not contain them. If you've already bought version A.0, list the program called PRINT/BAS. If its version number is A.1, return your copy of Maxi Mail for a corrected version.

Summaries and Form Letters

Maxi Mail also prints your mailing list in summary form (column form instead of mailing-label format). You can print a complete record listing (see Fig. 3), or an abbreviated record listing (see Fig. 4). You can also display the abbreviated record listing on the screen.

Maxi Mail's best feature, text merge, lets you print "personal" form letters. First, you write a letter that contains code words called field labels. These tell Maxi Mail that you want to insert something from your mailing list at that point in the letter.

Your letter can also contain keyboard variables that let you supply data from the keyboard during a printing session. Using field labels and keyboard variables, you can print what looks like a personal letter for each entry in your mailing list, or for only those entries that meet your search criteria.

Maxi Mail has a more cumbersome text merge feature than some other systems. Printing letters for all records (no search criteria) requires that you follow this maze of steps and prompts:

- clear file area (by selecting an option from a menu)
- load the file that contains your letter
- compile the file (Maxi Mail checks your letter and makes sure all field labels are spelled correctly)
- specify permanent (stays the same for each letter) or temporary (changes from

Complete Record Listing		Total Records =	5	Disk No	1	Page	1
Zip Code	*Company Name/Last Name	Attention:/First Name		Code #1		Telephone #	
Street Address	City	St/Cty		Code #1	Code #2	Code #3	Alpha
09876 Johnson		Sam				987-654-3210	
155 Any Road	Nowhere	NH	3	351	3	def	
12345 Smith		Sam				123-456-0789	
123 Main St.	Anytown	PA	3	351	3	ABC	
34232 Kelly		Maryellen				331-555-2212	
531 Street St.	Byteville	GA	33	0	1	bug	
34333 Howard		Curly				221-543-1242	
123 Fiction Blvd.	Anywhere	AK	1	0	0	ag	
34992 Johnson		Amy				322-544-3456	
1556 34th St., Apt. 3E	Notown	FL	32	2	2267	ga	

Fig. 3. Complete Record Listing



ONLY \$599⁰⁰
(Including 2 Diskettes)

THE NEW AMDISK-III MODEL III ADD-ON DRIVE

The AMDISK-III Micro-floppy disk system is an engineering breakthrough in disk size, storage capacity, media protection and user convenience. It's fully compatible with your TRS-80 Model-III*[®]. Enjoy a full 736 KByte† (formatted) storage capability and the extra convenience of the new 3" hard-plastic encased diskettes. They fit into a shirt pocket and are easy to mail, too.

The AMDISK-III drive system is ruggedly constructed for years of trouble-free operation and is backed with our 90 day warranty on parts and labor.

Just circle the reader service number to receive full technical details.

* TRS-80 and TRS-DOS are registered trademarks of Tandy Corporation.

† Requires recording on both sides.

DEALER INQUIRIES
INVITED

2201 Lively Blvd. • Elk Grove Village, IL 60007
(312) 364-1180 TLX: 25-4786

AMDEK CORP.

REGIONAL OFFICES: Calif. (714) 662-3949 • Texas (817) 498-2334

Amdek . . . your guide to innovative computing!

page to page) keyboard variable
 ●start printing, or change printing parameters if desired.

All these steps are probably necessary to support Maxi Mail's flexible text merge features. If your form letter requirements are relatively simple, however, they might be too much trouble.

Documentation and Support

The biggest error in Maxi Mail's documentation was its instruction to press shift and clear simultaneously to print whatever is on the screen. The proper key sequence is shift, down arrow, and asterisk. Otherwise, the documentation has no major errors or omissions.

The writing style is clear, and many sample screens guide the inexperienced

user. The manual is attractively designed and printed on thick, durable stock. It's divided into eight tabbed sections, with an index and a two-page table of contents. Nine appendices cover such subjects as disk formatting and back-up, text formatting commands, and disk operating system use.

The Business Division prefers that you write them with your troubles, but according to the manual, they take phone calls "if you really get desperate." (I'm not sure how they can tell if you're desperate. Maybe they measure the quiver in your voice.)

Although the manual doesn't say so, The Business Division will replace a damaged master disk at no cost, provided you're a registered owner and you

send in the original disk. The company replaces any bug-containing programs to registered owners free of charge.

Pros and Cons

Maxi Mail is a solid, reliable mailing list manager. Inexperienced users should have little trouble with it, although the complex text merge procedure might frighten some.

The system's letter-printing capabilities are very powerful and its search routines are flexible enough for most mailing applications. Its documentation is clear. Adventure International is a reputable company that has been in business for several years.

Maxi Mail is, however, painfully slow at times. Its editing features are inconvenient, partly because editing is done line by line instead of with a screen editor, but mostly because you have to supply the zip code with the last name of the record you want to edit.

As mailing list managers go, Maxi Mail is in the middle ground. For most applications, you could do worse, but you could also do better. ■

Jim Heid is a technical editor for Wayne Green Books Inc. Contact him c/o 80 Micro.

Abbreviated Record Listing	Total Records =	5	Disk No	1	Page	1
Zip Code *Company Name/Last Name	Atten/First Name	St/Ctry	Cd#1	Cd#2	Cd#3	Alpha
09876 Johnson	Sam	NH	3	351	3	def
12345 Smith	Sam	PA	3	351	3	ABC
34232 Kelly	Maryellen	GA	33	0	1	bug
34333 Howard	Curly	AK	1	0	0	ag
34992 Johnson	Amy	FL	32	2	2267	ga

Fig. 4. Abbreviated Record Listing

INTERSTELLAR DRIVE™

A SOLID STATE DISK EMULATOR

Circle 182 on Reader Service card.



Save valuable time!
 5 to 50 times faster
 performance than floppy disks
 and Winchester drives

SAVE MONEY!
 Increase your
 computer's productivity

The INTERSTELLAR DRIVE is a high performance data storage subsystem with independent power supply, battery backup, and error detection. It has 256KB to 1 Megabyte of solid state memory integrated to perform with your operating system.

Basic Price for 256KB unit [Includes interface and software]
\$1095. plus tax (where applicable) and shipping


Visa and Master Card accepted.



PION, INC. ✓490 **Tel. (617) 923-8009**
101R Walnut St., Watertown, MA 02172


TRS80 trademark of Tandy Corp. Apple trademark of Apple Computers
 Interstellar Drive trademark of PION, Inc.

**"What
more can
I do?"**



Your computer can probably do more for you than you originally thought. And learning to expand its capabilities is as easy as reading a good book.

SYBEX is the pioneer of computer book publishing, offering over 60 titles developed for beginners through advanced. They are so well written and easy to understand that virtually anyone can learn to operate a computer in a matter of hours.





The Foolproof Guide to SCRIPSIT Word Processing by Jeff Berner (\$11.95)
The ins and outs of SCRIPSIT, the TRS-80 word processing program are explained here in witty, conversational style.



Your First BASIC Program by Rodney Zaks (\$9.95) At last, a book designed for the first-time computer user who wants to learn how to program. It is simply written, educational, beautifully illustrated and fun to read.

Your Color Computer by Doug Mosher (\$12.95) This is an introduction to your color computer, complete with cartoons, diagrams, photographs and a BASIC thesaurus and command reference section. Descriptions of available software and peripherals make this an ideal guide for those who aren't interested in programming, but who want to use their computers right away.

Mastering VisiCalc® by Douglas Hergert (\$11.95) Beginning with a description of what VisiCalc can do for you, this book provides step-by-step explanations of each feature. It tells you how to get the most from your "electronic spreadsheet," for tasks ranging from planning



to examining projection scenarios.

SYBEX books are available at bookstores and computer stores everywhere. For a free catalog, mail the coupon or call TOLL-FREE 800/227-2346. Prices subject to change without notice.

Send me: ☐ A free catalog
☐ 0-098 *The Foolproof Guide to SCRIPSIT Word Processing* \$11.95
☐ 0-092 *Your First BASIC Program* \$9.95
☐ 0-097 *Your Color Computer* \$12.95
☐ 0-090 *Mastering VisiCalc®* \$11.95
 Add: ☐ \$2.00/Book UPS ☐ 6% Sales Tax CA Res.
☐ \$12.00/Book Overseas Mail

Charge my:
☐ VISA ☐ MasterCard ☐ American Express
 Card # _____ Exp. Date _____
 Total Amount Enclosed \$ _____
 Signature _____
 Name _____
 Address _____
 City/State/Zip _____
Mail to: SYBEX Inc., 2344 Sixth St., Berkeley, CA 94710
 © 1983 SYBEX, Inc. 17-4A

Model II Casino

by Byron Lott

When you want to use your Model II for something other than business applications, try these 10 Las Vegas casino-style games.

Most Model II game articles begin with lines like: "So you think the Model II is all business and no play?" Actually, not only does the II like a little relaxation now and then, it even has a wild side. Witness these 10 programs, ready for anything from a charity Las Vegas Night to the seediest gam-

bling den.

The programs, One-Armed Bandit, Craps, Big Six, Blackjack, Roulette, Keno, Draw Poker, Faro, Baccarat, and Four-Card Monte, run under Model II Disk Basic. They use the limited graphics capability of the Model II, along with simple subroutines, to

provide casino-style play and scoring.

One-Armed Bandit

This program provides an interesting application of Model II graphics to simulate the typical casino slot machine.

The random display of the 20-sided wheel is a little unusual. It is the result of the R1, R2, and R3 statements in line 340. These are evaluated in lines 550-600 for display and scoring input. Scoring occurs in lines 380-470.

Roulette

In this roulette program, bet selection (in line 240) requires entry of a letter to identify the desired bet. This letter enters and posts the bet on the playing board display, just as a stack of chips would be placed.

When you've placed all the bets, press enter to start the wheel spinning and

Line	Function
10-90	Introduction
100-270	Game rules
280-290	Slot machine graphics
300-330	Start play
340-540	Wheel random selection display and scoring
550-600	Wheel graphics selection subroutines
610-650	Play termination
660-680	Machine outline graphics subroutine
690	Wheel outline subroutine
700	Wheel rotation subroutine
710	Handles operate subroutine
720	Graphics blanking subroutine

Table 1. One-Armed Bandit

The Key Box

Model II
32K RAM
Basic



Rose™

You've Got TOTAL ACCESS™

TO YOUR COMPUTER HARDWARE & SOFTWARE
NEEDS. CALL ROSE TODAY!

AEROCOMP DISK DRIVES

External drives for TRS80 Mod. I or III, IBM PC & TI 99/4A are complete with power supply & enclosure. MPI or Tandon.

40 Track Single Side	\$199
40 Track SS "Flippy"	239
40 Track Dual Head	279
80 Track SS	299
80 Track SS "Flippy"	329
80 Track Dual Head	379
APPLE compatible w/cable (Shugart)	269
APPLE compatible disk controller	89

TRS80 Color Computer Drives

First Drive\$399
Includes controller, cable (2-D)
and book

Additional Drives.....\$199

*All New! Half-High Drives

Available Now. Call For Prices.

BARE DRIVES (MPI or TANDON)

Internal drives for TRS80 Mod. III, IBM PC & TI 99/41 (controller required)

40 Track SS	\$169
40 Track Dual Head	249
80 Track SS	269
80 Track Dual Head	339
8 inch Single Side Thinline	399
8 inch Dual Head Thinline	499

MODEL III DRIVES

Complete internal drive kits with 40 track drives, disk controller, power supply, all hardware & cables.

Drive Kit Only (no drives)\$199

One Drive System Kit 369 |

Two Drive System Kit.....539

MODEL I DOUBLE DENSITY

CONTROLLER

AEROCOMP "DDC"	\$119
AEROCOMP "DDC" w/LDOS	169
AEROCOMP "DDS"	49
(Double dens. data separator for Percom	
Doubler, LNDoubler or Superbrain	
AEROCOMP "SDS"	29
(Single dens. data separator)	

MISCELLANEOUS DRIVE STUFF

TRSDOS 2.3 Disk & Manual	\$20
LDOS (Mod. I or III)	119
NEWDOS/80, 2.0 (Mod. I or III)	129
DOSPLUS 3.5	129
Diskettes (10 in library box)	23
MX80 Ribbons	\$9
Drive Power Supply & Enclosure (5.25")	59
2-Drive cable	24
4-Drive cable	34
Extender cable	13

© Total Access 1983

MICRO DECISION

FRANKLIN **ACE1000**

Uses APPLE Software
Call, it may be
cheaper by now

\$999

brother

EM-1 Electronic
Typewriter
Choose
Either One

HR1 PRINTER
\$799

EPSON FX-80

160cps Friction/Tractor (\$32 Option)
10,12,16.5 cpi
+ Doublewide
6,8,12 lpi

\$569

TRS-80 SPECIAL EQUIPMENT

80 x 24 Video Board for the Model III	\$199
112K CP/M 2.2 for the Model III	\$399
16K Memory, 200nsec, Guar 1 yr	8/\$12
64K Memory, 200nsec, Guar 1 yr	8/\$48
12" Green Phosphor Monitor	\$87

SOFTWARE

Super Utility Plus 3.0 by Kim Watt	\$59
Alcor PASCAL, Model I or III	169
P&T CP/M for the Mod II	159
P&T CP/M for the Mod 16	189
P&T CP/M for the Hard Disk	199
All SNAPPWARE	**10%**OFF

I have lots of other software. Call me now for your needs. All at discount.

MEDIA & SUPPLIES

8" disks SS DblDen, Guar. Forever	\$29
8" disks DS DblDen, Same Guarantee	39
5" Flipsort, holds 75 disks	19
8" Flipsort, same deal	29
5" Library boxes	\$2.50
8" Library boxes	\$3.50
5" or 8" Head cleaning kit	9
Tractor paper, letter size 2900 sheets	25

LNW COMPUTERS

128K LNW-80 Model II, Both NTSC & RGB outputs. RS232 and parallel printer port. Uses both 5" and 8" drives. Works on all known TRS-80 DOS's. Comes with DOSPLUS. Also works with CP/M 2.2 which is included at no extra cost. Now a FREE 12" GREEN PHOSPHOR monitor and cable included. All for the low price of \$1695

\$1299

64K CP/M 2.2, two serial ports
MBASIC - WordStar - Logicalc
BaZic - Correct-IT
12" Green Video 80 x 25
Double Density (200K) Drive

PRINTERS & OTHER ACCESSORIES

ANADIX DP-9500A or 9501A	\$1239
ANADIX DP-9620A, 200 cps	1399
ANADIX WP-6000, 284 cps, NLQ	2695
PROWRITER, 120 cps, 10" Friction/Tractor	375
PROWRITER 2, 120 cps, 15" Fric/Trac	669
STARWRITER F-10, 40 cps Daisy Wheel	1250
PRINTMASTER F-10, 55 cps Daisy	1499
Rutishauser Bidirectional Tractor	199
Rutishauser Sheet Feeder	895

PERIPHERALS -

32K LNW Expansion Interface w/RS232	\$329
Mod III RS232 complete, ready to install	79
Signalman Mk I Modem 300 baud, direct connect	89

Please add \$5 handling charge to all orders under \$24

ORDER NOW!
TOLL FREE
800-527-3582

Write or call. Toll free lines are for orders only. Texas residents call 214/458-1966 and deduct \$2.00 from your order. If you need technical information or service use the Texas number. Prices are subject to change without notice and are mail order only. I accept VISA or MASTERCARD, you can send a check or money order (allow a couple of weeks for personal or company checks to clear) or order COD (cash, certified check or money order only). Shipping is not included unless otherwise indicated. Please add \$5 handling charge to all orders under \$24. Texas orders add 5% tax. No tax added on shipments outside Texas. Order up - I need the money!

TOTAL ACCESS™
P.O. BOX 790276
DALLAS, TX 75379
214-458-1966

NEXT DAY SHIPMENT on all in stock Merchandise.

ball rolling. Then the results appear on the screen. The random winning number selection and simple graphics—to slow the ball down gradually before it drops into the pocket—start on line 1390.

PRINT@ statements produce both graphics and text. The program presents a challenge to improve with each simulation. Machine language would be faster, but Basic works because speed is not that critical here.

Craps

Craps in standard Disk Basic provides an interesting simulation of the conventional game. Betting is based on the casino rules of play and most, but not all, types of bets are accepted.

The standard graphics capability of

Line	Function
10-80	Program introduction
90-210	Game rules
220	Starts game and graphics layout
230-300	Enter pass-line bets
310-340	Come-out toss of the dice
350-400	First toss scoring logic
410-480	Enter come bets
490-550	Enter place bets
560-600	Enter field bets
610-630	Second toss of the dice
640-750	Evaluation and scoring after second toss
760-800	Game conclusion
810	Dice outline graphics subroutine
820	Graphics partial clear subroutine
830-880	Dice value graphics subroutine
890-910	Layout betting graphics subroutine

Table 3. Craps

Line	Function
10-130	Program introduction and array definition and loading
140-330	Faro playing rules
340-380	Playing layout graphics
390-410	First card draw (soda) and display
420-550	Bet selection and placement on the layout
560-600	Drawing of cards to lose and to win
610-660	Evaluation of bet(s) and scoring
670-850	Evaluation of last three cards in box and placement of appropriate bets
860-890	Game conclusion and results
900	Card suit determine subroutine
910	Graphics clearing subroutine
920	Card outline graphics subroutine
930	Layout graphics subroutine
940	Card printing subroutine
950	Turn counter and display subroutine
960	Card box graphics subroutine
970-980	Losing card evaluation subroutine
990-1000	Winning card evaluation subroutine

Table 5. Faro

Line	Function
10-90	Program variable and array definition and introduction
100-190	Rules of roulette
200-210	Playing layout graphics
220-250	Bet amount and type selection
260-350	Line bet entry and posting
360-480	Square bet entry and posting
490-780	Split bet entry and posting
790-930	Straight bet entry and posting
940-1040	Street bet entry and posting
1050-1110	Column bet entry and posting
1120-1180	Dozen bet entry and posting
1190-1240	High/low bet entry and posting
1250-1300	Odd/even bet entry and posting
1310-1360	Black/red bet entry and posting
1370	Partial screen clear subroutine
1380-1460	Play number selection and graphics
1470-1530	Game scoring and result display
1540-1570	Game conclusion
1580-1620	Layout graphics subroutine
1630-1660	Layout graphics numbering subroutine
1670-1700	Graphics support subroutine

Table 2. Roulette

Line	Function
10-130	Game introduction and array loading
140-440	Game rules
450-460	Layout graphics
470-510	Opening bet
520-570	First card dealing and scoring
580-600	First score posting
610-660	Continuing bet selection
670-720	Enter double bet
730-800	Enter insurance bet
810	Forced card draw subroutine
820-890	Continuing bet selection
900-1080	Scoring and results posting
1090-1140	Game conclusion
1150	Layout graphics subroutine
1160-1190	Card suit determination subroutine
1200	Card value printing subroutine
1210	Card outline printing subroutine
1220	Card back pattern subroutine
1230	Card content clear subroutine
1240	Card printing subroutine

Table 4. Blackjack

Line	Function
10-110	Program introduction
120-260	Game rules
270-280	Layout graphics
290-340	Start of play with bet selection
350-430	Bet placement
440-470	Random winning number selection
480-610	Game scoring and posting
620-640	Game conclusion
650-660	Layout graphics subroutine
670-710	Wheel rotation graphics subroutine
720	Rotation angular rate counter subroutine
730	Layout graphics subroutine

Table 6. Wheel of Fortune

★ **FREE SHIPPING** ★
WITHIN CONTINENTAL 48 STATES

MICRO IMAGES
INDUSTRIES INC.

MICRO IMAGES
INDUSTRIES INC.

**TRY
US!**

ARE YOU A DREAMER? IMAGINE THIS...

You place your order and it arrives when expected. "What do you know, they did ship that day!" You open your package and **SURPRISE**, it's what you ordered, not last year's version six times removed. "Wait a minute, I must have paid full retail to get this kind of service. H'mm, that's not it. These prices are among the lowest. What's the catch? I've got it! They charged me large shipping and handling charges. No, not that either. It says here 'Free shipping within the Continental 48 States via UPS ground.' Only the differential is charged for UPS Blue or 1st Class. Now I've got it, it's only a dream!!!"

At Micro Images your dreams become reality! How do we do it? Simple, we tell the truth. If the item you order is not in stock — we tell you. If we can't ship that day — we tell you. Which version? We tell you. Why are we telling you this? The answer is easy. This is what we do best and what separates us from the competition, **AND WE WANT YOU TO KNOW**

POSTMAN DELUXE

Deluxe Mass Mail - Mdl I/III - \$119.95
Deluxe Ver. w/Postwriter - \$144.95

MAXI MANAGER

Manager with Utility - \$119.95
Maxi Utility Only - \$44.95

SUPERUTILITY +

Mod I/III - Ver. 3.0 — \$59.95
SEE NEW BOOK BELOW

Data-Writer

New Version Mod I or III
\$124.95

MAXI CRAS

Mod I/III - \$84.95

LDOS 5.1

MDL I or III — \$109.95

GEAP - \$84.95

w/Dot Writer 1.5
Add'l Fonts — \$27.95 each

NEW SCRIPT - 7.0 - \$109.95

with Mailing Label Opt. . . \$119.95
Mailing Label Opt. Only. . . \$27.95

MAXI MAIL

Mod III Only
\$84.95

MAXI STAT

Model I/III
\$164.95

MULTIDOS - \$89.95

NEW VERSION 1.6
Specify Mdl I or III Single or Dbl Density

DOSPLUS

Version 3.5/3.5D/3.5III . . . \$119.95
Version II For Model II. . . \$199.95

MICROTERM - Mdl I or III . . . \$69.95

MZAL

- Ver. 2 Mdl I or III \$119.95
TZAL - Mdl III - Tape Only . . . \$44.95
Basic Editor - Mdl I/III Tape to Dk \$27.95

MICROSOFT - Model I Only

Fortran 80 or A.L.D.S. . . . \$89.95
Basic Compiler . . . \$179.95
Editor/Assembler + Tape \$27.95 Disk \$45.95

PROSOFT UTILITIES

TRASHMAN - Mdl I/III . . . \$34.95
FASTER - Mdl I/III . . . \$26.95
RPM - Mdl I/III . . . \$21.95

TALLYMASTER Mdl I or III . . . \$69.95

ELECTRIC WEBSTER w/Corr . . . \$129.95
COPYART II . . . \$129.95
ZORLOF . . . \$64.95

BOOKS

How To Do It on the TRS 80 — IJG . . . \$27.95
Machine Lang. Disk I/O — IJG . . . \$27.95
TRSDOS 2.3 Decoded — IJG . . . \$27.95
Disk + Other Mysteries — IJG . . . \$20.95
Basic Decoded — IJG . . . \$27.95
Custom TRS-80 — IJG . . . \$27.95
Basic Faster & Better — IJG . . . \$27.95
Mdl II/16 Visicalc — W.C. Brown . . . \$16.95
Mdl I/III Visicalc — W.C. Brown . . . \$16.95
Copyright Kit . . . \$11.95
Inside Superutility Plus . . . \$17.95

SPECIAL — \$1,795.00

LNW 80 — MODEL II



Includes Dosplus 3.4D, CPM 2.2 and LNW Hi-Res Basic

SYSTEM EXPANSION II — \$349.95

LNW-Doubler 5/8 \$199.95

Includes Dosplus 3.4D

★ ★ PRINTER STANDS ★ ★



SPACE AGE

MX80 No Frills . . . Clear 13.50 Bronze 15.95
MX80 Space Age . . . Clear 27.50 Bronze 29.95
Microline 82A Space Age w/slot . . . Clear 27.50 Bronze 29.95
Microline 83A Space Age w/slot . . . Clear 34.95 Bronze 39.95
NEC 8023A Space Age . . . Clear 27.50 Bronze 29.95
MX100 Space Age . . . Clear 34.95 Bronze 39.95

NO FRILLS

FLIP N FILE 5 1/4" . . . \$26.95

MICRO SPOOLER

16 K. . . \$179.95 64K. . . \$269.95

LYNX Auto Dial/Answer Mod I/III - \$239.95

MICROBUFFER - Practical Peripherals Parallel or Serial (Epson) . . . \$149.95

GEMINI-10 \$349.00

100 CPS, BI-DIRECTIONAL, LOGIC SEEKING, HIGH RESOLUTION,
BIT IMAGE & BLOCK GRAPHICS, FRICTION AND TRACTOR FEED.
PLUS MUCH MORE!

RIBBONS

ZIP BOX RELOADS 1/2 Dz. Dz.

Epson MX 70/80-20 Yds. . . . 24.00 42.00
Epson MX 100-30 Yds. . . . 30.00 52.00
NEC/Prowriter-14 Yds. . . . 21.00 36.00
Centronics 730/737/739/779 or
LP-III/IV 16 Yds. . . . 18.00 32.00
All ZIP BOXES are individually sealed black nylon and
require no rewinding. Epson Reloads also available in
red, blue, brown, green & purple. Any mix allowed.

CARTRIDGES

	Each	Dozen
Epson MX70/80	7.00	70.00
Epson MX100	12.00	125.00
Prowriter 8510 & NEC 8023A	7.50	80.00
RS LP III/V	6.50	70.00
RS LP VI/VIII	6.50	65.00
RS DSY WH II or DWP 410	6.50	70.00
RS DSY WH II - Nylon	6.50	70.00
MICRLNE 80/82A/83A/92	N/A	30.00
MICRLNE 84 1/2 x40 yds	5.50	60.00
Diablo Hytype II - Multi Strike	6.50	65.00
Qume - Multi Strike	5.00	50.00
NEC Spin - Hy Yld - Multi Strike	7.00	70.00
Centronic 703/04/53	11.00	120.00

Minimum order 3 cartridges - any mix. For smaller quantities add \$1.50 per order. All our reloads and cartridges are manufactured by one of the oldest and most reputable ribbon Mfg's. in the country.

***** QUALITY GUARANTEED *****

GAME SALE!

	Tape	Disk
Double Feature	31.95	31.95
Stratos or Rearguard	19.95	19.95
Cyborg or Jovian	17.95	21.95
Early Games	26.95	26.95
Zaxxon - Color 32k	33.95	33.95
Sea Dragon or Eliminator	17.95	19.95
Forbidden Planet or City	33.95	33.95
Outhouse or Fortress II	14.50	16.95


TO ORDER
CALL OR
WRITE TO:

MICRO IMAGES
INDUSTRIES INC.
146-03 25th Road
Flushing, N.Y. 11354
(212) 445-7124

CALL:
Mon-Thur.
10 AM-9 PM
Fri. & Sat.
10 AM-5 PM

ORDERING INFORMATION
No credit cards at these low prices. Add \$2.00 on all COD orders. Certified CK/MO/COD shipped immediately. Please allow 2 weeks for personal checks. For extra fast service phone in your COD order. Free shipping within Continental 48 states via UPS ground. For Canada, Hawaii, Alaska, applicable shipping and insurance charges apply. Prices subject to change without notice. New York State residents please add appropriate sales tax.
The items listed above are a cross-section of our product line. We carry the full line of most companies listed in this ad, plus much more. **SEND FOR YOUR FREE CATALOG.**

NEW...



SOFTWARE FROM SON

MAZE A PHRASE WORD GAME

A real brain teaser. Compete with others by choosing a letter to build words and score points to solve the popular mystery phrase. Can be played with an unlimited number of phrases or words. It will provide hours of fun, challenge and education for the whole family. (2 to 9 players)

\$16.95 TAPE \$20.95 DISK \$7.95 LLIST

DOT TO DOT CHALLENGE GAME

Just connect the dots to score as many boxes as you can to win. Points awarded and different grid sizes make it as challenging as you want. A game of skill and fun for ages 8 to adult.

\$9.95 TAPE \$12.95 DISK \$4.95 LLIST

STAIR CONSTRUCTION PLANNING AIDE

Two-for-one special. Take a step up and build your own stair plans by using the Stair Construction Planning Aide. Designs standard or spiral type stairs. Saves time and money. Great for either the do-it-yourselfer or the construction trade professional.

\$9.95 TAPE \$12.95 DISK \$4.95 LLIST

Send check, money order, or COD accepted.

Dealer Inquiry welcome.

Minimum Systems Required: Model I Level II, III, IV or COCO - 16K RAM.

Post paid in North America. Outside North America add 15% for air mail. Wisconsin residents add 4% tax.

SON SOFT

905 North 21st Street, Superior, WI 54880
Phone 1-715-394-7853

✓292

the Model II prevents elaborate board layout and three-dimensional views. I've used a simplified table and dice-like structures.

The game starts on line 220; the program resets the appropriate variables and the graphics layout appears. After

you make the initial bet (type and amount) in lines 230-300, the first toss of the dice takes place in lines 310-340. Lines 350-400 evaluate the results.

At this point, the player chooses and enters the remaining types of bets. You can skip each one and make no bet by

Program Listing 1. One-Armed Bandit

```

10 REM 02-JAN-83 *BDL MODEL II*
20 REM BANDIT/BAS
30 CLS:PRINTTAB(24)"PLAYING ONE-ARM BANDIT":PRINT:PRINT
40 CLEAR500:DEFDBLG,R,T:US="####.##":GC=10000:VS=CHRS(148):GAS=CHRS(128):GBS=CH
RS(131):GCS=CHRS(129):GDS=CHRS(130):GXS=CHRS(134):GSS=CHRS(158):GQS=" "
50 PRINT"THIS PROGRAM SIMULATES THE MECHANICAL THREE-WHEEL ONE-ARM BANDIT SLOTS"
60 PRINT"AS PLAYED IN THE CASINOS IN NEVADA":PRINT
70 PRINT"INSTRUCTIONS REQUIRED (Y/N)"
80 IS=INKEYS:IFIS=" "THEN80ELSEIFIS="Y"THEN100ELSEIFIS="N"THEN280ELSE80
90 FORZ=1TO800:NEXTZ:GOTO280
100 CLS:PRINT023,"CASINO SLOTS INSTRUCTIONS":PRINT:PRINT
110 PRINT"THE SCORING FOR THIS SIMULATION IS AS FOLLOWS":PRINT
120 PRINTTAB(11)"B E L L";TAB(26)"B E L L";TAB(41)"B E L L";TAB(53)"PAYS 5 0 0"
130 PRINTTAB(11)"B E L L";TAB(28)"X X X";TAB(41)"B E L L";TAB(53)"PAYS 3 0 0"
140 PRINTTAB(11)"B E L L";TAB(28)"X X X";TAB(43)"X X X";TAB(53)"PAYS 1 0 0"
150 PRINTTAB(13)"B A R";TAB(28)"B A R";TAB(43)"B A R";TAB(53)"PAYS 3 0 0"
160 PRINTTAB(13)"B A R";TAB(28)"B A R";TAB(43)"X X X";TAB(53)"PAYS 1 0 0"
170 PRINTTAB(11)"L O G O";TAB(26)"L O G O";TAB(41)"L O G O";TAB(53)"PAYS 3 0 0"
180 PRINTTAB(11)"L O G O";TAB(22)"O R A N G E";TAB(43)"X X X";TAB(53)"PAYS 5
0"
190 PRINTTAB(11)"L O G O";TAB(26)"P L U M";TAB(43)"X X X";TAB(53)"PAYS 5 0"
200 PRINTTAB(7)"O R A N G E";TAB(22)"O R A N G E";TAB(37)"O R A N G E";TAB(53)"P
AYS 2 0 0"
210 PRINTTAB(7)"O R A N G E";TAB(22)"O R A N G E";TAB(43)"X X X";TAB(53)"PAYS
5 0"
220 PRINTTAB(7)"C H E R R Y";TAB(22)"C H E R R Y";TAB(37)"C H E R R Y";TAB(53)"P
AYS 1 0 0"
230 PRINTTAB(7)"C H E R R Y";TAB(22)"C H E R R Y";TAB(43)"X X X";TAB(53)"PAYS
2 0"
240 PRINTTAB(7)"C H E R R Y";TAB(28)"X X X";TAB(43)"X X X";TAB(53)"PAYS 5"
250 PRINT:PRINT"EACH COIN INSERTED IS WORTH $1.":PRINT
260 PRINT"GOOD-LUCK !!!!!"
270 PRINT:INPUT"WHEN READY, DEPRESS <ENTER>":QS
280 CLS:PRINT"C A S I N O S L O T S":K=K+1:PRINT066,"G A M E ":PRINT076,K
290 PRINTCHRS(2):;GOSUB660:GOSUB650:GOSUB710:PRINT0160,"G O O D L U C K ! ! !"
:PRINTCHRS(1);
300 PRINT0215,"INSERT COINS (1-5)";
310 IS=INKEYS:IFIS=" "THEN310ELSEIFIS">"0"ANDIS<"6"THENM=VAL(IS)ELSE310
320 PRINT01213,"B E T :M"
330 PRINTCHRS(2):;GOSUB720:GOSUB710:PRINTCHRS(1);
340 GW=0:RE=0:RANDOM:R1=RND(20):R2=RND(20):R3=RND(20)
350 R=R1:ONRGOSUB550,560,560,570,570,580,580,580,590,590,590,590,600,600
,600,600,600,600:W1$=W$;R1$=R$
360 R=R2:ONRGOSUB550,550,550,550,550,550,550,550,560,570,580,590,590,590
,590,590,590,600:W2$=W$;R2$=R$
370 R=R3:ONRGOSUB550,560,570,580,580,580,580,580,580,580,580,590,590,590
,600,600,600,600:W3$=W$;R3$=R$
380 IFR1$="BL"THENIFR2$="BL"THENIFR3$="BL"THENGW=500:GOTO470
390 IFR1$="BL"THENIFR3$="BL"THENGW=300:GOTO470
400 IFR1$="BL"THENGW=100:GOTO470
410 IFR1$="BA"THENIFR2$="BA"THENIFR3$="BA"THENGW=300:GOTO470ELSEGW=100:GOTO470
420 IFR1$="LO"THENIFR2$="LO"THENIFR3$="LO"THENGW=300:GOTO470
430 IFR1$="LO"THENIFR2$="OR"ORR2$="PL"THENGW=50:GOTO470
440 IFR1$="OR"THENIFR2$="OR"THENIFR3$="OR"THENGW=200:GOTO470ELSEGW=50:GOTO470
450 IFR1$="CH"THENIFR2$="CH"THENIFR3$="CH"THENGW=100:GOTO470ELSEGW=20:GOTO470
460 IFR1$="CH"THENGW=5
470 GW=M*GW
480 L=656:GOSUB700:PRINT0656,W1$
490 L=674:GOSUB700:PRINT0674,W2$
500 L=692:GOSUB700:PRINT0692,W3$
510 IFGW>0THENXS="Y O U H A V E W O N":RE=GWELSEXS="Y O U R T U R N C
O S T S":RE=-M
520 PRINT0160,X$USINGUS;RE
530 TW=TW+RE:GC=10000-TW:GOSUB650
540 GOTO610
550 WS=" B E L L":RS="BE":RETURN
560 WS=" B A R":RS="BA":RETURN
570 WS=" L O G O":RS="LO":RETURN
580 WS="O R A N G E":RS="OR":RETURN
590 WS="C H E R R Y":RS="CH":RETURN
600 WS=" P L U M":RS="PL":RETURN
610 PRINT01213,"TO PLAY AGAIN, DEPRESS <ENTER>; TO EXIT DEPRESS <X> ";
620 IS=INKEYS:IFIS=" "THEN620ELSEIFIS=CHRS(13)THEN280ELSEIFIS="X"THEN630ELSE620
630 CLS:PRINT0496,"ONE-ARM BANDIT SAYS GOOD-BYE.....COME AGAIN!!!"
640 PRINT:PRINT:END
650 PRINT01760,SPACES(80):PRINT01760,"M A C H I N E H A S :":USINGUS;GC:PRINT@
1800,"T O T A L W I N N I N G S :":USINGUS;TW:RETURN
660 PRINT0331,GAS:PRINT0332,STRINGS(56,150):PRINT0388,GCS:PRINT0967,GAS:PRINT096
8,STRINGS(64,150):PRINT01032,GCS:PRINT01607,GBS:PRINT01608,STRINGS(64,150):PRINT
0172,GDS
670 FORI=1TO7:PRINT0331+I*80,VS:NEXT:PRINT0971,GXS:FORI=1TO7:PRINT0388+I*80,VS:N
EXT:PRINT01028,GXS:FORI=1TO7:PRINT0967+I*80,VS:NEXT:FORI=1TO7:PRINT01032+I*80,VS
:NEXT
680 L=494:GOSUB690:L=512:GOSUB690:L=530:GOSUB690:RETURN
690 PRINT0L,GAS:PRINT0L+1,STRINGS(14,150):PRINT0L+15,GCS:PRINT0L+320,GBS:PRINT0L
+321,STRINGS(14,150):PRINT0L+335,GDS:FORI=1TO3:PRINT0L+I*80,VS:NEXT:FORI=1TO3:PR
INT0L+15+I*80,VS:NEXT:RETURN
700 PRINTCHRS(2):;FORI=1TO25:PRINT0L,STRINGS(12,"X"):PRINT0L,SPACES(12):NEXT:PRI
NTCHRS(1):;RETURN
710 PRINT01352,CHRS(135):PRINT01353,GSS:PRINT01354,GSS:PRINT0794,GSS:PRINT0874,G
SS:FORI=1TO5:PRINT0874+I*80,VS:NEXT:RETURN
720 PRINT0794,GQS:PRINT0874,GQS:FORI=1TO5:PRINT0874+I*80,GQS:NEXT:RETURN

```

Enhanced Model IV

\$1649⁰⁰

TC3

Model IV 2 Drives

Green Screen
120 Day Guarantee

MANUALS

Model III Tech Manual
Written by Factory Technician
A Must If You Have Version
F CPU Boards — \$12.00

Tandon Drive Manual — Everything You Want To Know
About Tandon Disk Drives — \$12.00

DEALERS

Ask About Our Specials On All Models & Components

Texas Computer Components (TC3)

317 Green Ave. Taft, Tx. 78390
Phone 1-512-528-2976

✓ 144

Introducing the Most Powerful Business Software Ever!

TRS-80™ (Model I, II, III, or 16) • APPLE™ • IBM™ • OSBORNE™ • CP/M™ • XEROX™



The VERSABUSINESS™ Series

Each VERSABUSINESS module can be purchased and used independently, or can be linked in any combination to form a complete, coordinated business system.

VERSA RECEIVABLES™

\$99.95

VERSA RECEIVABLES™ is a complete menu-driven accounts receivable, invoicing, and monthly statement-generating system. It keeps track of all information related to who owes you or your company money, and can provide automatic billing for past due accounts. VERSA RECEIVABLES™ prints all necessary statements, invoices, and summary reports and can be linked with VERSA LEDGER II™ and VERSA INVENTORY™.

VERSA PAYABLES™

\$99.95

VERSA PAYABLES™ is designed to keep track of current and aged payables, keeping you in touch with all information regarding how much money your company owes, and to whom. VERSA PAYABLES™ maintains a complete record on each vendor, prints checks, check registers, vouchers, transaction reports, aged payables reports, vendor reports, and more. With VERSA PAYABLES™, you can even let your computer automatically select which vouchers are to be paid.

VERSA PAYROLL™

\$99.95

VERSA PAYROLL™ is a powerful and sophisticated, but easy to use payroll system that keeps track of all government-required payroll information. Complete employee records are maintained, and all necessary payroll calculations are performed automatically, with totals displayed on screen for operator approval. A payroll can be run totally, automatically, or the operator can intervene to prevent a check from being printed, or to alter information on it. If desired, totals may be posted to the VERSA LEDGER II™ system.

VERSA INVENTORY™

\$99.95

VERSA INVENTORY™ is a complete inventory control system that gives you instant access to data on any item. VERSA INVENTORY™ keeps track of all information related to what items are in stock, out of stock, on backorder, etc., stores sales and pricing data, alerts you when an item falls below a preset reorder point, and allows you to enter and print invoices directly or to link with the VERSA RECEIVABLES™ system. VERSA INVENTORY™ prints all needed inventory listings, reports of items below reorder point, inventory value reports, period and year-to-date sales reports, price lists, inventory checklists, etc.

VERSA LEDGER II™

\$149.95

VERSA LEDGER II™ is a complete accounting system that grows as your business grows. VERSA LEDGER II™ can be used as a simple personal checkbook register, expanded to a small business bookkeeping system or developed into a large corporate general ledger system **without any additional software.**

- VERSA LEDGER II™ gives you almost unlimited storage capacity (300 to 10,000 entries per month, depending on the system),
- stores all check and general ledger information forever,
- prints tractor-feed checks,
- handles multiple checkbooks and general ledgers,
- prints 17 customized accounting reports including check registers, balance sheets, income statements, transaction reports, account listings, etc.

VERSA LEDGER II™ comes with a professionally-written 160 page manual designed for first-time users. The VERSA LEDGER II™ manual will help you become quickly familiar with VERSA LEDGER II™, using complete sample data files supplied on diskette and more than 50 pages of sample printouts.

SATISFACTION GUARANTEED!

Every VERSABUSINESS™ module is guaranteed to outperform all other competitive systems, and at a fraction of their cost. If you are not satisfied with any VERSABUSINESS™ module, you may return it within 30 days for a refund. Manuals for any VERSABUSINESS™ module may be purchased for \$25 each, credited toward a later purchase of that module.

To Order:

Write or call Toll-free (800) 431-2818
(N.Y.S. residents call 914-425-1535)

- * add \$3 for shipping in UPS areas
- * add \$4 for C.O.D. or non-UPS areas

- * add \$5 to CANADA or MEXICO
- * add proper postage elsewhere

DEALER INQUIRIES WELCOME

All prices and specifications subject to change / Delivery subject to availability.

COMPUTRONICS

50 N. PASCACK ROAD, SPRING VALLEY, N.Y. 10977

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. • *APPLE is a trademark of Apple Corp. • *IBM is a trademark of IBM Corp. • *OSBORNE is a trademark of Osborne Corp. • *CP/M is a trademark of Digital Research • *XEROX is a trademark of Xerox Corp.

pressing enter.

If you require a second roll of the dice, line 610 performs the toss with

accompanying graphics. Lines 640-750 evaluate the second toss and post the betting results.

Line	Function
10-80	Introduction
90-100	Display field graphics
110-160	Select numbers to bet
170-210	Random selection of 20 numbers to win
220-380	Game scoring
390-430	Game conclusion
440-460	Display field graphics subroutine
470-480	Name ID subroutine
490	Graphics subroutine
500	Graphics subroutine
510-580	Display hi-lite subroutine
590	Number ID subroutine
600	Game ID subroutine
610-690	Game playing instructions

Table 7. Keno

Line	Function
10-110	Introduction
120-130	Produce screen graphics
140-170	Betting input
180-270	Random card selection
280	Layout subroutine
290-320	Card suit subroutine
330	Card content subroutine
340	Card outline subroutine
350-400	Calculation and conclusion
410	Card back graphics subroutine
420	Card content clear subroutine
430-510	Scoring subroutine
520-670	Scoring subroutine
680-760	Scoring subroutine
770-840	Condensed set of rules for game

Table 8. Baccarat

Line	Function
10-100	Program introduction
110-150	Playing screen graphics and prompt for entering bet
160-170	Bet amount evaluation and display
180	Start deal of first hand
190-250	Clear card contents of graphics pattern
260-300	Random selection of card values for original hand
310-340	Instructions for holding selected cards in original hand
350	Hold blanking for cancel selection
360-500	Selection of cards to replace those not retained in original hand
510-900	Program hand evaluation logic
910-1000	Display and scoring logic
1010-1060	Game conclusion
1070-1110	Card graphics location subroutines
1120-1150	Card graphics outline subroutine
1160-1200	Card graphics pattern subroutines
1210	Card value print subroutine
1220	Card suit determination subroutine
1230-1440	Game instruction and scoring information

Table 9. Draw Poker

Blackjack

Try your luck against the house in this game of blackjack using casino-style rules. The program uses four decks of cards, and the simulation includes dealing from a card shoe.

Starting at line 450, you reset the control variables and construct the layout graphics using subroutine 1150 and PRINT@ statements. Place bets using single INKEY statements (lines 480-500) for the number of chips and their color (value).

Lines 520-560 control card draws and display, with the results posted on the screen. If the game doesn't end at this point, betting continues with the prompts in lines 610-660. Betting for the choices available to the player is in line blocks 670-720, 730-800, and 830-890.

Final scoring and posting of the results on the screen occurs in lines 900-1080.

Subroutines using only a few of the characters available on the Model II call layout graphics and card-format graphics. Graphics in Basic can be slow, but their use is a straightforward approach in this type of program.

Faro

Faro is a card game often played in the casinos and saloons of the old West. It's not played much these days because the payoff to the house is not as favorable as in other games.

Using appropriate subroutines to minimize complexity, lines 350-380 construct and identify the playing layout. Then the first card is selected from the deck and displayed (line 390). This card is called "soda" and does not enter into the betting.

Placing bets on the 13 card values starts with line 420. It prompts the player for number of chips, played on which rank, and to win or lose.

Lines 560 and 570 randomly determine the cards drawn by the dealer: RL to lose and RW to win. Several lines of logic analyze and evaluate the cards drawn. Arrays score the plays: B(52) to win, H(52) to lose, C(52) for cards drawn, and L(13) for printing locations. Logical statements compare array contents and calculate results.

After you've played 24 regular turns, the remaining three cards are revealed, but not their order (lines 670-710). The final betting (last turn) is made on these cards (line 740).

Wheel of Fortune

If you don't have time to attend a carnival or county fair, you can try your

from **HOWE SOFTWARE**
FOR TRS-80 MODELS I, II & III & the IBM PC

System Diagnostic

For Cassette or Disk

IS YOUR COMPUTER WORKING CORRECTLY? ARE YOU SURE?

Tests every component of your TRS-80 for proper operation.

DISK

\$99.95

CASSETTE

\$94.95



- ROM: Checksum test
- RAM: Four separate tests including every address and data value
- Video Display: Character generator, video RAM, and video signal tests
- Keyboard: Every key contact tested
- Line Printer: Character test
- Cassette Recorder: Read/write/verify data
- RS-232-C Interface: Read sense switches (Model I), connector fault, data transmission, framing, data loop, baud rate generator
- Disk Drives: Disk controller, drive select and restore, track seek and verify read, read/write/verify all tracks and sectors, formatting, disk drive timer, disk head cleaner
- Model 1: single or double density, 35, 40 or 80 track drives
- Model 3: single or double density, 35, 40 or 80 track drives
- single or double sided drives

- One program adapts to any system configuration and hardware.
- Individual tests of each device with operator monitoring and intervention.
- Continuous system tests run continually for hours, with diagnostic reports optionally written on line printer.
- Complete instructions and documentation.

SPECIFY TRS-80™ MODEL I OR MODEL III

SMART TERMINAL

Enables your TRS-80 to be used as a data communications terminal to a time-sharing system, computer bulletin board, or another computer, via the RS-232-C interface.

- MEMORY BUFFER holds data for transmission or data received from other computer.
- CASSETTE or DISK may be used to load or save data from memory.
- AUTOMATIC TRANSMISSION of data from memory.
- AUTOMATIC STORAGE of incoming data at user's option.
- TRANSMIT or RECEIVE WITH VERIFICATION options included for communication between two TRS-80s using Smart Terminal.
- Full CONTROL KEYS, including control key mapping into any ASCII character. True BREAK key. Lower case supported on Model I.
- Buffered LINE PRINTER ECHO for incoming data.
- Disk and cassette files fully compatible with ELECTRIC PENCIL™ and SCRIPSIT™ programs.
- BAUD RATE and RS-232-C CHARACTERISTICS can be reset from within the program.
- SAVE PROGRAM option creates "personalized" back-up copy of program with all options set as specified by user.
- ONE PROGRAM supports both cassette and disk systems. Program is compatible with PMC-80 and other TRS-80 "work alike" computers.

Model I or III Version supplied on cassette **\$69.95**
Model II (CP/M) Version supplied on diskette **\$74.95**
\$79.95

MON-3 and MON-5

Monitor Programs #3 and #5 are powerful utility programs which enable you to interact directly with the TRS-80 in machine language. They are useful both for beginners and for advanced programmers.

- BEGINNERS can learn to use machine language.
- COMPLETE instruction manual.
- SIMPLE commands, easy to use.

Both MON-3 and MON-5 contain the following features:

- DISPLAY memory in ASCII and hexadecimal form.
- DISASSEMBLE memory to see machine language commands.
- MOVE and COMPARE blocks.
- SEARCH through memory to find specific values.
- MODIFY memory in different ways.
- RELOCATE object programs.
- READ and WRITE object tapes in SYSTEM format.
- UNLOAD programs in low RAM on disk.
- CREATE SYMBOLIC CASSETTES of disassembled output for use as input to EDTASM program (MON-3 only).
- PRINT output optionally on video display or line printer.

Monitor #5 adds the following features:

- SAVE and LOAD disk files.
- INPUT and OUTPUT of disk sectors, bypassing disk operating system.
- RS-232-C COMMANDS for terminal mode, send and receive data.
- COMPLETE DEBUGGING PACKAGE including setting and displaying registers, single stepping, setting breakpoints and executing machine instructions.

Available for Model I and III Level II computers (16K, 32K and 48K).

Specify TRS-80™ Model I or III

MON-3 (for cassette systems) \$39.95

MON-5 (for disk systems) \$59.95

MAILING LIST

Maintains mailing lists of up to 1326 names (48K version). Add, change, delete, or find names. Machine language sort according to information in ANY field (first or last name, address, city, state, zip code). Three or four line labels printed in 1, 2, 3, or 4 columns, in master list, or on video display.

TRS-80 Model 1/3 Disk Version \$69.95
IBM PC Disk Version \$79.95

HOME BUDGET

Keeps track of your monthly and year-to-date income and expenses. Income and expenses classified by code numbers for identification of categories. Data includes date, code number, amounts and check number (optional). Computes monthly and year-to-date summaries showing income tax deductions. All output printed on video display or line printer at user's option. Complete instructions for customizing to suit your own budget.

TRS-80 Model 1/3 Cassette Version \$29.95
TRS-80 Model 1/3 Disk Version \$49.95
IBM PC Disk Version \$59.95

SMALL BUSINESS ACCOUNTING

Based on Dome Bookkeeping Record #612, this program keeps track of income, expenditures, and payroll for a small business. Receipts and expenditures can be entered on a daily, weekly, or monthly basis. Program computes monthly, through last month, and year to date summaries. Payroll section (included in disk version only) keeps record of employees and paychecks with up to six categories of payroll deductions. Computes employee payroll records and year-to-date payroll totals. Complete instructions for customizing to suit your own business.

TRS-80 Model 1/3 Cassette Version \$29.95
TRS-80 Model 1/3 Disk Version \$59.95
IBM PC Disk Version \$69.95

COMPUTRONICS

50 N. PASCACK ROAD
 SPRING VALLEY, NEW YORK 10977



**NEW TOLL-FREE
 ORDER LINE**
 (OUTSIDE OF N.Y. STATE)
(800) 431-2818

**24 HOUR
 ORDER
 LINE**
(914) 425-1535

- All orders processed within 24 Hours
- 30-Day money back guarantee
- Add \$3.00 for shipping in UPS Areas
- Add \$4.00 for C.O.D. or NON-UPS Areas
- Add \$5.00 to Canada or Mexico
- Add exact postage to all other countries

luck at a simulated wheel of fortune. You only need to enter 73 Basic program lines.

The screen clears and the control variables reset starting on line 270. Line 280 provides the layout graphics using

keyed subroutines that permit more compact programs.

Start betting on line 290, using fast INKEY inputs. To simplify the INKEY use, the number of accepted chips is limited to nine. If you wish, you can

substitute a double INKEY; then a stack of up to 99 chips is possible. If you make the change, the first decade of inputs is 01, 02, and so on.

When the program prompts you, type in a number from one to nine to indicate

Line	Function
10-110	Introduction, define variables, arrays, load card ID arrays
120-250	Rules for game
260-270	Start of game and layout graphics
280-310	Card draw selection and display
320-620	Placing of bets
630-670	Drawing the gate, scoring, and display of results
680-740	Game conclusion
750	Layout graphics subroutine
760	Card outline subroutine
770	Card value printing subroutine
780	Card content clearing subroutine
790	Card suit determination subroutine
800	Card graphics pattern subroutine
810	Play counter subroutine

Table 10. Four-Card Monte

"These winning numbers appear on lighted flashboards located throughout the casino area."

the number of chips you wish to stack on a given location on the layout (\$1, \$2, \$5, A for \$10, B for \$20, J for Joker, L for Logo) that you will specify shortly.

For the color prompt, type in W (white) for \$1 chips, O (orange) for \$2 chips, R (red) for \$5 chips, G (green) for \$25 chips, or B (black) for \$100 chips. Next, specify the location on the layout where you want the chip or stack of chips placed as your bet.

If you intend to place only one bet, press enter to start the wheel spinning. If you wish to place additional bets, repeat the number of chips, value of each chip, and location of stack for each bet prior to starting the wheel with enter.

Wheel rotation comprises two parts. Line 440 selects one of three lines: 450, 460, or 470. You need a random selection of 54, and this divides the function into three groups of 18 for convenience.

You can try individual modifications if the simulated wheel rotation (including slowing) in subroutines 670 and 720 is too simplified.

Keno

This Model II version of keno uses Disk Basic and the powerful PRINT@ statements to produce a wide range of graphics displays. The larger screen area available with the 1,920 discrete locations allows sufficient placement of both text and graphics. If... Then... Else statements form the conditional requirement for scoring.

The game starts on line 110 when it prompts the player to mark the spots desired. At a casino, you would mark from one to 15 of your favorite numbers on a keno ticket (in our case, the video screen) and present this along with the amount you wish to bet (line

Program Listing 2. Roulette

```

10 REM 22-JAN-83 *BDL MODEL II*
20 REM - PROGRAM ROULETTE/BAS
30 CLS:PRINT#20,"ROULETTE SIMULATION PROGRAM":PRINT:PRINT
40 CLEAR#20:DIM L(38),S(38),P(38),R(38),T(38),C(38),H(38),O(38),B(38):VS=CH
RS(148):PS="":GAS=CHRS(128):GBS=CHRS(131):GCS=CHRS(129):GDS=CHRS(130):HH=5000:G
US=CHRS(132):UUS="####.##":US="###.##":GLS=CHRS(134):AS="":SS=" "
50 PRINT"ROULETTE IS THE GAME THAT MOST PEOPLE ENVISION WHEN THINKING ABOUT THE
FAMOUS":PRINT"CASINOS AT MONTE CARLO AND OTHER WORLD LOCATIONS.":PRINT
60 PRINT"THE GAME IS EASY TO PLAY, ALL THAT IS REQUIRED IS A KNOWLEDGE OF THE BE
TTING":PRINT"OPTIONS AND THE PLAYING LAYOUT.":PRINT
70 PRINT"INSTRUCTIONS REQUIRED (Y/N)":
80 IS=INKEYS:IFIS=""THEN80ELSEIFIS="Y"THEN100ELSEIFIS="N"THEN200ELSE80
90 DIMMS(52):GAS=CHRS(128):GBS=CHRS(129):GCS=CHRS(130):GDS=CHRS(131):GES=CHRS(14
8):GFS=CHRS(150)
100 CLS:PRINT#20,"R U L E S   O F   R O U L E T T E":PRINT:PRINT
110 PRINT"THE WHEEL ITSELF IS A VERY CAREFULLY MADE, VERY DELICATELY BALANCED ST
RUCTURE":PRINT"WHICH IS DIVIDED INTO THIRTY-EIGHT EVEN COMPARTMENTS, OR 'POCKETS
':PRINT"THIRTY-SIX OF THESE POCKETS ARE NUMBERED INDIVIDUALLY FROM ONE TO THR
TY-SIX"
120 PRINT"AND ARE COLORED EITHER RED OR BLACK. THERE ARE EIGHTEEN OF EACH COLOR
. THE":PRINT"REMAINING TWO POCKETS ARE COLORED GREEN AND ARE NUMBERED ZERO AND
DOUBLE ZERO.":PRINT
130 PRINT"TO ALLOW YOU TO PLACE BETS, THE CASINO PROVIDES A PLAYING LAYOUT WITH
ZERO":PRINT"AND DOUBLE ZERO MARKED IN GREEN, AND THE THIRTY-SIX NUMBERS MARKED I
N THEIR"
140 PRINT"RESPECTIVE COLORS, IN THREE COLUMNS OF TWELVE NUMBERS EACH. BETS ON T
HIS AREA":PRINT"ARE CALLED 'INSIDE' BETS. THERE IS AN AREA OUTSIDE THE THIRTY-E
IGHT NUMBERED"
150 PRINT"BOXES WHICH ALLOWS FOR BETTING ON ODD (ALL THE ODD NUMBERS), EVEN (ALL
THE":PRINT"EVEN NUMBERS), RED OR BLACK (ALL THE RED, OR ALL THE BLACK NUMBERS)".
160 PRINT:PRINT"THERE IS ALSO AN AREA FOR BETTING ON THE FIRST, THE SECOND, OR T
HE THIRD":PRINT"SET OF TWELVE NUMBERS (1 THRU 12, 13 THRU 24, OR 25 THRU 36); TH
E FIRST OR"
170 PRINT"SECOND SET OF EIGHTEEN NUMBERS (1 THRU 18, OR 19 THRU 36); AND EVEN AN
AREA":PRINT"FOR BETTING ON COMPLETE COLUMNS. BETS ON THESE AREAS ARE CALLED 'O
UTSIDE' BETS."
180 PRINT"EACH CHIP OF YOUR COLOR CHOOSING IS WORTH $1.":PRINT
190 INPUT"WHEN READY TO PLAY, DEPRESS <ENTER>":QS
200 TT=0:TX=0:CA=0:CB=0:CC=0:CD=0:CE=0:CF=0:CG=0:CH=0:CI=0:CJ=0:CL:PRINT"C A S
I N O R O U L E T T E":PRINT#65,"G A M E   ":K=K+1:PRINT#75,K
210 PRINTCHRS(2);:GOSUB1500:PRINTCHRS(26);:GOSUB1630:PRINTCHRS(25);:PRINTCHRS(1)
;
220 B=0:PRINT#160,SPACES(80);:PRINT#160,"PLACE YOUR BETS...ENTER NUMBER OF CHIPS
(1-9), <ENTER> TO PLAY":
230 IS=INKEYS:IFIS=""THEN230ELSEIFIS="0"ANDIS<="9"THENB=VAL(IS):GOTO240ELSEIFIS=
CHRS(13):THEN1380ELSE230
240 PRINT#160,STRINGS(70,32):PRINT#160,"SEL BET(L=LNE, S=SQU, P=SPL, R=STRA, T=S
TT, C=COL, D=DOZ, H=H/L, O=O/E, B=B/R)":
250 IS=INKEYS:IFIS=""THEN250ELSEIFIS="L"THEN260ELSEIFIS="S"THEN360ELSEIFIS="P"TH
EN490ELSEIFIS="R"THEN790ELSEIFIS="T"THEN940ELSEIFIS="C"THEN1050ELSEIFIS="D"THEN1
120ELSEIFIS="H"THEN1190ELSEIFIS="O"THEN1250ELSEIFIS="B"THEN1310ELSE250
260 PRINT#160,SPACES(80);:CA=CA+B:PRINT#290,"*** L I N E ***"
270 PRINT#450,"1 - 00:3 7 - 18:21":PRINT#538,"2 - 3:6 8 - 21:24":PRINT#
618,"3 - 6:9 9 - 24:27":PRINT#698,"4 - 9:12 10 - 27:30":PRINT#778,"5 - 1
2:15 11 - 30:33":PRINT#858,"6 - 15:18 12 - 33:36"
280 PRINT#1018,"SELECTION (1-12)":INPUTTA:IFTA<10RTA>12THEN280ELSE290
290 IPTA=1:THENL(38)=5*B:L(37)=5*B:L(1)=5*B:L(2)=5*B:L(3)=5*B:PRINT#244,USINGPS;B
ELSEIPTA=2:THENL(1)=5*B:L(2)=5*B:L(3)=5*B:L(4)=5*B:L(6)=5*B:PRINT#248,USINGPS;B
ELSEIPTA=3:THENL(4)=5*B:L(5)=5*B:L(6)=5*B:L(7)=5*B:L(8)=5*B:L(9)=5*B:PRINT#252,USIN

```

Listing 2 continues

H & E COMPUTRONICS INC.

• • • EVERYTHING FOR YOUR TRS-80™ • ATARI™ • APPLE™ • PET™ • CP/M™ • XEROX™ • IBM™ • OSBORNE™ • • •

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. • * ATARI is a trademark of Atari Inc. • * APPLE is a trademark of Apple Corp. • * PET is a trademark of Commodore
* CP/M is a trademark of Digital Research • * XEROX is a trademark of Xerox Corp. • * IBM is a trademark of IBM Corp. • * OSBORNE is a trademark of Osborne Corp.



BUSINESS PAC 100

100 Ready-To-Run Business Programs

(ON CASSETTE OR DISKETTE).....Includes 128 Page Users Manual.....

Inventory Control.....Payroll.....Bookkeeping System.....Stock Calculations.....

Checkbook Maintenance.....Accounts Receivable.....Accounts Payable.....

BUSINESS 100 PROGRAM LIST

NAME	DESCRIPTION
1 RULE78	Interest Apportionment by Rule of the 78's
2 ANNU1	Annuity computation program
3 DATE	Time between dates
4 DAYYEAR	Day of year a particular date falls on
5 LEASEINT	Interest rate on lease
6 BREAKVEN	Break-even analysis
7 DEPRSL	Straightline depreciation
8 DEPRSY	Sum of the digits depreciation
9 DEPRDB	Declining balance depreciation
10 DEPRDDB	Double declining balance depreciation
11 TAXDEP	Cash flow vs. depreciation tables
12 CHECK2	Prints NEBS checks along with daily register
13 CHECKBK1	Checkbook maintenance program
14 MORTGAGE/A	Mortgage amortization table
15 MULTMON	Computes time needed for money to double, triple, etc.
16 SALVAGE	Determines salvage value of an investment
17 RRVARIN	Rate of return on investment with variable inflows
18 RRCONST	Rate of return on investment with constant inflows
19 EFFECT	Effective interest rate of a loan
20 FVAL	Future value of an investment (compound interest)
21 PVAL	Present value of a future amount
22 LOANPAY	Amount of payment on a loan
23 REQWITH	Equal withdrawals from investment to leave 0 over
24 SIMPDISK	Simple discount analysis
25 DATEVAL	Equivalent & nonequivalent dated values for oblig.
26 ANNUDEF	Present value of deferred annuities
27 MARKUP	% Markup analysis for items
28 SINKFUND	Sinking fund amortization program
29 BONDVAL	Value of a bond
30 DEplete	Depletion analysis
31 BLACKSH	Black Scholes options analysis
32 STOCVAL1	Expected return on stock via discounts dividends
33 WARVAL	Value of a warrant
34 BONDVAL2	Value of a bond
35 EPSEST	Estimate of future earnings per share for company
36 BETAALPH	Computes alpha and beta variables for stock
37 SHARPE1	Portfolio selection model-i.e. what stocks to hold
38 OPTWRITE	Option writing computations
39 RTVAL	Value of a right
40 EXPVAL	Expected value analysis
41 BAYES	Bayesian decisions
42 VALPRINF	Value of perfect information
43 VALADINF	Value of additional information
44 UTILITY	Derives utility function
45 SIMPLEX	Linear programming solution by simplex method
46 TRANS	Transportation method for linear programming
47 EOQ	Economic order quantity inventory model
48 QJUE1	Single server queueing (waiting line) model
49 CVP	Cost-volume-profit analysis
50 CONDPFROF	Conditional profit tables
51 OPTLOSS	Opportunity loss tables
52 FQJQOQ	Fixed quantity economic order quantity model
53 FQJQOWSH	As above but with shortages permitted
54 FQJQOQPB	As above but with quantity price breaks
55 FQJQUECB	Cost-benefit waiting line analysis
56 NCFANAL	Net cash-flow analysis for simple investment
57 PROFIND	Profitability index of a project
58 CAP1	Cap. Asset Pr. Model analysis of project

59 WACC	Weighted average cost of capital
60 COMBAL	True rate on loan with compensating bal. required
61 DISCBAL	True rate on discounted loan
62 MERGANAL	Merger analysis computations
63 FINRAT	Financial ratios for a firm
64 NPV	Net present value of project
65 PRINDLAS	Laspeyres price index
66 PRINDPA	Paasche price index
67 SEASIND	Constructs seasonal quantity indices for company
68 TIMETR	Time series analysis linear trend
69 TIMEMOV	Time series analysis moving average trend
70 FUPRINF	Future price estimation with inflation
71 MAILPAC	Mailing list system
72 LETWRT	Letter writing system-links with MAILPAC
73 SORT3	Sorts list of names
74 LABEL1	Shipping label maker
75 LABEL2	Name label maker
76 BUSBUD	DOME business bookkeeping system
77 TIMECLK	Computes weeks total hours from timeclock info.
78 ACCTPAY	In memory accounts payable system-storage permitted
79 INVOICE	Generate invoice on screen and print on printer
80 INVENT2	In memory inventory control system
81 TELDIR	Computerized telephone directory
82 TIMUSAN	Time use analysis
83 ASSIGN	Use of assignment algorithm for optimal job assign.
84 ACCTREC	In memory accounts receivable system-storage ok
85 TERMPAY	Compares 3 methods of repayment of loans
86 PAYNET	Computes gross pay required for given net
87 SELLPR	Computes selling price for given after tax amount
88 ARBCOMP	Arbitrage computations
89 DEPRSF	Sinking fund depreciation
90 UPSZONE	Finds UPS zones from zip code
91 ENVELOPE	Types envelope including return address
92 AUTOEXP	Automobile expense analysis
93 INSFILE	Insurance policy file
94 PAYROLL2	In memory payroll system
95 DILANAL	Dilution analysis
96 LOANAFDD	Loan amount a borrower can afford
97 RENTPRCH	Purchase price for rental property
98 SALELEAS	Sale-leaseback analysis
99 RRCONVBD	Investor's rate of return on convertible bond
100 PORTVAL9	Stock market portfolio storage-valuation program

- ☐ TRS-80 Cassette Version \$99.95
 - ☐ TRS-80 (Mod-I or III), Pet, Apple or Atari Versions \$99.95
 - ☐ TRS-80 Mod-II, IBM, Osborne and CP/M Versions \$149.95
- ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S., CANADA AND MEXICO

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ASK FOR OUR 64-PAGE CATALOG
DEALER INQUIRIES INVITED

**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)
(800) 431-2818



**24 HOUR
ORDER
LINE**
(914) 425-1535



ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE
DELIVERY SUBJECT TO AVAILABILITY


```

GPS;B
300 IFTA=4THENL(7)=5*B:L(8)=5*B:L(9)=5*B:L(10)=5*B:L(11)=5*B:L(12)=5*B:L(13)=5*B:L(14)=5*B:L(15)=
USINGGPS;BELSEIFTA=5THENL(10)=5*B:L(11)=5*B:L(12)=5*B:L(13)=5*B:L(14)=5*B:L(15)=
5*B:PRINT#260,USINGGPS;B
310 IFTA=6THENL(13)=5*B:L(14)=5*B:L(15)=5*B:L(16)=5*B:L(17)=5*B:L(18)=5*B:PRINT#
264,USINGGPS;BELSEIFTA=7THENL(16)=5*B:L(17)=5*B:L(18)=5*B:L(19)=5*B:L(20)=5*B:L(21)=5*B:PRINT#268,USINGGPS;B
320 IFTA=8THENL(19)=5*B:L(20)=5*B:L(21)=5*B:L(22)=5*B:L(23)=5*B:L(24)=5*B:PRINT#
272,USINGGPS;BELSEIFTA=9THENL(22)=5*B:L(23)=5*B:L(24)=5*B:L(25)=5*B:L(26)=5*B:L(27)=5*B:PRINT#276,USINGGPS;B
330 IFTA=10THENL(25)=5*B:L(26)=5*B:L(27)=5*B:L(28)=5*B:L(29)=5*B:L(30)=5*B:PRINT#
280,USINGGPS;BELSEIFTA=11THENL(28)=5*B:L(29)=5*B:L(30)=5*B:L(31)=5*B:L(32)=5*B:L(33)=5*B:PRINT#284,USINGGPS;B
340 IFTA=12THENL(31)=5*B:L(32)=5*B:L(33)=5*B:L(34)=5*B:L(35)=5*B:L(36)=5*B:PRINT#
288,USINGGPS;B
350 GOSUB1370:GOTO220
360 PRINT#160,SPACES(80);:CB=CB+B:PRINT#298,"*** S Q U A R E ***"
370 PRINT#458," 1 - 3:5 12 - 2:4":PRINT#538," 2 - 6:8 13 - 5:7":PRINT#61
8," 3 - 9:11 14 - 8:10":PRINT#698," 4 - 12:14 15 - 11:13":PRINT#778," 5 - 15
:17 16 - 14:16":PRINT#858," 6 - 18:20 17 - 17:19"
380 PRINT#938," 7 - 21:23 18 - 20:22":PRINT#1018," 8 - 24:26 19 - 23:25":PRINT#
1098," 9 - 27:29 20 - 26:28":PRINT#1178,"10 - 30:32 21 - 29:31":PRINT#1258,"11
- 33:35 22 - 32:34"
390 PRINT#1418,"SELECTION (1-22)":;INPUTTB:IFTB<10RTB>22THEN390ELSE400
400 IFTB=1THENS(3)=8*B:S(6)=8*B:S(2)=8*B:S(5)=8*B:PRINT#648,USINGGPS;BELSEIFTB=2T
HENS(6)=8*B:S(9)=8*B:S(5)=8*B:S(8)=8*B:PRINT#652,USINGGPS;BELSEIFTB=3THENS(9)=8*B
:S(12)=8*B:S(8)=8*B:S(11)=8*B:PRINT#656,USINGGPS;B
410 IFTB=4THENS(12)=8*B:S(15)=8*B:S(11)=8*B:S(14)=8*B:PRINT#660,USINGGPS;BELSEIFTB=5THENS(15)=8*B:S(18)=8*B:S(14)=8*B:S(17)=8*B:PRINT#664,USINGGPS;BELSEIFTB=6THENS(18)=8*B:S(21)=8*B:S(17)=8*B:S(20)=8*B:PRINT#668,USINGGPS;B
420 IFTB=7THENS(21)=8*B:S(24)=8*B:S(20)=8*B:S(23)=8*B:PRINT#672,USINGGPS;BELSEIFTB=8THENS(24)=8*B:S(27)=8*B:S(23)=8*B:S(26)=8*B:PRINT#676,USINGGPS;BELSEIFTB=9THENS(27)=8*B:S(30)=8*B:S(26)=8*B:S(29)=8*B:PRINT#680,USINGGPS;B
430 IFTB=10THENS(30)=8*B:S(33)=8*B:S(29)=8*B:S(32)=8*B:PRINT#684,USINGGPS;BELSEIFTB=11THENS(33)=8*B:S(36)=8*B:S(32)=8*B:S(35)=8*B:PRINT#688,USINGGPS;BELSEIFTB=12THENS(36)=8*B:S(39)=8*B:S(35)=8*B:S(34)=8*B:PRINT#692,USINGGPS;B
440 IFTB=13THENS(39)=8*B:S(42)=8*B:S(37)=8*B:S(41)=8*B:PRINT#696,USINGGPS;BELSEIFTB=14THENS(42)=8*B:S(45)=8*B:S(41)=8*B:S(40)=8*B:PRINT#700,USINGGPS;BELSEIFTB=15THENS(45)=8*B:S(48)=8*B:S(44)=8*B:S(43)=8*B:PRINT#704,USINGGPS;B
450 IFTB=16THENS(48)=8*B:S(51)=8*B:S(46)=8*B:S(50)=8*B:PRINT#708,USINGGPS;BELSEIFTB=17THENS(51)=8*B:S(54)=8*B:S(49)=8*B:S(53)=8*B:PRINT#712,USINGGPS;B
460 IFTB=19THENS(54)=8*B:S(57)=8*B:S(52)=8*B:S(56)=8*B:PRINT#716,USINGGPS;BELSEIFTB=20THENS(57)=8*B:S(60)=8*B:S(55)=8*B:S(59)=8*B:PRINT#720,USINGGPS;B
470 IFTB=21THENS(59)=8*B:S(62)=8*B:S(58)=8*B:S(61)=8*B:PRINT#724,USINGGPS;BELSEIFTB=22THENS(62)=8*B:S(65)=8*B:S(60)=8*B:S(64)=8*B:PRINT#728,USINGGPS;B
480 GOSUB1370:GOTO220
490 PRINT#160,SPACES(80);:CC=CC+B:PRINT#300,"*** S P L I T ***"
500 PRINT#457,"SELECT A=1-32, B=33-62";
510 IS=INKEYS:IFIS="":THEN510ELSEIFIS="A"THEN520ELSEIFIS="B"THEN660ELSE510
520 PRINT#457,STRINGS(23,32);:PRINT#378," 1 - 00:3 17 - 15:14":PRINT#458," 2 -
3:6 18 - 10:17":PRINT#538," 3 - 6:9 19 - 21:20":PRINT#618," 4 - 9:12 20 - 2
4:23":PRINT#698," 5 - 12:15 21 - 27:26":PRINT#778," 6 - 15:18 22 - 30:29"
530 PRINT#858," 7 - 18:21 23 - 33:32":PRINT#938," 8 - 21:24 24 - 36:35":PRINT#10
18," 9 - 24:27 25 - 00:2":PRINT#1098,"10 - 27:30 26 - 2:5":PRINT#1178,"11 - 30:3
3 27 - 5:8":PRINT#1258,"12 - 33:36 28 - 8:11":PRINT#1338,"13 - 3:2 29 - 11:
14"
540 PRINT#1418,"14 - 6:5 30 - 14:17":PRINT#1498,"15 - 9:8 31 - 17:20":PRINT#
1578,"16 - 12:11 32 - 20:23"
550 PRINT#1738,"SELECTION (1-32)":;INPUTTC:IFTC<10RTC>32THEN550ELSE560
560 IFTC=1THENP(38)=17*B:P(3)=17*B:PRINT#484,USINGGPS;BELSEIFTC=2THENP(3)=17*B:P(
6)=17*B:PRINT#488,USINGGPS;BELSEIFTC=3THENP(6)=17*B:P(9)=17*B:PRINT#492,USINGGPS;B
ELSEIFTC=4THENP(9)=17*B:P(12)=17*B:PRINT#496,USINGGPS;B
570 IFTC=5THENP(12)=17*B:P(15)=17*B:PRINT#500,USINGGPS;B
580 IFTC=6THENP(15)=17*B:P(18)=17*B:PRINT#504,USINGGPS;BELSEIFTC=7THENP(18)=17*B:
P(21)=17*B:PRINT#508,USINGGPS;BELSEIFTC=8THENP(21)=17*B:P(24)=17*B:PRINT#512,USIN
GPS;BELSEIFTC=9THENP(24)=17*B:P(27)=17*B:PRINT#516,USINGGPS;B
590 IFTC=10THENP(27)=17*B:P(30)=17*B:PRINT#520,USINGGPS;BELSEIFTC=11THENP(30)=17*B:
P(33)=17*B:PRINT#524,USINGGPS;BELSEIFTC=12THENP(33)=17*B:P(36)=17*B:PRINT#528,US
INGGPS;BELSEIFTC=13THENP(36)=17*B:P(39)=17*B:PRINT#532,USINGGPS;B
600 IFTC=14THENP(39)=17*B:P(42)=17*B:PRINT#536,USINGGPS;BELSEIFTC=15THENP(42)=17*B:P(45)=17*B:PRINT#540,USINGGPS;BELSEIFTC=16THENP(45)=17*B:P(48)=17*B:PRINT#544,USINGGPS;BELSEIFTC=17THENP(48)=17*B:P(51)=17*B:PRINT#548,USINGGPS;BELSEIFTC=18THENP(51)=17*B:P(54)=17*B:PRINT#552,USINGGPS;BELSEIFTC=19THENP(54)=17*B:P(57)=17*B:PRINT#556,USINGGPS;BELSEIFTC=20THENP(57)=17*B:P(60)=17*B:PRINT#560,USINGGPS;BELSEIFTC=21THENP(60)=17*B:P(63)=17*B:PRINT#564,USINGGPS;BELSEIFTC=22THENP(63)=17*B:P(66)=17*B:PRINT#568,USINGGPS;BELSEIFTC=23THENP(66)=17*B:P(69)=17*B:PRINT#572,USINGGPS;BELSEIFTC=24THENP(69)=17*B:P(72)=17*B:PRINT#576,USINGGPS;BELSEIFTC=25THENP(72)=17*B:P(75)=17*B:PRINT#580,USINGGPS;BELSEIFTC=26THENP(75)=17*B:P(78)=17*B:PRINT#584,USINGGPS;BELSEIFTC=27THENP(78)=17*B:P(81)=17*B:PRINT#588,USINGGPS;BELSEIFTC=28THENP(81)=17*B:P(84)=17*B:PRINT#592,USINGGPS;BELSEIFTC=29THENP(84)=17*B:P(87)=17*B:PRINT#596,USINGGPS;BELSEIFTC=30THENP(87)=17*B:P(90)=17*B:PRINT#600,USINGGPS;BELSEIFTC=31THENP(90)=17*B:P(93)=17*B:PRINT#604,USINGGPS;BELSEIFTC=32THENP(93)=17*B:P(96)=17*B:PRINT#608,USINGGPS;B
610 GOSUB1370:GOTO220
620 PRINT#457,STRINGS(23,32);:PRINT#378," 1 - 00:3 17 - 15:14":PRINT#458," 2 -
3:6 18 - 10:17":PRINT#538," 3 - 6:9 19 - 21:20":PRINT#618," 4 - 9:12 20 - 2
4:23":PRINT#698," 5 - 12:15 21 - 27:26":PRINT#778," 6 - 15:18 22 - 30:29"
630 PRINT#858," 7 - 18:21 23 - 33:32":PRINT#938," 8 - 21:24 24 - 36:35":PRINT#10
18," 9 - 24:27 25 - 00:2":PRINT#1098,"10 - 27:30 26 - 2:5":PRINT#1178,"11 - 30:3
3 27 - 5:8":PRINT#1258,"12 - 33:36 28 - 8:11":PRINT#1338,"13 - 3:2 29 - 11:
14"
640 PRINT#1418,"14 - 6:5 30 - 14:17":PRINT#1498,"15 - 9:8 31 - 17:20":PRINT#
1578,"16 - 12:11 32 - 20:23"
650 PRINT#1738,"SELECTION (1-32)":;INPUTTC:IFTC<330RTC>62THEN690ELSE700
700 IFTC=33THENP(23)=17*B:P(26)=17*B:PRINT#916,USINGGPS;BELSEIFTC=34THENP(26)=17*B:
P(29)=17*B:PRINT#920,USINGGPS;BELSEIFTC=35THENP(29)=17*B:P(32)=17*B:PRINT#924,US
INGGPS;BELSEIFTC=36THENP(32)=17*B:P(35)=17*B:PRINT#928,USINGGPS;B
710 IFTC=37THENP(37)=17*B:P(38)=17*B:PRINT#932,USINGGPS;BELSEIFTC=38THENP(37)=17*B:
P(2)=17*B:PRINT#936,USINGGPS;BELSEIFTC=39THENP(2)=17*B:P(1)=17*B:PRINT#940,USIN
GPS;BELSEIFTC=40THENP(5)=17*B:P(4)=17*B:PRINT#944,USINGGPS;B
720 IFTC=41THENP(8)=17*B:P(7)=17*B:PRINT#948,USINGGPS;BELSEIFTC=42THENP(11)=17*B:
P(10)=17*B:PRINT#952,USINGGPS;BELSEIFTC=43THENP(14)=17*B:P(13)=17*B:PRINT#956,US
INGGPS;BELSEIFTC=44THENP(17)=17*B:P(16)=17*B:PRINT#960,USINGGPS;B
730 IFTC=45THENP(20)=17*B:P(19)=17*B:PRINT#964,USINGGPS;BELSEIFTC=46THENP(23)=17*B:
P(22)=17*B:PRINT#968,USINGGPS;BELSEIFTC=47THENP(26)=17*B:P(25)=17*B:PRINT#972,US
INGGPS;BELSEIFTC=48THENP(29)=17*B:P(28)=17*B:PRINT#976,USINGGPS;B
740 IFTC=49THENP(32)=17*B:P(31)=17*B:PRINT#980,USINGGPS;BELSEIFTC=50THENP(35)=17*B:
P(34)=17*B:PRINT#984,USINGGPS;BELSEIFTC=51THENP(37)=17*B:P(36)=17*B:PRINT#988,US
INGGPS;B

```

Listing 2 continues

150) at the keno counter.

There a writer marks a receipted copy on numbered paper that is good only for that game. At some casinos, a keno runner places your bet and returns your ticket copy to you.

In this simulation, you type in the number and hit enter to mark selected spots. The input is range-protected so that only numbers in the 1-80 range are accepted. If you make a mistake, type in C followed by enter; your current ticket is discarded and a new ticket appears, ready for a fresh start.

When you've made all one to 15 choices, type B and enter to place the amount of the bet (line 150). The function Clear, Bet is protected, so only one of these two letters is accepted.

When the "Place bet" prompt appears, you can type in the amount up to a maximum of \$99,999.99 (although the highest amount normally accepted at a casino is \$25). This value is not range-protected.

After you enter the bet, 20 winning numbers are selected. At the casino, air pressure mixes the 80 numbered balls (line 190) in the keno bowl. The 20 winning balls are ejected from the bowl at random (Basic's random function).

These winning numbers appear on lighted flashboards located throughout the casino area (lines 170-210). For this program, a graphics cross displays the winning numbers D\$ = CHR\$(140) from line 40, which defines them, to line 200, which prints them.

Scoring occurs in lines 220-380 and is based on the payoff for the number of spots marked and the amount of the bet. Line 150 also displays the total number of spots marked during selection.

Various colors refer to the games. These are loaded into array G\$(16) from the data stored in line 600.

Baccarat

In this version of baccarat, line 40 clears string space and defines the string variables. An array containing the value of each card in the eight decks used to play the game is dimensioned in M\$(416). Lines 50, 60, and 80 load the contents of this array. To minimize the tedium of waiting, I've added text between the lines when a large array is loading (line 70).

This program requires one INKEY statement for single-character data, and two INKEY statements for two-character input. INKEY is a string input, so if the data is numeric you must use VAL(\$) to obtain the numeric equivalent. You can use the alphanumeric value in the program directly.

H & E COMPUTRONICS INC.

• • EVERYTHING FOR YOUR TRS-80™ • APPLE™ • •

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. • * APPLE is a trademark of Apple Corp.

**100 SUPER
PROGRAMS**

MASTER PAC 100 2nd EDITION (COMPLETELY REVISED)

BUSINESS AND PERSONAL FINANCE

1. CHECKBOOK MAINTENANCE
2. TIME FOR MONEY TO DOUBLE
3. FEDERAL FICA & WITHHOLDING TAX COMPUTATIONS
4. HOME BUDGET ANALYSIS
5. ANNUITY COMPUTATION
6. UNIT PRICING
7. CHANGE FROM PURCHASE
8. NEBS CHECK PRINTER
9. DAYS BETWEEN DATES
10. MORTGAGE AMORTIZATION TABLE
11. INVENTORY CONTROL
12. PORTFOLIO VALUE COMPUTATIONS
13. VALUE OF A SHARE OF STOCK
14. SALES RECORD KEEPING SYSTEM
15. FUTURE VALUE OF AN INVESTMENT
16. EFFECTIVE INTEREST RATE (LOAN)
17. PRESENT VALUE OF A FUTURE AMOUNT
18. RATE OF RETURN-VARIABLE INFLOW
19. RATE OF RETURN-CONSTANT INFLOW
20. REGULAR WITHDRAWAL FROM INVESTMENT
21. STRAIGHT LINE DEPRECIATION
22. SUM OF DIGITS DEPRECIATION
23. DECLINING BALANCE DEPRECIATION
24. BREAK EVEN ANALYSIS
25. SALVAGE VALUE OF INVESTMENT
26. PAYMENT ON A LOAN
27. FUTURE SALES PROJECTIONS
28. CREDIT CARD FILE
29. ECONOMIC ORDER QUANTITY (EOQ) INVENTORY MODEL
30. VALUE OF HOUSE CONTENTS
31. TEXT EDITOR
32. MONTHLY CALENDAR
33. DAY OF WEEK
34. CASH FLOW VS. DEPRECIATION
35. COMPLETE MAIL SYSTEM
36. INTEREST RATE ON A LEASE

BUSINESS

**PERSONAL
FINANCE**

STATISTICS AND MATHEMATICS

37. RANDOM SAMPLE SELECTION
38. ANGLO-METRIC CONVERSION
39. MEAN, STANDARD DEVIATION, MAXIMUM AND MINIMUM
40. SIMPLE LINEAR REGRESSION
41. MULTIPLE REGRESSION ANALYSIS
42. GEOMETRIC REGRESSION
43. EXPONENTIAL REGRESSION
44. SIMPLE MOVING AVERAGE
45. SIMPLE T-TEST
46. CHI-SQUARE TEST
47. NORMAL PROBABILITIES
48. BINOMIAL PROBABILITY
49. POISSON PROBABILITY
50. MATRIX ADDITION AND SUBTRACTION
51. MATRIX TRANSPOSE
52. MATRIX INVERSE
53. MATRIX MULTIPLICATION
54. SOLUTION OF SIMULTANEOUS EQUATIONS
55. QUADRATIC FORMULA
56. LINEAR EQUATION SOLUTIONS
57. ROOT HALF INTERVAL SEARCH
58. ROOTS OF POLYNOMIALS
59. ROOTS-NEWTON'S METHODS
60. PRIME FACTORS OF INTEGER
61. LEAST COMMON DENOMINATOR
62. RADIAN-DEGREE CONVERSION
63. NUMERICAL INTEGRATION

STATISTICS

MATH

UTILITIES

64. QUICK SORT ROUTINE
65. PROGRAM STORAGE INDEX
66. MULTIPLE CHOICE QUIZ BUILDER
67. FORM LETTER WRITER
68. SHELL SORT
69. CASSETTE LABEL MAKER
70. CODES MESSAGES
71. MERGE TWO FILES
72. SORT WITH REPLACEMENT

GRAPHICS

73. DRAWS BAR GRAPH
74. DRAWS HISTOGRAM
75. MOVING BANNER DISPLAY

GAMBLING AND GAMES

76. RANDOM SPORTS QUIZ
77. GOVERNMENT QUIZ
78. HORSE RACE
79. MAGIC SQUARE
80. ARITHMETIC TEACHER
81. HIGH LOW GAMBLE
82. UNSCRAMBLE LETTERS
83. HANGMAN
84. GAME OF NIM
85. RUSSIAN ROULETTE
86. ROULETTE GAME
87. ONE-ARMED BANDIT
88. HIT THE TARGET
89. WALKING DRUNK
90. STATE CAPITAL QUIZ
91. TIC-TAC-TOE
92. DICE GAME
93. LUNAR LANDAR GAME
94. BIORHYTHM
95. HORSE SELECTOR (CLASS CALCULATOR)
96. RANDOM DICE ROLL
97. RANDOM ROULETTE ROLL
98. RANDOM CARD DEALER
99. GUESS THE NUMBER
100. WHITE OUT SCREEN

GAMBLING

**INCLUDES 110 PAGE
USER MANUAL**

**GUARANTEED SATISFACTION
30-DAY MONEY BACK GUARANTEE**

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***

COMPUTRONICS INC.
MATHEMATICAL APPLICATIONS SERVICE

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

PLEASE SEND ME:

- ☐ MASTER PAC 100 CASSETTE VERSION \$99.95
☐ MASTER PAC 100 DISKETTE VERSION \$99.95
☐ MASTER PAC 100 (MODEL II DISKETTE VERSION) .. \$149.95

CREDIT CARD NUMBER EXP. DATE

SIGNATURE

NAME

ADDRESS CITY STATE ZIP

*** ADD \$3 FOR POSTAGE & HANDLING ADD \$4 FOR C.O.D. OR NON UPS AREAS ADD \$5 CANADA & MEXICO EXACT POSTAGE ELSEWHERE ***

✓ See List of Advertisers on Page 323



**24 HOUR
ORDER
LINE**
(914) 425-1535



**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

★ All orders processed within 24-Hours
★ 30-Day money back guarantee on all Software


```

750 IFTC=52THENP(1)=17*B:P(4)=17*B:PRINT@1288,USINGPS;BELSEIFTC=53THENP(4)=17*B:
P(7)=17*B:PRINT@1292,USINGPS;BELSEIFTC=54THENP(7)=17*B:P(10)=17*B:PRINT@1296,USI
NGPS;BELSEIFTC=55THENP(10)=17*B:P(13)=17*B:PRINT@1300,USINGPS;BELSEIFTC=56
760 IFTC=56THENP(13)=17*B:P(16)=17*B:PRINT@1304,USINGPS;BELSEIFTC=57THENP(16)=17
*B:P(19)=17*B:PRINT@1308,USINGPS;BELSEIFTC=58THENP(19)=17*B:P(22)=17*B:PRINT@131
2,USINGPS;BELSEIFTC=59THENP(22)=17*B:P(25)=17*B:PRINT@1316,USINGPS;BELSEIFTC=60
770 IFTC=60THENP(25)=17*B:P(28)=17*B:PRINT@1320,USINGPS;BELSEIFTC=61THENP(28)=17
*B:P(31)=17*B:PRINT@1324,USINGPS;BELSEIFTC=62THENP(31)=17*B:P(34)=17*B:PRINT@132
8,USINGPS;B
780 GOSUB1370:GOTO220
790 PRINT@160,SPACES(80);:CD=CD+B:PRINT@301,"*** STRAIGHT ***"
800 PRINT@458," 1 - 13- 13 25- 25":PRINT@538," 2 - 2 14- 14 26- 26":PRINT@
618," 3 - 3 15- 15 27- 27":PRINT@698," 4 - 4 16- 16 28- 28":PRINT@778," 5 -
5 17- 17 29- 29"
810 PRINT@858," 6 - 6 18- 18 30- 30":PRINT@938," 7 - 7 19- 19 31- 31":PRINT@
1018," 8 - 8 20- 20 32- 32":PRINT@1098," 9 - 9 21- 21 33- 33":PRINT@1178,"10
- 10 22- 22 34- 34":PRINT@1258,"11- 11 23- 23 35- 35"
820 PRINT@1338,"12- 12 24- 24 36- 36":PRINT@1418,"13- 13 25- 25 37- 37":PRINT@
1498,"14- 14 26- 26 38- 38":PRINT@1578,"15- 15 27- 27 39- 39":PRINT@1658,"16- 16
28- 28 40- 40":PRINT@1738,"17- 17 29- 29 41- 41":PRINT@1818,"18- 18 30- 30 42- 42":
830 PRINT@1898,"19- 19 31- 31 43- 43":PRINT@1978,"20- 20 32- 32 44- 44":PRINT@2058,"21- 21
33- 33 45- 45":PRINT@2138,"22- 22 34- 34 46- 46":PRINT@2218,"23- 23 35- 35 47- 47":
840 IFTD=1THENR(1)=35*B:PRINT@1125,USINGPS;BELSEIFTD=2THENR(2)=35*B:PRINT@725,US
INGPS;BELSEIFTD=3THENR(3)=35*B:PRINT@325,USINGPS;BELSEIFTD=4THENR(4)=35*B:PRINT@
1129,USINGPS;BELSEIFTD=5THENR(5)=35*B:PRINT@729,USINGPS;B
850 IFTD=6THENR(6)=35*B:PRINT@329,USINGPS;BELSEIFTD=7THENR(7)=35*B:PRINT@1133,US
INGPS;BELSEIFTD=8THENR(8)=35*B:PRINT@733,USINGPS;BELSEIFTD=9THENR(9)=35*B:PRINT@
333,USINGPS;BELSEIFTD=10THENR(10)=35*B:PRINT@1137,USINGPS;B
860 IFTD=11THENR(11)=35*B:PRINT@737,USINGPS;BELSEIFTD=12THENR(12)=35*B:PRINT@337
,USINGPS;BELSEIFTD=13THENR(13)=35*B:PRINT@1141,USINGPS;BELSEIFTD=14THENR(14)=35*
B:PRINT@741,USINGPS;BELSEIFTD=15THENR(15)=35*B:PRINT@341,USINGPS;B
870 IFTD=16THENR(16)=35*B:PRINT@1145,USINGPS;BELSEIFTD=17THENR(17)=35*B:PRINT@74
5,USINGPS;BELSEIFTD=18THENR(18)=35*B:PRINT@345,USINGPS;BELSEIFTD=19THENR(19)=35*
B:PRINT@1149,USINGPS;BELSEIFTD=20THENR(20)=35*B:PRINT@749,USINGPS;B
880 IFTD=21THENR(21)=35*B:PRINT@349,USINGPS;BELSEIFTD=22THENR(22)=35*B:PRINT@115
3,USINGPS;BELSEIFTD=23THENR(23)=35*B:PRINT@753,USINGPS;BELSEIFTD=24THENR(24)=35*
B:PRINT@353,USINGPS;B
890 IFTD=25THENR(25)=35*B:PRINT@1157,USINGPS;BELSEIFTD=26THENR(26)=35*B:PRINT@75
7,USINGPS;BELSEIFTD=27THENR(27)=35*B:PRINT@357,USINGPS;BELSEIFTD=28THENR(28)=35*
B:PRINT@1161,USINGPS;B
900 IFTD=29THENR(29)=35*B:PRINT@761,USINGPS;BELSEIFTD=30THENR(30)=35*B:PRINT@361
,USINGPS;BELSEIFTD=31THENR(31)=35*B:PRINT@1165,USINGPS;BELSEIFTD=32THENR(32)=35*
B:PRINT@765,USINGPS;B
910 IFTD=33THENR(33)=35*B:PRINT@365,USINGPS;BELSEIFTD=34THENR(34)=35*B:PRINT@116
9,USINGPS;BELSEIFTD=35THENR(35)=35*B:PRINT@769,USINGPS;BELSEIFTD=36THENR(36)=35*
B:PRINT@369,USINGPS;BELSEIFTD=37THENR(37)=35*B:PRINT@1173,USINGPS;B
920 IFTD=38THENR(38)=35*B:PRINT@773,USINGPS;BELSEIFTD=39THENR(39)=35*B:PRINT@373
,USINGPS;BELSEIFTD=40THENR(40)=35*B:PRINT@1177,USINGPS;B
930 GOSUB1370:GOTO220
940 PRINT@160,SPACES(80);:CE=CE+B:PRINT@298,"*** S T R E E T ***"
950 PRINT@458," 1 - 1 2 3":PRINT@538," 2 - 2 4 5 6":PRINT@618," 3 -
7 8 9":PRINT@698," 4 - 10 11 12":PRINT@778," 5 - 13 14 15":PRINT@
858," 6 - 16 17 18":PRINT@938," 7 - 19 20 21":PRINT@1018," 8 - 22 23
24"
960 PRINT@1098," 9 - 25 26 27":PRINT@1178,"10 - 28 29 30":PRINT@1258,"11
- 31 32 33":PRINT@1338,"12 - 34 35 36"
970 PRINT@1498,"SELECTION (1-12)":INPUTTE:IFTE<LORTE>12THEN970ELSE980
980 IFTE=1THENT(1)=11*B:T(2)=11*B:T(3)=11*B:PRINT@246,USINGPS;BELSEIFTE=2THENT(4
)=11*B:T(5)=11*B:T(6)=11*B:PRINT@250,USINGPS;B
990 IFTE=3THENT(7)=11*B:T(8)=11*B:T(9)=11*B:PRINT@254,USINGPS;BELSEIFTE=4THENT(1
0)=11*B:T(11)=11*B:T(12)=11*B:PRINT@258,USINGPS;B
1000 IFTE=5THENT(13)=11*B:T(14)=11*B:T(15)=11*B:PRINT@262,USINGPS;BELSEIFTE=6THE
NT(16)=11*B:T(17)=11*B:T(18)=11*B:PRINT@266,USINGPS;B
1010 IFTE=7THENT(19)=11*B:T(20)=11*B:T(21)=11*B:PRINT@270,USINGPS;BELSEIFTE=8THE
NT(22)=11*B:T(23)=11*B:T(24)=11*B:PRINT@274,USINGPS;B
1020 IFTE=9THENT(25)=11*B:T(26)=11*B:T(27)=11*B:PRINT@278,USINGPS;BELSEIFTE=10TH
ENT(28)=11*B:T(29)=11*B:T(30)=11*B:PRINT@282,USINGPS;B
1030 IFTE=11THENT(31)=11*B:T(32)=11*B:T(33)=11*B:PRINT@286,USINGPS;BELSEIFTE=12T
HENT(34)=11*B:T(35)=11*B:T(36)=11*B:PRINT@290,USINGPS;B
1040 GOSUB1370:GOTO220
1050 PRINT@160,SPACES(80);:CF=CF+B:PRINT@298,"*** C O L U M N ***"
1060 PRINT@458," 1 - 1 34":PRINT@618," 2 - 2 35":PRINT@778,"3 - 3 36"
1070 PRINT@938,"SELECTION (1-3)":INPUTTE:IFTE<LORTE>3THEN1070ELSE1080
1080 IFTE=1THENC(1)=2*B:C(4)=2*B:C(7)=2*B:C(10)=2*B:C(13)=2*B:C(16)=2*B:C(19)=2*
B:C(22)=2*B:C(25)=2*B:C(28)=2*B:C(31)=2*B:C(34)=2*B:PRINT@1175,USINGPS;B
1090 IFTE=2THENC(2)=2*B:C(5)=2*B:C(8)=2*B:C(11)=2*B:C(14)=2*B:C(17)=2*B:C(20)=2*
B:C(23)=2*B:C(26)=2*B:C(29)=2*B:C(32)=2*B:C(35)=2*B:PRINT@175,USINGPS;B
1100 IFTE=3THENC(3)=2*B:C(6)=2*B:C(9)=2*B:C(12)=2*B:C(15)=2*B:C(18)=2*B:C(21)=2*
B:C(24)=2*B:C(27)=2*B:C(30)=2*B:C(33)=2*B:C(36)=2*B:PRINT@375,USINGPS;B
1110 GOSUB1370:GOTO220
1120 PRINT@160,SPACES(80);:CG=CG+B:PRINT@298,"*** D O Z E N ***"
1130 PRINT@458," 1 - 1ST 12":PRINT@618,"2 - 2ND 12":PRINT@778,"3 - 3RD 12"
1140 PRINT@938,"SELECTION (1-3)":INPUTTE:IFTE<LORTE>3THEN1140ELSE1150
1150 IFTE=1THENFORI=1TO12:D(I)=2*B:NEXT:PRINT@1525,USINGPS;B
1160 IFTE=2THENFORI=1TO12:D(I+12)=2*B:NEXT:PRINT@1541,USINGPS;B
1170 IFTE=3THENFORI=1TO12:D(I+24)=2*B:NEXT:PRINT@1557,USINGPS;B
1180 GOSUB1370:GOTO220
1190 PRINT@160,SPACES(80);:CH=CH+B:PRINT@298,"*** HIGH / LOW ***"
1200 PRINT@458," 1 - HIGH":PRINT@618,"2 - LOW"
1210 PRINT@778,"SELECTION (1,2)":INPUTTE:IFTE<LORTE>2THEN1210ELSE1220
1220 IFTE=1THENFORI=1TO18:H(I+18)=1*B:NEXT:PRINT@1725,USINGPS;B
1230 IFTE=2THENFORI=1TO18:H(I)=1*B:NEXT:PRINT@1685,USINGPS;B
1240 GOSUB1370:GOTO220
1250 PRINT@160,SPACES(80);:CI=CI+B:PRINT@298,"*** ODD / EVEN ***"
1260 PRINT@458," 1 - ODD":PRINT@618,"2 - EVEN"
1270 PRINT@778,"SELECTION (1,2)":INPUTTE:IFTE<LORTE>2THEN1270ELSE1280
1280 IFTE=1THENFORI=1TO35STEP2:O(I)=1*B:NEXT:PRINT@1717,USINGPS;B
1290 IFTE=2THENFORI=1TO35STEP2:O(I)=1*B:NEXT:PRINT@1693,USINGPS;B
1300 GOSUB1370:GOTO220
1310 PRINT@160,SPACES(80);:CJ=CJ+B:PRINT@298,"*** BLACK / RED ***"
1320 PRINT@458," 1 - BLACK":PRINT@618,"2 - RED"
1330 PRINT@778,"SELECTION (1,2)":INPUTTE:IFTE<LORTE>2THEN1330ELSE1340
1340 IFTE=1THENB(2)=1*B:B(4)=1*B:B(6)=1*B:B(8)=1*B:B(10)=1*B:B(12)=1*B:B(14)=1*B:
B(16)=1*B:B(18)=1*B:B(20)=1*B:B(22)=1*B:B(24)=1*B:B(26)=1*B:B(28)=1*B:B(30)=1*B:
B(32)=1*B:B(34)=1*B:B(36)=1*B:PRINT@1701,USINGPS;B
1350 IFTE=2THENB(3)=1*B:B(5)=1*B:B(7)=1*B:B(9)=1*B:B(11)=1*B:B(13)=1*B:B(15)=1*B:
B(17)=1*B:B(19)=1*B:B(21)=1*B:B(23)=1*B:B(25)=1*B:B(27)=1*B:B(29)=1*B:B(31)=1*B:
B(33)=1*B:B(35)=1*B:PRINT@1705,USINGPS;B
1360 GOSUB1370:GOTO220
1370 FORI=1TO20:PRINT@217+I*80,SPACES(23);:NEXT:RETURN
1380 TT=CA+CB+CC+CD+CE+CF+CG+CH+CI+CJ
1390 RANDOM=R=RND(30):GW=L(R)+S(R)+P(R)+R(R)+T(R)+C(R)+D(R)+H(R)+O(R)+B(R)
1400 REM WHEEL SPIN
1410 N=0:PRINT@388,AS:PRINT@462,AS:PRINT@539,AS:PRINT@698,AS:PRINT@859,AS:PRINT@

```

Listing 2 continues

Line 110 uses INKEY as a direct alphanumeric, whereas line 160 uses input to obtain the amount (value) of the bet directly as a numeric. You could enter the bet using multiple INKEY statements, but it would be difficult with both integer (dollar) and decimal (cents) values.

In this game simulation, you must determine the way the hands should be played. Make this selection in line 140 (player, bank, or a tie). The bet amount is acceptable up to a limit of \$999.99 (line 160).

Six characters, including the decimal point, are allowed for the bet. This number is limited by the spacing between the locaters on the screen (line 150, locations for the L\$ and R\$), and your desire to limit losses should you lose.

After you finish betting, card value selection starts on line 180, with dealing from the reshuffled eight decks in the shoe. You cannot select an individual card more than once. This is the purpose of the loopback statements in lines 190, 210, 220, 230, and 250 (R1 through R6).

Line 280 contains the simplified graphics for the playing layout using the vertical string graphics character V\$=CHR\$(148) and horizontal character "150". To write and erase locations on the screen for text and graphics, use PRINT@ with appropriate locations and data type to preclude erasing the complete screen and rewriting the contents.

Line 410 contains the subroutine to provide the artistic pattern for the card back. Line 420 blanks out the card outline front or back, while line 330 provides the subroutine to display the card value. The subroutines in lines 290-320 determines the selected card suit during the random function operation.

Scoring of the player and house hands occurs in lines 430-760. These are structured as subroutines for convenience. The rules and scoring begin with line 770.

Draw Poker

This program simulates the latest in draw poker gaming machines. The color is missing, but the action is the same.



The graphics start on line 110 with initialization of certain scoring variables and printing of screen playing layout to the format used in the casino game. The machine accepts only quarters, and you can play from one to five quarters for each hand (lines 150-170).

Inserting the chosen number of coins brings you to line 180, where you start

Continues on p. 164

Learn to Program Like a Professional!

THE COMPLETE BOOK OF RANDOM ACCESS & DATA FILE PROGRAMMING



Written for TRS-80™ I, II, & III - IBM™/PC - APPLE™ M/S - OSBORNE™ - HEATH™ - DEC™ - SUPERBRAIN™ - and all Computers using CP/M with Microsoft BASIC™

The last word on disk random access and file handling techniques, this series is intended for everyone — beginning programmers, businessmen and professionals will learn how to create custom programs to handle inventories, mailing lists, work scheduling, record keeping, and many other tasks, while more experienced programmers will learn advanced, professional programming techniques for faster, more efficient data storage and retrieval.

Although random access file handling is a matter of some complexity, the subject has been treated in a simple and down-to-earth fashion, so that anyone with some small familiarity with programming in Microsoft BASIC will be able to cope with the material. Each stage of learning uses a sample program as a starting point. The programs grow in capability and complexity as the books progress into all of the various aspects of file handling and record manipulation. An extensive effort has been made to keep the material coherent and every program line is explained in detail.

Volume I BASIC FILE HANDLING

- The writing of a Menu to summarize program functions
- Screen format for data entry
- The creation of a basic record
- The FIELD and LSET routines for buffer preparation
- Disk storage of random access records
- Changing or editing stored records
- The LPRINT capability from disk using three different formats
- Sorting the random file
- Searching by name or key field
- Search in "next" or "prior" fashion
- Purging deleted records
- Using disk file data for calculations
- Future expansion of data fields
- Using flags to prevent program crashes
- Date setting, printer on-line and many other routines to make a program run like a commercially written program

VOLUME I \$29.95
 Option Vol. I Program Disk
 TRS-80 Model I/III \$28.50
 TRS-80 Model II \$32.50

Volume II ADVANCED FILE HANDLING TECHNIQUES

- Relational database programming
- Comprehensive self-balancing accounting system with printouts
- Hashcoded data file manipulation — (probably the fastest method of data retrieval). Hashing the input key and recovery method explained
- Span-blocking techniques allow creation of records longer than 256 bytes without wasted space
- Blocking & Deblocking
- Shell-Metzner sort
- In-place screen editing
- Recovery of deleted record space
- Alpha-index record retrieval
- Fast machine language/BASIC sort
- Linked list record structure and sort-merge, deleted record removal and file reorganization
- Multi-key file reorganization and record searching

VOLUME II \$29.95
 Optional Vol. II Program Disk
 TRS-80 Model I/II/III \$49.95

COMPUTRONICS INC.

50 N. PASCACK ROAD
 SPRING VALLEY, NEW YORK 10977 ✓9

**NEW TOLL-FREE
 ORDER LINE**
 (OUTSIDE OF N.Y. STATE)

DEALER INQUIRIES WELCOME

(800) 431-2818

24

**HOUR
 ORDER LINE**

(914) 425-1535



30-DAY MONEY BACK GUARANTEE

*** ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE ***
 DELIVERY SUBJECT TO AVAILABILITY

★ ADD ★

ADD \$3.00 FOR SHIPPING IN UPS AREAS
 ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
 ADD \$5.00 TO CANADA & MEXICO
 ADD PROPER POSTAGE OUTSIDE OF U.S.,
 CANADA & MEXICO

H & E COMPUTRONICS INC.

● ● ● EVERYTHING FOR YOUR TRS-80* ● ● ● MODEL I, MODEL II & MODEL III

* TRS-80™ is a trademark of Tandy Corp.

FROM

 **RACET** COMPUTES LTD. 

- All orders processed within 24 Hours
- 30-Day money back guarantee
- Add \$3.00 for shipping in UPS Areas
- Add \$4.00 for C.O.D. or NON-UPS Areas
- Add \$5.00 to Canada or Mexico
- Add exact postage to all other countries

*** ESSENTIAL UTILITY PROGRAMS FOR EVERY TRS-80 OWNER ***

Facts About Racet Computes Utility Programs

- *** ALL PROGRAMS ARE WRITTEN IN MACHINE LANGUAGE
- *** ABSOLUTELY NO KNOWLEDGE OF MACHINE LANGUAGE IS NECESSARY TO USE ANY OF THE UTILITY PROGRAMS
- *** EACH UTILITY PROGRAM IS CALLED UP FROM **BASIC** USING THE SIMPLE BASIC COMMANDS PROVIDED
- *** EACH UTILITY PROGRAM COMES WITH A **RACET COMPUTES** INSTRUCTION MANUAL
- *** EACH INSTRUCTION MANUAL INCLUDES SEVERAL EXAMPLES OF UTILITY USAGE
- *** EACH UTILITY ALLOWS THE USER TO PERFORM CERTAIN BASIC OPERATIONS TEN, TWENTY OR MORE TIMES FASTER THAN THE EQUIVALENT BASIC ROUTINE (FOR EXAMPLE, **GSF** CAN SORT AN ARRAY OF 1000 RANDOM NAMES INTO ALPHABETICAL ORDER IN UNDER 9 SECONDS!!)

GSF (GENERALIZED SUBROUTINE FACILITY)

- SORTS 1000-ELEMENT ARRAYS IN 9 SECONDS
- SORTS UP TO 15 ARRAYS SIMULTANEOUSLY (MIXED STRING, FLOATING POINT AND INTEGER)
- SORTS SINGLE OR MULTIPLE SUBSTRINGS AS ASCENDING OR DESCENDING SORT KEYS
- READ AND WRITE ARRAYS TO CASSETTE
- COMPRESS AND UNCOMPRESS DATA IN MEMORY
- MOVE ARRAYS IN MEMORY
- DUPLICATE MEMORY
- FAST HORIZONTAL AND VERTICAL LINES
- SCREEN CONTROLS FOR SCROLLING THE SCREEN UP, DOWN, LEFT, RIGHT AND FOR GENERATING INVERSE GRAPHIC DISPLAYS
- ADDS PEEKS AND POKES (MOD-II VERSION ONLY)

MODEL-I VERSION \$25.00
MODEL-II VERSION \$50.00
MODEL-III VERSION \$30.00

KFS-80 (KEYED FILE SYSTEM)

- CREATE ISAM FILES (INDEX SEQUENTIAL ACCESS METHOD)
- ALLOWS INSTANT ACCESS TO ANY RECORD ON YOUR DISKETTE
- INSTANTLY RETRIEVE RECORDS FROM MAILING LISTS, INVENTORY, ACCOUNTS RECEIVABLE OR VIRTUALLY ANY APPLICATION WHERE RAPID ACCESS IS REQUIRED TO NAMED RECORDS
- PROVIDES THE BASIC PROGRAMMER THE ABILITY TO RAPIDLY INSERT OR ACCESS KEYED RECORDS IN ONE OR MORE DATA FILES
- RECORDS ARE MAINTAINED IN SORTED ORDER BY A SPECIFIED KEY
- RECORDS MAY BE INSERTED OR RETRIEVED BY SUPPLYING THE KEY
- RECORDS MAY BE RETRIEVED SEQUENTIALLY IN SORTED ORDER
- RAPID ACCESS TO ANY FILE REGARDLESS OF THE NUMBER OF RECORDS
- MULTIPLE INDEX FILES CAN BE EASILY CREATED WHICH ALLOWS ACCESS OF A SINGLE DATABASE BY MULTIPLE KEYS (FOR EXAMPLE, BY BOTH NAME AND ZIP-CODE)

MODEL-I VERSION \$100.00
MODEL-II VERSION \$175.00
MODEL-III VERSION \$100.00

DSM (DISK SORT MERGE)

- SORT AN 85K DISKETTE IN LESS THAN THREE MINUTES!
- SORTS LARGE MULTIPLE DISKETTE FILES ON A MINIMUM ONE DRIVE SYSTEM
- ALL RECORDS ARE PHYSICALLY REARRANGED-NO KEY FILES ARE REQUIRED
- SORTS RANDOM FILES CREATED BY **BASIC**, INCLUDING FILES CONTAINING SUB-RECORDS SPANNING SECTORS
- SORTS ON ONE OR MORE FIELDS IN ASCENDING OR DESCENDING ORDER
- FIELDS MAY BE STRINGS, INTEGER, BINARY INTEGER OR FLOATING POINT
- THE SORTED OUTPUT FILE MAY OPTIONALLY HAVE FIELDS DELETED, REARRANGED OR PADDED
- SORT COMMANDS CAN BE SAVED FOR REUSE
- SINGLE SORT MERGE OR MIXED SORT/MERGE OPERATIONS MAY BE PERFORMED
- SORTED OUTPUT MAY BE WRITTEN TO A NEW FILE, OR REPLACE THE ORIGINAL INPUT FILE.

MODEL-I VERSION \$75.00
MODEL-II VERSION \$150.00
MODEL-III VERSION \$90.00

MAILLIST (A MAILING LIST DATABASE SYSTEM)

- IDEALLY SUITED FOR ORGANIZATION MAILING LISTS, PERSONAL ADDRESSBOOK, OR MAILING LISTS BASED ON DATES SUCH AS REMINDERS FOR BIRTHDATES OR DUES PAYABLE
- USED ISAM (INDEX SEQUENTIAL ACCESS METHOD) FOR RAPID ACCESS TIMES
- YOUR **MAILLIST** CAN ALWAYS BE SORTED AND MAINTAINED BY UP TO FOUR INDEX FILES (FOR EXAMPLE, NAME, ZIPCODE, DATE AND NUMBER)
- **MAILLIST** ALLOWS UP TO 30 ATTRIBUTES TO BE SPECIFIED (TO BE USED IN SELECTION OF SPECIFIED RECORDS WHEN GENERATING REPORTS OR MAILING LABELS)
- **MAILLIST** SUPPORTS BOTH 5 OR 9-DIGIT ZIPCODES
- PRINTING MAY BE STARTED OR ENDED AT ANY POINT IN THE LIST...THE USER CAN SPECIFY FIELDS OR CODES TO BE PRINTED
- CAPACITY IS 600 NAMES FOR MODEL-I, 3500 NAMES FOR MODEL II, 38,000 NAMES FOR MODEL II WITH HARD DISK DRIVE, 1200 NAMES FOR MODEL III

MODEL-I VERSION \$75.00
MODEL-II VERSION \$150.00
MODEL-III VERSION \$75.00

HSDS HARD DISK DRIVE SOFTWARE

- MAKES TRSDOS COMPATIBLE WITH MOST HARD DISK DRIVES.
- ADDS MANY EXTRA FEATURES TO TRSDOS..... \$400.00

COMPROC (COMMAND PROCESSOR)

- AUTO YOUR DISK TO PERFORM ANY SEQUENCE OF INSTRUCTIONS THAT YOU NORMALLY GIVE FROM THE KEYBOARD (FOR EXAMPLE, INSERT THE DISKETTE, PRESS THE RESET BUTTON, YOUR COMMAND FILE COULD AUTOMATICALLY SHOW YOU THE DIRECTORY, SHOW THE FREE SPACE ON THE DISKETTE, LOAD A MACHINE LANGUAGE SUBROUTINE, LOAD BASIC, LOAD AND RUN A BASIC PROGRAM, AND SELECT A GIVEN ITEM ON YOUR MENU...ALL WITHOUT TOUCHING THE KEYBOARD)

MODEL-I VERSION \$20.00
 MODEL-III VERSION \$30.00
 NOT AVAILABLE FOR MODEL-II

DISCAT (DISKETTE CATALOG SYSTEM)

- THIS COMPREHENSIVE DISKETTE CATALOGUING/INDEXING UTILITY ALLOWS THE USER TO KEEP TRACK OF THOUSANDS OF PROGRAMS IN A CATEGORIZED LIBRARY...FILE INCLUDES PROGRAM NAMES AND EXTENSIONS, PROGRAM LENGTH, DISKETTE NUMBERS AND FREE SPACE ON EACH DISKETTE. KEEP A COMPLETE CATALOG OF THE DIRECTORIES ON ALL YOUR DISKETTES IN ALPHABETICAL ORDER (SORTED ON EACH DISKETTE...OR COMPLETE ALPHABETICAL LIST OF PROGRAMS ON ALL YOUR DISKETTES)

MODEL-I VERSION \$50.00
 MODEL-III VERSION \$50.00
 MODEL-II VERSION (SEE MODEL-II UTILITY PACKAGE)

BLINK (BASIC LINK FACILITY)

- LINK FROM BASIC PROGRAM TO ANOTHER SAVING ALL VARIABLES
- THE CHAINED PROGRAM MAY EITHER REPLACE THE ORIGINAL PROGRAM OR CAN BE MERGED BY STATEMENT NUMBER

MODEL-I VERSION \$25.00
 MODEL-III VERSION \$30.00
 MODEL-II VERSION (SEE MODEL-II UTILITY PACKAGE) \$50.00

INFINITE BASIC

- ADDS OVER 80 COMMANDS TO BASIC
- SORTING...STRING CENTERING/ROTATION/TRUNCATION...JUSTIFICATION...DATA COMPRESSION...STRING TRANSLATION/COPYING...SCREEN DISPLAY...SCROLLING...MATRIX OPERATIONS...SIMULTANEOUS EQUATIONS (THROUGH MATRIX INVERSION)...DYNAMIC ARRAY RESHAPING

MODEL-I VERSION \$50.00
 MODEL-III VERSION \$60.00
 NOT AVAILABLE ON MODEL-II

INFINITE BUSINESS

- ADD ON PACKAGE TO INFINITE BASIC (REQUIRES INFINITE BASIC)
- ADDS PACKED DECIMAL ARITHMETIC WITH 127 DIGIT ACCURACY (+0.*/.)
- COMPLETE PRINTER PAGINATION CONTROLS...AUTO HEADERS, FOOTERS AND PAGE NUMBERS
- BINARY SEARCH OF SORTED AND UNSORTED ARRAYS (INSTANT SEARCH OF AN ELEMENT WITHIN AN ARRAY)
- HASH CODES

MODEL-I VERSION \$30.00
 MODEL-III VERSION \$30.00
 NOT AVAILABLE ON MODEL-II

REMODEL-PROLOAD

- THE ULTIMATE RENUMBERING PROGRAM...RENUMBERS ALL OR PART OF A PROGRAM (ALLOWS PARTIAL RENUMBERING IN MIDDLE OF PROGRAMS)
- PARTIAL OR COMPLETE MERGE OF TWO CASSETTE PROGRAMS

MODEL-I VERSION \$35.00
 MODEL-III VERSION \$35.00
 NOT AVAILABLE ON MODEL-II

COPSYS

- COPY AND VERIFY ALL MACHINE LANGUAGE (SYSTEM) TAPES WRITTEN IN STANDARD FORMAT...IF YOU BUY A MACHINE LANGUAGE PROGRAM, COPSYS ALLOWS YOU TO EASILY COPY THE PROGRAM ONTO ANOTHER CASSETTE AS A BACKUP

MODEL-I VERSION \$15.00
 MODEL-III VERSION \$20.00
 NOT AVAILABLE ON MODEL-II

FOR DEALER INFORMATION CALL: **RACET COMPUTES**

1330 N. GLASSEL, SUITE M, ORANGE CA 92667
 (714) 997-4950

MODEL II SPEEDUP—FAST DISK I/O

THIS IS AN ENHANCEMENT FOR TRSDOS 2.0 THAT WILL RADICALLY DECREASE DISK ACCESS TIME.

- DISKS BOOT FASTER TO DOS
- IMPROVE DISK I/O UNDER BASIC

MODEL II ONLY \$99.95



MODEL II FASTBACK — FULL DISK BACKUP IN 55 SECONDS

IN BUSINESS TIME IS MONEY, AND ONE BACKUP IS WORTH A THOUSAND TEARS.

- WORKS ON SYSTEMS WITH 2 OR MORE DRIVES
- CAN REPLACE YOUR EXISTING TRSDOS 1.2 or 2.0 BACKUP UTILITY

MODEL II ONLY \$75.00



MODEL-II UTILITY PACKAGE

- ESSENTIAL FOR EVERY MOD-II OWNER
- RECOVER AND REPAIR FILES AND DIRECTORIES (BY JUST ENTERING A SINGLE COMMAND)
- XCOPY...SIMILAR TO COPY BUT CAN COPY ANY NUMBER OF FILES AT ONE TIME FASTER AND MORE ACCURATE THAN COPY SINCE RECORDS ARE COPIED IN GROUPS RATHER THAN ONE RECORDS AT A TIME...USING XCOPY YOU CAN COPY FILES THAT CAN NOT BE COPIED USING THE COPY COMMAND
- SZAP...PROVIDES THE CAPABILITY TO READ AND MODIFY ANY SECTOR ON A DISKETTE
- XHIT...CAN BE USED TO REPAIR A DISKETTE DIRECTORY
- DCS...DIRECTOR CATALOG SYSTEM IS A UTILITY FOR THE MANAGEMENT OF USER DISKETTES...SETS OF A MULTIPLE DISKETTE DIRECTORY FILE (WITH UP TO 1200 INDIVIDUAL FILE NAMES)...ALLOWS SELECTIVELY LISTED OR PRINTED LISTS OF DIRECTORY FILES IN COMBINED SORTED ORDER (FOR EXAMPLE, LISTED ALPHABETICALLY BY DISKETTE...OR A COMPOSITE ALPHABETICAL LIST OF ALL YOUR DISKETTES)
- DEBUG-II...ADDS SEVERAL FEATURES TO THE PRESENT TRSDOS DEBUG UTILITY INCLUDING SINGLE INSTRUCTION CYCLE, AUTO (LOOP) BREAKPOINTS, SUBROUTINE CALLING, BREAK-KEY DETECTION AND MANY OTHERS

MODEL-II ONLY \$150.00

MODEL-II DEVELOPMENT SYSTEM

- THIS PACKAGE IS A MUST FOR ASSEMBLY LANGUAGE PROGRAMMERS
- INCLUDES THE MICROSOFT EDITOR ASSEMBLER PLUS WITH ENHANCEMENTS FOR THE MODEL-II
- A COMPLETE DISASSEMBLER
- SUPERZAP FOR READING AND MODIFY ANY SELECTOR ON A DISKETTE

MODEL-II ONLY \$125.00

MOD-II BASIC CROSS REFERENCE UTILITY

- LIST OR PRINT A SORTED CROSS REFERENCE TO ALL NUMBERS OR VARIABLES WITHIN A PROGRAM
- LIST OF PRINT ALL LINE NUMBERS CONTAINING A SPECIFIED STRING OF CHARACTERS

MODEL-II ONLY \$50.00

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***

END USERS
CALL:

COMPUTRONICS
 MATHEMATICAL ASSOCIATES, INC.

50 N. PASCACK ROAD
 SPRING VALLEY, NEW YORK 10977



24 HOUR
ORDER
LINE
(914) 425-1535



NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

ADD \$3.00 FOR SHIPPING IN UPS AREAS
 ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
 ADD \$5.00 TO CANADA AND MEXICO
 ADD PROPER POSTAGE OUTSIDE OF U.S., CANADA AND MEXICO

DEALER INQUIRIES WELCOME

the first deal. The border outlines (lines 210-250) and the random selection of the five cards occurs in lines 260-300, variables R1 through R5. The face values of the cards are within the border outlines (subroutine 1220 for suit, and subroutine 1210 for printing location).

At this point, you must decide whether to play the hand as it stands or to hold specific cards and replace the others. This is accomplished in lines 310-500. Press the numeric keyboard keys 1-5 to hold cards one through five. If you make a mistake, press C to start over.

For the cards held, the original variables R1 through R5 are active and determine the card value. New variables RA through RE replace R1 through R5 in printing and scoring the card value.

Next, press D (for draw) to replace your cards and start the automatic scoring process. This begins on line 510. The numeric array M(52) consists of the 13 cards in each suit from ace to king. Set at 1 to score each of the appropriate cards in the final hand.

When line 40 dimensions the array, all locations are set to zero. This array determines the value of the hand. Starting on line 520, the array is tested for a royal flush. If it passes, the program jumps to line 910 where the type of hand is printed on the screen at location 160 (line 1020), and the value of variable GW (game winnings) is determined from the amount of the bet "M" and the odds (250). Then the game conclusion starts on line 1010.

If the hand does not contain a royal flush, further analysis of the M(52) array contents determines if it meets any of the tests for hands of lesser value down to none.

The next test determines if all the cards are in the same suit (lines 540-570 for hearts, diamonds, clubs, and spades—HX, DX, CX, and SX, respectively). If so, the hand might be a straight flush (lines 600-630). If this test fails, the sequence falls through to line 640, which then indicates only a flush (GOTO line 950 for winnings and display).

If line 580 determines that all the cards are not in the same suit, evaluation continues at line 650. The array contents are tested for a straight (lines 650-720), four of a kind (line 730), three of a kind (lines 740-770), two of a kind (lines 780-830), and whether the three of a kind and two of a kind are related for a full house (line 840) or stand-alone for three of a kind (line 840 fall-through), or two pair (line 850).

Lines 860-890 test your hand for a

Listing 2 continued

```

942,AS:PRINT@1028,AS:PRINT@955,AS:PRINT@878,AS:PRINT@719,AS:PRINT@558,AS:PRINT@4
75,AS:PRINT@708,CHRS(143)
1420 L=388:GOSUB1690:L=462:GOSUB1690:L=539:GOSUB1690:L=698:GOSUB1690:L=859:GOSUB
1690:L=942:GOSUB1690:L=1028:GOSUB1690:L=955:GOSUB1690:L=878:GOSUB1690:L=719:GOSUB
1690:L=558:GOSUB1690:L=475:GOSUB1690
1430 IFN>50THEN1440ELSE1420
1440 IFR=38THENPRINT@387,"00":PRINT@1338,"WINNING NUMBER: 00":GOTO1470
1450 IFR=37THENPRINT@388,"0":PRINT@1338,"WINNING NUMBER: 0":GOTO1470
1460 PRINT@387,R:PRINT@1338,"WINNING NUMBER: R"
1470 TX=L(R)/5+S(R)/8+P(R)/17+R(R)/35+T(R)/11+C(R)/2+H(R)+O(R)+B(R)
1480 TW=TW+GW-TT+TX:HH=5000-TW
1490 PRINT@1840,"H O U S E H A S ":PRINT@1860,USINGU$;HH:PRINT@1879,"T O T
A L W I N N I N G S ":PRINT@1909,USINGU$;TW;
1500 IF(GW-TT+TX)>0THEN1510ELSEIF(GW-TT+TX)=0THEN1530ELSE1520
1510 PRINT@160,SPACE$(80):PRINT@160,"YOU HAVE WON ":PRINT@173,USINGU$;GW-TT+TX:
GOTO1540
1520 PRINT@160,SPACE$(80):PRINT@160,"YOU HAVE LOST ":PRINT@174,USINGU$;TT-GW-TX:
GOTO1540
1530 PRINT@160,SPACE$(80):PRINT@160,"YOU ARE EVEN..."
1540 PRINT@218,"PLAY AGAIN (Y/N)";
1550 IS=INKEY$:IFIS=""THEN1550ELSEIFIS="Y"THEN1560ELSEIFIS="N"THEN1570ELSE1550
1560 ERASEL,S,P,R,T,C,D,H,O,B:DI=ML(38),S(38),P(38),R(38),T(38),C(38),D(38),H(38)
O(38),B(38):GOTO200
1570 CLS:PRINT@485,"T H A N K Y O U F O R P L A Y I N G R O U L E T T E
...":PRINT@658,"P L E A S E C O M E A G A I N !":PRINT:PRINT:END
1580 PRINT@240,STRING$(56,150):PRINT@644,STRING$(52,150):PRINT@1044,STRING$(52,1
50):PRINT@1440,STRING$(56,150):PRINT@1604,STRING$(48,150):PRINT@1764,STRING$(48,
150):L=240:GOSUB1670:L=248:GOSUB1670:L=252:GOSUB1670:L=256:GOSUB1670:L=264:GOSUB
1670
1590 PRINT@801,STRING$(3,152):PRINT@880,V$;L=268:GOSUB1670:L=272:GOSUB1670:L=280
:GOSUB1670:L=284:GOSUB1670:L=288:GOSUB1670:L=296:GOSUB1670:L=244:GOSUB1680:L=260
:GOSUB1680:L=276:GOSUB1680:L=292:GOSUB1680
1600 PRINT@240,GA$:PRINT@1440,GB$:PRINT@1764,GB$:PRINT@296,GC$:PRINT@1496,GD$:PR
INT@1812,GD$
1610 FORI=1TO13:PRINT@240+I*4,G$:NEXT:PRINT@1440,GL$:PRINT@1452,GL$:PRINT@1456,
GL$:PRINT@1464,GL$:PRINT@1468,GL$:PRINT@1472,GL$:PRINT@1480,GL$:PRINT@1484,GL$:P
RINT@1488,GL$:PRINT@1700,GL$:PRINT@1796,GL$
1620 PRINT@1692,V$:PRINT@1708,V$:PRINT@1724,V$:PRINT@1612,GU$:PRINT@1772,GL$:PRI
NT@1628,GU$:PRINT@1788,GL$:PRINT@1644,GU$:PRINT@1804,GL$:RETURN
1630 PRINT@562,"00":PRINT@486,"3":PRINT@490,"6":PRINT@494,"9":PRINT@498,"12":PRI
NT@502,"15":PRINT@506,"18":PRINT@510,"21":PRINT@514,"24":PRINT@518,"27":PRINT@52
2,"30":PRINT@526,"33":PRINT@530,"36":PRINT@534,"39":PRINT@538,"42":PRINT@542,"45":
PRINT@546,"48":PRINT@550,"51":PRINT@554,"54":PRINT@558,"57":PRINT@562,"60":PRINT@566,"63":
PRINT@570,"66":PRINT@574,"69":PRINT@578,"72":PRINT@582,"75":PRINT@586,"78":PRINT@590,"81":
PRINT@594,"84":PRINT@598,"87":PRINT@602,"90":PRINT@606,"93":PRINT@610,"96":PRINT@614,"99":
PRINT@618,"102":PRINT@622,"105":PRINT@626,"108":PRINT@630,"111":PRINT@634,"114":PRINT@638,"117":
PRINT@642,"120":PRINT@646,"123":PRINT@650,"126":PRINT@654,"129":PRINT@658,"132":PRINT@662,"135":
PRINT@666,"138":PRINT@670,"141":PRINT@674,"144":PRINT@678,"147":PRINT@682,"150":PRINT@686,"153":
PRINT@690,"156":PRINT@694,"159":PRINT@698,"162":PRINT@702,"165":PRINT@706,"168":PRINT@710,"171":
PRINT@714,"174":PRINT@718,"177":PRINT@722,"180":PRINT@726,"183":PRINT@730,"186":PRINT@734,"189":
PRINT@738,"192":PRINT@742,"195":PRINT@746,"198":PRINT@750,"201":PRINT@754,"204":PRINT@758,"207":
PRINT@762,"210":PRINT@766,"213":PRINT@770,"216":PRINT@774,"219":PRINT@778,"222":PRINT@782,"225":
PRINT@786,"228":PRINT@790,"231":PRINT@794,"234":PRINT@798,"237":PRINT@802,"240":PRINT@806,"243":
PRINT@810,"246":PRINT@814,"249":PRINT@818,"252":PRINT@822,"255":PRINT@826,"258":PRINT@830,"261":
PRINT@834,"264":PRINT@838,"267":PRINT@842,"270":PRINT@846,"273":PRINT@850,"276":PRINT@854,"279":
PRINT@858,"282":PRINT@862,"285":PRINT@866,"288":PRINT@870,"291":PRINT@874,"294":PRINT@878,"297":
PRINT@882,"300":PRINT@886,"303":PRINT@890,"306":PRINT@894,"309":PRINT@898,"312":PRINT@902,"315":
PRINT@906,"318":PRINT@912,"321":PRINT@916,"324":PRINT@920,"327":PRINT@924,"330":PRINT@928,"333":
PRINT@932,"336":PRINT@940,"339":PRINT@944,"342":PRINT@948,"345":PRINT@952,"348":PRINT@956,"351":
PRINT@960,"354":PRINT@964,"357":PRINT@968,"360":PRINT@972,"363":PRINT@976,"366":PRINT@980,"369":
PRINT@984,"372":PRINT@988,"375":PRINT@992,"378":PRINT@996,"381":PRINT@1000,"384":PRINT@1004,"387":
PRINT@1008,"390":PRINT@1012,"393":PRINT@1016,"396":PRINT@1020,"399":PRINT@1024,"402":PRINT@1028,"405":
PRINT@1032,"408":PRINT@1036,"411":PRINT@1040,"414":PRINT@1044,"417":PRINT@1048,"420":PRINT@1052,"423":
PRINT@1056,"426":PRINT@1060,"429":PRINT@1064,"432":PRINT@1068,"435":PRINT@1072,"438":PRINT@1076,"441":
PRINT@1080,"444":PRINT@1088,"447":PRINT@1092,"450":PRINT@1096,"453":PRINT@1100,"456":PRINT@1104,"459":
PRINT@1108,"462":PRINT@1112,"465":PRINT@1116,"468":PRINT@1120,"471":PRINT@1124,"474":PRINT@1128,"477":
PRINT@1132,"480":PRINT@1136,"483":PRINT@1140,"486":PRINT@1144,"489":PRINT@1148,"492":PRINT@1152,"495":
PRINT@1156,"498":PRINT@1160,"501":PRINT@1164,"504":PRINT@1168,"507":PRINT@1172,"510":PRINT@1176,"513":
PRINT@1180,"516":PRINT@1184,"519":PRINT@1192,"522":PRINT@1196,"525":PRINT@1200,"528":PRINT@1204,"531":
PRINT@1208,"534":PRINT@1212,"537":PRINT@1216,"540":PRINT@1220,"543":PRINT@1224,"546":PRINT@1228,"549":
PRINT@1232,"552":PRINT@1236,"555":PRINT@1240,"558":PRINT@1244,"561":PRINT@1248,"564":PRINT@1252,"567":
PRINT@1256,"570":PRINT@1260,"573":PRINT@1264,"576":PRINT@1268,"579":PRINT@1272,"582":PRINT@1276,"585":
PRINT@1280,"588":PRINT@1284,"591":PRINT@1288,"594":PRINT@1292,"597":PRINT@1296,"600":PRINT@1300,"603":
PRINT@1304,"606":PRINT@1308,"609":PRINT@1312,"612":PRINT@1316,"615":PRINT@1320,"618":PRINT@1324,"621":
PRINT@1328,"624":PRINT@1328,"627":PRINT@1332,"630":PRINT@1336,"633":PRINT@1340,"636":PRINT@1344,"639":
PRINT@1348,"642":PRINT@1352,"645":PRINT@1356,"648":PRINT@1360,"651":PRINT@1364,"654":PRINT@1368,"657":
PRINT@1372,"660":PRINT@1376,"663":PRINT@1380,"666":PRINT@1384,"669":PRINT@1388,"672":PRINT@1392,"675":
PRINT@1396,"678":PRINT@1400,"681":PRINT@1404,"684":PRINT@1408,"687":PRINT@1412,"690":PRINT@1416,"693":
PRINT@1420,"696":PRINT@1424,"699":PRINT@1428,"702":PRINT@1432,"705":PRINT@1436,"708":PRINT@1440,"711":
PRINT@1444,"714":PRINT@1448,"717":PRINT@1452,"720":PRINT@1456,"723":PRINT@1460,"726":PRINT@1464,"729":
PRINT@1468,"732":PRINT@1472,"735":PRINT@1476,"738":PRINT@1480,"741":PRINT@1484,"744":PRINT@1488,"747":
PRINT@1492,"750":PRINT@1496,"753":PRINT@1500,"756":PRINT@1504,"759":PRINT@1508,"762":PRINT@1512,"765":
PRINT@1516,"768":PRINT@1520,"771":PRINT@1524,"774":PRINT@1528,"777":PRINT@1532,"780":PRINT@1536,"783":
PRINT@1540,"786":PRINT@1544,"789":PRINT@1548,"792":PRINT@1552,"795":PRINT@1556,"798":PRINT@1560,"801":
PRINT@1564,"804":PRINT@1568,"807":PRINT@1572,"810":PRINT@1576,"813":PRINT@1580,"816":PRINT@1584,"819":
PRINT@1588,"822":PRINT@1592,"825":PRINT@1596,"828":PRINT@1600,"831":PRINT@1604,"834":PRINT@1608,"837":
PRINT@1612,"840":PRINT@1616,"843":PRINT@1620,"846":PRINT@1624,"849":PRINT@1628,"852":PRINT@1632,"855":
PRINT@1636,"858":PRINT@1640,"861":PRINT@1644,"864":PRINT@1648,"867":PRINT@1652,"870":PRINT@1656,"873":
PRINT@1660,"876":PRINT@1664,"879":PRINT@1668,"882":PRINT@1672,"885":PRINT@1676,"888":PRINT@1680,"891":
PRINT@1684,"894":PRINT@1688,"897":PRINT@1692,"900":PRINT@1696,"903":PRINT@1700,"906":PRINT@1704,"909":
PRINT@1708,"912":PRINT@1712,"915":PRINT@1716,"918":PRINT@1720,"921":PRINT@1724,"924":PRINT@1728,"927":
PRINT@1732,"930":PRINT@1736,"933":PRINT@1736,"936":PRINT@1740,"939":PRINT@1744,"942":PRINT@1748,"945":
PRINT@1752,"948":PRINT@1756,"951":PRINT@1756,"954":PRINT@1760,"957":PRINT@1764,"960":PRINT@1768,"963":
PRINT@1772,"966":PRINT@1776,"969":PRINT@1780,"972":PRINT@1784,"975":PRINT@1788,"978":PRINT@1792,"981":
PRINT@1796,"984":PRINT@1800,"987":PRINT@1804,"990":PRINT@1808,"993":PRINT@1812,"996":PRINT@1816,"999":
PRINT@1820,"1002":PRINT@1826,"1005":PRINT@1830,"1008":PRINT@1834,"1011":PRINT@1838,"1014":PRINT@1842,"1017":
PRINT@1846,"1020":PRINT@1850,"1023":PRINT@1854,"1026":PRINT@1858,"1029":PRINT@1862,"1032":PRINT@1866,"1035":
PRINT@1870,"1038":PRINT@1874,"1041":PRINT@1878,"1044":PRINT@1882,"1047":PRINT@1886,"1050":PRINT@1890,"1053":
PRINT@1894,"1056":PRINT@1898,"1059":PRINT@1902,"1062":PRINT@1906,"1065":PRINT@1910,"1068":PRINT@1914,"1071":
PRINT@1918,"1074":PRINT@1918,"1077":PRINT@1922,"1080":PRINT@1926,"1083":PRINT@1930,"1086":PRINT@1934,"1089":
PRINT@1938,"1092":PRINT@1942,"1095":PRINT@1946,"1098":PRINT@1950,"1101":PRINT@1954,"1104":PRINT@1958,"1107":
PRINT@1962,"1110":PRINT@1966,"1113":PRINT@1966,"1116":PRINT@1970,"1119":PRINT@1974,"1122":PRINT@1978,"1125":
PRINT@1982,"1128":PRINT@1986,"1131":PRINT@1990,"1134":PRINT@1994,"1137":PRINT@1998,"1140":PRINT@2002,"1143":
PRINT@2006,"1146":PRINT@2010,"1149":PRINT@2014,"1152":PRINT@2018,"1155":PRINT@2022,"1158":PRINT@2026,"1161":
PRINT@2030,"1164":PRINT@2034,"1167":PRINT@2038,"1170":PRINT@2042,"1173":PRINT@2046,"1176":PRINT@2050,"1179":
PRINT@2054,"1182":PRINT@2058,"1185":PRINT@2062,"1188":PRINT@2066,"1191":PRINT@2070,"1194":PRINT@2074,"1197":
PRINT@2078,"1200":PRINT@2082,"1203":PRINT@2086,"1206":PRINT@2090,"1209":PRINT@2094,"1212":PRINT@2098,"1215":
PRINT@2102,"1218":PRINT@2102,"1221":PRINT@2106,"1224":PRINT@2110,"1227":PRINT@2114,"1230":PRINT@2118,"1233":
PRINT@2122,"1236":PRINT@2130,"1239":PRINT@2134,"1242":PRINT@2138,"1245":PRINT@2142,"1248":PRINT@2146,"1251":
PRINT@2150,"1254":PRINT@2154,"1257":PRINT@2158,"1260":PRINT@2162,"1263":PRINT@2166,"1266":PRINT@2170,"1269":
PRINT@2174,"1272":PRINT@2178,"1275":PRINT@2182,"1278":PRINT@2186,"1281":PRINT@2190,"1284":PRINT@2194,"1287":
PRINT@2198,"1290":PRINT@2202,"1293":PRINT@2206,"1296":PRINT@2210,"1299":PRINT@2214,"1302":PRINT@2218,"1305":
PRINT@2222,"1308":PRINT@2226,"1311":PRINT@2230,"1314":PRINT@2234,"1317":PRINT@2238,"1320":PRINT@2242,"1323":
PRINT@2246,"1326":PRINT@2250,"1329":PRINT@2254,"1332":PRINT@2258,"1335":PRINT@2262,"1338":PRINT@2266,"1341":
PRINT@2270,"1344":PRINT@2274,"1347":PRINT@2278,"1350":PRINT@2282,"1353":PRINT@2286,"1356":PRINT@2290,"1359":
PRINT@2294,"1362":PRINT@2298,"1365":PRINT@2302,"1368":PRINT@2306,"1371":PRINT@2310,"1374":PRINT@2314,"1377":
PRINT@2318,"1380":PRINT@2322,"1383":PRINT@2326,"1386":PRINT@2330,"1389":PRINT@2334,"1392":PRINT@2338,"1395":
PRINT@2342,"1398":PRINT@2346,"1401":PRINT@2350,"1404":PRINT@2354,"1407":PRINT@2358,"1410":PRINT@2362,"1413":
PRINT@2366,"1416":PRINT@2370,"1419":PRINT@2374,"1422":PRINT@2378,"1425":PRINT@2382,"1428":PRINT@2386,"1431":
PRINT@2390,"1434":PRINT@2394,"1437":PRINT@2398,"1440":PRINT@2402,"1443":PRINT@2406,"1446":PRINT@2410,"1449":
PRINT@2414,"1452":PRINT@2418,"1455":PRINT@2422,"1458":PRINT@2426,"1461":PRINT@2430,"1464":PRINT@2434,"1467":
PRINT@2438,"1470":PRINT@2442,"1473":PRINT@2446,"1476":PRINT@2450,"1479":PRINT@2454,"1482":PRINT@2458,"1485":
PRINT@2462,"1488":PRINT@2466,"1491":PRINT@2470,"1494":PRINT@2474,"1497":PRINT@2478,"1500":PRINT@2482,"1503":
PRINT@2486,"1506":PRINT@2490,"1509":PRINT@2494,"1512":PRINT@2498,"1515":PRINT@2502,"1518":PRINT@2506,"1521":
PRINT@2510,"1524":PRINT@2514,"1528":PRINT@2518,"1531":PRINT@2522,"1534":PRINT@2526,"1538":PRINT@2530,"1541":
PRINT@2534,"1544":PRINT@2538,"1547":PRINT@2542,"1550":PRINT@2546,"1553":PRINT@2550,"1556":PRINT@2554,"1559":
PRINT@2558,"1562":PRINT@2562,"1565":PRINT@2566,"1568":PRINT@2570,"1571":PRINT@2574,"1574":PRINT@2578,"1577":
PRINT@2582,"1580":PRINT@2586,"1583":PRINT@2586,"1586":PRINT@2590,"1589":PRINT@2594,"1592":PRINT@2598,"1595":
PRINT@2602,"1598":PRINT@2606,"1601":PRINT@2610,"1604":PRINT@2614,"1607":PRINT@2618,"1610":PRINT@2622,"1613":
PRINT@2626,"1616":PRINT@2630,"1619":PRINT@2634,"1622":PRINT@2638,"1625":PRINT@2642,"1628":PRINT@2646,"1631":
PRINT@2650,"1634":PRINT@2654,"1637":PRINT@2658,"1640":PRINT@2662,"1643":PRINT@2666,"1646":PRINT@2670,"1649":
PRINT@2674,"1652":PRINT@2678,"1655":PRINT@2682,"1658":PRINT@2686,"1661":PRINT@2690,"1664":PRINT@2694,"1667":
PRINT@2698,"1670":PRINT@2702,"1673":PRINT@2706,"1676":PRINT@2710,"1679":PRINT@2714,"1682":PRINT@2718,"1685":
PRINT@2722,"1688":PRINT@2726,"1691":PRINT@2730,"1694":PRINT@2734,"1697":PRINT@2738,"1700":PRINT@2742,"1703":
PRINT@2746,"1706":PRINT@2750,"1709":PRINT@2754,"1712":PRINT@2758,"1715":PRINT@2762,"1718":PRINT@2766,"1721":
PRINT@2770,"1724":PRINT@2774,"1727":PRINT@2778,"1730":PRINT@2782,"1733":PRINT@2786,"1736":PRINT@2790,"1739":
PRINT@2794,"1742":PRINT@2798,"1745":PRINT@2802,"1748":PRINT@2806,"1751":PRINT@2810,"1754":PRINT@2814,"1757":
PRINT@2818,"1760":PRINT@2822,"1763":PRINT@2826,"1766":PRINT@2830,"1769":PRINT@2834,"1772":PRINT@2838,"1775":
PRINT@2842,"1778":PRINT@2846,"1781":PRINT@2850,"1784":PRINT@2854,"1787":PRINT@2858,"1790":PRINT@2862,"1793":
PRINT@2866,"1796":PRINT@2870,"1799":PRINT@2874,"1802":PRINT@2878,"1805":PRINT@2882,"1808":PRINT@2886,"1811":
PRINT@2890,"1814":PRINT@2894,"1817":PRINT@2898,"1820":PRINT@2902,"1823":PRINT@2906,"1826":PRINT@2910,"1829":
PRINT@2914,"1832":PRINT@2918,"1835":PRINT@2922,"1838":PRINT@2926,"1841":PRINT@2930,"1844":PRINT@2934,"1847":
PRINT@2938,"1850":PRINT@2942,"1853":PRINT@2946,"1856":PRINT@2950,"1859":PRINT@2954,"1862":PRINT@2958,"1865":
PRINT@2962,"1868":PRINT@2966,"1871":PRINT@2970,"1874":PRINT@2974,"1877":PRINT@2978,"1880":PRINT@2982,"1883":
PRINT@2986,"1886":PRINT@2990,"1889":PRINT@2994,"1892":PRINT@2998,"1895":PRINT@3002,"1898":PRINT@3006,"1901":
PRINT@3010,"1904":PRINT@3014,"1907":PRINT@3018,"1910":PRINT@3022,"1913":PRINT@3026,"1916":PRINT@3030,"1919":
PRINT@3034,"1922":PRINT@3038,"1925":PRINT@3042,"1928":PRINT@3046,"1931":PRINT@3050,"1934":PRINT@3054,"1937":
PRINT@3058,"1940":PRINT@3062,"1943":PRINT@3066,"1946":PRINT@3070,"1949":PRINT@3074,"1952":PRINT@3078,"1955":
PRINT@3082,"1958":PRINT@3086,"1961":PRINT@3090,"1964":PRINT@3094,"1967":PRINT@3098,"1970":PRINT@3102,"1973":
PRINT@3106,"1976":PRINT@3110,"1979":PRINT@3114,"1982":PRINT@3118,"1985":PRINT@3122,"1988":PRINT@3126,"1991":
PRINT@3130,"1994":PRINT@3134,"1997":PRINT@3138,"2000":PRINT@3142,"2003":PRINT@3146,"2006":PRINT@3150,"2009":
PRINT@3154,"2012":PRINT@3158,"2015":PRINT@3162,"2018":PRINT@3166,"2021":PRINT@3170,"2024":PRINT@3174,"2027":
PRINT@3178,"2030":PRINT@3182,"2033":PRINT@3186,"2036":PRINT@3190,"2039":PRINT@3194,"2042":PRINT@3198,"2045":
PRINT@3202,"2048":PRINT@3206,"2051":PRINT@3210,"2054":PRINT@3214,"2057":PRINT@3218,"2060":PRINT@3222,"2063":
PRINT@3226,"2066":PRINT@3230,"2069":PRINT@3234,"2072":PRINT@3238,"2075":PRINT@3242,"2078":PRINT@3246,"2081":
PRINT@3250,"2084":PRINT@3254,"2087":PRINT@3258,"2090":PRINT@3262,"2093":PRINT@3266,"2096":PRINT@3270,"2099":
PRINT@3274,"2102":PRINT@3278,"2105":PRINT@3282,"2108":PRINT@3286,"2111":PRINT@3290,"2114":PRINT@3294,"2117":
PRINT@3298,"2120":PRINT@3302,"2123":PRINT@3306,"2126":PRINT@3310,"2129":PRINT@3314,"2132":PRINT@3318,"2135":
PRINT@3322,"2138":PRINT@3342,"2141":PRINT@3346,"2144":PRINT@3350,"2147":PRINT@3354,"2150":PRINT@3358,"2153":
PRINT@3362,"2156":PRINT@3366,"2159":PRINT@3370,"2162":PRINT@3374,"2165":PRINT@3378,"2168":PRINT@3382,"2171":
PRINT@3386,"2174":PRINT@3390,"2177":PRINT@3394,"2180":PRINT@3398,"2183":PRINT@3402,"2186":PRINT@3406,"2189":
PRINT@3410,"2192":PRINT@3414,"2195":PRINT@3418,"2198":PRINT@3422,"2201":PRINT@3426,"2204":PRINT@3430,"2207":
PRINT@3434,"2210":PRINT@3438,"2213":PRINT@3442,"2216":PRINT@3446,"2219":PRINT@3450,"2222":PRINT@3454,"2225":
PRINT@3458,"2228":PRINT@3462,"2231":PRINT@3466,"2234":PRINT@3470,"2237":PRINT@3474,"2240":PRINT@3478,"2243":
PRINT@3482,"2246":PRINT@3486,"2249":PRINT@3490,"2252":PRINT@3494,"2255":PRINT@3498,"2258":PRINT@3502,"2261":
PRINT@3506,"2264":PRINT@3510,"2267":PRINT@3514,"2270":PRINT@3518,"2273":PRINT@3522,"2276":PRINT@3526,"2279":
PRINT@3530,"2282":PRINT@3534,"2285":PRINT@3538,"2288":PRINT@3542,"2291":PRINT@3546,"2294":PRINT@3550,"2297":
PRINT@3554,"2300":PRINT@3558,"2303":PRINT@3562,"2306":PRINT@3566,"2309":PRINT@3570,"2312":PRINT@3574,"2315":
PRINT@3578,"2318":PRINT@3582,"2321":PRINT@3586,"2324":PRINT@3590,"2327":PRINT@3594,"2330":PRINT@3598,"2333":
PRINT@3602,"2336":PRINT@3606,"2339":PRINT@3610,"2342":PRINT@3614,"2345":PRINT@3618,"2348":PRINT@3622,"2351":
PRINT@3626,"2354":PRINT@3630,"2357":PRINT@3634,"2360":PRINT@3638,"2363":PRINT@3642,"2366":PRINT@3646,"2369":
PRINT@3650,"2372":PRINT@3654,"2375":PRINT@3658,"2378":PRINT@3662,"2381":PRINT@3666,"2384":PRINT@3670,"2387":
PRINT@3674,"2390":PRINT@3678,"2393":PRINT@3682,"2396":PRINT@3686,"2399":PRINT@3690,"2402":PRINT@3694,"2405":
PRINT@3698,"2408":PRINT@3702,"2411":PRINT@3706,"2414":PRINT@3710,"2417":PRINT@3714,"2420":PRINT@3718,"2423":
PRINT@3722,"2426":PRINT@3730,"2429":PRINT@3734,"2432":PRINT@3738,"2435":PRINT@3742,"2438":PRINT@3746,"2441":
PRINT@3750,"2444":PRINT@3754,"2447":PRINT@3758,"2450":PRINT@3762,"2453":PRINT@3766,"2456":PRINT@3770,"2459":
PRINT@3774,"2462":PRINT@3778,"2465":PRINT@3782,"2468":PRINT@3786,"2471":PRINT@3790,"2474":PRINT@3794,"2477":
PRINT@3798,"2480":PRINT@3802,"2483":PRINT@3806,"2486":PRINT@3810,"2489":PRINT@3814,"2492":PRINT@3818,"2495":
PRINT@3822,"2498":PRINT@3830,"2501":PRINT@3834,"2504":PRINT@3838,"2507":PRINT@3842,"2510":PRINT@3846,"2513":
PRINT@3850,"2516":PRINT@3854,"2519":PRINT@3858,"2522":PRINT@3862,"2525":PRINT@3866,"2528":PRINT@3870,"2531":
PRINT@3874,"2534":PRINT@3878,"2537":PRINT@3882,"2540":PRINT@3886,"2543":PRINT@389
```

Listing 3 continued

```

310 RANDOM:D1=RND(6):D2=RND(6):D3=D1+D2
320 PRINT@160,STRINGS(60," ");PRINT@160,"COME-OUT TOSS....":PRINTCHR$(2);
330 L=727:GOSUB810:OND1GOSUB830,840,850,860,870,880
340 L=740:GOSUB810:OND2GOSUB830,840,850,860,870,880:PRINTCHR$(1);
350 IFD3=7ORD3=11THEN380
360 IFD3=2ORD3=3ORD3=12THEN390
370 PRINT@320,"THE POINT IS "D3:GOTO400
380 PRINT@320,"A NATURAL - "D3:IFPL=0THENPRINT@332,"YOU WIN!":GOTO750ELSEIFPL=1
THENPRINT@332,"YOU LOSE!":B=-B:GOTO750
390 PRINT@320,"CRAPS "D3:IFPL=0THENPRINT@328,"YOU LOSE!":B=-B:GOTO750ELSEIFPL
=1THENPRINT@328,"YOU WIN":GOTO750
400 CL=0:RANDOM:D4=RND(6):D5=RND(6):D6=D4+D5
410 PRINT@160,"SELECT TYPE OF BET (C COME/D DON'T COME), <ENTER> TO SKIP";
420 IS=INKEY$:IFIS=""THEN420ELSEIFIS="C"THENCL=0:PRINT@844,AS:GOTO430ELSEIFIS="D
"THENCL=1:PRINT@1004,AS:GOTO430ELSEIFIS=CHR$(13)THEN490ELSE420
430 CS=1:PRINT@160,STRINGS(60," ");PRINT@160,"ENTER NUMBER OF CHIPS (1-9)";
440 IS=INKEY$:IFIS=""THEN440ELSEIFIS="0"ANDIS<="9"THENMN=VAL(IS):GOTO450ELSE440
450 PRINT@160,STRINGS(60," ");PRINT@160,"ENTER VALUE (COLOR) OF CHIPS";
460 IS=INKEY$:IFIS=""THEN460ELSEIFIS="W"THENM=1:GOTO470ELSEIFIS="O"THENM=2:GOTO4
70ELSEIFIS="R"THENM=5:GOTO470ELSEIFIS="G"THENM=25:GOTO470ELSEIFIS="B"THENM=100:G
OTO470ELSEPRINT@320,"USE VALID CHIPS ONLY, PLEASE...":GOTO450
470 M=M*V:PRINT@320,STRINGS(40," ");
480 IFCL=0THENPRINT@876,USINGWS;MELSEPRINT@1036,USINGWS;M
490 PRINT@160,STRINGS(60," ");PRINT@160,"ENTER NUMBER OF PLACE BET CHIPS (1-9),
<ENTER> TO SKIP";
500 IS=INKEY$:IFIS=""THEN500ELSEIFIS="0"ANDIS<="9"THENPN=VAL(IS):GOTO510ELSEIFIS
=CHR$(13)THEN560ELSE500
510 P6=1:PRINT@164,AS:PRINT@160,STRINGS(60," ");PRINT@160,"ENTER VALUE (COLOR)
OF CHIPS ";
520 IS=INKEY$:IFIS=""THEN520ELSEIFIS="W"THENP=1:GOTO530ELSEIFIS="O"THENP=2:GOTO5
30ELSEIFIS="R"THENP=5:GOTO530ELSEIFIS="G"THENP=25:GOTO530ELSEIFIS="B"THENP=100:G
OTO530ELSEPRINT@320,"USE VALID CHIPS ONLY, PLEASE...":GOTO510
530 P=PN*P:PRINT@196,USINGWS;P:PRINT@160,STRINGS(60," ");PRINT@160,"ENTER PLACE
NUMBER DESIRED (4-6, 8-9, A FOR 10)";
540 IS=INKEY$:IFIS=""THEN540ELSEIFIS="3"ANDIS<="7"ORIS>"7"ANDIS<="9"THENCZ=VAL(IS)
ELSEIFIS="A"THENCZ=10ELSE540
550 PRINT@1176,USINGWS;CZ:PRINT@320,STRINGS(40," ");
560 PRINT@160,STRINGS(60," ");PRINT@160,"ENTER NUMBER OF FIELD BET CHIPS (1-9),
<ENTER> TO SKIP";
570 IS=INKEY$:IFIS=""THEN570ELSEIFIS=CHR$(13)THEN610ELSEIFIS="0"ANDIS<="9"THENFX
=VAL(IS):GOTO580ELSE570
580 FS=1:PRINT@1324,AS:PRINT@160,STRINGS(60," ");PRINT@160,"ENTER VALUE (COLOR)
OF CHIPS ";
590 IS=INKEY$:IFIS=""THEN590ELSEIFIS="W"THENF=1:GOTO600ELSEIFIS="O"THENF=2:GOTO6
00ELSEIFIS="R"THENF=5:GOTO600ELSEIFIS="G"THENF=25:GOTO600ELSEIFIS="B"THENF=100:EL
SEPRINT@320,"USE VALID CHIPS ONLY, PLEASE...":GOTO580
600 F=FX*F:PRINT@1356,USINGWS;F:PRINT@320,STRINGS(40," ");
610 L=727:GOSUB820:PRINT@160,STRINGS(60," ");PRINT@160,"SECOND TOSS....."
620 L=727:GOSUB810:OND4GOSUB830,840,850,860,870,880
630 L=740:GOSUB810:OND5GOSUB830,840,850,860,870,880
640 IFD6=03THEN650ELSE660
650 PRINT@320,STRINGS(30," ");PRINT@320,"POINT MADE":IFCL=0THENPRINT@330," P/L
WINS BY MATCHING!":PRINT@842,"W":GOTO670ELSEPRINT@330," SORRY, P/L LOSES":PRIN
T@1002,"L":GOTO670
660 PRINT@320,STRINGS(30," ");PRINT@320,"POINT NOT MADE":IFCL=0THENPRINT@334,"
SORRY, P/L LOSES":B=-B:DL=1:PRINT@842,"L"ELSEPRINT@334," P/L WINS BY MATCHING!
":PRINT@1002,"W"
670 IFDL=1THENIFCL=1THENIFD6=12THENM=0:PRINT@1002,"S"ELSEM=-M:PRINT@1002,"L"
680 IFCL=0THEN690ELSEPRINT@1162,"L":GOTO710
690 IFD6=2ORD6=3ORD6=12THENPT=0:PRINT@1162,"N"ELSEIFD6=7THENPT=-P:PRINT@1162,"L"
700 IFD6=4ORD6=10THENPT=9*P/5:PRINT@1162,"W"ELSEIFD6=5ORD6=9THENPT=7*P/5:PRINT@1
162,"W"ELSEIFD6=6ORD6=8THENPT=7*P/6:PRINT@1162,"W"
710 IFD6=5ORD6=6ORD6=7ORD6=8THENFT=-F:PRINT@1322,"L"ELSEFT=F:PRINT@1322,"W"
720 IFCS=0THENPRINT@842,SS:PRINT@1002,SS
730 IFPS=0THENPRINT@1162,SS
740 IFPS=0THENPRINT@1322,SS
750 TW=TW+B+M+PT+FT:HH=5000-TW
760 PRINT@1760,"H O U S E H A S ":"USINGUS;HH:PRINT@1800,"T O T A L W I N N I
N G S ":"USINGUS;TW
770 PRINT@1520,"DO YOU WANT TO PLAY AGAIN (Y OR N)";
780 IS=INKEY$:IFIS=""THEN780ELSEIFIS="Y"THEN220ELSEIFIS="N"THEN790ELSE780
790 CLS:PRINT@818,"CRAPS SAYS GOOD-BYE.....COME AGAIN!!"
800 PRINT:PRINT:END
810 PRINT@L,GAS:PRINT@L+1,STRINGS(7,150):PRINT@L+8,GCS:PRINT@L+320,GBS:PRINT@L+3
21,STRINGS(7,150):PRINT@L+328,GDS:FORI=1TO3:PRINT@L+I*80,V$;NEXT:FORI=1TO3:PRIN
T@L+8+I*80,V$:NEXT:RETURN
820 FORI=1TO5:PRINT@L-80+I*80,SPACES(22);NEXT:RETURN
830 PRINT@L+164,AS:RETURN
840 PRINT@L+82,AS:PRINT@L+246,AS:RETURN
850 PRINT@L+82,AS:PRINT@L+164,AS:PRINT@L+246,AS:RETURN
860 PRINT@L+82,"**":PRINT@L+242,"**":RETURN
870 PRINT@L+82,"**":PRINT@L+164,AS:PRINT@L+242,"**":RETURN
880 PRINT@L+82,"**":PRINT@L+162,"**":PRINT@L+242,"**":RETURN
890 PRINT@480,GAS:PRINT@481,STRINGS(35,150):PRINT@516,GCS:PRINT@1280,GBS:PRINT@1
281,STRINGS(35,150):PRINT@1316,GDS:FORI=1TO9:PRINT@480+I*80,V$:NEXT:FORI=1TO9:PR
INT@516+I*80,V$:NEXT
900 PRINT@372,"- B E T S -":PRINT@526,"P A S S L I N E ":"PRINT@6
686,"D O N ' T P A S S L I N E ":"PRINT@846,"C O M E":PRINT@874,"":PRINT@1006
,"D O N ' T C O M E ":"
910 PRINT@1166,"P L A C E":PRINT@1194,"":PRINT@1326,"F I E L D":PRINT@1354,"":
RETURN

```

Program Listing 4. Blackjack

```

10 REM 13-JAN-83 *BDL MODEL II*
20 REM - PROGRAM BLACKJACK/BAS
30 CLS:CLEAR500:PRINT@20,"BLACKJACK SIMULATION PROGRAM":PRINT:PRINT
40 DIMM(200),M$(200):V$=CHR$(148):GAS=CHR$(128):GBS=CHR$(131):GCS=CHR$(129):GDS=
CHR$(130):US="###.##":UUS="#####.###":HH=5000
50 M$(1)="A":M$(14)="A":M$(27)="A":M$(40)="A":M$(11)="J":M$(24)="J":M$(37)="J":M
$(50)="J":M$(12)="Q":M$(25)="Q":M$(38)="Q":M$(51)="Q":M$(13)="K":M$(26)="K":M$(3
9)="K":M$(52)="K"
60 FORI=2TO10:M(I)=I:M$(I)=STR$(I):NEXT:FORI=15TO23:M(I)=I-13:M$(I)=STR$(I-13):N
EXT:FORI=28TO36:M(I)=I-26:M$(I)=STR$(I-26):NEXT:FORI=41TO49:M(I)=I-39:M$(I)=STR$

```

Listing 4 continues

MICROSETTE



Buy Direct and Save

- 5¼ SS and DS Diskettes
- Soft Sector Format Only



MICROSETTE CASSETTES

- Error-Free Computer Grade
- Industry Leader Since 1977

For Tandy, Apple, Osborne, IBM, Atari, Texas Instruments, Commodore, Timex, Kaypro, Sinclair and Many Others.

CASSETTES

Item	10 Pack	Qty	50 Pack	Qty	Total
C-10	\$ 7.50		\$32.50		
C-20	9.00		39.00		
C-60	11.00		50.00		
C-90	15.00		70.00		

DISKETTES 5¼-inch

SSDD	\$25.00		\$100.00		
DSDD	35.00		150.00		

Subtotal		
Shipping & Handling		N/C
Calif. Cust. add Sales Tax		
Total		

☐ Shipping Address Enclosed

☐ Check Enclosed

☐ Visa ☐ MasterCard

Card # _____

Exp. Date _____

Signature _____

MICROSETTE CO.

475 Ellis St. Dept. 2
Mountain View, CA 94043
(415) 968-1604

312

pair of jacks or better. If the array contents fail all the tests, line 900 directs the jump to the fate of all unsuccessful players: line 1000 with the bad news that you've lost.

Line 1050 gives you a chance to play again. The M(52) scoring array is erased and then redimensioned prior to the jump to line 110 for a new start.

Four-Card Monte

Four-card monte is a card game played in the gambling halls of the old West. Its rules are simple, and no real skill is required.

The program's first prompt asks if you need instructions. Persons unfamiliar with monte should read the rules for help in placing bets and understanding scoring.

Your first choice is whether to place a bet on the bottom layout, top layout, or both (line 320). If you choose the bottom layout by entering B, line 340 indicates this selection by placing the group <***> below the bottom layout cards and prompting you to fill in the amount of your bet.

Line 360 asks for the number of chips you wish to bet. After you enter the number (from one to nine), line 380 asks for the value of each chip.

The bottom line of the screen displays the value of each chip by color (string variable CV\$, line 320). The value appears below the chosen layout: The dollar value of the bet replaces the asterisks.

Next, the program jumps to line 550 to ask if you will also make a bet on the top layout by entering T, or draw the gate card and play only the one bet by pressing enter. You can bet on either or both layouts in either order.

The RND(52) statement in line 630 selects the gate card, and line 650 starts the scoring evaluation. The four cards for the two layouts are selected in lines 280-310 using array M\$(52) for card identification and array M(52) for card usage.

In line 70, setting any card location equal to 1 precludes selection in the random selection program statements (lines 280, 290, 300, 310, and 630). This excludes 8s, 9s, and 10s.

After scoring the first pair of layouts, line 680 and the play counter subroutine (line 810) allow another pair of layouts and betting until the card deck is depleted. Each pack contains 40 cards and five cards are used per play, so there are eight plays. ■

Byron Lott can be reached at 913 Inverness Way, Sunnyvale, CA 94087.

Listing 4 continued

```
(I-39):NEXT
70 PRINT"BLACKJACK USUALLY HAS MORE TABLE SPACE ALLOCATED TO IT THAN ANY OTHER G
AME":PRINT"IN THE CASINO."
80 PRINT:PRINT"THE MODERN GAME HAS DEVELOPED FROM THE ANCIENT GAME OF '21.'":PRI
NT
90 PRINT"STANDBY...THE CROUPIER IS NOW SHUFFLING THE CARDS AND LOADING THE 'SHOE
":PRINT
100 M(1)=11:M(14)=11:M(27)=11:M(40)=11:M(11)=10:M(24)=10:M(37)=10:M(50)=10:M(12)
=10:M(25)=10:M(38)=10:M(51)=10:M(13)=10:M(26)=10:M(39)=10:M(52)=10
110 FOR I=1 TO 3:FOR J=1 TO 52:M(I*52+J)=M(J):M$(I*52+J)=M$(J):NEXT NEXT
120 PRINT"INSTRUCTIONS REQUIRED (Y/N)";
130 IS=INKEY$:IFI$=""THEN I30ELSEIFI$="Y"THEN I40ELSEIFI$="N"THEN I45ELSE I30
140 CLS:PRINT 25, "***** RULES OF BLACKJACK *****":PRINT:PRINT
150 PRINT"The computer, as the Dealer, deals two cards to itself and two cards t
o the"
160 PRINT"Player."
170 PRINT
180 PRINT"The Player's two cards are shown face up, while only one of the Dealer
's cards"
190 PRINT"is shown."
200 PRINT
210 PRINT"Both the Dealer and the Player may draw additional cards."
220 PRINT"The Player's goal is to reach 21 or less, but be closer to 21 than the
Dealer's hand."
230 PRINT:PRINT"If the Player's or the Dealers hand totals greater than 21, eith
er is BUSTED!"
240 PRINT"Face cards all count as 10 points."
250 PRINT:PRINT"All other cards, except the ACE, count as their face value."
260 PRINT:PRINT"The ACE counts as 11 unless this would cause the hand to be over
21."
270 PRINT"in this case the ACE counts as 1."
280 PRINT"If both the dealer and the player get BLACKJACK, (21), neither wins, i
t is"
290 PRINT"a PUSH!"
300 PRINT:INPUT"When ready to continue, depress <ENTER>";QS
310 PRINT:PRINT"If the Dealer's hand is below or equal to 16, Dealer must DRAW;
after 17 Dealer must STAND."
320 PRINT"To receive a card you want a HIT."
330 PRINT:PRINT"To stop where you are, you STAND."
340 PRINT:PRINT"A 'Double-down' bet is normally twice the original bet. An 'Ins
urance bet' is normally half the value of the original bet and pays 2 for
1 if the Dealer has a BLACKJACK and you lose your original bet.":PRINT
350 PRINT"Should you choose to 'Surrender', you return your cards and lose half
your bet."
360 PRINT:PRINT"WHITE (W) CHIPS are worth $1.00"
370 PRINT"ORANGE (O) CHIPS are worth $2.00"
380 PRINT"RED (R) CHIPS are worth $5.00"
390 PRINT"GREEN (G) CHIPS are worth $25.00"
400 PRINT"BLACK (B) CHIPS are worth $100.00"
410 PRINT:PRINT"Minimum bet is $1.00"
420 PRINT:PRINT
430 PRINT"*** GOOD-LUCK....ENJOY THE GAME!!!! ***"
440 PRINT:INPUT"When ready to play depress <ENTER>";QS
450 DX=0:IX=0:DB=0:IB=0:R8=0:R3=0:R4=0:R5=0:CLS:PRINT"C A S I N O   B L A C K J
A C K":PRINT 62,"G A M E   :":K=K+1:PRINT 72,K
460 PRINTCHR$(2);:GOSUB 1150:PRINT 333,"P L A Y E R":PRINT 373,"D E A L E R"
470 PRINTCHR$(1);:PRINT 160,"PLACE YOUR BET...ENTER NUMBER OF CHIPS (1-9)";
480 IS=INKEY$:IFI$=""THEN I480ELSEIFI$="0"ANDIS<="9"THEN BN=VAL(I$):GOTO 490ELSE I480
490 PRINT 160,STRINGS(60,32):PRINT 160,"ENTER VALUE (COLOR) OF CHIPS";
500 IS=INKEY$:IFI$=""THEN I500ELSEIFI$="W"THEN B=1:GOTO 510ELSEIFI$="O"THEN B=2:GOTO 5
10ELSEIFI$="R"THEN B=5:GOTO 510ELSEIFI$="G"THEN B=25:GOTO 510ELSEIFI$="B"THEN B=100:G
OTO 510ELSE IPRINT 200,"USE VALID CHIPS ONLY, PLEASE...":GOTO 500
510 B=BN*B:PRINT 1061,"O BET":PRINT 1069,USINGUS;B:PRINT 160,SPACES(80);
520 RANDOM:R1=RND(208):L=562:T$=M$(R1):RX=R1:GOSUB 1160:GOSUB 1210:L=643:GOSUB 1200
530 R6=RND(208):IFR6=R1THEN I530ELSE I602:GOSUB 1210:L=683:GOSUB 1220
540 R2=RND(208):IFR2=R1ORR2=R6THEN I540ELSE I571:T$=M$(R2):RX=R2:GOSUB 1160:GOSUB 12
10:L=652:GOSUB 1200
550 R7=RND(208):IFR7=R1ORR7=R6ORR7=R2THEN I550ELSE I611:T$=M$(R7):RX=R7:GOSUB 1160:
GOSUB 1210:L=692:GOSUB 1200
560 PRINT 800,STRINGS(20,32):PRINTCHR$(1);:IF(M(R1)+M(R2))=21AND(M(R6)+M(R7))>21T
HENGOSUB 1240:GOTO 580ELSE I(M(R1)+M(R2))=21AND(M(R6)+M(R7))=21THENGOSUB 1240:GOTO 5
90
570 GOTO 600
580 PRINT 160,"B L A C K J A C K...YOU WIN!":GW=B:GOTO 1080
590 PRINT 160,"P U S H...NEITHER WINS":GOTO 1080
600 IFM(R7)=33THEN I630
610 PRINT 160,"SELECT: C-CONTINUE, D-DOUBLE DOWN, S-SURRENDER";
620 IS=INKEY$:IFI$=""THEN I620ELSEIFI$="C"THEN I650ELSEIFI$="D"THEN I670ELSEIFI$="S"TH
EN I780ELSE I620
630 PRINT 160,"SELECT: C-CONTINUE, D-DOUBLE DOWN, I=INSURANCE, S-SURRENDER";
640 IS=INKEY$:IFI$=""THEN I640ELSEIFI$="C"THEN I650ELSEIFI$="D"THEN I670ELSEIFI$="I"TH
EN I730ELSEIFI$="S"THEN I780ELSE I640
650 PRINT 160,SPACES(80);:PRINT 160,"SELECT H-HIT OR S-STAND";
660 IS=INKEY$:IFI$=""THEN I660ELSEIFI$="H"THEN I790ELSEIFI$="S"THENGOSUB 800:GOTO 890E
LSE I660
670 PRINT 160,SPACES(80);:PRINT 160,"PLACE YOUR DOUBLE BET...ENTER NUMBER OF CHI
PS (1-9)";
680 IS=INKEY$:IFI$=""THEN I680ELSEIFI$="0"ANDIS<="9"THEN DN=VAL(I$):GOTO 690ELSE I680
690 PRINT 160,STRINGS(60,32):PRINT 160,"ENTER VALUE (COLOR) OF CHIPS";
700 IS=INKEY$:IFI$=""THEN I700ELSEIFI$="W"THEN B=1:GOTO 710ELSEIFI$="O"THEN B=2:GOT
O 710ELSEIFI$="R"THEN B=5:GOTO 710ELSEIFI$="G"THEN B=25:GOTO 710ELSEIFI$="B"THEN B=100:
GOTO 710ELSE IPRINT 200,"USE VALID CHIPS ONLY, PLEASE...":GOTO 700
710 DX=1:DB=DN*DB:PRINT 1141,"D BET":PRINT 1149,USINGUS;DB:PRINT 160,SPACES(80)
;
720 GOTO 650
730 PRINT 160,SPACES(80);:PRINT 160,"PLACE YOUR INSURANCE BET...ENTER NUMBER OF
CHIPS (1-9)";
740 IS=INKEY$:IFI$=""THEN I740ELSEIFI$="0"ANDIS<="9"THEN IN=VAL(I$):GOTO 750ELSE I740
750 PRINT 160,STRINGS(60,32):PRINT 160,"ENTER VALUE (COLOR) OF CHIPS";
760 IS=INKEY$:IFI$=""THEN I760ELSEIFI$="W"THEN IB=1:GOTO 770ELSEIFI$="O"THEN IB=2:GOT
O 770ELSEIFI$="R"THEN IB=5:GOTO 770ELSEIFI$="G"THEN IB=25:GOTO 770ELSEIFI$="B"THEN IB=100:
GOTO 770ELSE IPRINT 200,"USE VALID CHIPS ONLY, PLEASE...":GOTO 760
770 IX=1:IB=IN*IB:PRINT 1221,"I BET":PRINT 1229,USINGUS;IB:PRINT 160,SPACES(80)
;
780 PRINT 160,"PLAYER CARDS ARE RETURNED...HALF OF BET IS FORFEIT":GW=-B/2:GOSUB
1240:GOTO 1080
790 RANDOM:R3=RND(208):IFR3=R1ORR3=R2ORR3=R6ORR3=R7THEN I790ELSE I581:T$=M$(R3):RX
=R3:GOSUB 1160:GOSUB 1210:L=662:GOSUB 1200:GOSUB 800:GOTO 820
800 IFM(R6)+M(R7)<16THEN I810ELSE I830
810 RANDOM:R8=RND(208):IFR8=R1ORR8=R2ORR8=R3ORR8=R4ORR8=R5ORR8=R6ORR8=R7THEN I810E
```

Listing 4 continues

```

LSEL=621:T$=M$(R8):RX=R8:GOSUB1160:GOSUB1210:L=702:GOSUB1200:RETURN
820 IFDX=1THEN890
830 PRINT@160,SPACES(80);:PRINT@160,"SELECT H-HIT OR S-STAND";
840 IS=INKEY$:IFI$=""THEN840ELSEIFI$="H"THEN850ELSEIFI$="S"THEN890ELSE840
850 RANDOM:R4=RND(200):IFR4=RIORR4=R2ORR4=R6ORR4=R7THEN850ELSEL=590:T$=M$(R4):RX
=R4:GOSUB1160:GOSUB1210:L=671:GOSUB1200
860 PRINT@160,SPACES(80);:PRINT@160,"SELECT H-HIT OR S-STAND";
870 IS=INKEY$:IFI$=""THEN870ELSEIFI$="H"THEN880ELSEIFI$="S"THEN890ELSE870
880 RANDOM:R5=RND(200):IFR5=RIORR5=R2ORR5=R3ORR5=R6ORR5=R7THEN880ELSEL=1042:T$=M
$(R5):RX=R5:GOSUB1160:GOSUB1210:L=1123:GOSUB1200
890 PS=M(R1)+M(R2)+M(R3)+M(R4)+M(R5):IFPS<=21THEN950
900 IFM(R1)=11THENM(R1)=1:GOTO890
910 IFM(R2)=11THENM(R2)=1:GOTO890
920 IFM(R3)=11THENM(R3)=1:GOTO890
930 IFM(R4)=11THENM(R4)=1:GOTO890
940 IFM(R5)=11THENM(R5)=1:GOTO890
950 DS=M(R6)+M(R7)+M(R8)+M(R9):IFDS<=21THEN1000
960 IFM(R6)=11THENM(R6)=1:GOTO950
970 IFM(R7)=11THENM(R7)=1:GOTO950
980 IFM(R8)=11THENM(R8)=1:GOTO950
990 IFM(R9)=11THENM(R9)=1:GOTO950
1000 IFPS>21THENIFDS<=21THENB=-B:DB=-DB:PRINT@160,STRINGS(60,32):PRINT@160,"YOU
ARE BUSTED!":GOTO1060
1010 IFDS>21THENPRINT@160,STRINGS(60,32):PRINT@160,"DEALER BUSTED...":GOTO1060
1020 IFPS=21ANDDS<21THENPRINT@160,STRINGS(60,32):PRINT@160,"BLACKJACK...YOU HAV
E WON...":GOTO1060
1030 IFPS=DSTHENB=0:DB=0:PRINT@160,STRINGS(60,32):PRINT@160,"PUSH...NEITHER WINS
...":GOTO1060
1040 IF(21-PS)<(21-DS)THENPRINT@160,STRINGS(60,32):PRINT@160,"YOU HAVE WON...."
:GOTO1060ELSEB=-B:DB=-DB:PRINT@160,STRINGS(60,32):PRINT@160,"YOU HAVE LOST..."
1050 IFDS=21THENIFX=1THENIB=2*IB:PRINT@160,STRINGS(60,32):PRINT@160,"DEALER HAS
BLACKJACK...INSURANCE BET WINS"ELSEIB=-IB:PRINT@160,STRINGS(60,32):PRINT@160,"
DEALER HAS BLACKJACK..."
1060 GW=B+DB+IB
1070 GOSUB1240
1080 TW=TW+GW:HH=5000-TW
1090 PRINT@1381,"GAME":PRINT@1461,"TOTAL:"USINGUUS;GW
1100 PRINT@1760,"H O U S E H A S ":"USINGUUS;HH:PRINT@1800,"T O T A L W I N N
I N G S ":"USINGUUS;TW
1110 PRINT@1482,"Do you want to play again (Y/N)";
1120 IS=INKEY$:IFI$=""THEN1120ELSEIFI$="Y"THEN450ELSEIFI$="N"THEN1130ELSE1120
1130 CLS:PRINT@495,"BLACKJACK says GOOD-BYE....COME AGAIN!!"
1140 PRINT:PRINT:END
1150 FORI=1TO14:PRINT@400+I*80,V$:NEXT:FORI=1TO14:PRINT@439+I*80,V$:NEXT:FORI=1T
O14:PRINT@440+I*80,V$:NEXT:FORI=1TO14:PRINT@479+I*80,V$:NEXT:PRINT@400,STRINGS(8
0,150):PRINT@1600,STRINGS(80,150):RETURN
1160 IFRX>0ANDRX<14ORRX>52ANDRX<66ORRX>104ANDRX<118ORRX>156ANDRX<170THENB$="HEAR
TS":RETURN
1170 IFRX>13ANDRX<27ORRX>65ANDRX<79ORRX>117ANDRX<131ORRX>169ANDRX<183THENB$="DIM
NDS":RETURN
1180 IFRX>26ANDRX<40ORRX>78ANDRX<92ORRX>130ANDRX<144ORRX>182ANDRX<196THENB$="CLU
BS":RETURN
1190 B$="SPADES":RETURN
1200 PRINT@L,T$:PRINT@L+80,B$:RETURN
1210 PRINTCHR$(2);:LT=L+7:PRINT@L,GA$:FORI=1TO3:PRINT@L+I*80,V$:NEXT:PRINT@L+320
,GB$:PRINT@L+7,GC$:FORI=1TO3:PRINT@L+I*80,V$:NEXT:PRINT@L+327,GD$:PRINT@L+1,STR
INGS(6,150):PRINT@L+321,STRINGS(6,150):PRINTCHR$(1);:RETURN
1220 PRINTCHR$(2);:PRINT@L," * * * ":PRINT@L+80," * * * ":PRINT@L+160," * * * ":PRI
NTCHR$(1);:RETURN
1230 PRINTCHR$(2);:PRINT@L," * * * ":PRINT@L+80," * * * ":PRINT@L+160," * * * ":PRI

```

Program Listing 5. Faro

```

10 REM 12-FEB-83 *BDL MODEL II*
20 REM PROGRAM FARO/BAS
30 CLS:PRINT@24,"FARO SIMULATION PROGRAM":PRINT:PRINT
40 CLEAR200:V$=CHR$(140):P$="***":GA$=CHR$(128):GB$=CHR$(129):GC$=CHR$(130):GD$=C
HR$(131):U$="***":UUS$="*****"
50 DIMM$(52),C$(52),B$(52),H$(52),L$(13):C$="SPADES"
60 M$(1)="A":M$(14)="A":M$(27)="A":M$(40)="A":M$(53)="J":M$(24)="J":M$(37)="J":M
$(50)="J":M$(12)="Q":M$(25)="Q":M$(38)="Q":M$(51)="Q":M$(13)="K":M$(26)="K":M$(3
9)="K":M$(52)="K"
70 FORI=2TO10:M$(I)=STR$(I):NEXT:FORI=15TO23:M$(I)=STR$(I-13):NEXT:FORI=28TO36:M
$(I)=STR$(I-26):NEXT:FORI=41TO49:M$(I)=STR$(I-39):NEXT
80 FORI=1TO13:READL(I):NEXT
90 DATA 779,770,761,752,743,734,965,1214,1223,1232,1241,1250,1259
100 PRINT:FARO AND ITS VARIANTS HAVE BEEN THE MOST POPULAR OF GAMBLING GAMES FOR
".PRINT:"CENTURIES AND WERE SEEN IN MOST SALOONS AND 'GAMING PALACES' IN THE OLD
WEST".PRINT
110 PRINT:"BY THE END OF THE NINETEENTH CENTURY, OTHER GAMES, MORE PROFITABLE TO
THE".PRINT:"CASINOS, HAD SUPPLANTED FARO WHICH IS SEEN TODAY ONLY IN A FEW PLACES
.".PRINT
120 PRINT:"INSTRUCTIONS REQUIRED (Y/N)";
130 IS=INKEY$:IFI$=""THEN130ELSEIFI$="Y"THEN140ELSEIFI$="N"THEN340ELSE130
140 CLS:PRINT@17,"R U L E S F O R C A S I N O F A R O":PRINT:PRINT
150 PRINT:"THE FARO LAYOUT, ON WHICH THE GAME IS PLAYED, CONSISTS OF A FELT CLOTH
ON".PRINT:"WHICH THE THIRTEEN 'CARDS' ARE PRINTED, USUALLY WITH ENAMEL. SUITS A
RE IGNORED".PRINT:"IN THE GAME, HOWEVER BY TRADITION THE LAYOUT IS MARKED WITH SP
ADES".PRINT
160 PRINT:"PLAYERS MAY BET ON A 'RANK' EITHER TO WIN OR TO LOSE BY PLACING AN IND
IVIDUAL".PRINT:"COLOR CHIP OR CHIPS ON THE CARD DISPLAYED ON THE LAYOUT. A BET P
LACED TO"
170 PRINT:"LOSE IS SO INDICATED BY PLACING A COPPER TOKEN (OR PENNY) ON THE CHIP(
S). THIS".PRINT:"IS CALLED 'COPPERING THE STAKE'. IN THIS SIMULATION, EACH CHIP
USED TO BET".PRINT:"IS WORTH $1.".PRINT
180 PRINT:"TO PLAY, ONE DECK OF 52 CARDS IS SHUFFLED, THEN PLACED FACE-UP IN AN O
PEN".PRINT:"DEALING BOX". THE FIRST CARD, CALLED 'SODA', IS NOT USED IN THE BET
TING".PRINT:"AFTER THE BETS ARE PLACED, THE DEALER DRAWS 'SODA' OUT OF THE BOX A
ND PLACES IT"
190 PRINT:"FACE-UP BEHIND THE BOX TO START THE PILE OF CARDS THAT 'WIN'. THE SEC
OND CARD".PRINT:"WITHDRAWN IS ALSO PLACED FACE-UP BEHIND THE BOX TO START THE PIL

```

Listing 5 continues

EARLY GAMES

FOR YOUNG CHILDREN

Nine educational and entertaining games controlled by a single program. Even very young children can select a game, play it, and select a different game...ALL BY THEMSELVES!

- PICTURE MENU GIVES CHILDREN CONTROL
- MATCH NUMBERS AND LETTERS
- COUNT COLORFUL BLOCKS
- ADD AND SUBTRACT STACKS OF BLOCKS
- LEARN THE ALPHABET
- PRACTICE SPELLING NAMES
- COMPARE SHAPES
- DRAW AND SAVE COLORFUL PICTURES

The large numbers and letters fill the screen with color. Children enter single key stroke responses and get immediate visual and musical feedback. Hints are provided when appropriate. Beyond just teaching children basic skills, **EARLY GAMES** makes them feel comfortable as they control the computer. Designed for children ages 2½ to 6 years old.

EARLY GAMES offers the child a diverse selection of activities which stimulate the process of problem solving as well as foster individual creativity.

Pamela Bach, Director
Youth World Day Care Center

I took **EARLY GAMES** home for my kids and they really liked it! It held their attention and they learned from it!

Jeanette Fritze
Computer Saleswoman

EARLY GAMES can help children learn new concepts, information, and skills and also introduce them to the joys and benefits of home computers.

Peter Clark, faculty
Institute of Child Development
University of Minnesota

All nine games for \$29.95
(Minnesota residents add 5% sales tax)

Apple II Plus
IBM Personal Computer
Atari 24K Disk or 16K Cassette
TRS-80 Model III 32K Disk or 16K Cassette
TRS-80 Color Computer 16K Disk or Cassette



VISA/MasterCard

EARLY GAMES

educational software

Suite 140E

Shelard Plaza North
Minneapolis, MN 55426

1-800-328-1223

Minnesota residents call:

612-544-4720

SMALL & (REQ. 32K 2 DISKS)
LARGE CAPACITY
MI PROGRAMS
 ON TDOS (A MINI DOSPLUS)
 ACCOUNTS RECEIVABLE
 5000+ CUSTOMERS
 15000+ TRANSACTIONS
 BALANCE FORWARD 99 TRANSACT. CODES
 30-60-90-120 AGED STATEMENTS SHOW
 DATE/INV#/DESCRIP/AMT (WITH AGEING)
 SELECTIVE FINANCE CHARGES & RATES
 FAST ENTRY POSTING W/AUDIT REPORT
 SUB-ACCTS. % OF CREDIT LIMIT DATE OF
 LAST PAYMENT SALES ANALYSIS SPECIAL
 90 DAY ACCOUNTS. LABELS.

\$149.95

GENERAL LEDGER
 400+ ACCOUNTS
 5000+ TRANSACTIONS/MONTH
 NO OTHER SYSTEM OFFERS...
 † REPORT FLEXIBILITY/CAPACITY
 † DEPARTMENT P & L (UP TO 5)
 † UNLIMITED ACCOUNT CATEGORIES
 † STATEMENT OF CHANGES (ASSETS)
 † PERCENT P&L comparison
 100% sales MTD vs YTD
 or net sales QTD vs YTD
 or total Exp. MTD vs QTD

\$149.95
 TEST SETS \$50.00 MANUALS \$30.00
HOLMAN D-P SERVICE
 2059 WEST LINCOLN 3.00 S&H
 OROVILLE, CA 95965 VISA OR MC
 916-533-5992 COD

Both for \$199.95 ✓355

Listing 5 continued

```

E OF CARDS THAT"
200 PRINT"LOSE. THE THIRD CARD, EXPOSED IN THE BOX, IS ACTUALLY THE CARD THAT W
INS."
210 PRINT:PRINT"AT THIS POINT, TWO RANKS OF CARDS ARE INVOLVED - ONE TO 'WIN' AN
D ONE TO 'LOSE'."
220 PRINT:INPUT"WHEN READY TO CONTINUE, DEPRESS <ENTER>";Q$;CLS
230 PRINT"THE DEALER IMMEDIATELY SETTLES ALL BETS, IF ANY, THAT HAPPEN TO HAVE B
EEN"
240 PRINT"PLACED ON THESE TWO RANKS. BETS PLACED ON OTHER RANKS REMAIN ON THE L
AYOUT AND":PRINT"ARE NOT ACTED UPON UNTIL THE FIRST CARD OF A PARTICULAR RANK AP
PEARS. AFTER A"
250 PRINT"PAUSE FOR THE POSSIBLE PLACEMENT OF ADDITIONAL BETS, THE DEALER CONTIN
UES TO":PRINT"THE SECOND TURN, DRAWING THE OLD 'WIN' CARD FROM THE BOX AND PLACI
NG IT ON THE"
260 PRINT"WIN PILE, A NEW 'LOSE' CARD WHICH IS PLACED ON THE LOSE PILE, AND THUS
EXPOSES":PRINT"THE NEW 'WIN' CARD FACE-UP IN THE BOX.":PRINT
270 PRINT"PLAY CONTINUES IN THIS SAME MANNER UNTIL ONLY FOUR CARDS REMAIN IN THE
BOX.":PRINT"THESE ARE THE 24TH 'WIN' CARD AND 3 KNOWN CARDS IN UNKNOWN ORDER. (
AN ASSISTANT":PRINT"HAS LISTED THE CARDS PLAYED DURING THE GAME).":PRINT
280 PRINT"FOR THIS 'LAST TURN', BETS MAY BE PLACED ON THE ORDER OF THE LAST THRE
E UNSEEN":PRINT"CARDS. AS THE RANK OF THE 3 IS KNOWN, IF ALL 3 ARE ALIKE THERE
IS 'NO ACTION'."
290 PRINT"IF TWO ARE OF THE SAME RANK, IT IS A 'CAT-HOP' AND BETS MAY BE PLACED.
300 PRINT"FOR THE THREE-CARD SEQUENCE, SELECT AS FOLLOWS.":PRINT"1=1,2,3 2=1,3,
2 3=2,1,3 4=2,3,1 5=3,1,2 6=3,2,1":PRINT
310 PRINT"BETS ARE PAID AT TRUE ODDS (EVEN MONEY) ON ANY SELECTED RANK TO WIN OR
TO LOSE":PRINT"EXCEPT FOR A 'SPLIT' - TWO CARDS OF THE SAME RANK APPEARING BOTH
TO 'WIN' AND"
320 PRINT"TO 'LOSE' ON THE SAME TURN. SHOULD THIS OCCUR, THE HOUSE TAKES HALF OF
THE BETS":PRINT"(ON THE PARTICULAR RANK ONLY) AND RETURNS THE OTHER HALF TO THE
PLAYER."
330 PRINT:INPUT"WHEN READY TO PLAY, DEPRESS <ENTER>";Q$
340 GW=0:GN=0:BD=0:BN=0:T=0:RANDOM:CLS:PRINT"C A S I N O F A R O":PRINT@62,"
G A M E":K=K+1:PRINT@72,K
350 PRINTCHR$(2);:GOSUB930:L=722:GOSUB920:L=491:GOSUB920:L=500:GOSUB920:L=509:GO
SUB920:L=518:GOSUB920:L=527:GOSUB920:L=536:GOSUB920:L=971:GOSUB920:L=980:GOSUB92
0:L=989:GOSUB920:L=998:GOSUB920:L=1007:GOSUB920:L=1016:GOSUB920
360 X$=C$:L=722:N$="7":GOSUB940:L=491:N$="6":GOSUB940:L=500:N$="5":GOSUB940:L=50
9:N$="4":GOSUB940:L=518:N$="3":GOSUB940:L=527:N$="2":GOSUB940:L=536:N$="A":GOSUB
940:L=971:N$="8":GOSUB940:L=988:N$="9":GOSUB940
370 L=989:N$="10":GOSUB940:L=998:N$="J":GOSUB940:L=1007:N$="Q":GOSUB940:L=1016:N
$="K":GOSUB940
380 L=549:GOSUB920:PRINT@471,"LOSE":L=1029:GOSUB920:PRINT@951,"WIN":L=1509:GOSUB
920:L=1427:GOSUB960
390 RS=RND(52):L=1509:C(RS)=1:D=RS:N$=M$(RS):GOSUB900:X$=D$:GOSUB940:GOSUB950:PR
INTCHR$(1);
400 IFCL=1THENGOSUB970
410 IFCW=1THENGOSUB990
420 PRINT@160,"PLACE YOUR BET...ENTER NUMBER OF CHIPS (1-9), <ENTER> TO PLAY";
430 IS=INKEY$:IFI$=""THEN430ELSEIFI$>"0"ANDIS<="9"THENBN=VAL(IS):GOTO440ELSEIFI$
=CHR$(13)THEN520ELSE430
440 PRINT@160,STRING$(70,32):PRINT@160,"SELECT RANK FOR BET (A,2,3,4,5,6,7,8,9,T
,J,Q,K)";
450 IS=INKEY$:IFI$=""THEN450ELSEIFI$="A"ORIS="2"ORIS="3"ORIS="4"ORIS="5"ORIS="6"
ORIS="7"ORIS="8"ORIS="9"ORIS="J"ORIS="Q"ORIS="K"ORIS="T"THEN460ELSE450
460 ES=IS:PRINT@160,STRING$(60,32):PRINT@160,"SELECT BET TO WIN OR TO LOSE (W/L)
";
470 IS=""IS=INKEY$:IFI$=""THEN470ELSEIFI$="W"ORIS="L"THEN480ELSE470
480 B=1:B=BN*B:GN=GN+B:IFE$="A"THENSE="1"ELSEIFE$="T"THENSE="10"ELSEIFE$="J"THEN
E$="11"ELSEIFE$="Q"THENSE="12"ELSEIFE$="K"THENSE="13"
490 IFIS="W"THENSE500ELSE510
500 L=VAL(ES):PRINT@L,USINGP$;B:B(L)=B:B(L+13)=B:B(L+26)=B:B(L+39)=B:PRINT@16
0,STRING$(60,32):GOTO400
510 L=VAL(ES):PRINT@L,USINGP$;B:B(L)=B:B(L+13)=B:B(L+26)=B:B(L+39)=B:PRINT@16
0,STRING$(60,32):GOTO400
520 PRINTCHR$(2);:L=1029:GOSUB910:GOSUB940
530 IFCL=1THENGOSUB970
540 IFCW=1THENGOSUB990
550 CL=0:CW=0
560 RL=RND(52):IPC(RL)>0THEN560ELSEL=549:C(RL)=1:D=RL:N$=M$(RL):GOSUB900:X$=D$:
GOSUB910:GOSUB940
570 RW=RND(52):IPC(RW)>0THEN570ELSEL=1509:C(RW)=1:D=RW:N$=M$(RW):GOSUB900:X$=D$:
GOSUB910:GOSUB940:PRINTCHR$(1);
580 IFH(RL)>0ORH(RW)>0THENIFRW=RL+13ORRW=RL+26ORRW=RL+39THEN640ELSEIFRL=RW+13O
RRL=RW+26ORRL=RW+39THEN640
590 IFH(RL)>0ANDC(RL)>0THENCL=1:GOTO630
600 IFB(RW)>0ANDC(RW)>0THENCW=1:GOTO630
610 PRINT@160,STRING$(70,32):PRINT@160,"NO WINNER...PLACE NEW BET (Y/N)";
620 IS=INKEY$:IFI$=""THEN620ELSEIFI$="Y"THENPRINT@160,STRING$(70,32):GOSUB950:GO
TO400ELSEIFI$="N"THENGOSUB950:GOTO520ELSE620
630 PRINT@160,STRING$(70,32):BX=B(RW)+H(RL):GW=GW+BX:B(RW)=0:H(RL)=0:PRINT@160,"
YOU HAVE WON.":PRINT@174,BX:GOTO650
640 PRINT@160,STRING$(70,32):BT=B(RL)/2+H(RW)/2:GW=GW-BT:CL=1:CW=1:PRINT@160,"SP
LIT..YOU LOSE.":PRINT@178,BT
650 PRINT@200,"PLACE NEW BET (Y/N)";
660 IS=INKEY$:IFI$=""THEN660ELSEIFI$="Y"THENGOSUB950:GOTO400ELSEIFI$="N"THENGOSU
B950:GOTO520ELSE660
670 V=1:FORI=1TO52:IPC(I)=0THENJ(V)=I:V=V+1:NEXTELSENEXT
680 D=J(1):GOSUB900:N$=M$(J(1)):C$=N$+" "+D$+" ";
690 D=J(2):GOSUB900:N$=M$(J(2)):C$=N$+" "+D$+" ";
700 D=J(3):GOSUB900:N$=M$(J(3)):C$=N$+" "+D$+" ";
710 PRINT@1620,"LAST 3 CARDS ARE":PRINT@1638,C$:PRINT@1648,C$:PRINT@1658,C$:
720 IFJ(1)=J(2)+13ORJ(1)=J(2)+26ORJ(1)=J(2)+39THENAB=1:GOTO790ELSEIFJ(2)=J(3)+13
ORJ(2)=J(3)+26ORJ(2)=J(3)+39THENBC=1:GOTO790ELSEIFJ(3)=J(1)+13ORJ(3)=J(1)+26ORJ(
3)=J(1)+39THENC=1:GOTO790
730 IFJ(1)=J(3)+13ORJ(1)=J(3)+26ORJ(1)=J(3)+39THENC=1:GOTO790ELSEIFJ(2)=J(1)+13
ORJ(2)=J(1)+26ORJ(2)=J(1)+39THENC=1:GOTO790ELSEIFJ(3)=J(2)+13ORJ(3)=J(2)+26ORJ(
3)=J(2)+39THENC=1:GOTO790
740 PRINT@1760,"SELECT SEQUENCE FOR LAST 3 CARDS (1-6)";
750 IS=INKEY$:IFI$=""THEN750ELSEIFI$>"0"ANDIS<="7"THENSE=VAL(IS):GOTO760ELSE750
760 PRINT@1760,STRING$(60,32):PRINT@1760,"PLACE YOUR BET...ENTER NUMBER OF CHIPS
(1-9)";
770 IS=INKEY$:IFI$=""THEN770ELSEIFI$>"0"ANDIS<="9"THENBN=VAL(IS):GOTO780ELSE770
780 R=RND(6):IFB=RTHENBN=BN*4:GW=GW+BDESEGW=GW-BN:GOTO860
790 IFAB=1ANDAC=1ORBA=1ANDBC=1ORCA=1ANDCB=1THEN850ELSEIFAB=1ANDBA=1ORAB=1ANDCA=1
ORAB=1ANDCA=1ORAB=1ANDCB=1THEN850
800 PRINT@1760,"CAT-HOP...SELECT SEQUENCE FOR 2 CARDS (1,2)";
810 IS=INKEY$:IFI$=""THEN810ELSEIFI$>"0"ANDIS<="3"THENSE=VAL(IS):GOTO820ELSE810
820 PRINT@1760,STRING$(60,32):PRINT@1760,"PLACE YOUR BET...ENTER NUMBER OF CHIPS
(1-9)";

```

Listing 5 continues



WHY BUY A JOY STICK TWICE?!

IF YOU HAVE AN
ATARI COMPATIBLE
JOY STICK, YOU CAN
USE IT ON YOUR
TTS GO WITH OUR KIT

JOY STICK KIT*

Without Joy Stick Model I/III \$15.95

With Joy Stick Model I/III \$26.95

— Be Your Own SYSOP !!!! —

Bullet-80 Bulletin Board Model I/III

Version 8.0 \$150.00

Full line of H&E Computronics Software.

13% off Any Individual Versa Business package.

13% off All game software (from All major
manufacturers) if you mention this ad!

Please call for information about ANY products.
We have in stock a FULL LINE of Software from
ALL Major Houses.

After-Market Computer Gallery**

P.O. Box 993 (Mail Order)

1 Franklin St. (Retail Outlet)

Danbury, CT 06810

Voice Line — 203 743-1299

Bullet-80 Computer Line — 203 744-4844
(300/1200 Baud)

PRICES DO NOT INCLUDE SHIPPING & HANDLING.

*Internal Installation Required. No trace cutting or electronics
involved

**A Division of Computer Services of Danbury



```

830 IS=INKEY$:IFI$="THEN830ELSEIFI$>"0"ANDIS<="9"THENBN=VAL(I$):GOTO840ELSE830
840 R=RND(2):IFB=RTHENBD=BN:GW=BDESEGW=GW-BN
850 PRINT@1760,"CARDS ARE ALIKE...NO ACTION"
860 GW=GW-GN:PRINT@160,STRINGS(70,32):PRINT@160,"GAME WINNINGS":PRINT@175,USING
US;GW
870 TW=TW+GW:PRINT@1760,STRINGS(67,32):PRINT@1600,STRINGS(67,32):PRINT@1600,"TOT
AL WINNINGS":PRINT@1616,USINGUS;TW:PRINT@1640,"PLAY AGAIN (Y/N)";
880 IS=INKEY$:IFI$="THEN880ELSEIFI$="Y"THENRASEC,B,H:DMC(52),B(52),H(52):GOTO
340ELSEIFI$="N"THEN890ELSE880
890 CLS:PRINT@644,"G O O D B Y E . . . T H A N K S F O R P L A Y I N G F A
R O I":PRINT@900,"C O M E A G A I N . . .":PRINT:PRINT:END
900 IFD>0ANDD<14THEND$="HEARTS":RETURNELSEIFD>13ANDD<27THEND$="DIAMOND":RETURNELS
EIFD>26ANDD<40THEND$="CLUBS":RETURNELSEIFD>40THEND$="SPADES":RETURN
910 PRINT@181,SPACES(6);:PRINT@181+161,SPACES(6);:PRINT@181+241,SPACES(6);:RETURN
920 PRINT@181,STRINGS(6,150):PRINT@181+321,STRINGS(6,150):FORI=1TO3:PRINT@181+I*80,V
$;NEXT:FORI=1TO3:PRINT@181+I*80,V$;NEXT:PRINT@181,GA$:PRINT@181+320,GDS:PRINT@181+7,B
$:PRINT@181+327,GCS:RETURN
930 PRINT@321,STRINGS(64,150):PRINT@1441,STRINGS(64,150):FORI=1TO13:PRINT@320+I*
80,V$;NEXT:FORI=1TO13:PRINT@385+I*80,V$;NEXT:PRINT@320,GA$:PRINT@385,GDS:PRINT@1
505,GCS:PRINT@1440,GDS:RETURN
940 PRINT@181,N$:PRINT@181+161,X$:RETURN
950 PRINT@1600,"T U R N ":T=T+1:IFT=25THENPRINT@1610,"LAST":GOTO670ELSEPRINT@16
10,T:RETURN
960 PRINT@181,GA$:PRINT@181+480,GDS;:PRINT@181+11,GB$:PRINT@181+491,GCS;:PRINT@181+1,STRIN
GS(10,150):PRINT@181+481,STRINGS(10,150);:FORI=1TO5:PRINT@181+I*80,V$:NEXT:FORI=1TO5
:PRINT@181+11+I*80,V$;:NEXT:RETURN
970 IFRL>39THENRL=RL-39ELSEIFRL>26THENRL=RL-26ELSEIFRL>13THENRL=RL-13
980 H(RL)=0:H(RL+13)=0:H(RL+26)=0:H(RL+39)=0:PRINT@181-2,SPACES(6);:RETURN
990 IFRW>39THENRW=RW-39ELSEIFRW>26THENRW=RW-26ELSEIFRW>13THENRW=RW-13
1000 B(RW)=0:B(RW+13)=0:B(RW+26)=0:B(RW+39)=0:PRINT@181-2,SPACES(6);:RETURN

```

Program Listing 6. Wheel of Fortune

```

10 REM 20-JAN-83 *BDL MODEL II*
20 REM - PROGRAM BIGSIX/BAS
30 CLS:CLER200:PRINT@20,"BIG-SIX WHEEL SIMULATION PROGRAM":PRINT:PRINT
40 VS=CHRS(148):OS="###":GA$=CHRS(128):GB$=CHRS(131):GC$=CHRS(129):GD$=CHRS(130)
:US="####":HH=5000:SS=CHRS(42):XS=" "
50 AS$=" $1 ":BS$=" $2 ":CS$=" $5 ":DS$=" $10 ":ES$=" $20 ":FS$="JOKER ":GS$="
LOGO "
60 PRINT"THE BIG-SIX WHEEL, ALSO CALLED THE 'WHEEL OF FORTUNE', HAS BEEN SEEN AT
":PRINT"FAIRS AND FUND-RAISING FUNCTIONS FOR MANY YEARS.":PRINT
70 PRINT"THE WHEEL IS OPERATED MANUALLY BY A DEALER, WHO, USING ONLY HIS OWN STR
ENGTH,"PRINT"PULLS THE WHEEL TO START IT SPINNING.":PRINT
80 PRINT"FRICITION, CAUSED BY A RUBBER 'FINGER' BANGING AGAINST THE 'STOPS' THEM
ELVES,"PRINT"SLOWS AND FINALLY STOPS THE WHEEL.":PRINT
90 PRINT"WHEREVER THE RUBBER 'FINGER' COMES TO REST IS THE WINNING POSITION."
100 PRINT:PRINT"INSTRUCTIONS REQUIRED (Y/N)";
110 IS=INKEY$:IFI$="THEN110ELSEIFI$="Y"THEN120ELSEIFI$="N"THEN270ELSE110
120 CLS:PRINT@16,"R U L E S F O R B I G - S I X W H E E L":PRINT
130 PRINT"DIRECTLY IN FRONT OF THE DEALER IS A GLASS COVERED TABLE. UNDER THE G
LASS":PRINT"ARE VARIOUS PIECES OF MONEY. YOU WILL FIND $1, $2, $5, $10, AND $20
BILLS.":PRINT"THERE WILL ALSO BE AN AREA MARKED WITH A JOKER AND A LOGO, TO COR
RESPOND"
140 PRINT"WITH THE TWO EXTRA STOPS ON THE WHEEL.":PRINT
150 PRINT"TO BET ON THIS GAME, YOU SIMPLY PLACE YOUR BET ONTO THE FACE OF THE BI
LL":PRINT"THAT YOU THINK WILL WIN. SHOULD IT WIN, YOU WIN THAT BILL'S VALUE TI
MES":PRINT"YOUR BET. A $5 CHIP ON THE $1 BILL ON THE TABLE, IF IT WINS, WILL RE
TURN"
160 PRINT"AN ADDITIONAL $5 BACK AS WINNINGS. THAT SAME $5 CHIP PLACED ON THE $5
BILL":PRINT"ON THE TABLE, IF IT WINS, WILL RETURN $25 AS WINNINGS.":PRINT
170 PRINT"THE FOLLOWING TABLE SHOWS THE BETS, CHANCES, AND PAYOUTS:"
180 PRINTTAB(10)"FACE";TAB(20)"NO. OF FACES";TAB(40)"PAYOUT"
190 PRINTTAB(11)"$1";TAB(24)"23";TAB(40)"1 TO 1"
200 PRINTTAB(11)"$2";TAB(24)"15";TAB(40)"2 TO 1"
210 PRINTTAB(11)"$5";TAB(25)"8";TAB(40)"5 TO 1"
220 PRINTTAB(10)"$10";TAB(25)"4";TAB(39)"10 TO 1"
230 PRINTTAB(10)"$20";TAB(25)"2";TAB(39)"20 TO 1"
240 PRINTTAB(9)"JOKER";TAB(25)"1";TAB(39)"40 TO 1"
250 PRINTTAB(9)"LOGO";TAB(25)"1";TAB(39)"40 TO 1"
260 PRINT:PRINT"ENJOY THE GAME...WHEN READY TO PLAY, DEPRESS <ENTER>";:INPUTQS
270 CLS:WB=0:T1=0:T2=0:T3=0:T4=0:T5=0:T6=0:T7=0:T8=0:PRINT"B I G - S I X W H E
E L":PRINT@62,"G A M E ":K=K+1:PRINT@72,K
280 PRINTCHRS(2);:GOSUB650:L=373:L$=AS:GOSUB730:L=387:L$=BS:GOSUB730:L=773:L$=CS
:GOSUB730:L=787:L$=DS:GOSUB730:L=1173:L$=ES:GOSUB730:L=1187:L$=FS:GOSUB730:L=150
0:L$=GS:GOSUB730
290 PRINT@160,"PLACE YOUR BET...ENTER NUMBER OF CHIPS (1-9), <ENTER> TO PLAY";
300 IS=INKEY$:IFI$="THEN300ELSEIFI$>"0"ANDIS<="9"THENBN=VAL(I$):GOTO310ELSEIFI$
=CHRS(13)THEN420ELSE300
310 PRINT@160,STRINGS(70,32):PRINT@160,"ENTER VALUE (COLOR) OF CHIPS";
320 IS=INKEY$:IFI$="THEN320ELSEIFI$="W"THENB=1:GOTO330ELSEIFI$="O"THENB=2:GOTO3
30ELSEIFI$="R"THENB=5:GOTO330ELSEIFI$="G"THENB=25:GOTO330ELSEIFI$="B"THENB=100:G
OTO330ELSEPRINT@200,"USE VALID CHIPS ONLY, PLEASE...":GOTO320
330 B=BN*B:PRINT@160,STRINGS(70,32):PRINT@160,"SELECT BET LOCATION (1, 2, 5, A=1
0, B=20, J=JOKER, L=LOGO);
340 IS=INKEY$:IFI$="THEN340ELSEIFI$="1"THEN350ELSEIFI$="2"THEN360ELSEIFI$="5"TH
EN370ELSEIFI$="A"THEN380ELSEIFI$="B"THEN390ELSEIFI$="J"THEN400ELSEIFI$="L"THEN41
0ELSE340
350 PRINT@450,USINGOS;B:T1=B:GOTO290
360 PRINT@464,USINGOS;B:T2=B:GOTO290
370 PRINT@850,USINGOS;B:T3=B:GOTO290
380 PRINT@864,USINGOS;B:T4=B:GOTO290
390 PRINT@1250,USINGOS;B:T5=B:GOTO290
400 PRINT@1264,USINGOS;B:T6=B:GOTO290
410 PRINT@1577,USINGOS;B:T7=B:GOTO290
420 N=2:GOSUB670:PRINTCHRS(1);
430 TT=T1+T2+T3+T4+T5+T6+T7
440 RANDOM:S=RND(3):ONSGOTO450,460,470
450 R=RND(18):ONRGOTO510,500,490,480,480,480,480,480,480,480,480,480,480,480,480,480,480
,530,490,480
460 R=RND(18):ONRGOTO500,480,480,480,480,480,480,480,480,480,480,480,480,480,480,480,480
,500,480,540
470 R=RND(18):ONRGOTO480,500,480,480,480,480,480,480,480,480,480,480,480,480,480,480,480
,480,500,480

```

Listing 6 continues

RIBBONS & SUPPLIES

SATISFACTION GUARANTEED
FREE SHIPPING in US and CANADA
NO MINIMUM ORDER
FREE CATALOG

DISCOUNTS apply to ANY COMBINATION of products. Deduct 10% for 6 to 23 items, 15% for 24 to 99, and 20% for 100 or more items. SCHOOLS may take an additional 5% discount.

MASTERCARD & VISA orders, send card number and expiration date. Checks accepted with no delay.

FREE SUPPLIES CATALOG includes instructions for loading refill loops. Most orders shipped within 24 hours. Florida residents add 5% sales tax.

REPLACEMENT FABRIC	Ribbon in	Refill
RIBBONS FOR	Cartridge	Loop
Anadex 9500	13.00	3.95
Anadex Word Scribe	13.00	3.95
Axiom GP-80M	6.50	2.93
Axiom IMP I & II	13.50	2.93
Base 2	13.50	2.93
C-Itch Prowriter	5.50	2.43
C-Itch F-10	5.50	1.68
Diablo Hytype I	5.50	1.59
Diablo Hytype II	5.50	1.68
DEC LA34	5.50	2.03
Epson MX-70, MX-80	6.50	2.93
Epson MX-100	9.75	4.45
IBM PC (MX-80)	6.50	2.93
IBM PC (MX-100)	9.75	4.45
MPI 88G, 99G, 150	13.50	2.93
NEC 3500	TBA	2.43
NEC Spinwriter	5.50	2.43
NEC PC 8023A-01	5.50	2.43
Okidata Microline 80, 82, 83 (spool)	2.50	
R.S. DW II (1449)	TBA	2.08
R.S. DMP 200 (1483)	TBA	2.93
R.S. DMP 400, (1418)	5.50	1.68
R.S. DMP 500 (1482)	TBA	2.93
R.S. DWP 410 (1449)	TBA	2.08
R.S. LP6, LP8 (1418)	5.50	1.68
R.S. LP3, LP5 (1414)	5.50	2.43

BASF DISKETTES, 5 1/4"

with hub ring, LIFETIME WARRANTY

STOCK#	SIDE/DEN	SECTORS PRICE/BOX
54974	SS/DD	SOFT 29.20
54976	SS/DD	10 29.20
54978	SS/DD	16 29.20
54980	DS/DD	SOFT 40.50
54982	DS/DD	10 40.50
54984	DS/DD	16 40.50
54986	SS/QUAD	SOFT 42.20
54988	SS/QUAD	10 42.20
54990	SS/QUAD	16 42.20
54992	DS/QUAD	SOFT 54.00
54994	DS/QUAD	10 54.00
54996	DS/QUAD	16 54.00

DATA SYSTEMS

(305) 788-2145

BOX 99 • FERN PARK, FL 32730

WHAT THE HECK! IS THIS MANUAL TRYING TO SAY?

Profile III Plus® - 108 insert pages for your manual with plain English explanations and examples including two 16x22 wall charts showing where program goes and why \$14.00

General Ledger - Insert pages for the TRS-80® Mod III Disk Manual clarifying the obscure. Section on HOW accounts interact and produce statements. 19x25 two-color wall chart shows Flow, Commands, Tips \$14.00

Super SCRIPSIT® - 19x25 two-color wall chart shows commands with explanations and tips in highly visible form \$4.00

VisiCalc® - 19x25 two-color wall chart shows ALL THOSE commands with clear explanations at a glance \$4.00

© - Copyrights of Tandy or VisiCorp

Send cash, check, money order to:

CREST SOFTWARE ✓223

2132 Crestview Drive • Durango, CO 81301

(303) 247-9518

Visa, MC accepted, include card # and expiration date.

(Add \$2.00 Shipping — We use UPS)

HEXIS

SAVE \$50.00 NOW!

Home Expense and Income System
for your TRS-80* III,

48K 2 DISK,

LP VIII or VI System.

Requires TRSDOS*

Check these features:

- You define up to a total of 64 accounts (income and/or expense)
- Completely MENU driven
- 6 different reports, even down to daily detail.
- Easy to read User Manual
- HEXIS can be copied for back-up purposes
- 30 DAY MONEY BACK GUARANTEE
- 1 FULL YEAR WARRANTY
- plus 2 Bonus Programs FREE

**ALL THIS FOR THE INCREDIBLY
LOW PRICE OF ONLY \$49.95**

LIMITED TIME ONLY!!!

Price will be \$99.95 shortly.

Order now by sending your H/W configuration and printer control code summary (if not LP VIII or VI) and your check or money order to: **I.S.B., Dept. HEXIS, P.O. Box 628, Proctor, VT 05765** or call (802) 459-2088 for more information. Allow 2-3 weeks for deliveries.

* Trademark of Tandy Corporation

Listing 6 continued

```
488 GW=T1:WB=T1:W$=A$:L=454:P$=" 1":GOTO550
498 GW=T2*2:WB=T2:W$=B$:L=468:P$=" 2":GOTO550
508 GW=T3*5:WB=T3:W$=C$:L=854:P$=" 5":GOTO550
518 GW=T4*10:WB=T4:W$=D$:L=868:P$="10":GOTO550
528 GW=T5*20:WB=T5:W$=E$:L=1254:P$="20":GOTO550
538 GW=T6*40:WB=T6:W$=F$:L=1268:P$=" J":GOTO550
548 GW=T7*40:WB=T7:W$=G$:L=1581:P$=" L"
558 PRINT@424,X$:PRINT@423,P$
568 PRINTCHR$(26);:PRINT@L,W$:PRINTCHR$(25);
578 PRINT@160,STRINGS(70,32):IF(GW-TT)>0THENPRINT@160,"LUCKY...YOU HAVE WON"GW+
WB-TT
588 IF(TT-GW)>0THENPRINT@160,"SORRY...YOU HAVE LOST "TT-(GW+WB)
598 IFTT=GWTHENPRINT@160,"AT LEAST...YOU BROKE EVEN"
608 TW=TW+GW+WB-TT:HH=5000-TW
618 PRINT@1760,"H O U S E H A S : "USINGU$:HH:PRINT@1800,"T O T A L W I N N I
N G S : "USINGU$:TW
628 PRINT@204,"DO YOU WANT TO PLAY AGAIN (Y/N) ";
638 IS=INKEY$:IFIS=""THEN630ELSEIFIS="Y"THENGW=0:GOTO270ELSEIFIS="N"THEN640ELSE6
30
648 CLS:PRINT@492,"THE BIG-SIX WHEEL SAYS GOOD-BYE.....COME AGAIN!!!":PRINT:PRIN
T:PRINT:END
658 PRINT@344,V$:PRINT@984,CHR$(143):PRINT@424,S$:PRINT@571,S$:PRINT@967,S$:PRIN
T@1371,S$:PRINT@1544,S$:PRINT@1397,S$:PRINT@1001,S$:PRINT@597,S$
668 PRINT@495,S$:PRINT@728,S$:PRINT@1208,S$:PRINT@1455,S$:PRINT@1473,S$:PRINT@12
40,S$:PRINT@760,S$:PRINT@513,S$:RETURN
678 PRINT@424,X$:PRINT@967,X$:PRINT@1544,X$:PRINT@1001,X$:GOSUB720:PRINT@424,S$:
PRINT@967,S$:PRINT@1544,S$:PRINT@1001,S$:GOSUB720
688 PRINT@495,X$:PRINT@1208,X$:PRINT@1473,X$:PRINT@760,X$:GOSUB720:PRINT@495,S$:
PRINT@1208,S$:PRINT@1397,S$:PRINT@597,S$:GOSUB720
698 PRINT@571,X$:PRINT@1371,X$:PRINT@1397,X$:PRINT@597,X$:GOSUB720:PRINT@571,S$:
PRINT@1371,S$:PRINT@1397,S$:PRINT@597,S$:GOSUB720
708 PRINT@728,X$:PRINT@1455,X$:PRINT@1240,X$:PRINT@513,X$:GOSUB720:PRINT@728,S$:
PRINT@1455,S$:PRINT@1240,S$:PRINT@513,S$:GOSUB720
718 IFN=80THENRETURNELSE670
728 N=N+2:FORI=1TON:NEXT:RETURN
738 PRINT@L,G$:PRINT@L+80,V$:PRINT@L+160,G$:PRINT@L+7,G$:PRINT@L+87,V$:PRINT@
L+167,G$:PRINT@L+1,STRINGS(6,150):PRINT@L+161,STRINGS(6,150):PRINT@L+81,L$:RETU
RN
```

Program Listing 7. Keno

```
10 REM 04-JAN-83 *BDL*
20 REM - PROGRAM KENO/BAS
30 CLS:CLEAR500:DEFDBL G,T:PRINT@20,"KENO SIMULATION PROGRAM":PRINT:PRINT
40 DIMG$(16),M(80),S(80),W(80),R(20):US="###":V$=CHR$(148):A$="*":D$=CHR$(140):UU
$="*****.###"
50 FORI=1TO16:READG$(I):NEXT
60 PRINT"THIS PROGRAM SIMULATES THE KENO GAMES AS PLAYED IN THE CASINOS IN NEVAD
A.",PRINT
70 PRINT"INSTRUCTIONS REQUIRED (Y/N)"
80 IS=INKEY$:IFIS=""THEN80ELSEIFIS="Y"THEN610ELSEIFIS="N"THEN90ELSE80
90 CLS:PRINT"C A S I N O K E N O":PRINT@62,"G A M E :":K=K+1:PRINT@72,G$(K)
100 GOSUB440:GOSUB510:GOSUB470:PRINTCHR$(1)
110 QS="":PRINT@160,STRINGS(25,32):PRINT@160,"MARK SPOTS":INPUTQS:Q=VAL(QS)
120 IFCT>14THENQS="B":GOTO140ELSEIFQ>80THEN110
130 IFQ>=1ANDQ<81THENBL=M(Q):CT=CT+1:S(Q)=1:PRINT@BL+3,A$:PRINT@BL+2,A$
140 IFQS="C"THENK=K+1:CT=0:GOTO90ELSEIFQS="B"THEN150ELSE110
150 PRINT@160,STRINGS(25,32):PRINT@160,"S P O T S M A R K E D : "USINGU$:CT:PRI
NT@210,"PLACE BET":INPUTM
160 IFCT>10THENIFM<2THEN150
170 WS=0:GW=0
180 FORI=1TO20
190 R(I)=RND(80)
200 IFW(R(I))=1THEN190ELSEW(R(I))=1:PRINT@M(R(I))-2,D$:PRINT@M(R(I))+1,D$:NEXTI
210 FORI=1TO80:IFW(I)ANDS(I)=1THENWS=WS+1:NEXTISENEXT
220 IFCT=1THENIFWS<1THENGW=0ELSEIFWS=1THENGW=3*M
230 IFCT=2THENIFWS<2THENGW=0ELSEIFWS=2THENGW=12*M
240 IFCT=3THENIFWS<3THENGW=0ELSEIFWS=3THENGW=42*M
250 IFCT=4THENIFWS<4THENGW=0ELSEIFWS=4THENGW=113*M
260 IFCT=5THENIFWS<5THENGW=0ELSEIFWS=5THENGW=175*M
270 IFCT=6THENIFWS<6THENGW=0ELSEIFWS=6THENGW=252*M
280 IFCT=7THENIFWS<7THENGW=0ELSEIFWS=7THENGW=350*M
290 IFCT=8THENIFWS<8THENGW=0ELSEIFWS=8THENGW=480*M
300 IFCT=9THENIFWS<9THENGW=0ELSEIFWS=9THENGW=630*M
310 IFCT=10THENIFWS<10THENGW=0ELSEIFWS=10THENGW=800*M
320 IFCT=11THENIFWS<11THENGW=0ELSEIFWS=11THENGW=1000*M
330 IFCT=12THENIFWS<12THENGW=0ELSEIFWS=12THENGW=1200*M
340 IFCT=13THENIFWS<13THENGW=0ELSEIFWS=13THENGW=1500*M
350 IFCT=14THENIFWS<14THENGW=0ELSEIFWS=14THENGW=1800*M
360 IFCT=15THENIFWS<15THENGW=0ELSEIFWS=15THENGW=2100*M
370 IFCT=16THENIFWS<16THENGW=0ELSEIFWS=16THENGW=2400*M
380 TW=TW+GW-DL=MSEDL=0
390 PRINT@1760,"G A M E W I N N I N G S : "USINGU$:GW:PRINT@1800,"T O T A L
W I N N I N G S : "USINGU$:TW
400 PRINT@160,SPACES(80):PRINT@160,"TO PLAY AGAIN, DEPRESS <ENTER>, TO EXIT THE
PROGRAM DEPRESS <E>";
410 IS=INKEY$:IFIS=""THEN410ELSEIFIS=CHR$(13)THEN420ELSEIFIS="E"THEN430ELSE410
420 CT=0:RANDOM:IFK>16THENRESTORE:GOTO90ELSE90
430 CLS:PRINT@895,"T H A N K Y O U - C O M E A G A I N ! ! !":PRINT:PRINT:
PRINT:END
440 PRINTCHR$(2):L=240:GOSUB490:L=400:GOSUB490:L=560:GOSUB490:L=720:GOSUB490:L=8
80:GOSUB490:L=960:GOSUB490:L=1120:GOSUB490:L=1280:GOSUB490:L=1440:GOSUB490:L=160
```


Listing 7 continues

PRINTERS

*For All Your
Printing Needs*

★ STAR MICRONICS ★

GEMINI 10 / GEMINI 15



180 Day Warranty

The Gemini 10 Star Printer has a wide spectrum of impressive features at a **ROCK BOTTOM** price. The printer comes standard with a 9 wire printhead, 2.3 K buffer, friction and tractor feed and prints 100 cps. It has true descenders, emphasized, double strike, block graphics and hi-resolution; italic characters & user programmable ROM for special characters. Also comes standard.



EPSON PRINTERS

MX-80 F / T MX-100

FX-80 RX-80

OUR PRICES ON THE EPSON PRINTERS ARE SO LOW,
WE'RE NOT ALLOWED TO PRINT THEM! CALL TODAY FOR PRICES!

EPSON PRINTERS FEATURE TRUE BACK-SPACE, SOFTWARE RESET, AND PROGRAMMABLE FORM LENGTH, HORIZONTAL TAB & RIGHT MARGIN. THEIR FINE QUALITY PRINTING & RELIABILITY ARE ONLY A PART OF THE REASON YOU MAY EXPECT GREAT THINGS FROM EPSON PRINTERS.



90 DAY WARRANTY

NEW FROM BROTHER! COMRITER DAISY WHEEL

Especially designed for word processing; 200 words per minute, bidirectional, daisy wheel
\$849.95


RADIO SHACK PRINTERS

DMP 100	\$339.95
DMP 200	\$679.95
DMP 400	\$1015.00
DMP 500	\$1525.00
DMP 2100	\$1799.00
Daisywheel II	\$1649.00
DWP 410	\$1287.95

SMITH-CORONA TP-1 DAISY WHEEL PRINTER


The Smith Corona TP-1 text printer is a microprocessor controlled daisy wheel printer which delivers fully formed executive quality printout at a speed of 144 words per minute. The printer is a simple, low cost, and reliable unit which can be utilized with word processing systems, microcomputers, personal computers, small business systems, or in any environment which requires high quality printing. Its compact size and attractive packaging will allow it to blend into any environment.

COMPATIBLE WITH ALMOST ALL COMPUTER SYSTEMS



*Smith Corona is a registered TRADEMARK of SCM Corporation

\$559



OKIDATA PRINTERS

Microline 82A	\$425.00
120CPS, pin feed, paper up to 9.5" wide	
• Microline 84	\$1049.00
Microline 92	\$559.00
160 CPS, 10", pin feed	

Microline 83A	\$699.00
120CPS, adjustable tractor feed, paper up to 6" wide	
Microline 93	\$949.00
160 CPS, 15", adjustable tractor feed	

THESE ARE OUR CASH DISCOUNTED PRICES. C.O.D. AND CHARGE ORDERS ARE 3% HIGHER. ALL COMPUTERS ARE SHIPPED FREIGHT COLLECT. PRICES, SPECIFICATIONS, AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. IBM & IBM PERSONAL COMPUTERS ARE TRADEMARKS OF INTERNATIONAL BUSINESS MACHINES, INC. TRS-80 & RADIO SHACK ARE TRADEMARKS OF TANDY CORPORATION.



918/825-4844

AMERICAN

118 SO. MILL ST
PRYOR, OK 74361
(918) 825-4844

**Small
Business
COMPUTERS**

NEED INFO QUICK?

Then just call our automated TOLL FREE answering machines. Leave your name, address, and phone number. Requests will be mailed 1st Class the same day. Only requests for product information will be processed; all others will be disregarded by our answering service.

CALL 1-800-331-3896

In Oklahoma Call
✓217 1-918-825-4844

These games, only \$19.95 each:

Galactic Invaders	Meteors
Computer Casino	Bustout
Quest for Adventure	Wormy
The Wrath of Ken	Chess
Hang The Butcher	Othello

Call or write for full game list.

Mr. Kenneth Kuzel c/o

KUZEL COMPUTER SERVICES

8654 W. Berwyn Ave. #3S

Chicago, Illinois 60656

(312) 399-0273

354

YOU CAN SEND YOUR MESSAGES USING

"We make E-COM[®] friendly"

MICRO-ECOM™ transforms typed messages into complex E-COM® formats ready for easy transmission to Serving Post Offices. Draw graphics right into your messages. Use all E-COM® message types in each transmission. There won't be much to do but type messages in your word processor. Use MICRO-ECOM™ to prepare the transmittable E-COM® files. \$395 buys the entire package—programs on disk, (150 pages of clear documentation.) Direct or on-line support. (For TRS-80 models 1,2,3,4,12 & 18 plus other computers using Microsoft BASIC).

Send check or money order to:

TODAY'S FUTURE, P.O. BOX 29251

San Antonio, TX 78229

Office: (512) 684-6505

Computer: (512) 884-6216

Brochure available:

VISA/MC

der to:
BOX 29251
✓320



Take it with you when you go!

CRIBBAGE

\$22.95

Take a break in your journey for a relaxing hand with your micro. The **Cat's Paw®** Cribbage challenger is a worthy opponent for 1 player, or an electronic scorekeeper for 2. 24K required.

EXPENSE REGISTER \$24.95

Keep track of expenses **while** you travel. Supports 15 different accts. Save to RAM file or Cassette. Print-outs by date or acct. code. Stores records of 300 transactions with 32K.

Model III/IV

BOTH only \$40.

Disk
available.

Please add \$2. ship./hndlg.
per order.



L/R SOFTWARE

P.O. Box 39

Garfield, AR 72732

(501) 443-2257

✓ 268

Listing 7 continued

```
0:GOSUB490
450 L=160:GOSUB500:L=164:GOSUB500:L=171:GOSUB500:L=178:GOSUB500:L=185:GOSUB500:L
=192:GOSUB500:L=199:GOSUB500
460 L=200:GOSUB500:L=207:GOSUB500:L=214:GOSUB500:L=221:GOSUB500:L=228:GOSUB500:L
=235:GOSUB500:L=239:GOSUB500:RETURN
470 PRINT#322,"K":PRINT#482,"E":PRINT#642,"N":PRINT#802,"O":PRINT#1042,"K":PRINT
#1202,"E":PRINT#1362,"N":PRINT#1522,"O"
480 PRINT#397,"K":PRINT#557,"E":PRINT#717,"N":PRINT#877,"O":PRINT#1117,"K":PRINT
#1277,"E":PRINT#1437,"N":PRINT#1597,"O":RETURN
490 PRINT#L,STRINGS(80,150):RETURN
500 FORI=1TO18:PRINT#L+I*80,VS:NEXT:RETURN
510 L=328:N=1:GOSUB590:L=364:N=6:GOSUB590
520 L=488:N=11:GOSUB590:L=524:N=16:GOSUB590
530 L=648:N=21:GOSUB590:L=684:N=26:GOSUB590
540 L=808:N=31:GOSUB590:L=844:N=36:GOSUB590
550 L=968:N=41:GOSUB590:L=1004:N=46:GOSUB590
560 L=1208:N=51:GOSUB590:L=1244:N=56:GOSUB590
570 L=1368:N=61:GOSUB590:L=1404:N=66:GOSUB590
580 L=1528:N=71:GOSUB590:L=1564:N=76:GOSUB590:RETURN
590 FORI=1TO5:PRINT#L-1,USING$;N;M(N)-L=L+7:N=N+1:NEXT:RETURN
600 DATA "GOLD","SILVER","BLACK","BROWN","RED","ORANGE","YELLOW","GREEN","BLUE",
"VIOLET","ROSE","BRONZE","LT BLUE","COPPER","TAN","WHITE"
610 CLS:PRINT#20,"R U L E S F O R K E N O":PRINT
620 PRINT#KENO IS AN EXCITING, SUSPENSEFUL GAME THAT PAYS HIGH ODDS!:PRINT
630 PRINT#TO PLAY KENO, FROM 1 TO 15 NUMBERS ARE SELECTED FROM THE RANGE OF":PRI
NT#1 TO 80 AVAILABLE ON THE 'TICKET'.":PRINT
640 PRINT#TO MARK THE SELECTED NUMBERS, ENTER THE NUMBER AND THEN DEPRESS <ENTER>
FOR AS":PRINT#MANY NUMBERS (MAX OF 15) AS YOU DESIRE. AS THE NUMBERS ARE 'MAR
KED',"":PRINT#TWO ASTERISKS WILL APPEAR IN THE BOX SPACE WITH THE NUMBER."
650 PRINT#PRINT#TO BEGIN OVER (WITH A NEW TICKET), ENTER C AND DEPRESS <ENTER>.
TO PLACE A":PRINT#BET, ENTER B AND DEPRESS <ENTER>.":PRINT
660 PRINT#WHEN THE GAME BEGINS, TWENTY NUMBERS ARE SELECTED AT RANDOM FROM THE":
PRINT#TOTAL OF EIGHTY AVAILABLE. THESE WINNING NUMBERS ARE INDICATED BY":PRINT#
THE GRAPHIC 'CROSS' ADJACENT TO EACH NUMBER.:PRINT
670 PRINT#THE WINNINGS FOR EACH GAME IS COMPUTED FROM STANDARD TABLES BASED ON T
HE":PRINT#NUMBER OF SPOTS MARKED AND THE AMOUNT OF THE BET.:PRINT
680 PRINT#GOOD LUCK, AND HAVE FUN!!!:PRINT
690 INPUT#WHEN READY TO PLAY. DEPRESS <ENTER>";Q$;GOTO90
```

Program Listing 8. Baccarat

```

10 REM 07-JAN-83 *BDI MODEL II*
20 REM - PROGRAM BACCARAT/BAS
30 CLS:CLREAR100:DEFDBLG,T:PRINT@20,"BACCARAT SIMULATION PROGRAM":PRINT
40 DIMMS(416):V$=CHR$(148):G$=CHR$(128):GB$=CHR$(131):GC$=CHR$(129):GD$=CHR$(13
0) L$="CL":R$="S":V$:U$="###.##":UU$="#####.##"
50 M$(1)="A":M$(14)="A":M$(27)="A":M$(40)="A":M$(11)="J":M$(24)="J":M$(37)="J":M
$(50)="Q":M$(12)="Q":M$(25)="Q":M$(38)="Q":M$(51)="Q":M$(13)="K":M$(26)="K":M$(3
9)="K":M$(52)="K"
60 FORI=2010:M$(I)=STR$(I):NEXT:FORI=150203:M$(I)=STR$(I-13):NEXT:FORI=28036:M
$(I)=STR$(I-26):NEXT:FORI=41049:M$(I)=STR$(I-39):NEXT
70 PRINT"THE ANCIENT GAME OF BACCARAT IS PLAYED WITH 8 COMPLETE DECKS OF CARDS."
:PRINT:PRINT"THE CARDS ARE BEING SHUFFLED BY THE CROUPIER AT THIS TIME....":PRIN
T
80 FORI=107:FORJ=1052:M$(I*52+J)=M$(J):NEXT:NEXT
90 PRINT"THIS PROGRAM SIMULATES THE BACCARAT GAMES AS PLAYED IN THE CASINOS":PRI
NT"IN NEVADA":PRINT
100 PRINT"INSTRUCTIONS REQUIRED (Y/N)"
110 I$=INKEY$:IF I$="N"THEN110ELSEIF I$="Y"THEN770ELSEIF I$="N"THEN120ELSE110
120 CLS:PRINT" C A S I N O B A C C A R A T":PRINT@62,"G A M E":K=K+1:PRINT@72
,K
130 PRINTCHR$(2):GOSUB280:PRINT@414,"P L A Y E R":PRINT@455,"B A N K":L=643:GOSU
B340:L=725:GOSUB410:L=655:GOSUB340:L=737:GOSUB410:L=683:GOSUB340:L=765:GOSUB410:
L=695:GOSUB340:L=777:GOSUB410:PRINTCHR$(1)
140 SE=0:PRINT@240,"PLACE BET (P-PLAYER, B-BANK, T-TIE)":
150 I$=INKEY$:IF I$="N"THEN150ELSEIF I$="B"THENSE=1:PRINT@455,L$:PRINT@1462,R$ELSE
IF I$="B"THENSE=3:PRINT@1497,L$:PRINT@1504,R$ELSEIF I$="T"THENSE=2:PRINT@1476,L$:P
RINT@1483,R$:PRINT@1477," ELSE"
160 PRINT@290,SPACES(25):PRINT@290,"ENTER AMOUNT OF BET":INPUTM:IFM<0ORM>999.99
THEN160
170 PRINT@1443,"B E T ":IF I$="B"THENPRINT@1456,USINGUS;M$ELSEIF I$="B"THENPRINT@1
490,USINGUS;M$ELSEIF I$="T"THENPRINT@1477,USINGUS;M
180 R1=RND(416):L=725:T$=M$(R1):RX=R1:GOSUB290:GOSUB420:GOSUB330
190 R2=RND(416):IFR2=R1THEN190ELSEL=737:T$=M$(R2):RX=R2:GOSUB290:GOSUB420:GOSUB3
30
200 GOSUB430:IFPG=0THEN220ELSEL=667:GOSUB340
210 R3=RND(416):IFR3=R1ORR3=R2THEN210ELSEL=749:T$=M$(R3):RX=R3:GOSUB290:GOSUB420
:GOSUB330
220 R4=RND(416):IFR4=R1ORR4=R2ORR4=R3THEN220ELSEL=765:T$=M$(R4):RX=R4:GOSUB290:G
OSUB420:GOSUB330
230 R5=RND(416):IFR5=R1ORR5=R2ORR5=R3ORR5=R4THEN230ELSEL=777:T$=M$(R5):RX=R5:GOS
UB290:GOSUB420:GOSUB330
240 GOSUB520:IFP2=0THEN260ELSEL=707:GOSUB340
250 R6=RND(416):IFR6=R1ORR6=R2ORR6=R3ORR6=R4ORR6=R5THEN250ELSEL=789:T$=M$(R6):RX
=R6:GOSUB290:GOSUB420:GOSUB330
260 GOSUB680
270 GOTO350
280 FORI=1013:PRINT@480+I*80,V$:NEXT:FORI=1013:PRINT@519+I*80,V$:NEXT:FORI=101
3:PRINT@520+I*80,V$:NEXT:FORI=1013:PRINT@559+I*80,V$:NEXT:PRINT@480,STRINGS(80
,150):PRINT@1600,STRINGS(80,150):RETURN
290 IFPX<0ANDRX<140ORRX<52ANDRX<660ORRX<104ANDRX<1180ORRX<156ANDRX<1700ORRX<208ANDRX
<2208ORRX<260ANDRX<2740ORRX<312ANDRX<3260ORRX<364ANDRX<378THENB$="HEARTS":RETURN
300 IFPX<13ANDRX<270ORRX<65ANDRX<790ORRX<117ANDRX<1310ORRX<169ANDRX<1830ORRX<221ANDRX
<2350ORRX<273ANDRX<2870ORRX<325ANDRX<3390ORRX<377ANDRX<391THENB$="DIAMONDS":RETURN
310 IFPX<26ANDRX<400ORRX<78ANDRX<920ORRX<130ANDRX<1440ORRX<182ANDRX<1960ORRX<234ANDRX
<2480ORRX<286ANDRX<300ORRX<338ANDRX<3520ORRX<390ANDRX<404THENB$="CLUBS":RETURN
320 B$="SPADES":RETURN
330 PRINT@L,T$:PRINT@L+80,B$:RETURN
340 LT=L+10:PRINT@L,G$:FORI=107:PRINT@L+I*80,V$:NEXT:PRINT@L+640,GB$:PRINT@L+1
0,GC$:FORI=107:PRINT@L+I*80,V$:NEXT:PRINT@L+650,GD$:PRINT@L+1,STRINGS(9,150):P
RINT@L+641,STRINGS(9,150):RETURN
350 TW=TW+GW-DL
360 PRINT@1070,"G A M E W I N N I N G S":USINGUS;GW:PRINT@1800,"T O T A L
W I N N I N G S":USINGUS;TW
370 PRINT@240,SPACES(80):PRINT@240,"W I N N E R : "W$:PRINT@300,"PLAY AGAIN (Y/N)


```

Listing 8 continues


COMPUTERS

TRS-80
MODEL 4
128K 2-Drive

\$1699.00



RS-232 INTERFACE BOARD \$92.00



*Color Computer Attaches to Any TV
For Family Fun & Education*

Reg. \$399.95

TRS-80 16K Computer by Radio Shack

Get started in computing at tremendous savings! Just pop in an instant-loading, ready-to-run Program Pak™ for fun-filled games, help with your youngster's education, or to set up the family budget. Add more memory, a printer or joysticks for added fun from video games. #26-3004

\$179


YOUR 1st DRIVE
= \$ \$ SAVED!

DRIVE 0 FOR
TRS-80 COLOR
COMPUTER

- 156,672 Characters of user storage.
- Quick and Easy Access to Programs & Data.
- Plugs into Computer's Program Pak Port.
- Add Up to Four Drives for a Total of over 626,000 characters of storage.
- Hardware and Software Compatible

SUG. RET.
\$599.00

OUR PRICE
\$399.00



**Commodore
COMPUTER**

Commodore 64™
COMPUTER FEATURES:

- Typewriter Keys
- Typewriter Feel
- Color Control Keys
- Graphics on Keys
- Reverse Letters
- Programmable Function Keys
- Works with TV or Monitor
- True Lower Case Letters



THESE ARE OUR CASH DISCOUNTED PRICES. C.O.D. AND CHARGE ORDERS ARE 3% HIGHER. ALL COMPUTERS ARE SHIPPED FREIGHT COLLECT. PRICES, SPECIFICATIONS, AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. IBM & IBM PERSONAL COMPUTERS ARE TRADEMARKS OF INTERNATIONAL BUSINESS MACHINES, INC. TRS-80 & RADIO SHACK ARE TRADEMARKS OF TANDY CORPORATION.



918/825-4844

AMERICAN

118 SO. MILL ST
PRYOR, OK 74361
(918) 825-4844

**Small
Business
COMPUTERS**

NEED INFO QUICK?

Then just call our automated TOLL FREE answering machines. Leave your name, address, and phone number. Requests will be mailed 1st Class the same day. Only requests for product information will be processed; all others will be disregarded by our answering service.

CALL 1-800-331-3896

In Oklahoma, Call:
1-918-825-4844



THE UNIQUE PERSONAL COMPUTER PROGRAM FOR COIN COLLECTORS


- The program that makes cataloging your U.S. coin collection a snap!
- Data file with latest Market Value for all grades of most coins supplied on program disk.
- Quarterly Market Value updates available.
- Multiple printed reports give Inventory Value - Profit & Loss - Tax / Insurance information.
- Concise Users Manual included.
- Available for 48K TRS-80 I/III 64K IBM-PC.
- Write for free brochure or order now.

Price - \$95 (Calif. residents add 6% Sales Tax) plus \$1.50 to cover postage and shipping
COMPU-QUOTE Telephone 213/348-3662
 6914 Berquist Ave. Dept. 80 Canoga Park, CA 91307

✓168

VISA

MasterCard



Parallel Printer Switch for TRS 80

Transfers printers, terminals and other devices. Model 80-II/16 instantly transfers parallel devices — without risk of damage that can result when cables are manually unplugged. Contacts are gold plated for minimum resistance, automatic cleaning and optimum performance. Switch position indicates correct channel selection. Beige cabinet, 2" high. \$99.95 plus shipping.

✓436

Communication Cable Company

319 Louella Ave. Wayne, PA 19087
 215-964-9404



DISK BACKUP ONE MEGABYTE ON A C-60 MODELS I or III

Includes Disk to Disk Copy. Auto Mixed Density Recognition. Supports most Double Density Boards. Configuration Mode For Your System. Hassle Free Cassette Recorder Operation. Set Volume Control to Maximum and Forget It. Tape Disks at Computer Clock Speeds to 4 MHz. Auto Retrieval of Taped Disk with Formatting. Will Backup Most Popular Dos Made Disks. Includes Cassette Recorder Controller. Power Supply, Computer Ribbon Cable, Disk & Manual.

Minimum Requirements: Model I, or III Computer, One Drive, Recorder with Cable, 32K of Memory. Specify your TRS-80 Computer Model. \$149.95 Plus \$5.00 for Handling & Shipping.

PLEASE WRITE FOR MORE INFORMATION.

BETA ENTERPRISES INC.
 14049 Settlement Acres Drive
 Cleveland, Ohio 44142
 (216) 362-6191

✓25

Listing 8 continued

```

);
380 IS=INKEY$:IFIS=""THEN380ELSEIFIS="Y"THEN390ELSEIFIS="N"THEN400ELSE380
390 R3=0:R6=0:RANDOM:GOTO120
400 CLS:PRINT@480,"T H A N K   Y O U   F O R   P L A Y I N G   !   !   -   C O M E
A G A I N . . .":PRINT:PRINT:END
410 PRINT@L,"* * * *":PRINT@L+80,"* * * *":PRINT@L+160,"* * * *":PRINT@L+240,"* *
* *":PRINT@L+320,"* * * *":PRINT@L+400,"* * * *":PRINT@L+480,"* * * *":RETURN
420 PRINT@L,"* * * *":PRINT@L+80,"* * * *":PRINT@L+160,"* * * *":PRINT@L+240,"* *
* *":PRINT@L+320,"* * * *":PRINT@L+400,"* * * *":PRINT@L+480,"* * * *":RETURN
430 FG=0:FX=0:V1=VAL(M$(R1)):V2=VAL(M$(R2))
440 IFM$(R1)="A"THENV1=1
450 IFM$(R2)="A"THENV2=1
460 IFV1=10THENV1=0
470 IFV2=10THENV2=0
480 V3=V1+V2
490 IFV3>0ANDV3<6THENFG=1
500 IFV3>5ANDV3<8THENFG=0
510 IFV3>7ANDV3<10THENFX=1:RETURN
520 FZ=0:VP=VAL(M$(R3)):VX=VP:V4=VAL(M$(R4)):V5=VAL(M$(R5))
530 IFM$(R3)="A"THENVP=1
540 IFM$(R4)="A"THENV4=1
550 IFM$(R5)="A"THENV5=1
560 IFVP=10THENVX=0
570 IFV4=10THENV4=0
580 IFV5=10THENV5=0
590 VT=V4+V5
600 IFVT=3THENIFVP>0ANDVP<11THENFZ=1
610 IFVT=4THENIFVP>1ANDVP<8THENFZ=1
620 IFVT=5THENIFVP>3ANDVP<8THENFZ=1
630 IFVT=6THENIFVP>5ANDVP<8THENFZ=1
640 IFVT=7THENFZ=0
650 IFVT<3THENFZ=1
660 IFFX=1THENFZ=0
670 RETURN
680 GW=0:V6=VAL(M$(R6)):IFM$(R6)="A"THENV6=1
690 IFV6=10THENV6=0
700 DP=V3+VX:DB=VT+V6
710 IFSE=1THENIFDP>DBTHENGW=M:WS="PLAYER":GOTO750ELSE740
720 IFSE=2THENIFDP>DBTHENGW=M*9:WS="PLAYER (TIE)":GOTO750ELSE740
730 IFSE=3THENIFDP>DBTHENGW=M*.95:WS="PLAYER":GOTO750
740 GW=0:WS="HOUSE"
750 IFGW=0THENDEL=MELSEDL=0
760 RETURN
770 CLS:PRINT@20,"R U L E S   F O R   B A C C A R A T":PRINT:PRINT
780 PRINT"THE OBJECT OF THE GAME IS TO WAGER ON THE HAND (BANK OR PLAYER) WHICH
THE":PRINT"PLAYER FEELS WILL BE CLOSEST TO 9. THE HIGHEST HAND IN BACCARAT IS 9
":PRINT"THE LOWEST IS 0. THE CLOSEST HAND TO 9 IS THE WINNER.":PRINT
790 PRINT"FACE CARDS, TENS, AND ANY COMBINATION OF CARDS TOTALING TEN, HAVE 'ZER
O'":PRINT"VALUE. THE ACE IS WORTH 1.":PRINT
800 PRINT"IN BACCARAT THERE ARE ONLY TWO NORMAL WAYS TO BET, THE PLAYER'S HAND O
R THE":PRINT"BANK'S HAND. EACH HAND IS DEALT TWO CARDS FROM THE DECKS WHICH ARE
":PRINT"PLACED IN A BOX CALLED THE 'SHOE'. THE PLAYER'S HAND IS ACTED UPON FIRS
T.":PRINT
810 PRINT"THEN THE BANK'S HAND. THE PLAYER'S HAND IS EVALUATED FIRST AND IF THE
RULES":PRINT"CALL FOR A THIRD CARD IT IS DEALT.":PRINT
820 PRINT"THERE ARE NO OPTIONAL CARDS IN BACCARAT. PLAYERS MAY BET ON A 'TIE' H
AND.":PRINT"TIE BETS ARE DECLARED AT THE START OF BETTING AND PAY 9 FOR 1.":PRIN
T
830 PRINT"THE HOUSE COLLECTS A 5% COMMISSION ON ALL WINNING BETS ON THE BANK HAN
D.":PRINT
840 PRINT:INPUT"WHEN READY TO PLAY, DEPRESS <ENTER>":QS:GOTO120

```

Program Listing 9. Draw Poker

```

10 REM 25-FEB-83 *BDL MODEL II*
20 REM PROGRAM DRWPOKER/BAS
30 CLS:CLER500
40 DIMM$(52),M(52):GAS=CHR$(128):GB$=CHR$(129):GC$=CHR$(130):GD$=CHR$(131):GE$=C
HRS(148):GF$=CHRS(150)
50 M$(1)="A":M$(14)="A":M$(27)="A":M$(40)="A":M$(11)="J":M$(24)="J":M$(37)="J":M
$(50)="J":M$(12)="Q":M$(25)="Q":M$(38)="Q":M$(51)="Q":M$(13)="K":M$(26)="K":M$(3
9)="K":M$(52)="K"
60 FORI=2TO10:MI=STR$(I):NEXT:FORI=15TO23:M$(I)=STR$(I-13):NEXT:FORI=28TO36:M
$(I)=STR$(I-26):NEXT:FORI=41TO49:M$(I)=STR$(I-39):NEXT
70 PRINT@20,"DRAW-POKER SIMULATION PROGRAM":PRINT:PRINT
80 PRINT"THIS PROGRAM IS PATTERNED AFTER THE ELECTRONIC GAMING MACHINES FOUND":P
RINT"AT THE CASINOS IN NEVADA.":PRINT
90 PRINT"NEED INSTRUCTIONS (Y/N)":PRINT
100 IS=INKEY$:IFIS=""THEN100ELSEIFIS="Y"THEN1230ELSEIFIS="N"THEN110ELSE100
110 HX=0:DX=0:CX=0:GX=0:CLS:PRINT@29,"D R A W   P O K E R"
120 PRINT@348,"- G O O D   L U C K -"
130 GOSUB1070:GOSUB1160:GOSUB1080:GOSUB1170:GOSUB1090:GOSUB1180:GOSUB1100:GOSUB1
190:GOSUB1110:GOSUB1200
140 PRINT@1665,"* * * * 2 5 * * *"
150 PRINT@1489,"I N S E R T   C O I N ( 1 - 5 )":PRINT
160 IS=INKEY$:IFIS=""THEN160ELSEIFIS="1"ANDIS<="5"THENM=VAL(IS):GOTO170ELSE160
170 PRINT@1440,"C O I N $":PRINT@1600,"I N   -M-$"
180 PRINT@1760,"TO DEAL, DEPRESS <ENTER>":INPUTQS:PRINT
190 PRINT@1760,STRINGS(32,24)
200 GOSUB210:GOSUB220:GOSUB230:GOSUB240:GOSUB250:GOTO260
210 PRINT@722,"":PRINT@803,"":PRINT@882,"":PRINT@963,"
":PRINT@1042,"":PRINT@1123,"":PRINT@1202,"":RETU
RN
220 PRINT@739,"":PRINT@820,"":PRINT@899,"":PRINT@980,"
":PRINT@1059,"":PRINT@1140,"":PRINT@1219,"":RETU
RN
230 PRINT@756,"":PRINT@837,"":PRINT@916,"":PRINT@997,"
":PRINT@1076,"":PRINT@1157,"":PRINT@1236,"":RETU
RN
240 PRINT@773,"":PRINT@854,"":PRINT@933,"":PRINT@1014,"
":PRINT@1093,"":PRINT@1174,"":PRINT@1253,"":RET
URN
250 PRINT@790,"":PRINT@871,"":PRINT@950,"":PRINT@1031,"
":PRINT@1110,"":PRINT@1191,"":PRINT@1270,"":RET
URN

```

Listing 9 continues

DISK DRIVES

RADIO SHACK HARD DRIVES

5 Meg. Primary for Model III

Includes Hard Disk Operating Systems
with Basic

\$2395

8.4 Meg. Primary for Models II, 12 & 16

Uses TRS-DOS Commands, Plus
Specially Designed Enhanced Features

\$3199

12 Meg. Primary for Models II, 12 & 16

NEW from Radio Shack

\$3495

COMPLETE MOD III DISK DRIVE

KIT ONLY \$399 — Reg. \$595.00

Kit comes complete with power supply, double density disk drive, mounting hardware and instructions. **HURRY! This is a limited offer.**

DISK DRIVES for the TRS-80 MODEL III


DRIVE 0

Single Side 40 Track	\$399
Double Side, 40 Track	\$474
Single Side, 80 Track	\$474
Double Side, 80 Track	\$549

DRIVE 1

Single Side, 40 Track	\$199
Double Side, 40 Track	\$269
Single Side, 80 Track	\$269
Double Side, 80 Track	\$319

Drive 0 includes the controller board, power supply, cables and all mounting hardware. Complete instructions are included for installation. It takes 30 minutes to an hour to install disk drives in a Model III. No soldering is required. TRSDOS operating system is not included in this low price.



5 1/4" Floppy Drives

TEAC: 50A is a full-size Disk Drive for use on the MOD I & color computer. It has a lead screw actuator. This means that the read-write head is positioned with much greater accuracy, but it takes longer. The 50A has a stepping rate of 30 milliseconds as opposed to 5 milliseconds for the other Drives. The TEAC SLIMLINE is exactly 1/2 the size of the other Drives.

TANDON: This is the most popular 5 1/2" drive. It has been used by Radio Shack, IBM, Osborne and many others. Tandon uses a split-band type actuator.

CDC: The CDC also uses a split-band type actuator. It is known to have excellent quality & has been used by IBM & many others.

TEAC

40 Track, (55A)

Single Sided
Slimline

\$199

40 Track, (55B)

Double Sided
Slimline

\$269

80 Track, (55F)

Double Sided
Slimline

\$319

180 DAY WARRANTY

TANDON

40 Track, (100-1)

Single Sided

\$189

40 Track, (100-2)

Double Sided

\$269

80 Track, (100-3)

Single Sided

\$269

80 Track, (100-4)

Double Sided

\$319

90 DAY WARRANTY

CONTROL DATA CORP. (CDC)

40 Track, (9408)

Single Sided

\$199

40 Track, (9409)

Double Sided

\$309

80 Track, (9409-T)

Double Sided

\$319

90 DAY WARRANTY

THE ABOVE PRICES ARE FOR BARE DISK DRIVES WITHOUT POWER SUPPLY & CABINET. FOR ONLY \$50.00, WE WILL ASSEMBLE & TEST DISK DRIVES WITH POWER SUPPLY & CABINET.

THESE ARE OUR CASH DISCOUNTED PRICES. C.O.D. AND CHARGE ORDERS ARE 3% HIGHER. ALL COMPUTERS ARE SHIPPED FREIGHT COLLECT. PRICES, SPECIFICATIONS, AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. IBM & IBM PERSONAL COMPUTERS ARE TRADEMARKS OF INTERNATIONAL BUSINESS MACHINES, INC. TRS-80 & RADIO SHACK ARE TRADEMARKS OF TANDY CORPORATION.



918/825-4844

AMERICAN

118 SO. MILL ST
PRYOR, OK 74761
(918) 825-4844

Small

Business

COMPUTERS

NEED INFO QUICK?

Then just call our automated TOLL FREE answering machines. Leave your name, address, and phone number. Requests will be mailed 1st Class the same day. Only requests for product information will be processed; all others will be disregarded by our answering service.

CALL 1-800-331-3896

217


In Oklahoma, Call:

1-918-825-4844

POWER LINE PROBLEMS?

SPIKE-SPIKER® ...THE SOLUTION

Protects, organizes, controls computers & sensitive electronic equipment. Helps prevent software "glitches", unexplained memory loss, and equipment damage. Filter models attenuate conducted RF interference. 120V, 15 Amps. Other models available. Ask for free literature.



DELUXE POWER CONSOLE \$79.95

Transient absorber, dual 5-stage filter. 8 individually switched sockets, fused, main switch, & lite.



QUAD-II \$59.95

Transient absorber. Dual 3 stage filter. 4 sockets, lite.



QUAD-I \$49.95

Transient absorber, 4 sockets.

MINI-II \$44.95

Transient absorber, 3 stage filter, 2 sockets.

MINI-I \$34.95

Transient absorber, 2 sockets.



6584 Ruch Rd., Dept. 80
Bethlehem, PA 18017



215-837-0700
Out of State Order Toll Free

800-523-9685

DEALER INQUIRIES INVITED * CODs add \$3.00 + Ship.

BUSINESS SOFTWARE

It's time to **SLASH OVER-PRICED** Business Software. We have developed a Sophisticated General Ledger Package with many of the same features found in software costing several hundred dollars. This friendly program was designed with Reliability, Efficiency, High Capacity and Ease of Use in Mind.

Features:

- Over 20 various Fin. Reports
- P&L Statement by Department
- Flexible Report Format
- Create up to 500 G/L Accts.
- Over 4000 Transactions/Month
- Fully Menu-Driven
- User-Oriented Documentation

For Model III 48K & 2 drives

General Ledger \$99.95

Also offering ... a **Comprehensive Loan Amortization Program.**

For Business or Home use.

Model 1 & III 48K 1 dr. \$24.95

R & S SOFTWARE

P.O. Box 81

Hammond, IN 46320

(312) 862-4531

Add \$3.00 for shipping/handling

Indiana Residents Add 5% 200

Listing 9 continued

```

260 R1=RND(52):L=722:TS=MS(R1):RX=R1:GOSUB1220:GOSUB1210
270 R2=RND(52):IFR2=R1THEN270ELSEL=739:TS=MS(R2):RX=R2:GOSUB1220:GOSUB1210
280 R3=RND(52):IFR3=R1ORR3=R2THEN280ELSEL=756:TS=MS(R3):RX=R3:GOSUB1220:GOSUB1210
290 R4=RND(52):IFR4=R1ORR4=R2ORR4=R3THEN290ELSEL=773:TS=MS(R4):RX=R4:GOSUB1220:GOSUB1210
300 R5=RND(52):IFR5=R1ORR5=R2ORR5=R3ORR5=R4THEN300ELSEL=790:TS=MS(R5):RX=R5:GOSUB1220:GOSUB1210
310 PRINT@1760,"TO HOLD CARDS, USE KEYS 1 - 5 : TO CANCEL USE <C> : TO DRAW USE <D>";
320 K1=0:K2=0:K3=0:K4=0:K5=0:QH$=""
330 IS=INKEY$:IFIS=""THEN330ELSEPRINTCHR$(2):IFIS="1"THENK1=1:PRINT@562,"H O L D"
"ELSEIFIS="2"THENK2=1:PRINT@579,"H O L D"ELSEIFIS="3"THENK3=1:PRINT@596,"H O L D"
"ELSEIFIS="4"THENK4=1:PRINT@613,"H O L D"ELSEIFIS="5"THENK5=1:PRINT@630,"H O L D"
340 IFIS="D"THENGOSUB350:GOTO360ELSEIFIS="C"THENGOSUB350:K1=0:K2=0:K3=0:K4=0:K5=0:GOTO330ELSE330
350 PRINT@562,"":PRINT@579,"":PRINT@596,"":PRINT@613,"":RETURN
360 IFK1=0THENGOSUB210:GOTO370ELSE380
370 RA=RND(52):IFRA=R1ORR1=R2ORR1=R3ORR1=R4ORR1=R5THEN370ELSEL=722:TS=MS(RA):RX=RA:GOSUB1220:GOSUB1210
380 IFK2=0THENGOSUB220:GOTO390ELSE400
390 RB=RND(52):IFRB=R1ORR1=R2ORR1=R3ORR1=R4ORR1=R5ORR1=R6ORR1=R7ORR1=R8ORR1=R9ORR1=R10ORR1=R11ORR1=R12ORR1=R13ORR1=R14ORR1=R15ORR1=R16ORR1=R17ORR1=R18ORR1=R19ORR1=R20ORR1=R21ORR1=R22ORR1=R23ORR1=R24ORR1=R25ORR1=R26ORR1=R27ORR1=R28ORR1=R29ORR1=R30ORR1=R31ORR1=R32ORR1=R33ORR1=R34ORR1=R35ORR1=R36ORR1=R37ORR1=R38ORR1=R39ORR1=R40ORR1=R41ORR1=R42ORR1=R43ORR1=R44ORR1=R45ORR1=R46ORR1=R47ORR1=R48ORR1=R49ORR1=R50ORR1=R51ORR1=R52ORR1=R53ORR1=R54ORR1=R55ORR1=R56ORR1=R57ORR1=R58ORR1=R59ORR1=R60ORR1=R61ORR1=R62ORR1=R63ORR1=R64ORR1=R65ORR1=R66ORR1=R67ORR1=R68ORR1=R69ORR1=R70ORR1=R71ORR1=R72ORR1=R73ORR1=R74ORR1=R75ORR1=R76ORR1=R77ORR1=R78ORR1=R79ORR1=R80ORR1=R81ORR1=R82ORR1=R83ORR1=R84ORR1=R85ORR1=R86ORR1=R87ORR1=R88ORR1=R89ORR1=R90ORR1=R91ORR1=R92ORR1=R93ORR1=R94ORR1=R95ORR1=R96ORR1=R97ORR1=R98ORR1=R99ORR1=R100ORR1=R101ORR1=R102ORR1=R103ORR1=R104ORR1=R105ORR1=R106ORR1=R107ORR1=R108ORR1=R109ORR1=R110ORR1=R111ORR1=R112ORR1=R113ORR1=R114ORR1=R115ORR1=R116ORR1=R117ORR1=R118ORR1=R119ORR1=R120ORR1=R121ORR1=R122ORR1=R123ORR1=R124ORR1=R125ORR1=R126ORR1=R127ORR1=R128ORR1=R129ORR1=R130ORR1=R131ORR1=R132ORR1=R133ORR1=R134ORR1=R135ORR1=R136ORR1=R137ORR1=R138ORR1=R139ORR1=R140ORR1=R141ORR1=R142ORR1=R143ORR1=R144ORR1=R145ORR1=R146ORR1=R147ORR1=R148ORR1=R149ORR1=R150ORR1=R151ORR1=R152ORR1=R153ORR1=R154ORR1=R155ORR1=R156ORR1=R157ORR1=R158ORR1=R159ORR1=R160ORR1=R161ORR1=R162ORR1=R163ORR1=R164ORR1=R165ORR1=R166ORR1=R167ORR1=R168ORR1=R169ORR1=R170ORR1=R171ORR1=R172ORR1=R173ORR1=R174ORR1=R175ORR1=R176ORR1=R177ORR1=R178ORR1=R179ORR1=R180ORR1=R181ORR1=R182ORR1=R183ORR1=R184ORR1=R185ORR1=R186ORR1=R187ORR1=R188ORR1=R189ORR1=R190ORR1=R191ORR1=R192ORR1=R193ORR1=R194ORR1=R195ORR1=R196ORR1=R197ORR1=R198ORR1=R199ORR1=R200ORR1=R201ORR1=R202ORR1=R203ORR1=R204ORR1=R205ORR1=R206ORR1=R207ORR1=R208ORR1=R209ORR1=R210ORR1=R211ORR1=R212ORR1=R213ORR1=R214ORR1=R215ORR1=R216ORR1=R217ORR1=R218ORR1=R219ORR1=R220ORR1=R221ORR1=R222ORR1=R223ORR1=R224ORR1=R225ORR1=R226ORR1=R227ORR1=R228ORR1=R229ORR1=R230ORR1=R231ORR1=R232ORR1=R233ORR1=R234ORR1=R235ORR1=R236ORR1=R237ORR1=R238ORR1=R239ORR1=R240ORR1=R241ORR1=R242ORR1=R243ORR1=R244ORR1=R245ORR1=R246ORR1=R247ORR1=R248ORR1=R249ORR1=R250ORR1=R251ORR1=R252ORR1=R253ORR1=R254ORR1=R255ORR1=R256ORR1=R257ORR1=R258ORR1=R259ORR1=R260ORR1=R261ORR1=R262ORR1=R263ORR1=R264ORR1=R265ORR1=R266ORR1=R267ORR1=R268ORR1=R269ORR1=R270ORR1=R271ORR1=R272ORR1=R273ORR1=R274ORR1=R275ORR1=R276ORR1=R277ORR1=R278ORR1=R279ORR1=R280ORR1=R281ORR1=R282ORR1=R283ORR1=R284ORR1=R285ORR1=R286ORR1=R287ORR1=R288ORR1=R289ORR1=R290ORR1=R291ORR1=R292ORR1=R293ORR1=R294ORR1=R295ORR1=R296ORR1=R297ORR1=R298ORR1=R299ORR1=R300ORR1=R301ORR1=R302ORR1=R303ORR1=R304ORR1=R305ORR1=R306ORR1=R307ORR1=R308ORR1=R309ORR1=R310ORR1=R311ORR1=R312ORR1=R313ORR1=R314ORR1=R315ORR1=R316ORR1=R317ORR1=R318ORR1=R319ORR1=R320ORR1=R321ORR1=R322ORR1=R323ORR1=R324ORR1=R325ORR1=R326ORR1=R327ORR1=R328ORR1=R329ORR1=R330ORR1=R331ORR1=R332ORR1=R333ORR1=R334ORR1=R335ORR1=R336ORR1=R337ORR1=R338ORR1=R339ORR1=R340ORR1=R341ORR1=R342ORR1=R343ORR1=R344ORR1=R345ORR1=R346ORR1=R347ORR1=R348ORR1=R349ORR1=R350ORR1=R351ORR1=R352ORR1=R353ORR1=R354ORR1=R355ORR1=R356ORR1=R357ORR1=R358ORR1=R359ORR1=R360ORR1=R361ORR1=R362ORR1=R363ORR1=R364ORR1=R365ORR1=R366ORR1=R367ORR1=R368ORR1=R369ORR1=R370ORR1=R371ORR1=R372ORR1=R373ORR1=R374ORR1=R375ORR1=R376ORR1=R377ORR1=R378ORR1=R379ORR1=R380ORR1=R381ORR1=R382ORR1=R383ORR1=R384ORR1=R385ORR1=R386ORR1=R387ORR1=R388ORR1=R389ORR1=R390ORR1=R391ORR1=R392ORR1=R393ORR1=R394ORR1=R395ORR1=R396ORR1=R397ORR1=R398ORR1=R399ORR1=R400ORR1=R401ORR1=R402ORR1=R403ORR1=R404ORR1=R405ORR1=R406ORR1=R407ORR1=R408ORR1=R409ORR1=R410ORR1=R411ORR1=R412ORR1=R413ORR1=R414ORR1=R415ORR1=R416ORR1=R417ORR1=R418ORR1=R419ORR1=R420ORR1=R421ORR1=R422ORR1=R423ORR1=R424ORR1=R425ORR1=R426ORR1=R427ORR1=R428ORR1=R429ORR1=R430ORR1=R431ORR1=R432ORR1=R433ORR1=R434ORR1=R435ORR1=R436ORR1=R437ORR1=R438ORR1=R439ORR1=R440ORR1=R441ORR1=R442ORR1=R443ORR1=R444ORR1=R445ORR1=R446ORR1=R447ORR1=R448ORR1=R449ORR1=R450ORR1=R451ORR1=R452ORR1=R453ORR1=R454ORR1=R455ORR1=R456ORR1=R457ORR1=R458ORR1=R459ORR1=R460ORR1=R461ORR1=R462ORR1=R463ORR1=R464ORR1=R465ORR1=R466ORR1=R467ORR1=R468ORR1=R469ORR1=R470ORR1=R471ORR1=R472ORR1=R473ORR1=R474ORR1=R475ORR1=R476ORR1=R477ORR1=R478ORR1=R479ORR1=R480ORR1=R481ORR1=R482ORR1=R483ORR1=R484ORR1=R485ORR1=R486ORR1=R487ORR1=R488ORR1=R489ORR1=R490ORR1=R491ORR1=R492ORR1=R493ORR1=R494ORR1=R495ORR1=R496ORR1=R497ORR1=R498ORR1=R499ORR1=R500ORR1=R501ORR1=R502ORR1=R503ORR1=R504ORR1=R505ORR1=R506ORR1=R507ORR1=R508ORR1=R509ORR1=R510ORR1=R511ORR1=R512ORR1=R513ORR1=R514ORR1=R515ORR1=R516ORR1=R517ORR1=R518ORR1=R519ORR1=R520ORR1=R521ORR1=R522ORR1=R523ORR1=R524ORR1=R525ORR1=R526ORR1=R527ORR1=R528ORR1=R529ORR1=R530ORR1=R531ORR1=R532ORR1=R533ORR1=R534ORR1=R535ORR1=R536ORR1=R537ORR1=R538ORR1=R539ORR1=R540ORR1=R541ORR1=R542ORR1=R543ORR1=R544ORR1=R545ORR1=R546ORR1=R547ORR1=R548ORR1=R549ORR1=R550ORR1=R551ORR1=R552ORR1=R553ORR1=R554ORR1=R555ORR1=R556ORR1=R557ORR1=R558ORR1=R559ORR1=R560ORR1=R561ORR1=R562ORR1=R563ORR1=R564ORR1=R565ORR1=R566ORR1=R567ORR1=R568ORR1=R569ORR1=R570ORR1=R571ORR1=R572ORR1=R573ORR1=R574ORR1=R575ORR1=R576ORR1=R577ORR1=R578ORR1=R579ORR1=R580ORR1=R581ORR1=R582ORR1=R583ORR1=R584ORR1=R585ORR1=R586ORR1=R587ORR1=R588ORR1=R589ORR1=R590ORR1=R591ORR1=R592ORR1=R593ORR1=R594ORR1=R595ORR1=R596ORR1=R597ORR1=R598ORR1=R599ORR1=R600ORR1=R601ORR1=R602ORR1=R603ORR1=R604ORR1=R605ORR1=R606ORR1=R607ORR1=R608ORR1=R609ORR1=R610ORR1=R611ORR1=R612ORR1=R613ORR1=R614ORR1=R615ORR1=R616ORR1=R617ORR1=R618ORR1=R619ORR1=R620ORR1=R621ORR1=R622ORR1=R623ORR1=R624ORR1=R625ORR1=R626ORR1=R627ORR1=R628ORR1=R629ORR1=R630ORR1=R631ORR1=R632ORR1=R633ORR1=R634ORR1=R635ORR1=R636ORR1=R637ORR1=R638ORR1=R639ORR1=R640ORR1=R641ORR1=R642ORR1=R643ORR1=R644ORR1=R645ORR1=R646ORR1=R647ORR1=R648ORR1=R649ORR1=R650ORR1=R651ORR1=R652ORR1=R653ORR1=R654ORR1=R655ORR1=R656ORR1=R657ORR1=R658ORR1=R659ORR1=R660ORR1=R661ORR1=R662ORR1=R663ORR1=R664ORR1=R665ORR1=R666ORR1=R667ORR1=R668ORR1=R669ORR1=R670ORR1=R671ORR1=R672ORR1=R673ORR1=R674ORR1=R675ORR1=R676ORR1=R677ORR1=R678ORR1=R679ORR1=R680ORR1=R681ORR1=R682ORR1=R683ORR1=R684ORR1=R685ORR1=R686ORR1=R687ORR1=R688ORR1=R689ORR1=R690ORR1=R691ORR1=R692ORR1=R693ORR1=R694ORR1=R695ORR1=R696ORR1=R697ORR1=R698ORR1=R699ORR1=R700ORR1=R701ORR1=R702ORR1=R703ORR1=R704ORR1=R705ORR1=R706ORR1=R707ORR1=R708ORR1=R709ORR1=R710ORR1=R711ORR1=R712ORR1=R713ORR1=R714ORR1=R715ORR1=R716ORR1=R717ORR1=R718ORR1=R719ORR1=R720ORR1=R721ORR1=R722ORR1=R723ORR1=R724ORR1=R725ORR1=R726ORR1=R727ORR1=R728ORR1=R729ORR1=R730ORR1=R731ORR1=R732ORR1=R733ORR1=R734ORR1=R735ORR1=R736ORR1=R737ORR1=R738ORR1=R739ORR1=R740ORR1=R741ORR1=R742ORR1=R743ORR1=R744ORR1=R745ORR1=R746ORR1=R747ORR1=R748ORR1=R749ORR1=R750ORR1=R751ORR1=R752ORR1=R753ORR1=R754ORR1=R755ORR1=R756ORR1=R757ORR1=R758ORR1=R759ORR1=R760ORR1=R761ORR1=R762ORR1=R763ORR1=R764ORR1=R765ORR1=R766ORR1=R767ORR1=R768ORR1=R769ORR1=R770ORR1=R771ORR1=R772ORR1=R773ORR1=R774ORR1=R775ORR1=R776ORR1=R777ORR1=R778ORR1=R779ORR1=R780ORR1=R781ORR1=R782ORR1=R783ORR1=R784ORR1=R785ORR1=R786ORR1=R787ORR1=R788ORR1=R789ORR1=R790ORR1=R791ORR1=R792ORR1=R793ORR1=R794ORR1=R795ORR1=R796ORR1=R797ORR1=R798ORR1=R799ORR1=R800ORR1=R801ORR1=R802ORR1=R803ORR1=R804ORR1=R805ORR1=R806ORR1=R807ORR1=R808ORR1=R809ORR1=R810ORR1=R811ORR1=R812ORR1=R813ORR1=R814ORR1=R815ORR1=R816ORR1=R817ORR1=R818ORR1=R819ORR1=R820ORR1=R821ORR1=R822ORR1=R823ORR1=R824ORR1=R825ORR1=R826ORR1=R827ORR1=R828ORR1=R829ORR1=R830ORR1=R831ORR1=R832ORR1=R833ORR1=R834ORR1=R835ORR1=R836ORR1=R837ORR1=R838ORR1=R839ORR1=R840ORR1=R841ORR1=R842ORR1=R843ORR1=R844ORR1=R845ORR1=R846ORR1=R847ORR1=R848ORR1=R849ORR1=R850ORR1=R851ORR1=R852ORR1=R853ORR1=R854ORR1=R855ORR1=R856ORR1=R857ORR1=R858ORR1=R859ORR1=R860ORR1=R861ORR1=R862ORR1=R863ORR1=R864ORR1=R865ORR1=R866ORR1=R867ORR1=R868ORR1=R869ORR1=R870ORR1=R871ORR1=R872ORR1=R873ORR1=R874ORR1=R875ORR1=R876ORR1=R877ORR1=R878ORR1=R879ORR1=R880ORR1=R881ORR1=R882ORR1=R883ORR1=R884ORR1=R885ORR1=R886ORR1=R887ORR1=R888ORR1=R889ORR1=R890ORR1=R891ORR1=R892ORR1=R893ORR1=R894ORR1=R895ORR1=R896ORR1=R897ORR1=R898ORR1=R899ORR1=R900ORR1=R901ORR1=R902ORR1=R903ORR1=R904ORR1=R905ORR1=R906ORR1=R907ORR1=R908ORR1=R909ORR1=R910ORR1=R911ORR1=R912ORR1=R913ORR1=R914ORR1=R915ORR1=R916ORR1=R917ORR1=R918ORR1=R919ORR1=R920ORR1=R921ORR1=R922ORR1=R923ORR1=R924ORR1=R925ORR1=R926ORR1=R927ORR1=R928ORR1=R929ORR1=R930ORR1=R931ORR1=R932ORR1=R933ORR1=R934ORR1=R935ORR1=R936ORR1=R937ORR1=R938ORR1=R939ORR1=R940ORR1=R941ORR1=R942ORR1=R943ORR1=R944ORR1=R945ORR1=R946ORR1=R947ORR1=R948ORR1=R949ORR1=R950ORR1=R951ORR1=R952ORR1=R953ORR1=R954ORR1=R955ORR1=R956ORR1=R957ORR1=R958ORR1=R959ORR1=R960ORR1=R961ORR1=R962ORR1=R963ORR1=R964ORR1=R965ORR1=R966ORR1=R967ORR1=R968ORR1=R969ORR1=R970ORR1=R971ORR1=R972ORR1=R973ORR1=R974ORR1=R975ORR1=R976ORR1=R977ORR1=R978ORR1=R979ORR1=R980ORR1=R981ORR1=R982ORR1=R983ORR1=R984ORR1=R985ORR1=R986ORR1=R987ORR1=R988ORR1=R989ORR1=R990ORR1=R991ORR1=R992ORR1=R993ORR1=R994ORR1=R995ORR1=R996ORR1=R997ORR1=R998ORR1=R999ORR1=R1000ORR1=R1001ORR1=R1002ORR1=R1003ORR1=R1004ORR1=R1005ORR1=R1006ORR1=R1007ORR1=R1008ORR1=R1009ORR1=R1010ORR1=R1011ORR1=R1012ORR1=R1013ORR1=R1014ORR1=R1015ORR1=R1016ORR1=R1017ORR1=R1018ORR1=R1019ORR1=R1020ORR1=R1021ORR1=R1022ORR1=R1023ORR1=R1024ORR1=R1025ORR1=R1026ORR1=R1027ORR1=R1028ORR1=R1029ORR1=R1030ORR1=R1031ORR1=R1032ORR1=R1033ORR1=R1034ORR1=R1035ORR1=R1036ORR1=R1037ORR1=R1038ORR1=R1039ORR1=R1040ORR1=R1041ORR1=R1042ORR1=R1043ORR1=R1044ORR1=R1045ORR1=R1046ORR1=R1047ORR1=R1048ORR1=R1049ORR1=R1050ORR1=R1051ORR1=R1052ORR1=R1053ORR1=R1054ORR1=R1055ORR1=R1056ORR1=R1057ORR1=R1058ORR1=R1059ORR1=R1060ORR1=R1061ORR1=R1062ORR1=R1063ORR1=R1064ORR1=R1065ORR1=R1066ORR1=R1067ORR1=R1068ORR1=R1069ORR1=R1070ORR1=R1071ORR1=R1072ORR1=R1073ORR1=R1074ORR1=R1075ORR1=R1076ORR1=R1077ORR1=R1078ORR1=R1079ORR1=R1080ORR1=R1081ORR1=R1082ORR1=R1083ORR1=R1084ORR1=R1085ORR1=R1086ORR1=R1087ORR1=R1088ORR1=R1089ORR1=R1090ORR1=R1091ORR1=R1092ORR1=R1093ORR1=R1094ORR1=R1095ORR1=R1096ORR1=R1097ORR1=R1098ORR1=R1099ORR1=R1100ORR1=R1101ORR1=R1102ORR1=R1103ORR1=R1104ORR1=R1105ORR1=R1106ORR1=R1107ORR1=R1108ORR1=R1109ORR1=R1110ORR1=R1111ORR1=R1112ORR1=R1113ORR1=R1114ORR1=R1115ORR1=R1116ORR1=R1117ORR1=R1118ORR1=R1119ORR1=R1120ORR1=R1121ORR1=R1122ORR1=R1123ORR1=R1124ORR1=R1125ORR1=R1126ORR1=R1127ORR1=R1128ORR1=R1129ORR1=R1130ORR1=R1131ORR1=R1132ORR1=R1133ORR1=R1134ORR1=R1135ORR1=R1136ORR1=R1137ORR1=R1138ORR1=R1139ORR1=R1140ORR1=R1141ORR1=R1142ORR1=R1143ORR1=R1144ORR1=R1145ORR1=R1146ORR1=R1147ORR1=R1148ORR1=R1149ORR1=R1150ORR1=R1151ORR1=R1152ORR1=R1153ORR1=R1154ORR1=R1155ORR1=R1156ORR1=R1157ORR1=R1158ORR1=R1159ORR1=R1160ORR1=R1161ORR1=R1162ORR1=R1163ORR1=R1164ORR1=R1165ORR1=R1166ORR1=R1167ORR1=R1168ORR1=R1169ORR1=R1170ORR1=R1171ORR1=R1172ORR1=R1173ORR1=R1174ORR1=R1175ORR1=R1176ORR1=R1177ORR1=R1178ORR1=R1179ORR1=R1180ORR1=R1181ORR1=R1182ORR1=R1183ORR1=R1184ORR1=R1185ORR1=R1186ORR1=R1187ORR1=R1188ORR1=R1189ORR1=R1190ORR1=R1191ORR1=R1192ORR1=R1193ORR1=R1194ORR1=R1195ORR1=R1196ORR1=R1197ORR1=R1198ORR1=R1199ORR1=R1200ORR1=R1201ORR1=R1202ORR1=R1203ORR1=R1204ORR1=R1205ORR1=R1206ORR1=R1207ORR1=R1208ORR1=R1209ORR1=R1210ORR1=R1211ORR1=R1212ORR1=R1213ORR1=R1214ORR1=R1215ORR1=R1216ORR1=R1217ORR1=R1218ORR1=R1219ORR1=R1220ORR1=R1221ORR1=R1222ORR1=R1223ORR1=R1224ORR1=R1225ORR1=R1226ORR1=R1227ORR1=R1228ORR1=R1229ORR1=R1230ORR1=R1231ORR1=R1232ORR1=R1233ORR1=R1234ORR1=R1235ORR1=R1236ORR1=R1237ORR1=R1238ORR1=R1239ORR1=R1240ORR1=R1241ORR1=R1242ORR1=R1243ORR1=R1244ORR1=R1245ORR1=R1246ORR1=R1247ORR1=R1248ORR1=R1249ORR1=R1250ORR1=R1251ORR1=R1252ORR1=R1253ORR1=R1254ORR1=R1255ORR1=R1256ORR1=R1257ORR1=R1258ORR1=R1259ORR1=R1260ORR1=R1261ORR1=R1262ORR1=R1263ORR1=R1264ORR1=R1265ORR1=R1266ORR1=R1267ORR1=R1268ORR1=R1269ORR1=R1270ORR1=R1271ORR1=R1272ORR1=R1273ORR1=R1274ORR1=R1275ORR1=R1276ORR1=R1277ORR1=R1278ORR1=R1279ORR1=R1280ORR1=R1281ORR1=R1282ORR1=R1283ORR1=R1284ORR1=R1285ORR1=R1286ORR1=R1287ORR1=R1288ORR1=R1289ORR1=R1290ORR1=R1291ORR1=R1292ORR1=R1293ORR1=R1294ORR1=R1295ORR1=R1296ORR1=R1297ORR1=R1298ORR1=R1299ORR1=R1300ORR1=R1301ORR1=R1302ORR1=R1303ORR1=R1304ORR1=R1305ORR1=R1306ORR1=R1307ORR1=R1308ORR1=R1309ORR1=R1310ORR1=R1311ORR1=R1312ORR1=R1313ORR1=R1314ORR1=R1315ORR1=R1316ORR1=R1317ORR1=R1318ORR1=R1319ORR1=R1320ORR1=R1321ORR1=R1322ORR1=R1323ORR1=R1324ORR1=R1325ORR1=R1326ORR1=R1327ORR1=R1328ORR1=R1329ORR1=R1330ORR1=R1331ORR
```




DAISY WHEEL

New Smith Corona TP-1

True letter quality printer for less than the cost of an office typewriter! Priced \$500 less than other popular daisy wheel printers!


SALE PRICE:

\$499.

LESS \$50 REBATE
June-July 1983

FEATURES:

- ★ Friction feed
- ★ 15 cps, 120 wpm
- ★ Changeable daisy wheels
- ★ Parallel or serial interface
- ★ Compatible with R/S, Apple, etc.



SUNLOCK SYSTEMS

4217 Carolina Ave. 456

Richmond, Va. 23222

ADDITIONAL PRINTER SPECIALS

Epson	Okidata	C. Itoh (par)	(ser)
MX80	\$369 82A	\$419 8510	\$399 \$579
FX80	559 83A	639 1550	699 749
MX100	649 92	499 F10-40	1299 1299
	93	849 F10-55	1595 1595

WE WILL MEET OR BEAT ANY ADVERTISED PRICE

TO ORDER CALL TOLL FREE 800-368-9191

In Virginia call 804-321-9191

We accept MasterCard, Visa and CODs

The Next Generation:

SUPERLOG

ADVANCED ELECTRONIC NOTEBOOK
BY KSoft

Over the past two years, LOG Electronic Notebook has quietly been creating a revolution in personal information management. Designed to emulate a familiar pencil and notebook, LOG Electronic Notebook can do for random information what a spreadsheet program does for numbers.

Now, even the best has been improved! KSoft is pleased to announce SUPERLOG, the next generation of the LOG family. SUPERLOG is not a patch! It is a totally rewritten version of the original LOG concept, fully compatible with the LDOS 5.1.3 operating system currently endorsed by Tandy.

SUPERLOG retains all of the versatile features of LOG while adding many new options requested by professional users: Floppy or Hard disk. Any number of LOG files per diskette. 1 to 32767 pages per file. Password protection and error checking. New text editing commands include automatic text Wrap-Around, Expand and Delete for entire lines, a Page Copy command, and an Undo key to reverse editing changes. Cursor motion is more flexible with new key commands plus a Forms simulator. The SEARCH function is greatly enhanced with a Wild-Card character, case-independent search, and multiple word search at 10 pages/second.

Also Note: SUPERLOG is now fully interrupt activated; it may be accessed from practically any foreground task including LDOS Utilities, LBASIC, LSCRIPT, EDAS, etc. with non-destructive return to the foreground program. No other information management program is this versatile!

Write or call Today! We'll be glad to tell you about SUPERLOG and what it can do for you!

SUPERLOG Specify Model I or III. \$119.95
LDOS 5.1.3, 48K, and 2 Drives required.

(Model IV version to be offered soon.)

LOG TRSDOS versions, Models I, III still available.

KSoft (601) 992-2239

318 Lakeside Drive Mastercard and Visa accepted.
Brandon, MS 39042 Add \$5.00 for shipping and handling.

(TRSDOS is a trademark of Tandy Corporation)
(LDOS is a trademark of Logical Systems Inc.)

✓331

TRS-80 COMPUTERS

ALL PURE RADIO SHACK EQUIPMENT

DISCOUNT

15%


AND UP

OFF SUGGESTED LIST

COMPUTERS

ALL TRS-80
MODELS


**CALL FOR
COMPETITIVE
PRICES**



PRINTERS

- RADIO SHACK
- EPSON
- OKIDATA
- C. ITON
- SMITH CORONA

**CALL FOR
COMPETITIVE
PRICES**



ACCESSORIES

WE CARRY A FULL LINE OF:

- SOFTWARE
- HARD DRIVES
- MODEMS
- PRINTER ACCESSORIES
- TELEPHONES AND ANSWERING MACHINES

GAMES

- BIG FIVE
- ADVENTURE
- SPECTRAL
- INSTANT SOFTWARE
- TOM MIX SOFTWARE

FREE PLEASE WRITE AND REQUEST...
• CUSTOMER DISCOUNT PRICE LIST
• MANUFACTURE WARRANTIES

© TRS-80 TANDY CORPORATION

PERRY COMPUTERS

Dept. No. A-1 137 NORTH MAIN ST PERRY, MI 48872

FOR ORDERS CALL 1-800-248-3823

FOR INFORMATION CALL (517) 625-4161 ✓124

ANNOUNCING: CLEANER 80

The System That Makes Your Cleaning Kit Worth 15 Times The Price You Paid For It.

Cleaner 80 is a software program designed to give you your money's worth — and more — when it comes to cleaning the disk drive head of your TRS-80 computer.

With this system, you can get up to 400 cleanings out of each disk drive head cleaning kit — instead of the 26 cleanings specified by the manufacturer. That's 15 times the number of cleanings you would normally be able to achieve.

Order yours today. Please specify whether you need the TRS-80 Model I or TRS-80 Model III version.

\$29⁹⁵ Cleaner 80

Disk Drive Head Cleaning System

To order write:

Cleaner 80,

Disk Drive Head Cleaning System

Macro-Systems Software

P.O. Box 1734

Wichita, Kansas 67201-1734

Copyright 1983, by J. Russell Jones.

E E Software by

PABSoft

Excellence in Technical Software

LINEAR CIRCUIT ANALYSIS

DC Analysis. \$17
AC Analysis. \$17
State Variable Analysis. \$17

All Three.....\$ 40

LINEAR CONTROL SYSTEMS

State Variable Analysis. \$40
Advanced S. V. Analysis. \$40
Transfer Function Analysis. \$40

All Three.....\$100

*Tape or Disk (Specify)
Tape Assumes Non-Dos Systems
*For Disk Specify Dos
*IBM PC, RS Model I or III (Specify)
Minimum 48K RAM
Write for Catalog

MATRIX SUBROUTINES

These 'callable from BASIC' subroutines provide an extension to the BASIC ROM. Included are MAT +, -, *, /, transpose inverse and disk & tape I/O. Min. 16K RAM. Available on disk or tape. Specify DOS for disk version.

\$24.95

*Model I or III - On all orders describe your system; Model, Dos, RAM, etc.
IBM PC (Dos 1.1)

PAB Software, Inc.

P.O. Box 15397

Fort Wayne, Indiana 46885

✓321

PABSoft is not in any way connected with any of the above computer manufacturers.

Listing 9 continued

```
1040 PRINT@320,SPACES(80):PRINT@320,"GAME WINNING":"USING"###.##;GW
/4:PRINT@362,"TOTAL WINNINGS":"USING"###.##;TW
1050 PRINT@480,"TO PLAY AGAIN DEPRESS <ENTER>, TO END GAME DEPRESS <E>";
1060 IS=INKEY$:IFI$=""THEN1060ELSEIFI$=CHR$(13)THENERASEM:DIMM(52):GOTO110ELSEIF
IS="E"THENCLS:PRINT@975,"THANK YOU---COME AGAIN!!!":PRIN
T:PRINT:PRINT:ENDELS@1060
1070 GA=640:GB=651:GC=1280:GD=1291:GOSUB1120:RETURN
1080 GA=657:GB=668:GC=1297:GD=1308:GOSUB1120:RETURN
1090 GA=674:GB=685:GC=1314:GD=1325:GOSUB1120:RETURN
1100 GA=691:GB=702:GC=1331:GD=1342:GOSUB1120:RETURN
1110 GA=708:GB=719:GC=1348:GD=1359:GOSUB1120:RETURN
1120 PRINT@GA,GA$;FORI=1TO8:PRINT@GA+I*80,GES:NEXT:PRINT@GC,GDS
1130 PRINT@GB,GB$;FORI=1TO8:PRINT@GB+I*80,GES:NEXT:PRINT@GD,GCS
1140 FORI=1TO10:PRINT@GA+I*I,GF$:NEXT
1150 FORI=1TO10:PRINT@GC+I*I,GF$:NEXT:RETURN
1160 PRINT@722,"*****";PRINT@803,"*****";PRINT@882,"*****";PRINT@963,"*
* * * * *";PRINT@1042,"* * * * *";PRINT@1123,"* * * * *";PRINT@1202,"* * * * *";RETURN
1170 PRINT@739,"* * * * *";PRINT@820,"* * * * *";PRINT@899,"* * * * *";PRINT@980,"*
* * * * *";PRINT@1059,"* * * * *";PRINT@1140,"* * * * *";PRINT@1219,"* * * * *";RETURN
1180 PRINT@756,"* * * * *";PRINT@837,"* * * * *";PRINT@916,"* * * * *";PRINT@997,"*
* * * * *";PRINT@1076,"* * * * *";PRINT@1157,"* * * * *";PRINT@1236,"* * * * *";RETURN
1190 PRINT@773,"* * * * *";PRINT@854,"* * * * *";PRINT@933,"* * * * *";PRINT@1014,"
* * * * *";PRINT@1093,"* * * * *";PRINT@1174,"* * * * *";PRINT@1253,"* * * * *";RETUR
N
1200 PRINT@790,"* * * * *";PRINT@871,"* * * * *";PRINT@950,"* * * * *";PRINT@1031,"
* * * * *";PRINT@1110,"* * * * *";PRINT@1191,"* * * * *";PRINT@1270,"* * * * *";RETUR
N
1210 PRINT@L,TS:PRINT@L+160,BS:RETURN
1220 IFKX#ANDRX<14THENBS="HEARTS":RETURNELSEIFRX>13ANDRX<27THENBS="DIAMONDS":RE
TURNELSEIFRX>26ANDRX<40THENBS="CLUBS":RETURNELSEBS="SPADES":RETURN
1230 CLS:PRINT@24,"RULES FOR DRAW POKER":PRINT:PRINT
1240 PRINT"1. THIS MACHINE ACCEPTS ONLY QUARTERS. DEPOSIT FROM 1 TO 5.":PRINT
1250 PRINT"2. THE HOUSE WILL DEAL YOU 5 CARDS, FACE UP. IF YOU WISH TO KEEP AN
D":PRINT"PLAY ANY OF THE 5 CARDS, 'HOLD' EACH BY DEPRESSING THE NUMBER KEYS
1 TO 5.":PRINT"ANY CARD NOT SO PROTECTED WILL BE REPLACED AS YOU -DRAW-."
1260 PRINT"TO RESELECT THE 'HOLD' CARDS YOU MAY -CANCEL- AND START OVER.":PR
INT
1270 PRINT"3. THE PROGRAM WILL EVALUATE THE FINAL HAND ACCORDING TO STANDARD RU
LES.":PRINT
1280 PRINT"COINS-";TAB(30)"1";TAB(35)"2";TAB(40)"3";TAB(45)"4";TAB(51)"5"
1290 PRINT"ROYAL FLUSH";TAB(29)"250";TAB(34)"500";TAB(39)"750";TAB(44)"1000"
;TAB(50)"1250"
1300 PRINT"STRAIGHT FLUSH";TAB(30)"50";TAB(34)"100";TAB(39)"150";TAB(45)"200"
;TAB(51)"250"
1310 PRINT"4 OF A KIND";TAB(30)"25";TAB(35)"50";TAB(40)"75";TAB(45)"100";TAB
(51)"125"
1320 PRINT"FULL HOUSE";TAB(31)"8";TAB(35)"16";TAB(40)"24";TAB(46)"32";TAB(52
)"40"
1330 PRINT"FLUSH";TAB(31)"5";TAB(35)"10";TAB(40)"15";TAB(46)"20";TAB(52)"25"
1340 PRINT"STRAIGHT";TAB(31)"4";TAB(36)"8";TAB(40)"12";TAB(46)"16";TAB(52)"2"
0"
1350 PRINT"3 OF A KIND";TAB(31)"3";TAB(36)"6";TAB(41)"9";TAB(46)"12";TAB(52)
"15"
1360 PRINT"2 PAIR";TAB(31)"2";TAB(36)"4";TAB(41)"6";TAB(47)"8";TAB(52)"10"
1370 PRINT:INPUT"WHEN READY TO CONTINUE, DEPRESS <ENTER>";QS
1380 CLS:FORI=1TO7:PRINT:NEXT
1390 PRINT:PRINT"4. A PAIR OF JACKS OR HIGHER RETURNS THE BET.":PRINT
1400 PRINT"5. FOR A HAND WITH NO POINT VALUE, 'SORRY....YOU LOST' WILL BE DISPL
AYED.":PRINT
1410 PRINT"6. THE DECK CONSISTS OF 52 CARDS (NO JOKER).":PRINT
1420 PRINT"7. CHOOSE YOUR CARDS CAREFULLY, AND ENJOY THE GAME!":PRINT
1430 FORI=1TO6:PRINT:NEXT
1440 PRINT:INPUT"WHEN READY TO PLAY, DEPRESS <ENTER>";QS:GOTO110
```

Program Listing 10. Four-Card Monte

```
10 REM 01-MAR-83 *BDL MODEL II*
20 REM PROGRAM MONTE/BAS
30 CLS:PRINT@18,"FOUR-CARD-MONTE SIMULATION PROGRAM":PRINT:PRINT
40 CLEAR200:V$=CHR$(148):D$=CHR$(124):C$=CHR$(128):C$=CHR$(129):C$=CHR$(130):
C$=CHR$(131):CV$=CHR$(132):W$=CHR$(133):H$=CHR$(134):R$=CHR$(135):R$=CHR$(136):R$=CHR$(137):R$=CHR$(138):R$=CHR$(139):R$=CHR$(140):R$=CHR$(141):R$=CHR$(142):R$=CHR$(143):R$=CHR$(144):R$=CHR$(145):R$=CHR$(146):R$=CHR$(147):R$=CHR$(148):R$=CHR$(149):R$=CHR$(150):R$=CHR$(151):R$=CHR$(152):R$=CHR$(153):R$=CHR$(154):R$=CHR$(155):R$=CHR$(156):R$=CHR$(157):R$=CHR$(158):R$=CHR$(159):R$=CHR$(160):R$=CHR$(161):R$=CHR$(162):R$=CHR$(163):R$=CHR$(164):R$=CHR$(165):R$=CHR$(166):R$=CHR$(167):R$=CHR$(168):R$=CHR$(169):R$=CHR$(170):R$=CHR$(171):R$=CHR$(172):R$=CHR$(173):R$=CHR$(174):R$=CHR$(175):R$=CHR$(176):R$=CHR$(177):R$=CHR$(178):R$=CHR$(179):R$=CHR$(180):R$=CHR$(181):R$=CHR$(182):R$=CHR$(183):R$=CHR$(184):R$=CHR$(185):R$=CHR$(186):R$=CHR$(187):R$=CHR$(188):R$=CHR$(189):R$=CHR$(190):R$=CHR$(191):R$=CHR$(192):R$=CHR$(193):R$=CHR$(194):R$=CHR$(195):R$=CHR$(196):R$=CHR$(197):R$=CHR$(198):R$=CHR$(199):R$=CHR$(200):R$=CHR$(201):R$=CHR$(202):R$=CHR$(203):R$=CHR$(204):R$=CHR$(205):R$=CHR$(206):R$=CHR$(207):R$=CHR$(208):R$=CHR$(209):R$=CHR$(210):R$=CHR$(211):R$=CHR$(212):R$=CHR$(213):R$=CHR$(214):R$=CHR$(215):R$=CHR$(216):R$=CHR$(217):R$=CHR$(218):R$=CHR$(219):R$=CHR$(220):R$=CHR$(221):R$=CHR$(222):R$=CHR$(223):R$=CHR$(224):R$=CHR$(225):R$=CHR$(226):R$=CHR$(227):R$=CHR$(228):R$=CHR$(229):R$=CHR$(230):R$=CHR$(231):R$=CHR$(232):R$=CHR$(233):R$=CHR$(234):R$=CHR$(235):R$=CHR$(236):R$=CHR$(237):R$=CHR$(238):R$=CHR$(239):R$=CHR$(240):R$=CHR$(241):R$=CHR$(242):R$=CHR$(243):R$=CHR$(244):R$=CHR$(245):R$=CHR$(246):R$=CHR$(247):R$=CHR$(248):R$=CHR$(249):R$=CHR$(250):R$=CHR$(251):R$=CHR$(252):R$=CHR$(253):R$=CHR$(254):R$=CHR$(255):R$=CHR$(256):R$=CHR$(257):R$=CHR$(258):R$=CHR$(259):R$=CHR$(260):R$=CHR$(261):R$=CHR$(262):R$=CHR$(263):R$=CHR$(264):R$=CHR$(265):R$=CHR$(266):R$=CHR$(267):R$=CHR$(268):R$=CHR$(269):R$=CHR$(270):R$=CHR$(271):R$=CHR$(272):R$=CHR$(273):R$=CHR$(274):R$=CHR$(275):R$=CHR$(276):R$=CHR$(277):R$=CHR$(278):R$=CHR$(279):R$=CHR$(280):R$=CHR$(281):R$=CHR$(282):R$=CHR$(283):R$=CHR$(284):R$=CHR$(285):R$=CHR$(286):R$=CHR$(287):R$=CHR$(288):R$=CHR$(289):R$=CHR$(290):R$=CHR$(291):R$=CHR$(292):R$=CHR$(293):R$=CHR$(294):R$=CHR$(295):R$=CHR$(296):R$=CHR$(297):R$=CHR$(298):R$=CHR$(299):R$=CHR$(300):R$=CHR$(301):R$=CHR$(302):R$=CHR$(303):R$=CHR$(304):R$=CHR$(305):R$=CHR$(306):R$=CHR$(307):R$=CHR$(308):R$=CHR$(309):R$=CHR$(310):R$=CHR$(311):R$=CHR$(312):R$=CHR$(313):R$=CHR$(314):R$=CHR$(315):R$=CHR$(316):R$=CHR$(317):R$=CHR$(318):R$=CHR$(319):R$=CHR$(320):R$=CHR$(321):R$=CHR$(322):R$=CHR$(323):R$=CHR$(324):R$=CHR$(325):R$=CHR$(326):R$=CHR$(327):R$=CHR$(328):R$=CHR$(329):R$=CHR$(330):R$=CHR$(331):R$=CHR$(332):R$=CHR$(333):R$=CHR$(334):R$=CHR$(335):R$=CHR$(336):R$=CHR$(337):R$=CHR$(338):R$=CHR$(339):R$=CHR$(340):R$=CHR$(341):R$=CHR$(342):R$=CHR$(343):R$=CHR$(344):R$=CHR$(345):R$=CHR$(346):R$=CHR$(347):R$=CHR$(348):R$=CHR$(349):R$=CHR$(350):R$=CHR$(351):R$=CHR$(352):R$=CHR$(353):R$=CHR$(354):R$=CHR$(355):R$=CHR$(356):R$=CHR$(357):R$=CHR$(358):R$=CHR$(359):R$=CHR$(360):R$=CHR$(361):R$=CHR$(362):R$=CHR$(363):R$=CHR$(364):R$=CHR$(365):R$=CHR$(366):R$=CHR$(367):R$=CHR$(368):R$=CHR$(369):R$=CHR$(370):R$=CHR$(371):R$=CHR$(372):R$=CHR$(373):R$=CHR$(374):R$=CHR$(375):R$=CHR$(376):R$=CHR$(377):R$=CHR$(378):R$=CHR$(379):R$=CHR$(380):R$=CHR$(381):R$=CHR$(382):R$=CHR$(383):R$=CHR$(384):R$=CHR$(385):R$=CHR$(386):R$=CHR$(387):R$=CHR$(388):R$=CHR$(389):R$=CHR$(390):R$=CHR$(391):R$=CHR$(392):R$=CHR$(393):R$=CHR$(394):R$=CHR$(395):R$=CHR$(396):R$=CHR$(397):R$=CHR$(398):R$=CHR$(399):R$=CHR$(400):R$=CHR$(401):R$=CHR$(402):R$=CHR$(403):R$=CHR$(404):R$=CHR$(405):R$=CHR$(406):R$=CHR$(407):R$=CHR$(408):R$=CHR$(409):R$=CHR$(410):R$=CHR$(411):R$=CHR$(412):R$=CHR$(413):R$=CHR$(414):R$=CHR$(415):R$=CHR$(416):R$=CHR$(417):R$=CHR$(418):R$=CHR$(419):R$=CHR$(420):R$=CHR$(421):R$=CHR$(422):R$=CHR$(423):R$=CHR$(424):R$=CHR$(425):R$=CHR$(426):R$=CHR$(427):R$=CHR$(428):R$=CHR$(429):R$=CHR$(430):R$=CHR$(431):R$=CHR$(432):R$=CHR$(433):R$=CHR$(434):R$=CHR$(435):R$=CHR$(436):R$=CHR$(437):R$=CHR$(438):R$=CHR$(439):R$=CHR$(440):R$=CHR$(441):R$=CHR$(442):R$=CHR$(443):R$=CHR$(444):R$=CHR$(445):R$=CHR$(446):R$=CHR$(447):R$=CHR$(448):R$=CHR$(449):R$=CHR$(450):R$=CHR$(451):R$=CHR$(452):R$=CHR$(453):R$=CHR$(454):R$=CHR$(455):R$=CHR$(456):R$=CHR$(457):R$=CHR$(458):R$=CHR$(459):R$=CHR$(460):R$=CHR$(461):R$=CHR$(462):R$=CHR$(463):R$=CHR$(464):R$=CHR$(465):R$=CHR$(466):R$=CHR$(467):R$=CHR$(468):R$=CHR$(469):R$=CHR$(470):R$=CHR$(471):R$=CHR$(472):R$=CHR$(473):R$=CHR$(474):R$=CHR$(475):R$=CHR$(476):R$=CHR$(477):R$=CHR$(478):R$=CHR$(479):R$=CHR$(480):R$=CHR$(481):R$=CHR$(482):R$=CHR$(483):R$=CHR$(484):R$=CHR$(485):R$=CHR$(486):R$=CHR$(487):R$=CHR$(488):R$=CHR$(489):R$=CHR$(490):R$=CHR$(491):R$=CHR$(492):R$=CHR$(493):R$=CHR$(494):R$=CHR$(495):R$=CHR$(496):R$=CHR$(497):R$=CHR$(498):R$=CHR$(499):R$=CHR$(500):R$=CHR$(501):R$=CHR$(502):R$=CHR$(503):R$=CHR$(504):R$=CHR$(505):R$=CHR$(506):R$=CHR$(507):R$=CHR$(508):R$=CHR$(509):R$=CHR$(510):R$=CHR$(511):R$=CHR$(512):R$=CHR$(513):R$=CHR$(514):R$=CHR$(515):R$=CHR$(516):R$=CHR$(517):R$=CHR$(518):R$=CHR$(519):R$=CHR$(520):R$=CHR$(521):R$=CHR$(522):R$=CHR$(523):R$=CHR$(524):R$=CHR$(525):R$=CHR$(526):R$=CHR$(527):R$=CHR$(528):R$=CHR$(529):R$=CHR$(530):R$=CHR$(531):R$=CHR$(532):R$=CHR$(533):R$=CHR$(534):R$=CHR$(535):R$=CHR$(536):R$=CHR$(537):R$=CHR$(538):R$=CHR$(539):R$=CHR$(540):R$=CHR$(541):R$=CHR$(542):R$=CHR$(543):R$=CHR$(544):R$=CHR$(545):R$=CHR$(546):R$=CHR$(547):R$=CHR$(548):R$=CHR$(549):R$=CHR$(550):R$=CHR$(551):R$=CHR$(552):R$=CHR$(553):R$=CHR$(554):R$=CHR$(555):R$=CHR$(556):R$=CHR$(557):R$=CHR$(558):R$=CHR$(559):R$=CHR$(560):R$=CHR$(561):R$=CHR$(562):R$=CHR$(563):R$=CHR$(564):R$=CHR$(565):R$=CHR$(566):R$=CHR$(567):R$=CHR$(568):R$=CHR$(569):R$=CHR$(570):R$=CHR$(571):R$=CHR$(572):R$=CHR$(573):R$=CHR$(574):R$=CHR$(575):R$=CHR$(576):R$=CHR$(577):R$=CHR$(578):R$=CHR$(579):R$=CHR$(580):R$=CHR$(581):R$=CHR$(582):R$=CHR$(583):R$=CHR$(584):R$=CHR$(585):R$=CHR$(586):R$=CHR$(587):R$=CHR$(588):R$=CHR$(589):R$=CHR$(590):R$=CHR$(591):R$=CHR$(592):R$=CHR$(593):R$=CHR$(594):R$=CHR$(595):R$=CHR$(596):R$=CHR$(597):R$=CHR$(598):R$=CHR$(599):R$=CHR$(600):R$=CHR$(601):R$=CHR$(602):R$=CHR$(603):R$=CHR$(604):R$=CHR$(605):R$=CHR$(606):R$=CHR$(607):R$=CHR$(608):R$=CHR$(609):R$=CHR$(610):R$=CHR$(611):R$=CHR$(612):R$=CHR$(613):R$=CHR$(614):R$=CHR$(615):R$=CHR$(616):R$=CHR$(617):R$=CHR$(618):R$=CHR$(619):R$=CHR$(620):R$=CHR$(621):R$=CHR$(622):R$=CHR$(623):R$=CHR$(624):R$=CHR$(625):R$=CHR$(626):R$=CHR$(627):R$=CHR$(628):R$=CHR$(629):R$=CHR$(630):R$=CHR$(631):R$=CHR$(632):R$=CHR$(633):R$=CHR$(634):R$=CHR$(635):R$=CHR$(636):R$=CHR$(637):R$=CHR$(638):R$=CHR$(639):R$=CHR$(640):R$=CHR$(641):R$=CHR$(642):R$=CHR$(643):R$=CHR$(644):R$=CHR$(645):R$=CHR$(646):R$=CHR$(647):R$=CHR$(648):R$=CHR$(649):R$=CHR$(650):R$=CHR$(651):R$=CHR$(652):R$=CHR$(653):R$=CHR$(654):R$=CHR$(655):R$=CHR$(656):R$=CHR$(657):R$=CHR$(658):R$=CHR$(659):R$=CHR$(660):R$=CHR$(661):R$=CHR$(662):R$=CHR$(663):R$=CHR$(664):R$=CHR$(665):R$=CHR$(666):R$=CHR$(667):R$=CHR$(668):R$=CHR$(669):R$=CHR$(670):R$=CHR$(671):R$=CHR$(672):R$=CHR$(673):R$=CHR$(674):R$=CHR$(675):R$=CHR$(676):R$=CHR$(677):R$=CHR$(678):R$=CHR$(679):R$=CHR$(680):R$=CHR$(681):R$=CHR$(682):R$=CHR$(683):R$=CHR$(684):R$=CHR$(685):R$=CHR$(686):R$=CHR$(687):R$=CHR$(688):R$=CHR$(689):R$=CHR$(690):R$=CHR$(691):R$=CHR$(692):R$=CHR$(693):R$=CHR$(694):R$=CHR$(695):R$=CHR$(696):R$=CHR$(697):R$=CHR$(698):R$=CHR$(699):R$=CHR$(700):R$=CHR$(701):R$=CHR$(702):R$=CHR$(703):R$=CHR$(704):R$=CHR$(705):R$=CHR$(706):R$=CHR$(707):R$=CHR$(708):R$=CHR$(709):R$=CHR$(710):R$=CHR$(711):R$=CHR$(712):R$=CHR$(713):R$=CHR$(714):R$=CHR$(715):R$=CHR$(716):R$=CHR$(717):R$=CHR$(718):R$=CHR$(719):R$=CHR$(720):R$=CHR$(721):R$=CHR$(722):R$=CHR$(723):R$=CHR$(724):R$=CHR$(725):R$=CHR$(726):R$=CHR$(727):R$=CHR$(728):R$=CHR$(729):R$=CHR$(730):R$=CHR$(731):R$=CHR$(732):R$=CHR$(733):R$=CHR$(734):R$=CHR$(735):R$=CHR$(736):R$=CHR$(737):R$=CHR$(738):R$=CHR$(739):R$=CHR$(740):R$=CHR$(741):R$=CHR$(742):R$=CHR$(743):R$=CHR$(744):R$=CHR$(745):R$=CHR$(746):R$=CHR$(747):R$=CHR$(748):R$=CHR$(749):R$=CHR$(750):R$=CHR$(751):R$=CHR$(752):R$=CHR$(753):R$=CHR$(754):R$=CHR$(755):R$=CHR$(756):R$=CHR$(757):R$=CHR$(758):R$=CHR$(759):R$=CHR$(760):R$=CHR$(761):R$=CHR$(762):R$=CHR$(763):R$=CHR$(764):R$=CHR$(765):R$=CHR$(766):R$=CHR$(767):R$=CHR$(768):R$=CHR$(769):R$=CHR$(770):R$=CHR$(771):R$=CHR$(772):R$=CHR$(773):R$=CHR$(774):R$=CHR$(775):R$=CHR$(776):R$=CHR$(777):R$=CHR$(778):R$=CHR$(779):R$=CHR$(780):R$=CHR$(781):R$=CHR$(782):R$=CHR$(783):R$=CHR$(784):R$=CHR$(785):R$=CHR$(786):R$=CHR$(787):R$=CHR$(788):R$=CHR$(789):R$=CHR$(790):R$=CHR$(791):R$=CHR$(792):R$=CHR$(793):R$=CHR$(794):R$=CHR$(795):R$=CHR$(796):R$=CHR$(797):R$=CHR$(798):R$=CHR$(799):R$=CHR$(800):R$=CHR$(801):R$=CHR$(802):R$=CHR$(803):R$=CHR$(804):R$=CHR$(805):R$=CHR$(806):R$=CHR$(807):R$=CHR$(808):R$=CHR$(809):R$=CHR$(810):R$=CHR$(811):R$=CHR$(812):R$=CHR$(813):R$=CHR$(814):R$=CHR$(815):R$=CHR$(816):R$=CHR$(817):R$=CHR$(818):R$=CHR$(819):R$=CHR$(820):R$=CHR$(821):R$=CHR$(822):R$=CHR$(823):R$=CHR$(824):R$=CHR$(825):R$=CHR$(826):R$=CHR$(827):R$=CHR$(828):R$=CHR$(829):R$=CHR$(830):R$=CHR$(831):R$=CHR$(832):R$=CHR$(833):R$=CHR$(834):R$=CHR$(835):R$=CHR$(836):R$=CHR$(837):R$=CHR$(838):R$=CHR$(839):R$=CHR$(840):R$=CHR$(841):R$=CHR$(842):R$=CHR$(843):R$=CHR$(844):R$=CHR$(845):R$=CHR$(846):R$=CHR$(847):R$=CHR$(848):R$=CHR$(849):R$=CHR$(850):R$=CHR$(851):R$=CHR$(852):R$=CHR$(853):R$=CHR$(854):R$=CHR$(855):R$=CHR$(856):R$=CHR$(857):R$=CHR$(858):R$=CHR$(859):R$=CHR$(860):R$=CHR$(861):R$=CHR$(862):R$=CHR$(863):R$=CHR$(864):R$=CHR$(865):R$=CHR$(866):R$=CHR$(867):R$=CHR$(868):R$=CHR$(869):R$=CHR$(870):R$=CHR$(871):R$=CHR$(872):R$=CHR$(873):R$=CHR$(874):R$=CHR$(875):R$=CHR$(876):R$=CHR$(877):R$=CHR$(878):R$=CHR$(879):R$=CHR$(880):R$=CHR$(881):R$=CHR$(882):R$=CHR$(883):R$=CHR$(884):R$=CHR$(885):R$=CHR$(886):R$=CHR$(887):R$=CHR$(888):R$=CHR$(889):R$=CHR$(890):R$=CHR$(891):R$=CHR$(892):R$=CHR$(893):R$=CHR$(894):R$=CHR$(895):R$=CHR$(896):R$=CHR$(897):R$=CHR$(898):R$=CHR$(899):R$=CHR$(900):R$=CHR$(901):R$=CHR$(902):R$=CHR$(903):R$=CHR$(904):R$=CHR$(905):R$=CHR$(906):R$=CHR$(907):R$=CHR$(908):R$=CHR$(909):R$=CHR$(910):R$=CHR$(911):R$=CHR$(912):R$=CHR$(913):R$=CHR$(914):R$=CHR$(915):R$=CHR$(916):R$=CHR$(917):R$=CHR$(918):R$=CHR$(919):R$=CHR$(920):R$=CHR$(921):R$=CHR$(922):R$=CHR$(923):R$=CHR$(924):R$=CHR$(925):R$=CHR$(926):R$=CHR$(927):R$=CHR$(928):R$=CHR$(929):R$=CHR$(930):R$=CHR$(931):R$=CHR$(932):R$=CHR$(933):R$=CHR$(934):R$=CHR$(935):R$=CHR$(936):R$=CHR$(937):R$=CHR$(938):R$=CHR$(939):R$=CHR$(940):R$=CHR$(941):R$=CHR$(942):R$=CHR$(943):R$=CHR$(944):R$=CHR$(945):R$=CHR$(946):R$=CHR$(947):R$=CHR$(948):R$=CHR$(949):R$=CHR$(950):R$=CHR$(951):R$=CHR$(952):R$=CHR$(953):R$=CHR$(954):R$=CHR$(955):R$=CHR$(956):R$=CHR$(957):R$=CHR$(958):R$=CHR$(959):R$=CHR$(960):R$=CHR$(961):R$=CHR$(962):R$=CHR$(963):R$=CHR$(964):R$=CHR$(965):R$=CHR$(966):R$=CHR$(967):R$=CHR$(968):R$=CHR$(969):R$=CHR$(970):R$=CHR$(971):R$=CHR$(972):R$=CHR$(973):R$=CHR$(974):R$=CHR$(975):R$=CHR$(976):R$=CHR$(977):R$=CHR$(978):R$=CHR$(979):R$=CHR$(980):R$=CHR$(981):R$=CHR$(982):R$=CHR$(983):R$=CHR$(984):R$=CHR$(985):R$=CHR$(986):R$=CHR$(987):R$=CHR$(988):R$=CHR$(989):R$=CHR$(990):R$=CHR$(991):R$=CHR$(992):R$=CHR$(993):R$=CHR$(994):R$=CHR$(995):R$=CHR$(996):R$=CHR$(997):R$=CHR$(998):R$=CHR$(999):R$=CHR$(1000):R$=CHR$(1001):R$=CHR$(1002):R$=CHR$(1003):R$=CHR$(1004):R$=CHR$(1005):R$=CHR$(1006):R$=CHR$(1007):R$=CHR$(1008):R$=CHR$(1009):R$=CHR$(1010):R$=CHR$(1011):R$=CHR$(1012):R$=CHR$(1013):R$=CHR$(1014):R$=CHR$(1015):R$=CHR$(1016):R$=CHR$(1017):R$=CHR$(1018):R$=CHR$(1019):R$=CHR$(1020):R$=CHR$(1021):R$=CHR$(1022):R$=CHR$(1023):R$=CHR$(1024):R$=CHR$(1025):R$=CHR$(1026):R$=CHR$(1027):R$=CHR$(1028):R$=CHR$(1029):R$=CHR$(1030):R$=CHR$(1031):R$=CHR$(1032):R$=CHR$(1033):R$=CHR$(1034):R$=CHR$(1035):R$=CHR$(1036):R$=CHR$(1037):R$=CHR$(1038):R$=CHR$(1039):R$=CHR$(1040):R$=CHR$(1041):R$=CHR$(1042):R$=CHR$(1043):R$=CHR$(1044):R$=CHR$(1045):R$=CHR$(1046):R$=CHR$(1047):R$=CHR$(1048):R$=CHR$(1049):R$=CHR$(1050):R$=CHR$(1051):R$=CHR$(1052):R$=CHR$(1053):R$=CHR$(1054):R$=CHR$(1055):R$=CHR$(1056):R$=CHR$(1057):R$=CHR$(105
```

```

190 INPUT"WHEN READY TO CONTINUE, DEPRESS <ENTER>";QS
200 CLS:FORI=1TO6:PRINT:NEXT
210 PRINT"AFter THE BETS ARE SETTLED, THE FOUR CARDS FROM THE LAYOUTS ARE COLLEC
TED AND":PRINT"SET ASIDE, THE PACK IS TURNED FACE-DOWN, THE OLD GATE CARD SET AS
IDE, AND FOUR"
220 PRINT"CARDS FOR TWO NEW LAYOUTS ARE DRAWN AND DISPLAYED. THE PACK IS THEN TU
RNEd FACE":PRINT"UP TO SHOW THE NEW GATE, AND NEW BETS ARE MADE. THIS SEQUENCE I
S CONTINUED"
230 PRINT"UNTIL ALL CARDS REMAINING IN THE PACK ARE USED.":PRINT
240 PRINT"ENJOY THE GAME AND GOOD-LUCK!!!":PRINT
250 INPUT"WHEN READY TO PLAY, DEPRESS <ENTER>";QS
260 H=1:B=0:T=0:CLS:RANDOM:PRINT"C A S I N O   F O U R - C A R D   M O N T E   ":
PRINT"665,"G A M E   ":K=K+1:PRINT"75,K
270 PRINTCHR$(2);:GOSUB750:L=565:GOSUB760:L=646:GOSUB800:PRINT"327,"P A C K":PRI
NT"343,"B O T T O M - L A Y O U T":PRINT"374,"T O P - L A Y O U T"
280 RG=RND(52):IFM(RG)=1THEN280ELSEM(RG)=1:E=RG:GOSUB790:T$=M$(RG):B$=E$:S1$=E$:
L=583:GOSUB760:L=665:GOSUB770
290 RH=RND(52):IFM(RH)=1THEN290ELSEM(RH)=1:E=RH:GOSUB790:T$=M$(RH):B$=E$:S2$=E$:
L=597:GOSUB760:L=679:GOSUB770
300 RT=RND(52):IFM(RT)=1THEN300ELSEM(RT)=1:E=RT:GOSUB790:T$=M$(RT):B$=E$:S3$=E$:
L=612:GOSUB760:L=694:GOSUB770
310 RU=RND(52):IFM(RU)=1THEN310ELSEM(RU)=1:E=RU:GOSUB790:T$=M$(RU):B$=E$:S4$=E$:
L=626:GOSUB760:L=708:GOSUB770
320 GOSUB810:PRINT"1760,CV$:PRINTCHR$(1);:PRINT"160,SPACES(80);:PRINT"160,"PLACE
BET ON BOTTOM-LAYOUT OR TOP-LAYOUT (B/T), <ENTER> TO PLAY";
330 IS=INKEY$:IFIS=""THEN330ELSEIFIS="B"THENSS=IS:GOTO340ELSEIFIS="T"THENSS=IS:G
OTO350ELSEIFIS=CHR$(13)THEN630ELSE330
340 PRINT"1312,"<":PRINT"1314,AS:PRINT"1318,">":GOTO360
350 PRINT"1341,"<":PRINT"1343,AS:PRINT"1347,">":GOTO410
360 PRINT"160,SPACES(80);:PRINT"160,"ENTER NUMBER OF CHIPS (1-9)";
370 IS=INKEY$:IFIS=""THEN370ELSEIFIS="0"ANDIS<="9"THENBN=VAL(IS):GOTO380ELSE370
380 PRINT"160,SPACES(80);:PRINT"160,"ENTER VALUE (COLOR) OF CHIPS (W, O, R, G, O
R B)";
390 IS=INKEY$:IFIS=""THEN390ELSEIFIS="W"THENB=1:GOTO400ELSEIFIS="O"THENB=2:GOTO4
00ELSEIFIS="R"THENB=3:GOTO400ELSEIFIS="G"THENB=25:GOTO400ELSEIFIS="B"THENB=100:G
OTO400ELSEPRINT"208,"USE VALID CHIPS ONLY....PLEASE!":GOTO390
400 B=B*BN:PRINT"1314,USING$;B:GOTO460
410 PRINT"160,SPACES(80);:PRINT"160,"PLACE YOUR BET...ENTER NUMBER OF CHIPS (1-9
)";
420 IS=INKEY$:IFIS=""THEN420ELSEIFIS="0"ANDIS<="9"THENTN=VAL(IS):GOTO430ELSE420
430 PRINT"160,SPACES(80);:PRINT"160,"ENTER VALUE (COLOR) OF CHIPS (W, O, R, G, O
R B)";
440 IS=INKEY$:IFIS=""THEN440ELSEIFIS="W"THENB=1:GOTO450ELSEIFIS="O"THENB=2:GOTO4
50ELSEIFIS="R"THENB=3:GOTO450ELSEIFIS="G"THENB=25:GOTO450ELSEIFIS="B"THENB=100:G
OTO450ELSEPRINT"208,"USE VALID CHIPS ONLY....PLEASE!":GOTO440
450 T=T*TN:PRINT"1343,USING$;T
460 IFSS="T"THEN470ELSE550
470 PRINT"160,SPACES(80);:PRINT"160,"PLACE BET ON BOTTOM-LAYOUT <B> OR <ENTER> T
O PLAY";
480 IS=INKEY$:IFIS=""THEN480ELSEIFIS="B"THEN490ELSEIFIS=CHR$(13)THEN630ELSE480
490 PRINT"1312,"<":PRINT"1314,AS:PRINT"1318,">
500 PRINT"160,SPACES(80);:PRINT"160,"ENTER NUMBER OF CHIPS (1-9)";
510 IS=INKEY$:IFIS=""THEN510ELSEIFIS="0"ANDIS<="9"THENBN=VAL(IS):GOTO520ELSE510
520 PRINT"160,SPACES(80);:PRINT"160,"ENTER VALUE (COLOR) OF CHIPS (W, O, R, G, O
R B)";
530 IS=INKEY$:IFIS=""THEN530ELSEIFIS="W"THENB=1:GOTO540ELSEIFIS="O"THENB=2:GOTO5
40ELSEIFIS="R"THENB=3:GOTO540ELSEIFIS="G"THENB=25:GOTO540ELSEIFIS="B"THENB=100:G
OTO540ELSEPRINT"208,"USE VALID CHIPS ONLY....PLEASE!":GOTO530
540 B=B*BN:PRINT"1314,USING$;B:GOTO630
550 PRINT"160,SPACES(80);:PRINT"160,"PLACE BET ON TOP-LAYOUT <T> OR <ENTER> TO P
LAY";
560 IS=INKEY$:IFIS=""THEN560ELSEIFIS=CHR$(13)THEN630ELSEIFIS="T"THEN570ELSE560
570 PRINT"1341,"<":PRINT"1343,AS:PRINT"1347,">
580 PRINT"160,SPACES(80);:PRINT"160,"ENTER NUMBER OF CHIPS (1-9)";
590 IS=INKEY$:IFIS=""THEN590ELSEIFIS="0"ANDIS<="9"THENTN=VAL(IS):GOTO600ELSE590
600 PRINT"160,SPACES(80);:PRINT"160,"ENTER VALUE (COLOR) OF CHIPS (W, O, R, G, O
R B)";
610 IS=INKEY$:IFIS=""THEN610ELSEIFIS="W"THENB=1:GOTO620ELSEIFIS="O"THENB=2:GOTO6
20ELSEIFIS="R"THENB=3:GOTO620ELSEIFIS="G"THENB=25:GOTO620ELSEIFIS="B"THENB=100:G
OTO620ELSEPRINT"208,"USE VALID CHIPS ONLY....PLEASE!":GOTO610
620 T=T*TN:PRINT"1343,USING$;T
630 RP=RND(52):IFM(RP)=1THEN630ELSEM(RP)=1:L=646:GOSUB780:E=RP:GOSUB790:T$=M$(RP
):B$=E$:L=647:GOSUB770:PRINT"327,"G A T E"
640 PRINT"160,SPACES(80);:IFB=0THEN660
650 IFB$=S1$ORB$=S2$THENGW=GW+B:PRINT"160,"(B/L) YOU HAVE WON":PRINT"180,BELSEGW
=GW-B:PRINT"160,"(B/L) YOU HAVE LOST":PRINT"180,B
660 IFB=0THEN680
670 IFB$=S3$ORB$=S4$THENGW=GW+T:PRINT"210,"(T/L) YOU HAVE WON":PRINT"230,TELSEGW
=GW-T:PRINT"210,"(T/L) YOU HAVE LOST":PRINT"230,T
680 IFH=9THEN710
690 PRINT"1760,SPACES(80);:PRINT"1760,"WHEN READY TO CONTINUE, DEPRESS <ENTER>";
:INPUT$;PRINTCHR$(2);:L=646:PRINT"327,"P A C K":GOSUB780:GOSUB800
700 L=664:GOSUB780:L=678:GOSUB780:L=693:GOSUB780:L=707:GOSUB780:PRINT"1312,STRIN
GS(36,32):B=0:T=0:GOTO280
710 TW=TW+GW:HH=800-TW:PRINT"1600,SPACES(80);:PRINT"1600,"H O U S E   H A S   ":
PRINT"1620,USING$;HH:PRINT"1760,SPACES(80);:PRINT"1760,"G A M E   W I N N I N
G S   ":PRINT"1788,USING$;GW:PRINT"1800,"T O T A L   W I N N I N G S   ":PRINT"1
832,USING$;T
W;
720 PRINT"1640,"PLAY AGAIN (Y/N)";
730 IS=INKEY$:IFIS=""THEN730ELSEIFIS="Y"THENRASEM=DIMM(52):GW=0:GOTO260ELSEIFIS
="N"THEN740ELSE730
740 CLS:PRINT"640,"G O O D B Y E . . .   T H A N K S   F O R   P L A Y I N G   M O
N T E   I   ":PRINT"900,"C O M E   A G A I N . . .   ":PRINT:PRINT:END
750 FORI=1TO12:PRINT"400+I*80,V$:NEXT:PRINT"401,STRINGS(78,150):FORI=1TO12:PRINT
"479+I*80,V$:NEXT:PRINT"1441,STRINGS(78,150):PRINT"400,CAS:PRINT"479,CB$:PRINT"1
519,CC$:PRINT"1440,CDS:RETURN
760 FORI=1TO6:PRINT"140+I*80,V$:NEXT:PRINT"141,STRINGS(9,150):PRINT"14561,STRINGS(
9,150):FORI=1TO6:PRINT"140+I*80,V$:NEXT:PRINT"14L,CAS:PRINT"14L,CB$:PRINT"14560,
CDS:PRINT"14570,CDS:RETURN
770 PRINT"14L,TS:PRINT"140,B$:RETURN
780 PRINT"14L,STRINGS(9,32);:PRINT"140,STRINGS(9,32);:PRINT"14L+160,STRINGS(9,32);:
PRINT"14L+240,STRINGS(9,32);:PRINT"14L+320,STRINGS(9,32);:PRINT"14L+400,STRINGS(9,32);
:RETURN
790 IFB>0ANDL<14THENES="HEARTS":RETURNELSEIFB>13ANDL<27THENES="DIAMONDS":RETURNEL
SEIFB>26ANDL<40THENES="CLUBS":RETURNELSESEES="SPADES":RETURN
800 PRINT"14L,STRINGS(9,32);:PRINT"140,B$:PRINT"14L+160,STRINGS(9,32);:PRINT"14L+2
40,STRINGS(9,32);:PRINT"14L+320,STRINGS(9,32);:PRINT"14L+400,STRINGS(9,32);:PRINT"14L+560,STRINGS(9,32);:PRINT"14L+640,STRINGS(9,32);:PRINT"14L+720,STRINGS(9,32);:PRINT"14L+800,STRINGS(9,32);:PRINT"14L+880,STRINGS(9,32);:PRINT"14L+960,STRINGS(9,32);:PRINT"14L+1040,STRINGS(9,32);:PRINT"14L+1120,STRINGS(9,32);:PRINT"14L+1200,STRINGS(9,32);:PRINT"14L+1280,STRINGS(9,32);:PRINT"14L+1360,STRINGS(9,32);:PRINT"14L+1440,STRINGS(9,32);:PRINT"14L+1520,STRINGS(9,32);:PRINT"14L+1600,STRINGS(9,32);:PRINT"14L+1680,STRINGS(9,32);:PRINT"14L+1760,STRINGS(9,32);:PRINT"14L+1840,STRINGS(9,32);:PRINT"14L+1920,STRINGS(9,32);:PRINT"14L+2000,STRINGS(9,32);:PRINT"14L+2080,STRINGS(9,32);:PRINT"14L+2160,STRINGS(9,32);:PRINT"14L+2240,STRINGS(9,32);:PRINT"14L+2320,STRINGS(9,32);:PRINT"14L+2400,STRINGS(9,32);:PRINT"14L+2480,STRINGS(9,32);:PRINT"14L+2560,STRINGS(9,32);:PRINT"14L+2640,STRINGS(9,32);:PRINT"14L+2720,STRINGS(9,32);:PRINT"14L+2800,STRINGS(9,32);:PRINT"14L+2880,STRINGS(9,32);:PRINT"14L+2960,STRINGS(9,32);:PRINT"14L+3040,STRINGS(9,32);:PRINT"14L+3120,STRINGS(9,32);:PRINT"14L+3200,STRINGS(9,32);:PRINT"14L+3280,STRINGS(9,32);:PRINT"14L+3360,STRINGS(9,32);:PRINT"14L+3440,STRINGS(9,32);:PRINT"14L+3520,STRINGS(9,32);:PRINT"14L+3600,STRINGS(9,32);:PRINT"14L+3680,STRINGS(9,32);:PRINT"14L+3760,STRINGS(9,32);:PRINT"14L+3840,STRINGS(9,32);:PRINT"14L+3920,STRINGS(9,32);:PRINT"14L+4000,STRINGS(9,32);:PRINT"14L+4080,STRINGS(9,32);:PRINT"14L+4160,STRINGS(9,32);:PRINT"14L+4240,STRINGS(9,32);:PRINT"14L+4320,STRINGS(9,32);:PRINT"14L+4400,STRINGS(9,32);:PRINT"14L+4480,STRINGS(9,32);:PRINT"14L+4560,STRINGS(9,32);:PRINT"14L+4640,STRINGS(9,32);:PRINT"14L+4720,STRINGS(9,32);:PRINT"14L+4800,STRINGS(9,32);:PRINT"14L+4880,STRINGS(9,32);:PRINT"14L+4960,STRINGS(9,32);:PRINT"14L+5040,STRINGS(9,32);:PRINT"14L+5120,STRINGS(9,32);:PRINT"14L+5200,STRINGS(9,32);:PRINT"14L+5280,STRINGS(9,32);:PRINT"14L+5360,STRINGS(9,32);:PRINT"14L+5440,STRINGS(9,32);:PRINT"14L+5520,STRINGS(9,32);:PRINT"14L+5600,STRINGS(9,32);:PRINT"14L+5680,STRINGS(9,32);:PRINT"14L+5760,STRINGS(9,32);:PRINT"14L+5840,STRINGS(9,32);:PRINT"14L+5920,STRINGS(9,32);:PRINT"14L+6000,STRINGS(9,32);:PRINT"14L+6080,STRINGS(9,32);:PRINT"14L+6160,STRINGS(9,32);:PRINT"14L+6240,STRINGS(9,32);:PRINT"14L+6320,STRINGS(9,32);:PRINT"14L+6400,STRINGS(9,32);:PRINT"14L+6480,STRINGS(9,32);:PRINT"14L+6560,STRINGS(9,32);:PRINT"14L+6640,STRINGS(9,32);:PRINT"14L+6720,STRINGS(9,32);:PRINT"14L+6800,STRINGS(9,32);:PRINT"14L+6880,STRINGS(9,32);:PRINT"14L+6960,STRINGS(9,32);:PRINT"14L+7040,STRINGS(9,32);:PRINT"14L+7120,STRINGS(9,32);:PRINT"14L+7200,STRINGS(9,32);:PRINT"14L+7280,STRINGS(9,32);:PRINT"14L+7360,STRINGS(9,32);:PRINT"14L+7440,STRINGS(9,32);:PRINT"14L+7520,STRINGS(9,32);:PRINT"14L+7600,STRINGS(9,32);:PRINT"14L+7680,STRINGS(9,32);:PRINT"14L+7760,STRINGS(9,32);:PRINT"14L+7840,STRINGS(9,32);:PRINT"14L+7920,STRINGS(9,32);:PRINT"14L+8000,STRINGS(9,32);:PRINT"14L+8080,STRINGS(9,32);:PRINT"14L+8160,STRINGS(9,32);:PRINT"14L+8240,STRINGS(9,32);:PRINT"14L+8320,STRINGS(9,32);:PRINT"14L+8400,STRINGS(9,32);:PRINT"14L+8480,STRINGS(9,32);:PRINT"14L+8560,STRINGS(9,32);:PRINT"14L+8640,STRINGS(9,32);:PRINT"14L+8720,STRINGS(9,32);:PRINT"14L+8800,STRINGS(9,32);:PRINT"14L+8880,STRINGS(9,32);:PRINT"14L+8960,STRINGS(9,32);:PRINT"14L+9040,STRINGS(9,32);:PRINT"14L+9120,STRINGS(9,32);:PRINT"14L+9200,STRINGS(9,32);:PRINT"14L+9280,STRINGS(9,32);:PRINT"14L+9360,STRINGS(9,32);:PRINT"14L+9440,STRINGS(9,32);:PRINT"14L+9520,STRINGS(9,32);:PRINT"14L+9600,STRINGS(9,32);:PRINT"14L+9680,STRINGS(9,32);:PRINT"14L+9760,STRINGS(9,32);:PRINT"14L+9840,STRINGS(9,32);:PRINT"14L+9920,STRINGS(9,32);:PRINT"14L+10000,STRINGS(9,32);:PRINT"14L+10080,STRINGS(9,32);:PRINT"14L+10160,STRINGS(9,32);:PRINT"14L+10240,STRINGS(9,32);:PRINT"14L+10320,STRINGS(9,32);:PRINT"14L+10400,STRINGS(9,32);:PRINT"14L+10480,STRINGS(9,32);:PRINT"14L+10560,STRINGS(9,32);:PRINT"14L+10640,STRINGS(9,32);:PRINT"14L+10720,STRINGS(9,32);:PRINT"14L+10800,STRINGS(9,32);:PRINT"14L+10880,STRINGS(9,32);:PRINT"14L+10960,STRINGS(9,32);:PRINT"14L+11040,STRINGS(9,32);:PRINT"14L+11120,STRINGS(9,32);:PRINT"14L+11200,STRINGS(9,32);:PRINT"14L+11280,STRINGS(9,32);:PRINT"14L+11360,STRINGS(9,32);:PRINT"14L+11440,STRINGS(9,32);:PRINT"14L+11520,STRINGS(9,32);:PRINT"14L+11600,STRINGS(9,32);:PRINT"14L+11680,STRINGS(9,32);:PRINT"14L+11760,STRINGS(9,32);:PRINT"14L+11840,STRINGS(9,32);:PRINT"14L+11920,STRINGS(9,32);:PRINT"14L+12000,STRINGS(9,32);:PRINT"14L+12080,STRINGS(9,32);:PRINT"14L+12160,STRINGS(9,32);:PRINT"14L+12240,STRINGS(9,32);:PRINT"14L+12320,STRINGS(9,32);:PRINT"14L+12400,STRINGS(9,32);:PRINT"14L+12480,STRINGS(9,32);:PRINT"14L+12560,STRINGS(9,32);:PRINT"14L+12640,STRINGS(9,32);:PRINT"14L+12720,STRINGS(9,32);:PRINT"14L+12800,STRINGS(9,32);:PRINT"14L+12880,STRINGS(9,32);:PRINT"14L+12960,STRINGS(9,32);:PRINT"14L+13040,STRINGS(9,32);:PRINT"14L+13120,STRINGS(9,32);:PRINT"14L+13200,STRINGS(9,32);:PRINT"14L+13280,STRINGS(9,32);:PRINT"14L+13360,STRINGS(9,32);:PRINT"14L+13440,STRINGS(9,32);:PRINT"14L+13520,STRINGS(9,32);:PRINT"14L+13600,STRINGS(9,32);:PRINT"14L+13680,STRINGS(9,32);:PRINT"14L+13760,STRINGS(9,32);:PRINT"14L+13840,STRINGS(9,32);:PRINT"14L+13920,STRINGS(9,32);:PRINT"14L+14000,STRINGS(9,32);:PRINT"14L+14080,STRINGS(9,32);:PRINT"14L+14160,STRINGS(9,32);:PRINT"14L+14240,STRINGS(9,32);:PRINT"14L+14320,STRINGS(9,32);:PRINT"14L+14400,STRINGS(9,32);:PRINT"14L+14480,STRINGS(9,32);:PRINT"14L+14560,STRINGS(9,32);:PRINT"14L+14640,STRINGS(9,32);:PRINT"14L+14720,STRINGS(9,32);:PRINT"14L+14800,STRINGS(9,32);:PRINT"14L+14880,STRINGS(9,32);:PRINT"14L+14960,STRINGS(9,32);:PRINT"14L+15040,STRINGS(9,32);:PRINT"14L+15120,STRINGS(9,32);:PRINT"14L+15200,STRINGS(9,32);:PRINT"14L+15280,STRINGS(9,32);:PRINT"14L+15360,STRINGS(9,32);:PRINT"14L+15440,STRINGS(9,32);:PRINT"14L+15520,STRINGS(9,32);:PRINT"14L+15600,STRINGS(9,32);:PRINT"14L+15680,STRINGS(9,32);:PRINT"14L+15760,STRINGS(9,32);:PRINT"14L+15840,STRINGS(9,32);:PRINT"14L+15920,STRINGS(9,32);:PRINT"14L+16000,STRINGS(9,32);:PRINT"14L+16080,STRINGS(9,32);:PRINT"14L+16160,STRINGS(9,32);:PRINT"14L+16240,STRINGS(9,32);:PRINT"14L+16320,STRINGS(9,32);:PRINT"14L+16400,STRINGS(9,32);:PRINT"14L+16480,STRINGS(9,32);:PRINT"14L+16560,STRINGS(9,32);:PRINT"14L+16640,STRINGS(9,32);:PRINT"14L+16720,STRINGS(9,32);:PRINT"14L+16800,STRINGS(9,32);:PRINT"14L+16880,STRINGS(9,32);:PRINT"14L+16960,STRINGS(9,32);:PRINT"14L+17040,STRINGS(9,32);:PRINT"14L+17120,STRINGS(9,32);:PRINT"14L+17200,STRINGS(9,32);:PRINT"14L+17280,STRINGS(9,32);:PRINT"14L+17360,STRINGS(9,32);:PRINT"14L+17440,STRINGS(9,32);:PRINT"14L+17520,STRINGS(9,32);:PRINT"14L+17600,STRINGS(9,32);:PRINT"14L+17680,STRINGS(9,32);:PRINT"14L+17760,STRINGS(9,32);:PRINT"14L+17840,STRINGS(9,32);:PRINT"14L+17920,STRINGS(9,32);:PRINT"14L+18000,STRINGS(9,32);:PRINT"14L+18080,STRINGS(9,32);:PRINT"14L+18160,STRINGS(9,32);:PRINT"14L+18240,STRINGS(9,32);:PRINT"14L+18320,STRINGS(9,32);:PRINT"14L+18400,STRINGS(9,32);:PRINT"14L+18480,STRINGS(9,32);:PRINT"14L+18560,STRINGS(9,32);:PRINT"14L+18640,STRINGS(9,32);:PRINT"14L+18720,STRINGS(9,32);:PRINT"14L+18800,STRINGS(9,32);:PRINT"14L+18880,STRINGS(9,32);:PRINT"14L+18960,STRINGS(9,32);:PRINT"14L+19040,STRINGS(9,32);:PRINT"14L+19120,STRINGS(9,32);:PRINT"14L+19200,STRINGS(9,32);:PRINT"14L+19280,STRINGS(9,32);:PRINT"14L+19360,STRINGS(9,32);:PRINT"14L+19440,STRINGS(9,32);:PRINT"14L+19520,STRINGS(9,32);:PRINT"14L+19600,STRINGS(9,32);:PRINT"14L+19680,STRINGS(9,32);:PRINT"14L+19760,STRINGS(9,32);:PRINT"14L+19840,STRINGS(9,32);:PRINT"14L+19920,STRINGS(9,32);:PRINT"14L+20000,STRINGS(9,32);:PRINT"14L+20080,STRINGS(9,32);:PRINT"14L+20160,STRINGS(9,32);:PRINT"14L+20240,STRINGS(9,32);:PRINT"14L+20320,STRINGS(9,32);:PRINT"14L+20400,STRINGS(9,32);:PRINT"14L+20480,STRINGS(9,32);:PRINT"14L+20560,STRINGS(9,32);:PRINT"14L+20640,STRINGS(9,32);:PRINT"14L+20720,STRINGS(9,32);:PRINT"14L+20800,STRINGS(9,32);:PRINT"14L+20880,STRINGS(9,32);:PRINT"14L+20960,STRINGS(9,32);:PRINT"14L+21040,STRINGS(9,32);:PRINT"14L+21120,STRINGS(9,32);:PRINT"14L+21200,STRINGS(9,32);:PRINT"14L+21280,STRINGS(9,32);:PRINT"14L+21360,STRINGS(9,32);:PRINT"14L+21440,STRINGS(9,32);:PRINT"14L+21520,STRINGS(9,32);:PRINT"14L+21600,STRINGS(9,32);:PRINT"14L+21680,STRINGS(9,32);:PRINT"14L+21760,STRINGS(9,32);:PRINT"14L+21840,STRINGS(9,32);:PRINT"14L+21920,STRINGS(9,32);:PRINT"14L+22000,STRINGS(9,32);:PRINT"14L+22080,STRINGS(9,32);:PRINT"14L+22160,STRINGS(9,32);:PRINT"14L+22240,STRINGS(9,32);:PRINT"14L+22320,STRINGS(9,32);:PRINT"14L+22400,STRINGS(9,32);:PRINT"14L+22480,STRINGS(9,32);:PRINT"14L+22560,STRINGS(9,32);:PRINT"14L+22640,STRINGS(9,32);:PRINT"14L+22720,STRINGS(9,32);:PRINT"14L+22800,STRINGS(9,32);:PRINT"14L+22880,STRINGS(9,32);:PRINT"14L+22960,STRINGS(9,32);:PRINT"14L+23040,STRINGS(9,32);:PRINT"14L+23120,STRINGS(9,32);:PRINT"14L+23200,STRINGS(9,32);:PRINT"14L+23280,STRINGS(9,32);:PRINT"14L+23360,STRINGS(9,32);:PRINT"14L+23440,STRINGS(9,32);:PRINT"14L+23520,STRINGS(9,32);:PRINT"14L+23600,STRINGS(9,32);:PRINT"14L+23680,STRINGS(9,32);:PRINT"14L+23760,STRINGS(9,32);:PRINT"14L+23840,STRINGS(9,32);:PRINT"14L+23920,STRINGS(9,32);:PRINT"14L+24000,STRINGS(9,32);:PRINT"14L+24080,STRINGS(9,32);:PRINT"14L+24160,STRINGS(9,32);:PRINT"14L+24240,STRINGS(9,32);:PRINT"14L+24320,STRINGS(9,32);:PRINT"14L+24400,STRINGS(9,32);:PRINT"14L+24480,STRINGS(9,32);:PRINT"14L+24560,STRINGS(9,32);:PRINT"14L+24640,STRINGS(9,32);:PRINT"14L+24720,STRINGS(9,32);:PRINT"14L+24800,STRINGS(9,32);:PRINT"14L+24880,STRINGS(9,32);:PRINT"14L+24960,STRINGS(9,32);:PRINT"14L+25040,STRINGS(9,32);:PRINT"14L+25120,STRINGS(9,32);:PRINT"14L+25200,STRINGS(9,32);:PRINT"14L+25280,STRINGS(9,32);:PRINT"14L+25360,STRINGS(9,32);:PRINT"14L+25440,STRINGS(9,32);:PRINT"14L+25520,STRINGS(9,32);:PRINT"14L+25600,STRINGS(9,32);:PRINT"14L+25680,STRINGS(9,32);:PRINT"14L+25760,STRINGS(9,32);:PRINT"14L+25840,STRINGS(9,32);:PRINT"14L+25920,STRINGS(9,32);:PRINT"14L+26000,STRINGS(9,32);:PRINT"14L+26080,STRINGS(9,32);:PRINT"14L+26160,STRINGS(9,32);:PRINT"14L+26240,STRINGS(9,32);:PRINT"14L+26320,STRINGS(9,32);:PRINT"14L+26400,STRINGS(9,32);:PRINT"14L+26480,STRINGS(9,32);:PRINT"14L+26560,STRINGS(9,32);:PRINT"14L+26640,STRINGS(9,32);:PRINT"14L+26720,STRINGS(9,32);:PRINT"14L+26800,STRINGS(9,32);:PRINT"14L+26880,STRINGS(9,32);:PRINT"14L+26960,STRINGS(9,32);:PRINT"14L+27040,STRINGS(9,32);:PRINT"14L+27120,STRINGS(9,32);:PRINT"14L+27200,STRINGS(9,32);:PRINT"14L+27280,STRINGS(9,32);:PRINT"14L+27360,STRINGS(9,32);:PRINT"14L+27440,STRINGS(9,32);:PRINT"14L+27520,STRINGS(9,32);:PRINT"14L+27600,STRINGS(9,32);:PRINT"14L+27680,STRINGS(9,32);:PRINT"14L+27760,STRINGS(9,32);:PRINT"14L+27840,STRINGS(9,32);:PRINT"14L+27920,STRINGS(9,32);:PRINT"14L+28000,STRINGS(9,32);:PRINT"14L+28080,STRINGS(9,32);:PRINT"14L+28160,STRINGS(9,32);:PRINT"14L+28240,STRINGS(9,32);:PRINT"14L+28320,STRINGS(9,32);:PRINT"14L+28400,STRINGS(9,32);:PRINT"14L+28480,STRINGS(9,32);:PRINT"14L+28560,STRINGS(9,32);:PRINT"14L+28640,STRINGS(9,32);:PRINT"14L+28720,STRINGS(9,32);:PRINT"14L+28800,STRINGS(9,32);:PRINT"14L+28880,STRINGS(9,32);:PRINT"14L+28960,STRINGS(9,32);:PRINT"14L+29040,STRINGS(9,32);:PRINT"14L+29120,STRINGS(9,32);:PRINT"14L+29200,STRINGS(9,32);:PRINT"14L+29280,STRINGS(9,32);:PRINT"14L+29360,STRINGS(9,32);:PRINT"14L+29440,STRINGS(9,32);:PRINT"14L+29520,STRINGS(9,32);:PRINT"14L+29600,STRINGS(9,32);:PRINT"14L+29680,STRINGS(9,32);:PRINT"14L+29760,STRINGS(9,32);:PRINT"14L+29840,STRINGS(9,32);:PRINT"14L+29920,STRINGS(9,32);:PRINT"14L+30000,STRINGS(9,32);:PRINT"14L+30080,STRINGS(9,32);:PRINT"14L+30160,STRINGS(9,32);:PRINT"14L+30240,STRINGS(9,32);:PRINT"14L+30320,STRINGS(9,32);:PRINT"14L+30400,STRINGS(9,32);:PRINT"14L+30480,STRINGS(9,32);:PRINT"14L+30560,STRINGS(9,32);:PRINT"14L+30640,STRINGS(9,32);:PRINT"14L+30720,STRINGS(9,32);:PRINT"14L+30800,STRINGS(9,32);:PRINT"14L+30880,STRINGS(9,32);:PRINT"14L+30960,STRINGS(9,32);:PRINT"14L+31040,STRINGS(9,32);:PRINT"14L+31120,STRINGS(9,32);:PRINT"14L+31200,STRINGS(9,32);:PRINT"14L+31280,STRINGS(9,32);:PRINT"14L+31360,STRINGS(9,32);:PRINT"14L+31440,STRINGS(9,32);:PRINT"14L+31520,STRINGS(9,32);:PRINT"14L+31600,STRINGS(9,32);:PRINT"14L+31680,STRINGS(9,32);:PRINT"14L+31760,STRINGS(9,32);:PRINT"14L+31840,STRINGS(9,32);:PRINT"14L+31920,STRINGS(9,32);:PRINT"14L+32000,STRINGS(9,32);:PRINT"14L+32080,STRINGS(9,32);:PRINT"14L+32160,STRINGS(9,32);:PRINT"14L+32240,STRINGS(9,32);:PRINT"14L+32320,STRINGS(9,32);:PRINT"14L+32400,STRINGS(9,32);:PRINT"14L+32480,STRINGS(9,32);:PRINT"14L+32560,STRINGS(9,32);:PRINT"14L+32640,STRINGS(9,32);:PRINT"14L+32720,STRINGS(9,32);:PRINT"14L+32800,STRINGS(9,32);:PRINT"14L+32880,STRINGS(9,32);:PRINT"14L+32960,STRINGS(9,32);:PRINT"14L+33040,STRINGS(9,32);:PRINT"14L+33120,STRINGS(9,32);:PRINT"14L+33200,STRINGS(9,32);:PRINT"14L+33280,STRINGS(9,32);:PRINT"14L+33360,STRINGS(9,32);:PRINT"14L+33440,STRINGS(9,32);:PRINT"14L+33520,STRINGS(9,32);:PRINT"14L+33600,STRINGS(9,32);:PRINT"14L+33680,STRINGS(9,32);:PRINT"14L+33760,STRINGS(9,32);:PRINT"14L+33840,STRINGS(9,32);:PRINT"14L+33920,STRINGS(9,32);:PRINT"14L+34000,STRINGS(9,32);:PRINT"14L+34080,STRINGS(9,32);:PRINT"14L+34160,STRINGS(9,32);:PRINT"14L+34240,STRINGS(9,32);:PRINT"14L+34320,STRINGS(9
```


Don't Miss Out

★ 20% ★
Savings

Act Now

STRIKE FORCE

From Melbourne House

You are the warrior-savior of cities under relentless alien attack. You're armed with rapid-fire missiles, radar and incendiary star-shells, but you'll need your fastest thinking and instantaneous response to protect yourself and your people. Great real-time graphics!

38809 16K Tape ~~\$15.95~~ \$12.76

38618 32K Disk ~~\$19.95~~ \$15.96



SENTINEL

From Cornsoft

A new feature allows two people to play at one time! Sentinels on guard for barbarians must repair the brick walls and defend the castles. Capture the enemy for extra points!

10012 Tape

~~\$15.95~~ \$12.76

14072 Disk

~~\$19.95~~ \$15.96




STRATOS

From Adventure International

This may be the battle to destroy the universe. Your enemies have perfected the dreaded Matte Ravager. Wave after wave of the deadly craft attack your planet and puncture the energy envelope surrounding it. You are in control of the Armageddon Wave, the only weapon capable of destroying the alien ships. Exciting challenging non-stop action. "Out of this world" sounds and graphics. 1 or 2 players, requires joystick.

42635 16K Tape ~~\$24.95~~ \$19.96

42679 32K Disk ~~\$24.95~~ \$19.96




DEFENSE COMMAND

By Hogue & Konyu from Big Five

You are the lone defender of 10 Kryptonium fuel cells essential for the survival of the planet. Aliens swoop down from above to steal the fuel, it's your job to destroy them. You can still save the cells after a raid, but you must shoot the alien and simultaneously move under the cell to catch it. If things look bad you can set off one of your 4 antimatter bombs and destroy all enemies on the screen! Arcade fun with action and sound. Joystick compatible.

18100 16K Tape ~~\$15.95~~ \$12.76

18177 32K Disk ~~\$19.95~~ \$15.96



THE WILD WEST

By Clifford Abrahams

from Melbourne House Software Inc.

Relive the exploits of the notorious outlaw Jesse James as lawmen, bounty hunters and renegades gun for you through an Indian camp, train hijacking and bank heist. Keep your finger on the trigger.

34771 16K Tape ~~\$15.95~~ \$12.76

34669 32K Disk ~~\$19.95~~ \$15.96

FROGGER

From Cornsoft

One of the most popular arcade games ever made now available for your home computer! Just as in the arcade game, you must dodge heavy traffic and jump the moving logs in the stream to get home. Fantastic graphics! Requires joystick.

38247 16K Tape ~~\$19.95~~ \$15.96

38258 32K Disk ~~\$22.95~~ \$18.36



ELIMINATOR


By Westmoreland & Gilman

from Adventure International

You'll need all your keyboard manipulative skills to keep up with the action in this arcade game. You travel across the planet's low-altitude airspace in an effort to prevent the marauding enemy from capturing your energizer cells. All manner of alien craft await your arrival with destructive forces. For 1 or 2 players, with sound.

16816 16K Tape or ~~\$24.95~~ \$19.96

17244 32K Disk ~~\$24.95~~ \$19.96



ROBOT ATTACK


By Hogue & Konyu from Big Five

One of the top names in TRS-80 arcade games adds a new dimension, voice sound effects! It's you against the robots in this fast-moving shoot-em-up. Electrified Mazes and the "Flagship" complicate things as you stalk the evil androids.

The innovations built into ROBOT ATTACK take your TRS-80 near the limits of its capabilities. You MUST see and hear it! Joystick compatible.

18098 16K Tape ~~\$15.95~~ \$12.76

18166 32K Disk ~~\$19.95~~ \$15.96




WEERD

By Arthur Gleckler from Big Five

Maybe you think you've seen some pretty strange things on your computer screen already, but you haven't seen ANYTHING until you've tried WEERD. It's you against the WEERDEST set of space craft ever. But don't just stare at them, get your shields up before they wipe out your planet. Desk version has voice sound effects and permanent high scores. Both are joystick compatible.

43388 16K Tape or ~~\$19.95~~ \$15.96

43399 32K Disk ~~\$19.95~~ \$15.96



CRAZY PAINTER

From Cornsoft

Your assignment is to paint the maze, avoiding everything that tries to stop you. If anything walks in the paint, it's ruined, and you must go back and repaint it. With sound, great graphics... truly "a-maze-ing."

37808 16K Tape ~~\$15.95~~ \$12.76

37819 16K Disk ~~\$19.95~~ \$15.96



SEA DRAGON

By Westmoreland & Gilman

from Adventure International

Underwater adventure is yours as you command a nuclear sub armed with deadly missiles and torpedoes. Guide it carefully through sea mines and underwater mountains, watch out for depth charges being fired by overhead ships... and don't run out of air! Scrolling sea bottom for added excitement.

35705 16K Tape ~~\$19.95~~ \$15.96

35716 32K Disk ~~\$24.95~~ \$19.96



PENETRATOR

From Melbourne House

Armed with missiles and bombs, you must fly your fighter to the enemy's cache of neutron bombs and destroy them. Your mission is in four stages, involving rugged terrain, caverns and manmade obstacles—not to mention enemy radar missiles and paratroopers. This new departure in arcade gaming allows you to set up your own terrain and enemy emplacements then save them for future use. Make your mission as hard or easy as you like. Joystick compatible.

21160 16K Tape ~~\$24.95~~ \$19.96

21182 32K Disk ~~\$24.95~~ \$19.96



CATERPILLAR

From Soft Sector Marketing

This is the fast-action arcade game you've been waiting to play at home! You must hit mushrooms and caterpillars—segment by segment—moths and tumble bugs. The challenges they are all moving when hit they split into additional segments or metamorphose into different shapes, when you destroy a caterpillar the new one that replaces it is a segment longer than the original.

21306 16K Tape ~~\$15.95~~ \$12.76

21373 32K Disk ~~\$19.95~~ \$15.96




DEVIL'S TOWER

By John Olsen, Jr. from Fantastic Software

It's up to you to save your planet from the aliens. They've reached the other side of DEVIL'S TOWER. Robot Scouts come at you from the mountain, their war machines fire from the valley and their protector ships put up force fields to protect them. Your skill and reflexes may protect you. Machine language, good graphics and sound effects. For 1 or 2 players.

43366 16K Tape ~~\$15.95~~ \$12.76

43377 32K Disk ~~\$19.95~~ \$15.96



DEMON SEED

By Sorensen & MacKensie from Trend

This arcade style game is only for the strong at heart who are persistent enough to try and try again until the Demon Forces have been destroyed. Your powerful star cruiser has high energy missiles and defensive shields. Can you develop the skill to defeat the Demons, and conquer the 3 special challenge levels?

40183 16K Tape ~~\$19.95~~ \$15.96

37774 32K Disk ~~\$24.95~~ \$19.96



Madness Sale

sale Ends Aug. 10

THE PROGRAM STORE

Don't Miss Out

★ 20% ★
Savings

Act Now

APPLE PANIC

by Y. Lempereur from Funsoft

Trap crazed apples by digging holes in brick floors, beat them thru the hole to squash on the floor below, 3 lives are extended by points. Has voice and music, freeze action saves high score on disk, joystick compatible. Don't let an apple get you.

33433 16K Tape ~~\$10.95~~ \$15.96
37246 32K Disk ~~\$24.95~~ \$19.96



SNEAK THIEF

By Larry Ashman
From Soft Sector

Protect the treasure chest of gold from lurking thieves. Capture them, attack them, or put them in jail but beware of the protectors who use trickery. Guard the intricate maze and keep your eye on the pile of gold—don't blink or the treasure may vanish.

36290 16K Tape ~~\$10.95~~ \$15.96
36379 32K Disk ~~\$24.95~~ \$17.56




RALLY

By J. Weaver
From Soft Sector

Courage skill and daring are needed to speed through a treacherous maze course while pursued by hostile cars. Maneuver the wheel away from obstacles and enemies as you respond to the ultra modern tracking equipment. Joystick compatible outstanding sound effects and the diversion talks and saves high scores. All this makes a racing simulation certain to add adventure to your arcade game experience.

42961 16K Tape ~~\$10.95~~ \$15.96
43445 32K Disk ~~\$24.95~~ \$17.56



SKYSCRAPER

By Fine from Superior

3-part maze game for the nimble-fingered. First, you must move through maze while avoiding barrels coming at you, second, you must look out for fires that break out randomly on screen, third, you ride elevators up and down from platform to platform. The sky's the limit... how far can you go? 1 or 2 player game with sound, joystick compatible.

36098 32K Tape ~~\$10.95~~ \$15.96
36087 32K Disk ~~\$24.95~~ \$17.56




THE BLACK HOLE

by Y. Lempereur from Funsoft

Seek out and destroy the Gorfian leader taking refuge in the black hole. You have only one ship to reach and eliminate him—so make it count. Great sound, three phases of action, joystick compatible. Survive the perils of the black hole.

37291 16K Tape ~~\$10.95~~ \$15.96
37202 32K Disk ~~\$24.95~~ \$19.96



PANIK

By Demos from Fantastic

An arcade style game of a fascinating future world with high-res graphics and voice. Filled with action and excitement, in machine language.

37370 16K Tape ~~\$10.95~~ \$15.96
37022 32K Disk ~~\$24.95~~ \$19.96




KING OF THE JUNGLE

By Vandewalle from Acorn

An unusual combination of fast pinball action plus the challenges and dangers of an arcade game. Keep the ball in play, scoring points as it caroms from obstacle to obstacle, while wandering through the jungle searching for the hidden crown. And try to avoid the deadly Cobra. Lots of action, sound and fun! Choice of 3 screens. Can be used with Trisstick joystick.

39080 16K Tape ~~\$10.95~~ \$15.96
39114 16K Disk ~~\$10.95~~ \$15.96



SHOOTOUT AT THE OK GALAXY

From Avalon Hill

This exciting new game requires fast arcade response and well-thought-out strategy. Thirty alien warships have entered your Patrol Zone—can you handle your defense? Are your shields up? Have you checked your energy level? Is your azimuth set? OK then—Good Luck!

37088 16K Tape ~~\$10.95~~ \$15.96



The Program Store NOW OPEN IN Greensburg, PA

Business District Sheraton Route 30

Westmoreland Mall ★

Rte. 30 East Greensburg, PA 15601
(412) 838-1604

THE PROGRAM STORETM
Franchise openings available in selected cities

For Information Call:
1(202) 363-9797



Over 2500 Programs for TRS-80, ATARI 400/800, APPLE, IBM & VIC 20.

4200 Wisconsin Ave., N.W., Dept. 14-03-3 Box 9582
Washington, D.C. • 20016

Visit our other stores: 829 Bethel Rd., Columbus OH • White Flint Mall, Rockville, MD
Seven Corners Center, Falls Church, VA • W. Bell Plaza, 6600 Security Blvd., Baltimore, MD
Westmoreland Mall, Rt. 30 East, Greensburg, PA 15601
Harvard Square, 13 Dunster St., Cambridge, MA 02138

Opening soon in Philadelphia

To Order Call Toll-Free: 800-424-2738 © 1983 The Program Store, Inc.

MAIL ORDERS: Send check or money order for total purchase price, plus \$2.00 postage & handling. VA.: add sales tax.
Charge Cards: Include all embossed information.

THE PROGRAM STORE • Dept. 14-08-3 • Box 9582 • 4200 Wisconsin Avenue, NW • Washington, D.C. 20016

Item #	Title	Tape/Disk/Rom/Book	Price	Postage \$2.00	Name	
				Total	Address	
			☐ CHECK	☐ VISA	City	State Zip
			☐ MASTERCARD	Card #	Exp	
			Computer		For TRS-80 Models I, III unless otherwise indicated	

Micro-Melodies

by Jef Bell

Micro-Melodies is a matching game based on the games Concentration and Memory. Instead of matching prizes or picture parts, however, Micro-Melodies uses the sound capability of a Model I or III to match the opening notes from familiar songs.

The Game

The Micro-Melodies display features a four-by-six-block grid (see Program Listing 1). Each of the 24 blocks contains a letter. Two players alternate turns. The first player chooses a letter and listens to the music played. Then, either by luck or by memory, that player chooses a second letter and another song plays.

If two songs match, the player receives points and the blocks, taken out of play, display "MATCH." If the songs

10001	Happy Birthday
10002	Yankee Doodle
10003	Row, Row, Row Your Boat
10004	Mary Had a Little Lamb
10005	Fifth of Beethoven
10006	National Anthem
10007	Sound of Silence
10008	Silent Night
10009	Big Ben (Westminster chimes)
10010	Funeral dirge
10011	Charge!!
10012	Entertainer

Table 1. Song titles and their corresponding line numbers.

The Key Box



Model I & III
16K RAM
Basic

Micro-Melodies is a Concentration-style game that tests your recall in a unique way—you have to match tunes instead of pictures.

A	Used to read data for songs.
B	For reading data to scramble squares.
C1	Your choice.
C1\$	INKEY\$ for choices.
CC	Storage for first choice.
CP	Cursor position for inputting names.
DD(1-30)	Holds scrambled data for the squares, later the point value of each square.
DI	Helps in determining Print at position of squares.
EG	Number of matched squares.
FL	Flag set if not first game.
I	Loop variable.
IN\$	Used for INKEY\$.
J	Timer loop variable.
MA\$	The "MATCH" square.
N\$	Name of player (used to input names).
N1\$	Player one's name.
N2\$	Player two's name.
NOS	The note (graphics characters).
PA	Print at position of chosen square.
PL	Loop (1 to 2) for player one or player two.
PP	Temporary storage of PA of the first choice.
R	Random number for scrambling.
S1	Score of player one.
S2	Score of player two.
SC(1-24)	The song numbers (1-12) for each of the 24 squares.
SO(1-12, 1-12, 1-2)	Data for the 12 songs.
SQ\$	The squares.
TU	Loop (1 to 2) for each turn.
TUS	"1st" or "2nd."
W\$	Name of the winner.
X	Dummy variable for counting.
XX	Used to call sound routine.
XX\$	Stores the sound routine.
YN\$	INKEY\$ for yes/no questions.

Table 2. Variables List.

DV'S
120 DAY
WARRANTY!



"NO YOU'RE NOT SEEING THINGS, THAT'S FOUR INTERNAL DRIVES IN A MODEL 4 WITH UP TO 4 MEG. DISK STORAGE AVAILABLE NOW, ONLY FROM DISPLAYED VIDEO!!"

120
DAY
WARRANTY

DISPLAYED VIDEO IS DRIVING DOWN PRICES ON DISKS!

120
DAY
WARRANTY

DISPLAYED VIDEO is now offering TRS-80* MODEL IV with TANDON disk drives, one of the most reliable disk drive systems on the market, for **INCREDIBLY** low prices.

MODEL IV with 64K, dual 40 track double density disk drives, complete systems with TRSDOS 6.0

PLUG IT IN AND GO \$1,699.00

MODEL IV with 64K, dual 40/40 track double density disk drives, complete systems with TRSDOS 6.0

PLUG IT IN AND GO \$1,999.00

MODEL IV with 64K, dual 80 track double density disk drives, complete systems with TRSDOS 6.0

PLUG IT IN AND GO \$1,999.00

MODEL IV with 64K, dual 80/80 track double density disk drives, complete systems with TRSDOS 6.0

PLUG IT IN AND GO \$2,299.00

MODEL IV with 64K, 40/40 track double density internal disk drives, complete systems with TRSDOS 6.0

PLUG IT IN AND GO \$2,399.00

MODEL IV with 64K, four internal drives of any configuration available to achieve up to 4 meg of disk storage **CALL**

MODEL III Internal Drive Kit: Includes controller board, dual drive mounting bracket, dual power supply, all hardware cables and connectors (gold plated) **\$299.00**

MODEL 16 w/1 drive **\$4,450.00** w/2 drives **\$4,850.00**

Visit our retail
location at:

111 Marshall Street
Litchfield, MI 49252
(313) 482-4424
(313) 426-5086
(517) 542-3280

We carry a full line of IBM, EPSON and FRANKLIN Personal Computers



**DISPLAYED
VIDEO**



Authorized Dealership at:

111 Marshall Street, Litchfield, Michigan 49252 P142

To Order Call (313) 426-5086 / (313) 482-4424 / (517) 542-3280 / (517) 542-3939 / (517) 542-3947

IMMEDIATE DELIVERY

DV's 120 Days Parts and Labor Warranty

Free Shipping in the U.S.
48 Contiguous States

Displayed Video, 111 Marshall St., Litchfield, Michigan 49252

*TRS-80 is a trademark of the Tandy Corporation

Prices subject to change without notice

10	General Housekeeping.	610-630	More processing of choice.
20-60	Instructions.	1000-1070	Name input subroutine.
100-120	Variable initialization.	2000-2010	Plays songs.
130-140	Machine language routine initialization.	3000-3020	Process routine for matches.
150-170	Data reading for songs.	4000-4020	End of game.
180-230	Scrambling the board.	4030-4060	Winner.
240-250	Name input.	4070-4080	Scores.
260-310	Screen set up for game.	4090-4130	Play again.
500-540	Choice input.	10000	Data for sound routine.
550-590	Process choice.	10001-10012	Data for songs.
600	Check for finish.	10013	Data for scrambling the board.

Table 3. Micro-Melodies line descriptions.

don't match, the blocks revert to letters and the turn passes to the next player. The player with the most points wins.

Micro-Melodies has an unusual scoring system. Each square is worth five

points at the beginning of the game. Once a player chooses a square, its value decreases by one point, and continues decreasing each time that square is selected. The minimum value of a

square is one point.

Players' strategy is not only to make matches, but to match the squares with the greatest number of points remaining. The point value of a match ranges between a high of 10 and a low of two.

Program Listing 1. Micro-Melodies

```

0 ' *****
  *** MICRO-MELODIES ***
  ***
1 ' BY
  *** JEFFREY BELL ***
  *** 2150 MARGARETT ST. NW ***
2 ' SALEM, OR 97304 ***
  *****
10 CLS: CLEAR 1000: DIM SO(12,12,2), SC(24), DD(30)
20 PRINT TAB(19); "MICRO-MELODIES: BY JEF BELL": PRINT " THIS G
AME IS MUCH LIKE THE POPULAR "; CHR$(34); "CONCENTRATION"; CHR$(34
); "GAME.": PRINT "THE PLAYING BOARD CONSISTS OF 24 SQUARES, BEHIN
D WHICH LIE 12"
30 PRINT "PAIRS OF MATCHES. THE TWO PLAYERS TAKE TURNS UNCOVERIN
G TWO": PRINT "SQUARES AT A TIME. THE BASIC IDEA OF THE GAME IS T
O REVEAL MORE PAIRS THAN YOUR OPPONENT REVEALS.": PRINT
40 PRINT "THE DIFFERENCE BETWEEN MICRO-MELODIES AND OTHER GA
MES OF": PRINT "THIS NATURE IS THAT THERE ARE NO WORDS OR OBJECTS
BEHIND THE": PRINT "SQUARES. INSTEAD, EACH SQUARE HOUSES A SHORT
MUSICAL TUNE."
50 PRINT: PRINT " EVERY SQUARE IS GIVEN THE VALUE OF 5 AT THE
BEGINNING OF": PRINT "THE GAME. WHENEVER A SQUARE IS UNCOVERED,
ITS VALUE DECREASES": PRINT "BY 1, WITH A MINIMUM VALUE OF 1 POINT
. BECAUSE OF THIS, EACH"
60 PRINT "MATCH MADE WILL HAVE A VALUE FROM TWO POINTS TO TEN POI
NTS.": PRINT TAB(12); "PLEASE WAIT A FEW MOMENTS WHILE I SET UP.":
100 SQ$=CHR$(191)+STRING$(7,131)+CHR$(191)+CHR$(26)+STRING$(9,24
)+CHR$(191)+" "+CHR$(191)+CHR$(26)+STRING$(9,24)+CHR$(143)
+STRING$(7,140)+CHR$(143)
110 NO$=" "+CHR$(157)+CHR$(144)+" "+CHR$(26)+STRING$(9,24
)+" "+STRING$(2,176)+CHR$(149)+" "+CHR$(26)+STRING$(9,24)+"
"+CHR$(130)+STRING$(2,143)+CHR$(129)+" "
120 MA$="*****+CHR$(26)+STRING$(9,24)+"* MATCH *"+CHR$(26)+
STRING$(9,24)+"*****"
130 XX$="": FOR I=1 TO 29: READ A: XX$=XX$+CHR$(A): NEXT I
140 POKEL6782, 201: IF PEEK(16396)=201 THEN POKEL6526, PEEK(VARPTR(XX$
)+1): POKEL6527, PEEK(VARPTR(XX$)+2) ELSE DEFUSR=PEEK(VARPTR(XX$)+1)
+PEEK(VARPTR(XX$)+2)*256+65536*(PEEK(VARPTR(XX$)+2)>127): CMD "T"
150 FOR I=1 TO 12: X=1
160 READ A, B: IF A=0 AND B=0 THEN NEXT I: GOTO 180
170 SO(I,X,1)=A: SO(I,X,2)=B: X=X+1: GOTO 160
180 R=RND(30): IF DD(R)>0 THEN 180
190 READ A: IF A<13, DD(R)=A: GOTO 180
200 X=1: FOR I=1 TO 30: IF DD(I)=0 THEN IELSE SC(X)=DD(I): X=X+1: NEXT I
210 FOR I=1 TO 24: DD(I)=6: NEXT I: IF FL=1 THEN 240
220 PRINT@971, "***** PRESS <ENTER> TO BEGIN ***** ";
230 IF PEEK(14400)<>1 THEN 230
240 CLS: PRINT CHR$(23): PRINT@0, STRING$(32,191);: PRINT@896, STRING$
(32,191);: FOR I=64 TO 832 STEP 64: PRINT@I, CHR$(191);: PRINT@I+62, CHR$
(191);: NEXT I
250 N$="": PRINT@262, "WHAT IS PLAYER #1'S NAME?": GOSUB 1000: N1$=N
$: N$="": PRINT@598, " ": PRINT@262, "WHAT IS PLAYER #2'S NA
ME?": GOSUB 1000: N2$=N$: CLS
260 S1=0: S2=0
270 CLS: PRINT@20, "*** MICRO-MELODIES ***";
280 FOR I=66 TO 116 STEP 10: PRINT@I, SQ$;: PRINT@I+192, SQ$;: PRINT@I+384

```

Listing 1 continues

The Program

The songs for Micro-Melodies come from Program Listing 2, Music Maker, adapted from sound routines in "Pow-Bang-Zap-Crash" (80 *Microcomputing*, November 1980, p. 230). Plug the Model I or III gray AUX cord into an amplifier to hear the Micro-Melodies songs.

The first mode of Music Maker, create tones, enters frequency (1 is the highest, 255 the lowest) and duration (1 is the shortest, 255 the longest) for each note. The second mode, edit tones, displays all frequencies and durations, and allows you to change them. The final mode, play tones, does just that, displaying frequencies and durations as it goes along.

Since I am no musical expert, some notes may be flat. To modify a note, type in the note number, then the new frequency and new duration you desire. Hit the enter key to return to the menu from the edit mode.

To modify the songs in Micro-Melodies, change the data in lines 10001-10012. Each line has the data for the songs. The data alternates frequency and duration to produce a melody. Refer to Table 1 for data on specific songs.

Refer to the variable chart (Table 2) and the brief program description (Table 3) to understand the code more clearly.

Both Micro-Melodies and Music Maker make beautiful music on any Model I or III with 16K or more of memory. ■

Jef Bell can be reached at 2150 Margaret St. N.W., Salem, OR 97304.

STOP



that old
fabric ribbon
still has life

Ebonize Printer Ribbon Ink Spray SAVES MONEY by reducing ribbon replacement cost. EASY TO USE. Open ribbon cassette top. Spray on Ebonize. Allow to dry and replace top. IT WORKS! One can re-inks up to 20 ribbons.



WORKS WITH ALL
FABRIC RIBBON

Dealer
Inquiries
Invited

only
\$11.95

(includes shipping
and handling)

Illinois residents add 72¢ (6%) sales tax




SEND CHECK OR MONEY ORDER TO:

Upwego Computer Supply, Inc.

120 West Madison St., Chicago, IL 60602

Phone: 312-372-6692

✓413



INVASION


U.F.O. and INVASION... the ultimate in space adventures! You control the destiny of your planet in a deadly battle against extraterrestrials. In PSICONN, your mind must overcome the most infamous barriers. For the 16K Radio Shack Color Computer. Several precision levels. By Simon Reiter

ONLY \$23.95 Ea.

INVASION y O.V.N.I... Las más excitantes aventuras intergalácticas. Defienda el destino de su planeta librando sangrientas batallas contra los invasores. En PSICONN, su mente lucha contra crueles barreras.

Para el Radio Shack Color Computer de 16K. Varios niveles de precisión. Por Simón Reiter
EN ESPAÑOL
SOLO \$23.95 Cada Uno

Save
10% if ordered
in August.



Ahorre
10% si ordena
en agosto.

✓410

9380 Sunset Drive Suite B-210, Miami, FL 33173.

Tel. (305) 279-0186, 279-0194.




TRS-80™ "CAN YOU BUY DIRECT?"

HAVE YOU GOT OUR PRICES?

WILL YOU PAY TOO MUCH?

WARRANTY:

the RADIO SHACK warranty accompanies all R. S. merchandise sold by us.



SAVE SALES TAX*
PLUS DISCOUNT

*TEXAS RESIDENTS ADD ONLY 4%

FORT WORTH COMPUTERS

(Located 30 miles from Fort Worth)

377 Plaza • GRANBURY • NR FORT WORTH • TEXAS 76048

TOLL FREE NUMBER: 1 - 800 - 433-S-A-V-E

IN TEXAS CALL: 817-573-4111

✓214

TM: TRADE MARK OF RADIO SHACK

DISKETTES

maxell VERBATIM

100% ERROR FREE

5% SS/DD 28.95 (BOX 10)

5% SS/DD 24.95 (BOX 10)

CAPTAINS SPECIAL

BUY ONE BOX MAXELL GET 10% OFF 2nd BOX

VERBATIM HEAD CLEANING 8.95 KIT

WITH ORDER OF DISKS MX - 80 CARTRIDGE 4.95 EA.

MEGA-BYTE DEPT. 80

4699 S.W. 45th STREET
FORT LAUD., FLA 33314
305-587-1130

ADD 2.00 SHIP
5% TAX IN FLA.
800-327-1013 ✓199

Professional REAL ESTATE SOFTWARE

for APPLE, TRS-80 & CPM SYSTEMS

- PROPERTY MANAGEMENT SYSTEM: \$450**
 - Tenant History
 - Late Rent Report
 - Vacancy Report
 - Income Report
 - Auto Late Charge
 - Returned Checks
 - Operating Stmt.
 - Building Reports
 - Utilities Report
 - Tax Expense Report
 - Prints Checks
 - Prints Receipts
- PROPERTY LISTINGS/COMPARABLES: \$325**
 - SCREEN BY →
 - 22 Items/Listing
 - 1000 Listing/Disk
 - Listing Memo Field
 - Max/Min Price
 - Max Price/Income
 - Max Price/Sq Foot
 - Min Cashflow
- REAL ESTATE ANALYSIS MODULES: \$50/Module**
 - Home Purchase
 - Income Prop Analysis
 - Property Sales
 - Construction Cost/Profit
 - Loan Sales/Purchase
 - Tax Deferred Exchange
 - APR Loan Analysis
 - Loan Amortization
 - Depreciation/ACRS Analysis
 - Loan Wrap Analysis
- WORD PROCESSOR - WORD STAR: \$295**

At Computer Stores Everywhere or Order CDD Direct
Cal Residents add 6 1/2% Sales Tax
(213) 372-8419

1926 South Pacific Coast Hwy, Suite #229, Redondo Beach, CA 90277

THE ULTIMATE IN SOFTWARE UNPROTECTION

FPS-3 IS A FRONT PANEL SIMULATOR FOR THE TANDY CORP. TRS80 MODEL III

JUST FLIP A SWITCH AND!!!

THE PROGRAM IN MEMORY IS COPIED TO YOUR CHOICE OF DISK OR TAPE. TO RUN THE COPY SIMPLY BOOT THE DISK FROM RESET OR LOAD THE TAPE WITH THE SYSTEM COMMAND. YOU DO NOT NEED ANY TECHNICAL KNOWLEDGE TO USE THE FPS-3. ALL YOU NEED TO INSTALL THE FPS-3 ARE A HALF HOUR OF YOUR TIME AND A SCREWDRIVER. THE COST FOR A COMPLETE FPS-3 IS ONLY \$50.

WHAT THE SOFTWARE GODS HAVE HIDDEN

THIS LITTLE DEVIL

J.E.S. GRAPHICS, P.O. BOX 2752,
TULSA, OK. 74101 CALL 918 742 7104.

Listing 1 continued

```
,SQ$;:PRINT@I+576,SQ$;:NEXTI
290 X=65:FORI=134TO184STEP10:PRINT@I,CHR$(X);:PRINT@I+192,CHR$(X
+6);:PRINT@I+384,CHR$(X+12);:PRINT@I+576,CHR$(X+18);:X=X+1:NEXTI
300 PRINT@897,N1$;";":PRINT@954-LEN(N2$),N2$;";";
310 PRINT@898+LEN(N1$),S1;:PRINT@955,S2;
500 FORPL=1TO2:IFPL=1N$=N1$ELSEN$=N2$
510 FOR TU=1TO2:IFTU=1TU$="1ST"ELSETU$="2ND"
520 PRINT@975,STRINGS(34,32);:PRINT@960+((64-(26+LEN(N$)))/2),N$
;,"WHAT IS YOUR ";TU$;," CHOICE?";
530 C1$=INKEY$:IFC1$=""THEN530ELSEIFASC(C1$)<65ORASC(C1$)>88THEN
530
540 C1=ASC(C1$)-64:IFSC(C1)=0THEN530
550 IFTU=2ANDCC=C1THEN530
560 IFC1<7PA=66:DI=0ELSEIFC1<13PA=258:DI=6ELSEIFC1<19PA=450:DI=1
2ELSEPA=642:DI=18
570 PA=PA+(C1-DI)*10-10:PRINT@PA-1,NO$;:DD(C1)=DD(C1)-1:IFDD(C1)
=0,DD(C1)=1
580 GOSUB2000:IFTU=1CC=C1:PP=PA
590 NEXTTU:IFSC(CC)=SC(C1)GOSUB3000
600 EG=0:FORI=1TO24:EG=EG+SC(I):NEXTI:IFEG=0THEN4000
610 IFSC(CC)=SC(C1)THENIFPL=1THEN500ELSEIFPL=2THEN510
620 PRINT@PA,SQ$;:PRINT@PA+68,CHR$(C1+64);:PRINT@PP,SQ$;:PRINT@P
P+68,CHR$(CC+64);
630 NEXTPL:GOTO500
1000 FORI=1TO10:IN$=INKEY$:NEXT:CP=598
1010 PRINT@CP,CHR$(143);:FORI=1TO10:IN$=INKEY$:IFIN$<>""THEN1030
ELSENEXT
1020 PRINT@CP," ";:FORI=1TO10:IN$=INKEY$:IFIN$<>""THEN1030ELSENE
XT:GOTO1010
1030 IFIN$=CHR$(8)ANDCP<>598THENPRINT@CP," ";:CP=CP-2:N$=LEFT$(N
$,LEN(N$)-1):GOTO1010
1040 IFIN$=CHR$(13)THENRETURN
1050 PRINT@CP,IN$;:CP=CP+2:IFCP=616CP=614
1060 IFLEN(N$)<8N$=N$+IN$
1070 GOTO1010
2000 X=1:IFSO(SC(C1),X,1)=0RETURN
2010 POKE16783,SO(SC(C1),X,2):POKE16784,SO(SC(C1),X,1):XX=USR(0)
:X=X+1:IFSO(SC(C1),X,1)>0THEN2010ELSERETURN
3000 SC(CC)=0:SC(C1)=0:IFPL=1,S1=S1+DD(C1)+DD(CC)ELSES2=S2+DD(C1
)+DD(CC)
3010 PRINT@PA,MA$;:PRINT@PP,MA$;:PRINT@898+LEN(N1$),S1;:PRINT@95
5,S2;
3020 RETURN
4000 PRINT@975,STRINGS(34,32);:FORI=1TO1000:NEXTI:CLS
4010 IFS1>S2,W$=N1$ELSEIFS2>S1,W$=N2$ELSEW$="NO ONE !?"
4020 PRINTCHR$(23):PRINT@0,STRINGS(32,"#");:FORI=64TO832STEP64:P
RINT@I,"###":PRINT@I+60,"###";:NEXT:PRINT@896,STRINGS(32,"#");
4030 PRINT@326,"AND THE WINNER IS";:X=362:FORI=1TO5:PRINT@X,".";
:FORJ=1TO200:NEXTJ:X=X+2:NEXTI
4040 PRINT@474,STRINGS(9-LEN(W$),32);W$;:IFS1<>S2PRINT"!!!!";
4050 POKE16783,50:FORI=255TO5STEP-5:POKE16784,I:XX=USR(0):NEXT:C
LS:IFS1<>S2THEN4080
4060 PRINT@71,"WE'RE SORRY, BUT THROUGH A BIZZARE TWIST OF FATE,
";:PRINT@146,"THE GAME HAS ENDED IN A TIE.";
4070 PRINT@192,STRINGS(64,140);
4080 PRINT@345,"S C O R E S ";:PRINT@409,N1$;:PRINT@473
,N2$;:PRINT@S2;
4090 PRINT@720,"WOULD YOU LIKE TO PLAY AGAIN (Y/N)?"
4100 YN$=INKEY$:IFYN$<>"Y"ANDYN$<>"N"$THEN4100
4110 IFYN$="N"THENCLS:END
4120 PRINT@856,"JUST ONE MOMENT.";:RESTORE:FORI=1TO241:READX:NEX
TI
4130 FL=1:FORI=1TO30:DD(I)=0:NEXTI:GOTO180
10000 DATA21,33,143,65,221,70,0,221,70,1,62,1,211,255,16,254,22
1,70,1,62,2,211,255,16,254,13,32,235,201
10010 DATA150,120,150,120,130,255,150,200,110,255,120,240,0,0
10020 DATA150,120,150,120,130,150,120,120,150,130,120,120,130,20
0,0,0
10030 DATA150,240,150,240,150,100,130,130,120,255,120,100,130,80
,120,120,110,120,100,205,0,0
10040 DATA120,180,130,140,150,140,130,140,120,140,120,140,120,20
0,0,0
10050 DATA110,100,110,100,110,100,140,255,125,100,125,100,125,10
0,145,255,0,0
10060 DATA110,200,130,100,165,170,130,150,110,150,80,255,0,0
10070 DATA160,90,160,90,125,100,125,100,105,120,105,120,115,255,
0,0
10080 DATA130,250,115,110,130,200,160,255,1,255,130,250,115,110,
130,200,160,255,0,0
10090 DATA100,255,125,200,110,200,125,255,1,255,165,170,110,200,
100,200,125,255,0,0
10100 DATA200,255,200,200,200,100,200,250,165,250,175,120,175,20
0,200,100,200,200,210,120,200,255,0,0
10110 DATA220,70,165,80,130,110,110,220,130,100,110,200,0,0
10120 DATA160,100,160,100,150,100,110,250,150,100,110,250,150,10
0,110,250,0,0
10130 DATA1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,
13
```


```

0 REM MUSIC MAKER PROGRAM BY JEF BELL
1 REM USED TO WRITE SONGS FOR "MICRO MELODIES" BY JEF BELL
5 CLEAR200:GOSUB1000:DIMF(20),D(20):X=1
10 CLS:PRINT"MENU
1) CREATE TONES
2) EDIT TONES
3) PLAY TONES
YOUR CHOICE?"
20 CH$=INKEY$:IFVAL(CH$)<1ORVAL(CH$)>3THEN20ELSECLS:ONVAL(CH$)GO
TO30,40,70
30 PRINT"FREQUENCY #";X;"=";:INPUTF(X):PRINT"DURATION #";X;"=";:
INPUTD(X):IFF(X)=0ANDD(X)=0THEN10ELSEX=X+1:GOTO30
40 FORI=1TOX-1:PRINT"FREQUENCY #";I;"=";F(I),"DURATION #";I;"=";
D(I):NEXTI
50 INPUT"NUMBER, FREQUENCY, DURATION";N,FR,DU
60 IFN=0ANDFR=0ANDDU=0THEN10ELSEF(N)=FR:D(N)=DU:GOTO40
70 FORI=1TOX-1:PRINTI,"FREQ.=";F(I),"DUR.=";D(I):POKE16783,D(I):
POKE16784,F(I):XX=USR(0):NEXT:GOTO10
1000 P$="":FORI=1TO29:READJ:P$=P$+CHR$(J):NEXT:POKE16782,201:IFP
EEK(16396)=201THENPOKE16526,PEEK(VARPTR(P$)+1):POKE16527,PEEK(VA
RPTR(P$)+2)ELSEDEFUSR=PEEK(VARPTR(P$)+1)+PEEK(VARPTR(P$)+2)*256+
65536*(PEEK(VARPTR(P$)+2)>127):CMD"T"
1010 RETURN
1020 DATA221,33,143,65,221,78,0,221,70,1,62,1,211,255,16,254,221
,70,1,62,2,211,255,16,254,13,32,235,201

```

Program Listing 2. Music Maker

FREE!



Program of
Your Choice
With Order
Of Any Five
Programs.

TRS-80 MOD I or III . . . \$19.95 Disk
HACK AND SLAY . . . \$16.95 Cass.

**THE ONLY TRUE
3-D ACTION GAME!
INCLUDES 3-D GLASSES!**

COLOR COMPUTER 16K EX.
STAR EMPIRE \$24.95 Cass.

HOT-LINE 707-869-3420 ✓37

DAN

ENTERPRISES

16471 RIO NIDO RD.
GUERNEVILLE, CA 95446

MODEL III OWNERS

TREASURE RUN

- ARCADE ACTION • SOUND • GAME PAUSE
- ALPHA JOYSTICK COMPATIBLE

- TOP TEN SCORES (SAVED IN DISK VERSION)
- REQUIRES MODEL III, LEVEL II, 16K.

TAPE-15.95

DISK-19.95

EYE OF MEZRON

- TEXT-ADVENTURE GAME • EACH GAME DIFFERENT • LOTS OF ACTION • SAVE GAMES IN PROGRESS

REQUIRES MODEL III, 48K, DISK
ON DISK ONLY-27.95

ADD \$1.50 SHIPPING FOR EACH GAME.
FLORIDA RESIDENTS ADD 5% SALES TAX.
SEND CHECK OR MONEY ORDER TO:
JAN PHIL SOFTWARE, P.O. BOX 140
KATHLEEN, FLORIDA 33849
DEALER INQUIRIES WELCOME. ✓15

55K VisiCalc Storage

Add 32K more data storage to your VisiCalc with BIGMEM Model 1 kit and VCMX software. BIGMEM features incl:

- 48K internal memory on power-up
- plus access to 32K E/I memory
- Run 64K CP/M or your Model 1 DOS
- 2.7K protected RAM above ROM
- Overlay ROM with your RAM BASIC

BIGMEM kit includes 64K RAM chips, A&T controller, cable, solder and instructions (\$180). VCMX disk (\$34). Utility software disk (\$20). Get all three (\$224). 64K CP/M 2.2 (\$119). USA shipping included. NYS add tax.



MICROHATCH

PO Box 501

DeWitt, NY 13214 ✓419

(315)446-8031 after 6PM



VISCICALC TM VISICORP, BIGMEM TM MICROHATCH,
CP/M TM DIGITAL RESEARCH

* BOOKKEEPER *

\$34.50

TRS-80 Model III

Perfect for TIME DOME and 90%
of other general ledger
will run on this program

* SCRIPSIT - MAILER *

\$34.50

Form Letters Envelopes Labels
From address list and letter
made by SCRIPSIT

* SERVICE BILLING *

\$34.50

Weekly • Bi-Monthly
Monthly

— (714) 774-9383 —


H. A. K. Workshop ✓287

9791 Orange Ave.

Anaheim, Calif. 92804

TRS-80 is a trademark of TANDY


100% RS COMPONENTS, NO FOREIGN DRIVES OR MEMORY — FULL WARRANTY



MOD 12

1 DR 80K \$2499


2 DR 80K \$3149



MOD 4

16K Ext. Bas. \$ 799

64K 2DR RS232 \$1579



MOD 16

1 DR 128K \$3898

2DR 128K \$4510

CASHIERS CHECK OR MONEY ORDER MUST ACCOMPANY ALL ORDERS

(817) 825-4027

NOCONA ELECTRONICS • P.O. Box 593 • Nocona, TX 76255

✓232

ARCDOS for ARCNET

by Joseph E. Trojak

If the networking possibilities for your Model II, 12, or 16 have always tempted you, read this overview of ARCNET and Tandy's ARCDOS.

★★★★

ARCDOS
Tandy/Radio Shack
Fort Worth, TX 76102
\$499

In March 1983 Tandy released ARCDOS, its local network operating system for TRS-80 Models II, 12, and 16. ARCDOS uses ARCNET, Datapoint's local area network.

First, I want to describe three network operating systems that use ARCNET: Datapoint's ARC and RMS, and Tandy's ARCDOS. Then I'll explain the ARCNET protocol and the hardware necessary to implement the system.

Networks and ARCNET

A local area network (LAN) is a system that transfers digital information among computer resources within a relatively small geographic area. It's a system of interconnected computers (processors) that share resources (disk drives, printers, and so on), programs, and possibly data.

Coaxial cable is the most common transmission medium, although networks also use copper wire and fiber-optic cable. All LANs require a local network operating system (LNOS) to allocate resources among users. The design of an LNOS depends on the processors, peripheral resources, and net-

work structure.

In 1977 Datapoint introduced the hardware to implement the ARCNET networking protocol, but the implementation required much more than ARCNET. A sophisticated network operating system was necessary to control interaction between processors and allocate resources in the system.

Datapoint has developed two systems that use ARCNET. The first, ARC (Attached Resource Computer), is an extension of the disk operating system (DOS) used on stand-alone Datapoint equipment.

The second, RMS (Resource Management System), is a much more sophisticated system that provides multitasking (several programs running on one processor at the same time), has a hierarchical file structure, and allows sharing nondisk resources by all network members. Tandy's ARCDOS network operating system is an extension of TRSDOS and is very similar to Datapoint's ARC.

ARC

The basic philosophy behind the ARC network operating system is the dedication of one or more processors to disk file management, thus allowing other processors in the network access to disk files without attaching each computer directly to a disk drive. Also, multiple computers can share common files.

Computers in an ARC system are either file processors (FPs) or applications processors (APs). A file processor is attached to ARCNET, has mass storage disk drives, and runs a special program (ARC/FP) that allows applications processors to gain access to disk files.

A file processor is functionally dedicated to data management, buffers data, optimizes use of its disks, coordinates data-base updating, provides security, services incoming requests, and is not capable of performing any other task while it is executing the ARC/FP program.

An applications processor is any computer attached to ARCNET capable of executing program tasks. The two types of applications processors include those with peripheral disk storage units (or with the capability of having attached disk drives) and those that you cannot attach to peripheral disk drives.

The latter APs have firmware that downloads the ARC system program into the processor. APs with locally attached disk drives can load the operating system from the local disk or also download the system from a file processor.

A simple ARC system consists of one file processor (FP₁) and five applications processors (see Fig. 1). Applications processors AP₁, AP₂, AP₃, AP₄, and AP₅ do not have disk drives and must obtain the operating system instructions and application programs from the file processor disk files.

When you turn on applications processor AP₁, a small ROM program requests that you download the operating system from the disk of FP₁. The ARC/FP program first requests the



Heart of TEXAS COMPUTER SYSTEMS

LEADER in MAIL ORDER DISCOUNTS!

800 433-5184

Texas 817/274-5625

IBM Personal Computer

INTERNAL DISKS FOR IBM

Tandon Internal Disk-160K \$CALL
Tandon Internal Disk-320K \$CALL

HARD DISKS FOR IBM

Complete 5 Meg. Systems from ... \$1550
Multi-computer Network Systems.

QUADBOARD FOR IBM

Includes 64K to 256K additional memory
Serial & Parallel Port and Calendar Clock

PRINTERS FOR IBM

STAR and EPSON \$CALL
NEC 3550 Spinwriter \$CALL

MONITORS

Med Hi Res-Green Comrex \$89
High Res-Green BMC from \$89
High Res-Color PCS \$CALL
Matches IBM PC
Low Res-Color-Taxon Vision 1 \$CALL
High Res-Color-Taxon Vision 1 \$CALL
High Res-Green-Taxon \$CALL

APPLE

First DISK DRIVE includes controller, DOS
3.3, cables and manual \$CALL
Second DISK DRIVE with cable \$CALL

APPLE to EPSON card and cable
APPLE TO GEMINI card and cable
Z 80 CARD \$CALL
RAM CARD \$CALL
Printer Interface Cards \$CALL
Graphic Printer Interface Card \$CALL
Graphic Spooler Interface Card
available with 16K to 64K



**FOR IBM, APPLE II AND APPLE III
SPECIFY INTERNAL/EXTERNAL**

5 megabyte hard drive \$CALL
12 megabyte hard drive \$CALL

CORVUS

HARD DISKS from \$1889

5 Megabyte Hard Drive \$CALL
10 Megabyte Hard Drive \$CALL
20 Megabyte Hard Drive \$CALL

Add 5, 10 or 20 Megabytes of storage to your TRS-80 Model 1, Model II, Model III,
Model 12, IBM, Apple, Atari, Heath, Zenith, Intertec, S100, Osborne, Eagle
Commodore 64, Xerox, Superbrain, Z89/90, DEC LSI-11, NEC PC-8001, and more

One or several computers can share A HARD DISK

Ask about OMNINET for your Apple or IBM PC.



**Dedicated
To Being No. 1!**

FEATURES

- * 100 CPS
- * 9X9 Dot Matrix
- * True Decenders
- * Super Script-Subscript-Underlining
- * Friction and Tractor
- * Programable Line Spacing
- * 99% Compatible with software written for No. 1 Printer.
- * High Res. Bit Image Block Graphics
- * Backspacing-Doublestrike-And More
- * 5, 6, 8 1/2, 10, 12 and 17 Pitch
- * Free 2.3K Buffer

Extended Six (6) Months Factory Warranty--FREE

Gemini 10 (9 inch Carriage) Friction and Tractor \$CALL
Gemini 15 (15 inch Carriage) Friction and Tractor \$CALL
Serial Interface \$CALL
Apple Card and Cable \$CALL
Commodore Interface \$CALL

COMMODORE 64

VIC 20--DISK DRIVES--MONITORS
DATASETTES--SOFTWARE
ACCESSORIES

Call For Current Pricing Information.

PRINTERS

TCS has the LOWEST PRICES on IN-STOCK PRINTERS

LETTER QUALITY PRINTERS

C.I.T.O.H F-10 (40 CPS)
DAISY WHEEL II (RS)
NEC 3510-3550
NEC 7710/7730
BROTHER/COMREX

MATRIX PRINTERS EPSON-MX & FX MODELS C.I.T.O.H 8510/TEC/PMC

DMP 100
DMP 200
DMP 400
DMP 500
DMP 2100
ANADIX 9501-A
CENTRONICS 352/353
OKIDATA PRINTERS

**PRINTER CABLES AND INTERFACES AVAILABLE.
CALL FOR CURRENT PRICING INFORMATION.**

TCS MODEL III 48K 2 DISK

Systems come with 180 day warranty.

\$1444

With standard 40 track
double density drives
Over 340,000 bytes
includes TDOS

\$1644

With 2 dual headed 40
track dbl. density drives
Over 730,000 bytes
Includes DOSPLUS 3.4
(\$150 value)

Fully assembled and tested systems that are software compatible and functionally identical to Radio Shack units sold at computer stores for \$hundreds more.

CONTROLLER BOARDS are high quality double sided epoxy boards with gold plated contacts
POWER SUPPLY is the finest switching type available.
MOUNTING HARDWARE includes power and data cables.
DISK DRIVES are Tandon, the same ones used by Radio Shack.. 40 track, double density, with a 5 millisecond stepping rate.

TCS MODEL III DISK EXPANSION KITS

1 Controller, Power Supply, Mounting Hardware & Instruction \$279
2 Controller, Power Supply, Mounting Hardware & one 40 track Tandon Drive \$478
3 Controller, Power Supply, Mounting Hardware & two 40 track Tandon Drive \$677
3A Kit 3 but with two 80 track drives (dual 40's) \$879
3B Kit 3 but with two 160 track drives (dual 80's) \$1099

TCS Model III and Color Computer

Ask about the Green or Amber CRT for your customized Model III

TRS-80

Model III and Color Computer

With Original 90 day Manufacturer's Limited Warranty.
Call for current pricing information on the

Model II...Model 16...Model 12...Model 4

All Radio Shack Equipment shipped from our store in
Brady, Texas.

Tandon

TCS DRIVE CABINET is industrial grade heavy guage metal, safely fused, and comes with gold plated external connector with extender cable

1 DRIVE in Cabinet

40 track single sided \$249
80 track (dual sided 40 track) \$329
160 track (dual sided 80 track) \$449

1 DRIVE/Double Cabinet

40 track single sided \$289
80 track (dual sided 40 track) \$389
160 track (dual sided 80 track) \$499

2 DRIVES/Double Cabinet

40 track single sided \$489
80 track (dual sided 40 track) \$639
160 track (dual sided 80 track) \$849

Drives in cabinets come assembled/tested with power supply. Order cable separately.

BARE DRIVES ONLY

40 track single sided \$CALL
80 track (dual sided 40 track) \$CALL
160 track (dual sided 80 track) \$CALL
8 inch Slimline sgl/dbl sided \$CALL
Winchester Hard Drives 5-30 Meg \$CALL

Smith-Corona® TP-I

Parallel/Serial \$535

TEXAS COMPUTER SYSTEMS

P.O. Box 1327 Arlington, Texas 76004-1327

TECHNICAL ASSISTANCE 817/274-9221

ORDER STATUS 817/277-1913

TELEX/TWX/Easylink ELN 62100790



800 433-5184

No tax out of state. Texans add 5%. Prices subject to change at any time.

AP₁ user's identity and code word, then downloads the operating system into AP₁.

If the user wants to run a Basic program or edit a letter, the FP loads the appropriate program from disk to AP₁. A user at AP₃ can sign on to the ARC system similarly, have the operating system downloaded, and begin word processing, data processing, or using a system utility.

If the AP₁ user wants to create a file on drive 1 called "TEXT/TXT" and the AP₃ user wants to create a file with the same name on drive 1, a conflict arises. Assigning each user a different disk subdirectory resolves this problem.

A subdirectory is a logical division of a disk that allows multiple users to have files with the same name on the same disk. When a user signs on at an AP, he enters a name and code word that determine which subdirectory he uses.

In addition to individual user subdirectories, each disk has two subdirectories called System and Main. The System subdirectory contains disk system files shared by all the users and might also have programs and data files that every user can share. The Main subdirectory has information about the name and code word of each subdirectory on the disk. For security reasons, the information contained in Main is not available to AP users.

Peripheral devices attached to an AP can only be used by that processor. Only AP₁ can use the printer attached to AP₁, and only AP₃ can use the magnetic tape drive attached to AP₃. ARC solves the printer problem by dedicating one or more APs to manage the printer.

If the AP₁ user wants to print a file he has just edited, he first stores the document in a print file format on FP₁'s disk drive using a print spooler that AP₁ ex-

ecutes. AP₄ runs a program called the unspooler. As print files are created, a queue forms to indicate the printing priority, printer type, and printer parameters for each print job. The unspooler then prints each file.

With this system, several APs can use a common printer. However, at least one AP must be dedicated to the task of printing. You can use the unspooler AP for other applications, but when it is not executing the unspooler program, print files accumulate and other users must wait for the AP to start its task of unspooling before they can receive printouts.

*"... heavy disk traffic
can inundate
a lone FP and result in
poor system performance."*

No similar mechanism exists for APs to share other peripheral devices. If a user at AP₂ wants to read a magnetic tape file from AP₃, he must use AP₃ to dump the tape file onto a disk file and then access the disk file from AP₂.

As the number of APs in a system grows, users can add additional disk drives to a single FP or additional FPs to the system. In a network with many APs and a single FP, all file transactions must go through the one FP.

In systems with very large, infrequently accessed files, adding disk drives to a single FP is sufficient. However, heavy disk traffic can inundate a lone FP and result in poor system per-

formance. In such cases, it's best to distribute the file transactions among several file processors.

In Fig. 1, adding FP₂ to the system would increase system storage and speed. AP₂ and AP₄ can access a data file from drive 1 on FP₁ and a utility program from drive 2 on FP₂. The ARC/FP program provides both APs with access to the common data file and prevents the simultaneous addition or updating of information to the file.

For example, if the data file is an inventory list and the user at AP₂ has just removed an item, the user at AP₃ should be denied access to the inventory count until the program on AP₂ has properly adjusted it.

Datapoint currently has two distinct and incompatible ARC systems. One runs under DOS.G (Disk Operating System version G) and is designed for minicomputers. The other runs under DOS.H for use with the Datapoint 1560 processor, a Z80-based microcomputer.

RMS

ARC's limitations include the requirement for dedicated FPs and unspooling APs, and the inability to share other common resources. After ARC had been on the market for several years, Datapoint released RMS (Resource Management System), a sophisticated software system that allows almost complete sharing of processor resources within a network.

Although RMS is currently implemented as an LAN, it can cover very large distances. The same processors that utilize ARC work in an RMS installation.

Under RMS, each participating processor devotes a certain amount of its memory and cycle time to the system. The remainder of each processor's memory and cycle time is available for multiple tasks. Software configuration determines the extent to which a processor participates in an RMS system. In Fig. 2, two processors have attached disk drives, two have no peripheral devices, and one has a printer.

Under RMS, file processors perform other tasks in addition to file management and are called Data Resource Processors (DRPs). A portion of DRP₁'s memory performs file management for the system. The additional memory is used for multiple tasks accessed by the processor's console and keyboard and three work stations connected by copier wire.

Each work station is a video display terminal that utilizes DRP₁'s memory. AP₂ has an attached disk drive, but the




Figure 1

Forum Sixty-Eight

Color Computer News



If the same old news and reviews cause you to snooze then choose:

Forum Sixty-Eight

Forum Sixty-Eight is new to date and will prove itself real soon. So rouse from your slumber and get the first number. Cause the first issue's coming in June.

Forum Sixty-Eight is the journal for Motorola Microprocessors. The forum covers business, scientific and recreational computing.

Color Computer News

Color Computer News will wake your computer and open your eyes up wide. And soon you'll discover from cover to cover there's lots of good info inside.

Color Computer News is the original Color Computer magazine covering the entire spectrum of Color Computing from beginner to advanced.

83 Marketable Software, Inc.
P.O. Box 1192
Muskegon, MI 49443
(616) 726-9100

The 12 issue subscription rate is:
United States \$21.00
Canada/Mexico \$36.00
Foreign \$66.00
Combination Subscription \$139.00
(U.S. only)

Markable Software, Inc.
P.O. Box 11912
Edmonton, Alberta T5J 1L1
CANADA
Canadian subscriptions to
Color Computer News only

Name

Address

City State Zip

☐ Visa ☐ Mastercard # Expiration Date

☐ Color Computer News ☐ Forum Sixty-Eight ☐ Both

Subscription begins with next available issue

80M

✓145

Allow 4-10 weeks for delivery

Which TRS-80* Accounting Software Do I Buy...

That's a tough question. I know, I asked it myself not very long ago. I'm Mike Motta. As president of Shawmut Systems, specialists in TRS-80* custom software, my customers were asking me for Model II and 16 Accounting Software — GL, AR, AP and Payroll. But I said "Why write the software. There must be a good package already available." So I searched for the best I could find. And I found it!

Now, when I tell you that these are the best Accounting programs I've seen on a microcomputer, you probably think that you are just listening to another sales pitch. But you're not. You're listening to a businessman with over twenty years combined experience in sales, management, and programming. So when I say that these programs will work for you, it really means something.

Each program, designed for the Model II or 16, will work with one or more floppy or hard disks. With each program, I'll include a 200 page manual written with the first time user in mind, and a set of sample data files so you can start using the program right away.

But I won't stop there. If you have a question, or a problem, call me. You won't get an operator, or order taker. You'll get me. And if I can't talk to you on the spot, I'll call you back. And I'll fix your problem. FAST.

Now I could say a lot more about these programs, but you really won't know how good they are until you try them. So, order the programs you need, and try them for 14 days. If you're not convinced that these are the programs for you, send them back, and I'll refund your money.

My price for these programs is only \$289.00 each, postpaid. I could charge hundreds more, but I want you to have the best programs at the best possible price. So mail or call your order in today. I'll make sure you'll be satisfied.

Model II/16 Accounting Software Packages

Accounts Receivable\$289
General Ledger\$289

Accounts Payable\$289
Payroll\$289

SHAWMUT SYSTEMS
105 Circle Drive • PO Box 324-A
Somerset, MA 02726
(617) 672-9794

Ask about our Model I and III versions.

Send check, money order or Visa/MC number

*TRS-80 is a Trademark of Tandy Corp.

Mass. residents add 5% sales tax.

✓363

FREE PROGRAM

SUPER---A program that strips the copy protection from Radio Shack Visicalc, Scripsit, Time Manager, and Desktop/Plan 80. Our program comes on a Disk and automatically removes the backup protection.
NO PROGRAMMING NECESSARY.

REGULAR PRICE \$20.00

Shipped free with any of these Radio Shack Mod III programs

26-1563	Scripsit I/III	99.95
26-1569	Enhanced Visicalc	199.00
26-1580	Project Manager	99.95
26-1581	Personnel Manager	99.95
26-1582	Time Manager	99.95
26-1585	Business Checkwriter	149.95
26-1590	Super-Scripsit	199.00
26-1591	Scripsit Dictionary	149.00
26-1592	Profile III+	199.00
26-1594	Desktop/Plan 80	199.00

OTHER SPECIALS THIS MONTH

DOS ÷ ver 3.4 (The Friendly DOS)
Only \$99.95

APPARATS NEWDOS/80 ver 2.0
Only \$119.95

Verbatim®
Diskettes



Top-quality Verbatim® Diskettes

Use VISA - Mastercard - Money Orders
No Purchase Orders Please!
Allow 2 weeks for personal checks
Kansas Residents add 3.5% Sales Tax.

CALL TOLL FREE!

1-800-835-0071

Dealer Inquiries Invited.

IN KANSAS:
316 - 665-3611

FORUM 80

316-665-3985

SALES DATA, INC.

526 E. 4th
HUTCHINSON, KANSAS 67501

✓142

system is configured so the disk drive files are available only to AP₂. In the event of a disk drive failure on DRP₁, users can easily change the system's software configuration so AP₂ functions as a DRP and its disk drive is available to all or select users on the system.

AP₃ has a high-speed dot-matrix printer and AP₄ has a letter-quality daisy-wheel printer. The system is configured so that all processors and work stations can access both printers.

ARCDOS

ARCDOS is Tandy's local area network operating system for the Model II, 12, and 16. Each processor must have 64K of memory and an ARCNET board to participate in the network. Model II processors also require a 16K expansion board.

TRS-80 processors can only participate in ARCDOS while running in Model II mode, using the Z80 CPU and associated memory boards. Currently the Model 16's MC68000 CPU cannot

use ARCNET.

ARCDOS is similar to Datapoint's ARC. Each network is limited to 255 processors and must have at least one file processor dedicated to file management. Unlike ARC, each FP can have one attached printer and any AP can use the printer. Like the Datapoint system, ARCDOS has two types of applications processors: those with disk drives (or the capability for attached disk drives) and those with no disk drives that use firmware to download the operating system.

Calling up ARCDOS is simple. The file processor first boots TRSDOS, and then executes the program ARC80FP to start ARCDOS. Once ARCDOS is running, the file processor cannot run other programs. While the FP is running ARCDOS, you can use the command SHOWVOL to show which volumes (disks) are on line.

Applications processors can access up to 10 logical disk drives, local (connected to the AP by the parallel input/output bus) or remote, attached to

an FP. You initially access remote volumes by name using the Mount command. For example, to access a remote disk volume named Account, you would sign on, then type MOUNT ACCOUNT:5.

After a remote volume is logically mounted on an AP, further reference to it is by the disk drive number that Mount assigns. In our example, any disk read or write to drive 5 accesses volume Accounts on the file processor. When the user is finished, he Dismounts the remote volume and signs off the ARC system.

Since ARCDOS operates under TRSDOS, it doesn't have subdirectories like Datapoint's ARC. Each user must take care that his files on any particular FP disk have unique names.

For example, a user at one AP writes a Basic program and saves it on FP disk drive 1 as PROG01. Later another user writes a different program in Fortran and saves it on FP disk drive 1 as PROG01. The latter user's file will overwrite the first and the Basic program is lost. The first user could protect his file by assigning it a password, and the second user has to choose another file name.

ARCDOS Application

As an example of how an ARCDOS network works, consider its application in a large automobile dealership (Fig. 3). FP₁ manages files dealing with new car inventory and sales. FP₂ manages files for mechanic scheduling and parts inventory.

AP₁ has its own disk drives that store sensitive accounting and personnel data. AP₂ is used in the showroom to match inventory to customer needs, enter sales, and place requests for specially equipped cars. AP₃ is used in the general manager's office as a back-up for AP₁ or AP₂.

AP₄ is used in the garage to schedule customer service and request parts from the stockroom. In the parts stockroom, employees enter all parts sales on AP₅ to facilitate inventory control and accounting procedures. Should FP₁ or FP₂ fail, AP₂ can quickly substitute and return the system to normal function with a minimum delay.

ARC-ARCDOS Incompatibilities

You cannot use TRS-80 processors in ARC systems or Datapoint processors in ARCDOS systems because of the difference in the architecture of Datapoint and Tandy computers. ARC DOS.G processors are minicomputers that use a different instruction set from the Z80




Figure 2.




Figure 3.

Does Your TRS-80 Deserve The Very Best Software?

EDUCATIONAL
THE MATH PAK'S - The top selling math drill programs. Order MP1 for integers, MP2 for fractions, MP3 for decimals. \$19.95 ea./cass.
WORDPAK - The new standard in vocabulary programs. Make your own wordlists to match your texts. 3 games and many features. \$19.95/cass.
SPEECHZAPPER 1 - Arcade style language arts programs. Identify parts of speech in actual usage. The two programs cover nouns, pronouns, adverbs, adjectives, prepositions, and interjections. \$19.95 ea./cass.
HOME/BUSINESS
HORKS - A unique single entry accounting system. User assigned codes, many reports. up to 9200 entries. Req. 32K-1 disc. \$29.95/disc. \$24.95/cass.
INVENTORY + - Complete inventory system, up to 3000 entries. Use as a stand alone system with many reports and features. Req. 32K-1 disc. Min. \$29.95/disc. \$24.95/cass.
CASH REGISTER 80 - The best selling point of sale system for the Mod 1.3. Get all the features of the SSSSSS systems. Req. INVENTORY +. 48K, 1 disc. \$29.95. \$24.95/cass.


GAMES/ADVENTURES
PYRAMID - Makes Mastermind look like a child's game. With sound, high speed graphics, and 3 skill levels. \$14.95/cass.
ARGUS CHRONICLE - An out of this world machine language text adventure. \$24.95/disc. \$19.95/cass.

CASSETTES - CASSETTE DUPLICATING
 Top quality screw cassettes w/boxes. C10/\$9.95. C20/\$10.95 doz. Add \$1.75 shipping 1st doz. \$.75 each additional. Other sizes available. Lower prices on bulk sales. Write for rate sheet.
CASSETTE DUPLICATING - Mod 1.3, color, ATARI and audio. Write for rate sheet. Mass residents add 5% tax. Visa, MC, & phone orders accepted. Call or write for free catalog. Dealer inquiries invited.



SOFTWARE
 P.O. BOX 336
 MAYNARD, MA 01754
 (617) 568-8641

ENB



TRUE Relational Database Management for TRS - 80 Mod I/III

ENB is a true relational database manager. Your data is held in ordered sets. You impose structure by creating and linking sets in various ways. Prompt screens are automatically generated from this underlying structure. You define reports ordered by any set, showing directly or indirectly linked sets (and enforce a host of further conditions on the selected set members).

What's more, ENB has an integrated data dictionary; structural info is carried in the database as data, just like everything else. This lets you restructure your database at will, without reblocking or reprogramming, using the regular editing commands. Also, exchange files containing structural data with other ENB databases. Special reports on database structure are built in and (like all reports) are always current.

64K data items, spans 4 disk drives (or hard disk). Interfaces to BASIC, file exchange with Scripsit, VisiCalc and other ENB data bases. Includes 5 action tutorials, 150 page manual.

Developed in England by Southern Software.

You Owe It To Your Data!

\$140 \$3 Shipping
 CA add 6%


TRS-80 SCRIPSIT™ Radio Shack; VISICALC™ Visicorp; ✓ 136

Allen Gelder Software

Box 11721 San Francisco, CA 94101 (415) 681-9371

"Your Business Computer Headquarters"

Compare the Victor 9000 Desktop Business Computer



The Victor 9000 Desktop Business Computer gives you the kind of memory, storage capacity and software that business applications demand. Just compare the Victor 9000 with the competition, and we're confident you'll pick Victor.

VICTOR
 Serving American business for 65 years.
 VICTOR BUSINESS PRODUCTS
 A Division of Victor Co. of Japan

Call For Quotes!!

Compare and you'll pick Victor.



800-351-1580

In Texas Call Collect: 915-283-2920

Van Horn Office Supply


701 W. Broadway

✓ 169

P.O. Box 1060


Van Horn, Texas 79855

TRS-80™ Business Computers




128K Model 16

- 1 Drive CALL
- 2 Drive CALL



80K Model 12

CALL



Model IV

- 64K, 2 Drive CALL
- 64K, 1 Drive CALL
- 16K CALL

Call For QUOTES On Complete Product Line

chip in TRS-80s.

Although the Datapoint 1560 processor is a Z80-based microcomputer, it has other hardware (ROM, disk drive interface, video display, and keyboard units) that is different from TRS-80 microcomputers. A TRS-80 with appropriately designed software could participate in a Datapoint ARC system and vice versa, but I doubt that either manufacturer has an incentive to develop the necessary software. It is likely that other software vendors will develop such programs.

The most limiting feature of ARCDOS is that, as an extension of TRSDOS, it doesn't have multitasking capabilities. It seems inevitable that Tandy will develop an LNOS based on Xenix, the multitasking operating system for the Model 16's 68000 CPU. Such a system would have many features of Datapoint's RMS: multitasking at individual processors, hierarchical file structure, and complete sharing of peripheral resources among the system's processors.

Local Networking Concepts

Two transmission techniques are in general use for local networks: baseband and broadband methods. In base-

band transmission, information is encoded and transmitted directly. Only one message is on the system at a time. Baseband systems can usually support up to several hundred users.

Broadband transmission allows multiple simultaneous signals on the line. Coaxial and fiberoptic cables are the most suitable media for this type of

"Baseband systems can usually support up to several hundred users."

transmission. Broadband systems can handle thousands of users, and support audio and video signals. However, the initial costs of bidirectional signal amplifiers and the expense of maintenance are great.

Two LAN communication protocols are common: CSMA/CD and token passing. With the Carrier Sense Multiple Access/Collision Detection (CSMA/CD) methods, each unit that needs to transmit first checks to see if any message is being distributed. If a message is present, the unit waits until the line is clear.

All units have the capability of detecting transmission collision (the transmission of messages over the line by two or more units at the same time). If a collision occurs, all units pause for a predetermined amount of time, then each unit waits an additional, randomly determined interval before transmitting.

In the token passing protocols, each unit assumes the role of master controller, transmits if necessary, then passes control to the next unit. Figuratively, a token passes from the current master unit to the one that will assume the role of master unit. When all units have had a chance to transmit, the process begins again.

ARCNET

ARCNET is a token passing local-area network system in which each node (ARCNET interface and computer) has a unique address and shares control of the system. The node that currently controls the system is called the master node.

The master node sends information, then passes control to the node with the next higher address. If that node does not accept the attempt to pass control, the master node checks for activity. If activity is present, the master node relinquishes control; otherwise it waits,

TRS-80™ OWNERS... Enter the World of **POWERSOFT**



Nationally Acclaimed Programs for the TRS-80 Computers

Now from the authors of **SUPER UTILITY+** a complete line of software to increase the use and capabilities of your system.

While **SUPER UTILITY+** won recent honors as Utility Program of the year by the 200,000 readers of *80 Micro*, the quality and consistency carries through the complete Powersoft line.

Professionally written and completely documented, Powersoft programs are accepted as industry standards among TRS-80 enthusiasts.

SUPER UTILITY PLUS	74.95	PowerMAIL+	150.00
SCRIPUS	39.95	PowerDRAW	39.95
TOOLBOX FOR LDOS	69.95	PowerDOT	49.95
MASTER MECHANIC SET FOR LDOS	39.95	PowerDRIVER	29.95
BASIC/S COMPILER SYSTEM	49.95	PowerTERM	29.95
MAKE/80	49.95	INSIDE SU+	19.95
SUPERMOVE XFER SYSTEM	700.00	SU+ TECH MANUAL	14.95
DOSPLUS II	250.00	SU+ SPECIAL EDITION	500.00

BOOT UP WITH POWERSOFT...

THE WORLD'S MOST POWERFUL SOFTWARE VENDOR!

WE SUPPORT LDOS! BUY ANY PRODUCT AND
GET LDOS FOR \$99!

SEND FOR OUR COMPLETE CATALOG TODAY!

DEALER INQUIRIES INVITED

AVAILABLE THROUGH SELECTED DEALERS EVERYWHERE

POWERSOFT

PRODUCTS FROM BREEZE/QSD, INC.

11500 Stemmons Fwy.

Suite 125

✓306 Dallas, Texas 75229

Info: (214) 484-2976

Orders Only 800-527-7432

HAVE THEY EVER ASKED Why You Bought A Computer?

--- INFO-SCAN WILL SHOW THEM WHY ---

Combines the Features of a Word Processor, Data Base Manager, and Information Retrieval and Display Facility.

Instantly recall and display information of any sort: sales leads; inventories; product data & prices; daily appointments & reminders; names & addresses; diaries; lesson plans & student lists; recipes; index magazine articles, music and program libraries. You create information files using a simple word-processing like entry method. A short key describes the record. Scan the keys on the screen, select one, press a button and the full record displays (or prints). Add, delete, change records in a snap. Written in machine language. Fully self-contained. Simple to operate, you don't need a Ph.D. to use it! No programming or other technical knowledge required. 15 page manual.

INFOSCAN Model I/III 48K 1 Drive \$49.95

--- OR SHOW THEM STUNNING GRAPHICS ---

Add the professional touch to your programs. Create complex graphic and text screens effortlessly. Over 30 commands for screen manipulation. Built in 'HELP' facility. Enter 1-1/2 inch graphic letters with a single keystroke (48K required). Save completed screens as a BASIC subroutine, merge with your programs. Full screen displays instantly from your program with a single GOSUB. Do animation. Load existing screens to make changes. Scores of useful features. Written in Machine language. 26 page manual.



SCREEN ARTIST II Model I/III 32K 1 Drive \$32.95

Call or write for full brochure, including many educational products. Full money back guarantee. VISA, Mastercard, COD welcome. Add \$2.50 for shipping. Ct. residents add 7.5% sales tax.

**The
Smallsystem
Center** ✓ 182

Post Office Box 268 New Hartford, CT. 06057 (203) 482-3689

The one-size-fits-all computer magazines fall flat!



Time was when you could pull any computer magazine off the rack and it would suit your purpose.

Not anymore. Today, you need a magazine that is tailor-made for your system, a magazine designed to fit your computing needs, a magazine that lets you move freely to expand your knowledge of computing and to use your computer to its *fullest* capacity.

For users of Radio Shack computers, *that* magazine is **80 MICRO**. No other computer magazine *in the world* provides more useful information on the TRS-80* than **80 MICRO**. In 1982 alone, **80 MICRO** published over 5000 pages containing informative articles; useable programs and helpful tips; hardware, software, and book reviews; new product announcements; science, business, and home-use applications; Color Computer* information; tutorials; utilities; and games.

80 MICRO is the largest single source of information for your TRS-80. No one else even comes close—not even Radio Shack. Because **80 MICRO** is not affiliated with the manufacturer, you get unbiased, independent reporting on the latest happenings and innovations.

If you use a TRS-80 you'll want to subscribe to **80 MICRO**. A one year subscription is only \$35.97—25% off the newsstand price.

*TRS-80 and TRS-80 Color Computer are trademarks of Radio Shack, a division of Tandy Corp.

Send in the attached card today, use the coupon below or call toll free **1-800-258-5473**.

Stop buying those ill-fitting computer magazines off the rack. Subscribe to **80 MICRO** and get the magazine that's tailor-made for you.

I want the magazine that's tailor-made for me.
Send me 12 issues of **80 MICRO** for only \$35.97*

☐ CHECK ☐ MC ☐ VISA ☐ AE ☐ BILL ME

CARD# _____ EXP. DATE _____

SIGNATURE _____

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

80 MICRO Subscription Department
PO Box 981, Farmingdale, NY 11737

338B8

* This price voids all previous offers.

Canada and Mexico \$44.97, 1 year only, US funds. Foreign Surface \$54.97, 1 year only, US funds drawn on US bank. Foreign air, please inquire. Please allow 6-8 weeks for delivery.

80 Micro, August 1983 • 195

then repeats the attempt to pass control to the node with the next higher address.

Each node remembers the address of the node to which it last passed control. This avoids polling of nonexistent nodes and enhances the speed of the system. The master node enquires whether the receiving node has a free buffer to hold the packet of information to be transmitted before it actually sends the packet.

This avoids sending information to a node that cannot accept the message. If the receiving node is not able to receive, the master node passes control to the next node and repeats the attempt to send the message when it again gains control of the system.

ARCNET Hardware

ARCNET uses baseband transmission hardware that transmits over RG62 coaxial cable at 2.5 megabaud. Nodes are attached as collections of stars: Coaxial cable connects each node to an ARCNET hub. Coaxial cable can connect each hub in turn to other hubs.

The two types of hubs are passive and active. A passive hub is a connector attached to the coaxial cables from up to four nodes. It requires no power and

sells for \$79 at Radio Shack (a high price for a small 2 by 2 by 4-inch connector box). You cannot attach passive hubs to other passive hubs, and the combined lengths of the longest two coaxial cables attached to a hub must be less than 200 feet.

"... the maximum distance between the two nodes farthest apart should be four or less miles."

Active hubs have separate power supplies and transceivers to condition the ARCNET signal for improved reliability. They sell for \$799 at Radio Shack. You can attach up to eight (16 as an option on Datapoint hubs) nodes to an active hub and use up to 2,000 feet of coaxial cable between an active hub and a directly connected node.

To increase the number of nodes in a system or increase the distance the network covers, you can connect two active hubs with up to 2,000 feet of cable. All nodes must be close enough so the maximum time delay between a message

being sent and received is 31 microseconds (μ s). In practice, the maximum distance between the two nodes farthest apart should be four or less miles. You cannot attach passive hubs to active hubs.

The ARCNET interface between the coaxial cable and processor is called a RIM (Resource Interface Module) or ARCNET board. It consists of a parallel interface to the processor, a variable number of 256-byte memory buffers, a controller, a transmitter, a receiver, and a line interface. You can make data transfers to or from the processor at any time, whether or not the transmitter is busy.

The RIM handles all ARCNET protocol procedures. You do not need to involve the attached processor in the details of token passing or data transfer among RIMs. Each RIM in the network has a unique address ranging from 1 to 255.

ARCNET Protocol

ARCNET is a serial, asynchronous system. A 200 nanosecond (ns) dipulse (a 100 ns positive pulse followed by a 100 ns negative pulse) is transmitted as a mark, and no pulse is transmitted as a space. Information transmits through 11 bit units at 2.5 megabaud.

CIRCLE COMPUTERS

15% DISCOUNT ON MOD I/III SOFTWARE FROM BIG FIVE & SOFT SECTOR MARKETING

DISK DRIVES WITH POWER SUPPLIES AND CASES

TANDON TM100-1 40TRK SINGLE SIDE	199.00
TANDON TM100-2 40TRK DOUBLE SIDE	279.00
TANDON TM100-3 80TRK SINGLE SIDE	299.00
TANDON TM100-4 80TRK DOUBLE SIDE	379.00
TEAC DUAL SIDED 40TRK	259.00
REMEX 40TRK SINGLE SIDED	299.00

WE ALSO HAVE 2 DRIVES IN A DOUBLE CASE CALL FOR PRICES

BARE DISK DRIVES

TANDON TM100-1 40TRK SINGLE SIDE	169.00
TANDON TM100-2 40TRK DOUBLE SIDE	249.00
TANDON TM100-3 80TRK SINGLE SIDE	249.00
TANDON TM100-4 80TRK DOUBLE SIDE	339.00
TEAC DUAL SIDED 40TRK	220.00
REMEX 40TRK	260.00

HARD DRIVES

5 MEGABYTE HARD DRIVE (FORMATTED)	1395.00
10 MEGABYTE HARD DRIVE (FORMATTED)	1695.00
DMA OPTION	250.00

MODEL 3 COMPUTERS AND DRIVE KITS

MODEL 3 INTERNAL DRIVE KIT/NO DRIVES	254.00
MODEL 3 INTERNAL DRIVE KIT/1 DRIVE	399.00
MODEL 3 INTERNAL DRIVE KIT/2 DRIVES	574.00
MODEL 3 LEVEL 1 1K	649.00
MODEL 3 LEVEL 2 16K	799.00
MODEL 3 LEVEL 2 48K	850.00
MODEL 3 LEVEL 2 48K 1 DISK DRIVE	1395.00
MODEL 3 LEVEL 2 48K 2 DISK DRIVES	1695.00

CABLES, CASES AND POWER SUPPLIES

2 DRIVE CABLES	25.00
4 DRIVE CABLES	35.00
EXTENDER CABLES	13.00
SINGLE POWER SUPPLY AND CASE	49.95
DOUBLE POWER SUPPLY AND CASE	79.95
4116 200NS MEMORY CHIPS	8/16.00
LOWERCASE MOD FOR MODEL 1	11.00
REVERSE VIDEO MOD FOR MODEL 1	16.00

ALL HARDWARE ITEMS ARE WARRANTED FOR 120 DAYS

MON-FRI. 8 AM-5 PM
SAT-SUN. 9 AM-7 PM

SEND FOR FREE HARDWARE AND SOFTWARE CATALOG

CIRCLE COMPUTERS P.O. BOX 108 LOWELL, MA 01853 (617)453-4953

CERTIFIED CK/MO/COD ACCEPTED. SHIPPING CHARGES ARE ACTUAL.

PERSONAL CHECKS WILL DELAY ORDER UP TO 2 WEEKS

FLURP™

Mainframe Accuracy with a Micro

If you need a multilinear regression package with the accuracy of a number-cruncher, you need FLURP (Flynn Laboratory's Ultimate Regression Package). FLURP has easy data input, disk file archiving, and outputs a complete set of statistics. These include: multicollinearity diagnostics, hypothesis testing, an analysis and plot of the residuals, and more. FLURP is available for 8" CP/M (requires MBASIC), TRS-80 I and III, and soon for the IBM PC.

☐ My \$99.95 is enclosed rush me FLURP (add \$5.00 for foreign shipping)

☐ Enclosed is \$29.95 for the manual (credit to the purchase of FLURP)

☐ Bill company (include purchase order)

☐ Charge my ☐ Visa ☐ MasterCard

Card Number _____ Expires _____

Name _____

Address _____

City _____ State _____ Zip _____

Signature (credit card orders) _____

Mail to: LEDS Publishing Co., Inc., PO Box 12847, Research Triangle Park, NC 27709 (919) 477-3690.

Trademarks: IBM-IBM Corp.; FLURP-LEDS Publishing Co.; CP/M-Digital Research; TRS-80-Tandy; MBASIC-Microsoft

The line idles with no signal present. A transmission starts with an alert burst of six unit-intervals of mark. Data is transmitted as 8 bit characters preceded by two unit-intervals of mark and one unit-interval of space. The five types of transmission include:

- **Invitations To Transmit (ITT)** is an alert burst followed by one EOT (end of transmission) and two DID (destination identification) characters. This transmission passes control of the line from one unit to another.

- **Free buffer enquiry (FBE)** is one alert burst followed by one ENQ (enquiry) and two DID characters. It determines whether a unit is ready to receive a transmission.

- **Packet** is one alert burst followed by one SOH (start of header), one SID (source identification), two DIDs, the character Count (number of characters in packet: 1-253) and two CRCs (cyclical redundancy checks). It contains data transmitted from one node to another.

- **Acknowledgement** is one alert burst followed by one ACK (acknowledgement). It acknowledges reception of packet or free buffer enquiry.

- **Negative Acknowledgement** is one alert burst followed by one NAK (neg-

ative acknowledgement) character.

When you first turn on ARCNET, system reconfiguration occurs. When any node determines that no token is circulating (the line is idle for 78 μ s), it begins a time-out sequence equal to $146 \times (255 - ID) \mu$ s where ID is the identification number of the unit (1-255). When the time-out is complete, the unit begins to send invitations to transmit unless there is activity on the line.

The node with the highest ID begins sending invitations to transmit first. After sending an invitation to transmit, the node waits for the receiving node to respond with an FBE, packet, or ITT. If there is no line activity for 78 μ s, the node increments NID by one and sends an ITT.

When a new node joins an active network, it is bypassed repeatedly (since each active node remembers the next highest ID and passes the token to that node), without the following network entering protocol. The new node (or a node that has not received the token for more than 840 ms) enters the network by destroying the token and causing reconfiguration. A reconfiguration burst (consisting of eight marks and one space repeated 765 times) is longer than any other transmission and interface

with the master node's invitation to transmit. Since the reconfiguration burst is activity on the line, the master node relinquishes control. The line then remains quiet for 78 μ s before system reconfiguration occurs.


When a node leaves the system, there is no need for network reconfiguration. The node that had been passing the token to the now silent node does not receive a response to its ITT, so it increments NID and sends another ITT. This process continues until the master node's NID corresponds to the ID of the next highest node.

Summary

ARCNET has been an efficient token passing local-area network in over five years of use in Datapoint systems. Its application to TRS-80 based networks is straightforward and ARCNET provides a reliable network at a relatively low cost. Extension to 68000 based processors such as the Model 16 should help Tandy keep ahead of the competition in the business microcomputer market. ■

Contact Joseph Trojak at Johns Hopkins Hospital, 600 North Wolfe St., Baltimore, MD 21205.

COMPUTER KITS - FROM \$69.95



LNW SEMI-KITS can save you hundreds of dollars. By obtaining your own parts at the lowest possible cost and assembling the **LNW SEMI-KITS**, you can have the most highly acclaimed microcomputer in the industry - the **LNW80**. The **LNW SEMI-KITS** are affordable modules. You can start with a modest cassette system and expand to a full 4Mhz TRS-80 compatible system with 5 or 8 inch double density disks and color at any time.

A. LNU80 CPU - Made of high quality FR4 glass epoxy double sided circuit material, with plated-through holes and gold edge connector. It is fully solder-masked and silk screened. Here are just some of the outstanding features you will have when your **LNU80 CPU** board is fully assembled: • 16K RAM • Color and black and white video • 480 x 192 high resolution graphics • 64 and 80 column video • 4 Mhz Z80A CPU • Upper and lower case display • 500 and 1000 baud cassette I/O - \$89.95

B. SYSTEM EXPANSION - Expand the **LNU80** computerboard, **TRS-80** and **PMC-80** computer with the following features: • 32K memory • Serial RS232C and 20Ma port • Real time clock • Parallel printer port • 5 inch single density disk controller • Expansion bus (screen printer port) • Onboard power supply • Solder-masked and silk screened legend - \$69.95 (tin plated contacts) - \$84.95 (gold plated contacts)

C. KEYBOARD - 74 key expanded professional keyboard - includes 12 key numeric keypad. Fully assembled and tested. - \$99.95

D. COMPUTER CASE - This stylish instrument-quality solid steel case and hardware kit gives your **LNU80** that professional factory-built appearance. - \$84.95 Add \$12.00 for shipping.

E. SYSTEM EXPANSION CASE - This stylish instrument-quality solid steel case and hardware kit gives your **SYSTEM EXPANSION** interface that professional factory-built appearance. - \$59.95 Add \$10.00 for shipping.

F. LNU80 CPU - HARD TO FIND PARTS KIT - \$82.00

G. LNU80 VIDEO - HARD TO FIND PARTS KIT - \$31.00

H. SYSTEM EXPANSION - HARD TO FIND PARTS KIT - \$27.50

I. LEVEL II ROM set (6 chip set) - \$120.00

VISA and **MasterCard** accepted. Add \$3.00 for shipping plus \$1.00 for each additional item. All shipments via UPS surface. Add \$2.00 for U.S. Mail. Shipments outside continental U.S.: funds must be U.S. dollars. Sufficient shipping costs must be included with payment.

ORDERS & INFORMATION - (714) 544-5744
SERVICE - (714) 641-8850

LNW Research Corp.

2620 WALNUT Tustin, CA. 92680

✓33

Aerocomp's Proven Best-By Test! The "DDC"

Double Density Controller

★ Technical Superiority

At last! A double density controller for Model I with HIGHER PROBABILITY OF DATA RECOVERY THAN WITH ANY OTHER DOUBLE DENSITY CONTROLLER ON THE MARKET TODAY! The "DDC" from Aerocomp. No need to worry about the problems that keep cropping up on existing products. AEROCOMP'S new analog design phase lock loop data separator has a wider capture window than the digital types currently on the market. This allows high resolution data centering. The finest resolution available with digital circuitry is 125 ns (nano seconds). The "DDC" analog circuit allows infinitely variable tuning. Attack and settling times are optimum for 5-1/4 inch diskettes. The units presently on the market use a write precompensation circuit that is very "sloppy". Board to board tolerance is extremely wide - in the order of ± 100 ns. The "DDC" is accurate to within ± 20 ns. The bottomline is state of the art reliability!

★ Test Proven

Tests were conducted on AEROCOMP'S "DDC", Percom's "Doubler A" and "Doubler II" and LNW's "LNDoubler" using a Radio Shack TRS80*** Model I, Level 2, 48 K with TRS80 Expansion Interface and a Percom TFD100* disk drive (Siemens Model 82). Diskette was Memorex 3401. The test diskette chosen was a well used piece of media to determine performance under adverse conditions. The various double density adapters were installed sequentially in the expansion interface.

The test consisted of formatting 40 tracks on the diskette and writing a 6DB6 data pattern on all tracks. The 6DB6 pattern was chosen because it is recommended as a "worst case" test by manufacturers of drives and diskettes. An attempt was then made to read each sector on the disk once - no retries. Operating system was Newdos/80, Version 1.0, with Double Zap, Version 2.0. Unreadable sectors were tallied and recorded. The test was run ten times with each double density controller and the data averaged. Test results are shown in the table.

★ Features

TRS80 Model I owners who are ready for reliable double density operation will get (1) 80% more storage per diskette, (2) single and double density data separation with far fewer disk I/O errors, (3) single density compatibility and (4) simple plug-in installation. Compatible with all existing double density software.

★ Value\$119.95

for the Best DD Controller on the market.

SPRING SPECIAL

"DDC" and LDOS

\$169.95

\$149.95 for "DDC" with DOSPLUS 3.3D (limited quantity)

Data Separators

The advances that make the "DDC" great are incorporated in the new AEROCOMP Single Density Data Separator ("SDS") and Double Density Data Separator ("DDS").


★ Has your original manufacturer left you holding the bag?

If you already own a Percom "Doubler A", "Doubler II" or LNW "LNDoubler" or Superbrain, the AEROCOMP "DDS" will make it right. Look at the test results:

MFR. & PRODUCT	SECTORS LOCKED OUT	
	WITHOUT "DDS"	WITH "DDS"
PERCOM "DOUBLER II"	18	1
PERCOM "DOUBLER A"	250	0
LNW "LNDOUBLER"	202	0

Note: Same test procedures as "DDC".
* Trademark of Percom Data Co.
** Trademark of LNW
*** Trademark of Tandy Corporation

**Plugs directly into your existing
Double Density Controller.**



★ TEST RESULTS ★

MFR & PRODUCT	SECTORS LOCKED OUT (AVG)
AEROCOMP "DDC"	0
PERCOM "DOUBLER II"	18
PERCOM "DOUBLER A"	250
LNW "LNDOUBLER"	202

Note: test results available upon written request. All tests conducted prior to 8-25-81

Aerocomp's 14 day money back guarantee applies to hardware only. Specials will be prorated. Shipping \$2.00 in Cont. US. See opposite page for details.

★ "DDS"\$49.95

(Use 1791 chip from your DD Controller)

★ "DDS" with disk controller

chip included\$79.95

★ Disk controller chip.....\$34.95

(Shipping \$2.00 Cont. US - see opposite page for details)


Do you need a Single Density Data Separator?

The internal data separator in the WD1771 chip (R/S Expansion Interface) is NOT recommended by WD for reliable data transfer. Do you have any of these problems: Lost data, tracks locked out, CRC errors, disk retry? YOU NEED ONE!

★ "SDS"\$29.95

(For Mod. I; shipping \$2.00)

**See opposite
page**



DISK DRIVES

40 & 80 TRACK

SINGLE & DOUBLE SIDED

as low as **\$169**

NEW!


PACESETTERS

Aerocomp leads the way to the BEST value in disk drives on the market. Quality, performance, reliability, warranty, service plus free trial – that's what you get from the leader. AEROCOMP!

BEST FEATURES

- ★ Fast 5 ms. track-track access
- ★ Single or double density
- ★ Easy entry door
- ★ "Flippy" feature allows read-write to the back of the diskette to cut media cost in half!
- ★ Disk ejector (MPI)
- ★ External drive cable connection (no need to remove the cover to hook up the cable)

NEW!



HALF-HIGH DRIVES

Two complete drives in the space of one. Complete with power supply & enclosure.

- ★ Two 40 track SS \$389
- ★ Two 40 track Dual Head \$539
- ★ Two 80 track SS \$419
- ★ Two 80 track Dual Head \$579

COMPLETE DRIVES

TRS80 Mod. I & III, IBM PC & TI 99/4A. Power supply & enclosure. Specify silver or almond. MPI or Tandon. 5.25 in.

- ★ 40 track single side \$199
- ★ 40 track SS "Flippy" \$239
- ★ 40 track Dual Head \$279
- ★ 80 track SS \$299
- ★ 80 track SS "Flippy" \$329
- ★ 80 track Dual Head \$379
- ★ APPLE compatible w/cable (Shugart) ... \$279
- ★ APPLE compatible disk controller. \$89

Shipping & Handling \$5.00 Per Drive

BARE DRIVES

Internal drives for TRS80 Mod. III, IBM PC, TI 99/4A, 5.25 in. (controller required)

- ★ 40 track Single Side \$169
- ★ 40 track Dual Head \$249
- ★ 80 track SS \$269
- ★ 80 track Dual Head \$339
- (add \$30 for "Flippy" modification)
- ★ 8 inch Single Side Thinline \$399
- ★ 8 inch Dual Head Thinline \$499

Shipping & Handling \$4.00 Per Drive

MODEL III DRIVES

Convert your cassette Mod. III to disk. Complete internal drive kits with 40 track SS drives, disk controller, power supply, mounting towers, hardware & cables.

- ★ Drive Kit Only (no drives) \$199
- ★ One Drive System Kit \$369
- ★ Two Drive System Kit \$539

Shipping & Handling \$8.00 Per System

MODEL I STARTER PACKAGE

One 40 track SS drive, 2-drive cable, TRSDOS 2.3 disk & manual, freight & insurance.

\$249

MISCELLANEOUS GOODIES

- ★ TRSDOS 2.3 disk & manual \$20
- ★ LDOS (Mod. I or III) \$119
- ★ NEWDOS/80, 2.0 (Mod. I or III) \$129
- ★ DOSPLUS 3.5 \$129
- ★ Diskettes (10 in library box) \$23
- ★ MX80 ribbons \$9
- ★ 5.25" Drive Power Supply & case \$59
- ★ 2-Drive Cable \$24
- ★ 4-Drive Cable \$34
- ★ Extender Cable \$13

Shipping & Handling \$2.00

TRS80 Color Computer Drives

First Drive \$399
Includes controller, cable (2-D) and Book

Additional Drives \$199

FREE TRIAL OFFER

Use your AEROCOMP drive for up to 14 days. If you are not satisfied for ANY REASON (except misuse or improper handling), return in the original shipping container for a full purchase price refund. Applies to hardware only. Sorry, we cannot refund on software. We have confidence in our products and we know you will be satisfied.

WARRANTY

We offer a six months warranty on parts and labor against defects in materials and workmanship. In the event service becomes necessary for any reason, our service department is fast, friendly and cooperative. Our goal is 48 hour turnaround on all warranty or repair drives!

100% TESTED

AEROCOMP disk drives are 100% subjected to burn-in and bench test. We even enclose a copy of the test check list, signed by the test technician, with each drive. AEROCOMP means reliability!

ORDER NOW!

Order by mail or call TOLL FREE TO THE NUMBERS BELOW. Please note toll free lines will accept orders only. We accept VISA or MASTERCARD. Be sure to include card number and expiration date. We will not charge your card until the day we ship. Order by mail with credit card or send check or money order. Please allow 2 weeks for personal checks to clear our bank. Order COD. No deposit required but all COD's will arrive cash, certified check or money order only. We'll send a card showing the exact COD amount before your shipment arrives. Shipping is **not** included in the prices shown. Texas residents add 5% sales tax. NEXT DAY SHIPMENT on all in stock items.

**CALL TOLL FREE FOR FAST SERVICE
(800) 824-7888, OPERATOR 24**

FOR VISA / MASTERCARD / C.O.D. ORDERS

California dial (800) 852-7777, Operator 24. Alaska and Hawaii dial (800) 824-7919, Operator 24.

TOLL FREE LINES WILL ACCEPT ORDERS ONLY!

For Applications and Technical information, call (214) 337-4346 or drop us a card.

Dealer inquiries invited

AEROCOMP
Redbird Airport, Bldg. 8
P.O. Box 24829
Dallas, TX 75224

✓ 82

Five Portable Programs

Foxfighter

by Brad Dixon

80 Micro Technical Editor

The Model 100 is fast proving itself a powerful computer with great potential in business and home environments. However, there are times when the drudgery of computing must be replaced with some fast-paced entertainment. Foxfighter (Program Listing 1) is a Model 100 game that uses a meager 3K of memory, yet provides plenty of action.

At the game's start you're given the option of receiving flight instructions or moving directly to your mission. The instructions are provided in lines 390-440. As pilot of a Foxfighter aircraft, your mission is to clear the sky of deadly airmines over an enemy city. To operate the Foxfighter, use the O key to move your aircraft up, the P key to move down, and the space bar to fire the fighter's laser cannon. An INKEY function in line 80 scans the keyboard for these flight instructions. Upward flight is performed in line 90 while downward flight and laser fire are controlled in lines 110 and 190, respectively.

Foxfighter's position is guided by the PRINT@ values produced by the loop in line 70. Once in flight, the fighter moves to the beginning of the next line on the screen when it reaches the end of the previous line. When the fighter reaches number 198 in the loop, it is recycled back to the top left corner of the screen.

If you have little interest in guiding the fighter, but would rather obtain a high score, this feature pilots the craft while you sit back and fire at the appropriate time.

This feature produces an interesting characteristic during laser fire called "wrap around, zap around." If you fire the laser cannon within eight spaces of the end of a row, part of the laser fire wraps around to the beginning of the next row. In effect, you are able to shoot around corners.

Another feature makes the game even more challenging. If an airmine is brushed by the nose or tail of your Foxfighter, the airmine becomes invisible on the screen. Don't let this fool

Program Listing 1. Foxfighter.

```

10 DIM X(6):V=3:SCR=0:CLS:PRINT@92,"<<
FOXFIGHTER >>":PRINT:PRINT:INPUT"DO YOU
NEED INSTRUCTIONS (Y OR N)";A$:IF A$="Y
"THEN390 ELSE20
20 DATA 45,79,115,95,102,124,19,83,58,23
,150,128,51,73,140,113,102,31,16,118,88,
67,81,75,100,12,68,95,64,28,116,147,159,
48,95,114,149,140,119,57,107,30
30 FORM=1TO6:READX(M):IFX(M)=30THENRESTO
RE20ELSENEXT
40 P=0:CLS
50 GOSUB220
60 Z$=CHR$(237)+CHR$(232)+CHR$(254)
70 FORB=7TO198:FORM=1TO6:IFB<198ANDB<>X(
M) THENNEXTELSEIFB=198THEN180ELSEIFB=X(M)
THEN380
80 C$=INKEY$:IFC$=""THEN120ELSEIFC$=CHR$
(32) THEN190ELSEIFC$="O" THEN90ELSEIFC$="P
" THEN110ELSE120
90 PRINT@(B-1),"      ":B=B-39:IFB<0THENB=B
+40ELSE120
100 GOTO120
110 PRINT@(B-1),"      ":B=B+41:IFB>198THEN
B=B-40
120 PRINT@B,Z$
130 SOUND12538,1
140 IFB=0THEN170ELSEC=B-1
150 IFSCR=5000ORSCR=10000ORSCR=20000THENPRI
NT@0,V+1
160 PRINT@C," "
170 NEXTB
180 PRINT@(B-1),"      ":GOTO70
190 PRINT@(B-1),Z$:PRINT@(B+2),".....
":FORT=1TO8:SOUND1479,1:NEXT:PRINT@(B+2)
,"
200 FORM=1TO6:IFX(M)>(B+2)ANDX(M)<(B+10)
THEN370ELSENEXT
210 GOTO140
220 PRINT@200,CHR$(237):PRINT@203,CHR$(2
39):PRINT@208,CHR$(234)+CHR$(233)+CHR$(2
28)+CHR$(233)+CHR$(228)
230 PRINT@216,CHR$(234):PRINT@225,CHR$(2
32)+CHR$(233)+CHR$(238)+CHR$(238)+CHR$(2
39)+CHR$(239)
240 PRINT@233,CHR$(233)+CHR$(238):PRINT@
238,CHR$(237)
250 PRINT@240,CHR$(239):PRINT@242,CHR$(2
27)+CHR$(239)+CHR$(227):PRINT@248,CHR$(2
39)+CHR$(239)+CHR$(239)
260 PRINT@251,CHR$(237)+CHR$(238):PRINT@

```

Listing 1 continues

The Key Box

Foxfighter and Intel require 4K RAM, The Year in Review needs 8K RAM, and Subterra and Renumber 100 take 24K RAM.

you. The airmine is still there and will destroy you if you crash into it. Airmine also disappear if the sensor field around each is disturbed by laser fire aimed at nearby airmine.

Crashes and airmine hits provide similar explosions with flashing asterisks and sounds. In each case, the scoreboard is updated in the upper left corner of the screen. When you exhaust all your fighters, the screen clears and your final score is posted. You can play again or exit the program. Each airmine is worth 10 points and additional fighters are awarded at 500, 1000, and 2000 points.

Enhancements

The cityscape in the program is more for visual effect than for increasing the game's difficulty. Crashes into buildings are

not difficult to add, but in Basic the checks for crashes might inhibit fast game play. Moving targets or anti-aircraft missiles from the surface would also add to the excitement of the game, but, again, the limitations of Basic programming make such refinements impractical.

The available RAM in the Model 100 limits the level of game modification. One nice addition that doesn't sacrifice speed is incorporating a time limit on the game so that a player has to shoot all the airmine within a specified time. If this is not accomplished, points are deducted from the player's score.

I think you'll find Foxfighter a fast and challenging game that's a nice alternative to the Model 100's more serious applications. ■

Listing 1 continued

```
254,CHR$(238):PRINT@256,CHR$(239):PRINT@
260,CHR$(238)+CHR$(239)
270 PRINT@262,CHR$(237)+CHR$(232):PRINT@
265,CHR$(239)+CHR$(239)+CHR$(239)+CHR$(2
39)+CHR$(239)+CHR$(239)
280 PRINT@271,CHR$(232)+CHR$(238)+CHR$(2
39)+CHR$(239)+CHR$(232)+CHR$(232)+CHR$(2
32)+CHR$(239)
290 PRINT@280,CHR$(239)+CHR$(239)+CHR$(2
39)+CHR$(239)+CHR$(239)+CHR$(239)+CHR$(2
39)+CHR$(239)+CHR$(239);:
300 PRINT@288,CHR$(239)+CHR$(239)+CHR$(2
39)+CHR$(239)+CHR$(239)+CHR$(239)+CHR$(2
39)+CHR$(239)+CHR$(239);:
310 PRINT@297,CHR$(239)+CHR$(239)+CHR$(2
39)+CHR$(239)+CHR$(239)+CHR$(239)+CHR$(2
39)+CHR$(239)+CHR$(239);
320 PRINT@306,CHR$(239)+CHR$(239)+CHR$(2
39)+CHR$(239)+CHR$(239)+CHR$(239)+CHR$(2
39)+CHR$(239)+CHR$(239);
330 PRINT@315,CHR$(239)+CHR$(239)+CHR$(2
39)+CHR$(239);
340 FORM=1TO6:PRINT@X(M),CHR$(169):NEXT
350 PRINT@0,V":":PRINT@3,SCR
360 RETURN
370 FORM=1TO5:PRINT@X(M),"***":SOUND9394
,2:NEXTT:PRINT@X(M),"":SCR=SCR+10:PRI
NT@3,SCR:P=P+1:IFP=6THEN30ELSEX(M)=290:G
OTO140
380 FORM=1TO5:PRINT@X(M),"***":SOUND995
2,2:NEXTT:V=V-1:PRINT@0,V:IFV=0THEN450EL
SE30
390 CLS:PRINT@52,"FOXFIGHTER":PRINT"YOUR
MISSION IS TO DESTROY THE AIRMINE":PRINT
"FIELDS ABOVE THE ENEMY CAPITOL."
400 PRINT"YOUR FIGHTERS ARE GUIDED USING
THE 'O' KEY TO GO UP AND THE 'P' KEY TO
GO DOWN.THE SPACEBAR FIRES THE FIGHTER'S
LASER CANNON."
410 FORM=1TO4000:NEXTT
420 CLS:PRINT@52,"*** WARNING ***":PRINT
:PRINT"IF LASER FIRE OR PART OF YOUR FIG
HTER":PRINT"BRUSHES THE SENSOR FIELD ARO
UND"
430 PRINT"EACH AIRMINE, IT WILL BECOME I
NVISIBLE YET REMAINS ARMED. GOOD LUCK!"
440 FORM=1TO4000:NEXTT:GOTO20
450 CLS:PRINT@82,"YOU HAVE RUN OUT OF FI
GHTERS!!":PRINT@122,"YOUR FINAL SCORE IS
";SCR:PRINT@V=3:SCR=0:INPUT"PLAY AGAIN (
Y OR N)";A$:IF A$<>"Y"THENENDELSE20
```

Variable	Description
V	Number of Foxfighters
SCR	Score
B	Foxfighter screen position
P	Score counter
Z\$	Foxfighter graphics

Table 1. Foxfighter variables list.

Line	Description
10	Initialization and title page
20-30	Data for airmine placements
60-70	Foxfighter setup and screen definitions
80-130	INKEY routine to check steering and laser fire
150	Check score for extra fighter
190-200	Firing routine and check for airmine hits
220-350	City graphics and scoreboard
370	Airmine hit routine and scoreboard update
380	Crash routine and fighter count update
390-440	Instructions for play
450	Final score and replay option

Table 2. Foxfighter line descriptions.

Intel

Conversion by Beve Woodbury 80 Micro Technical Editor

"4K Intelligence," a game by William M. Lopez, (80 Micro, March 1980, p. 55) was designed so that a computer would "learn" from its mistakes; when it is defeated, it doesn't repeat its last move again. Thus the first few games are easy to win, but as play continues, the computer becomes unbeatable.

"4K Intelligence" is played with chess pawns on a 3- by 3-block matrix. Pawns can move one space forward to an empty space, or diagonally to capture an opponent. That player whose pawn reaches the opposite side first, or who blocks his opponent from moving, wins.

When you start the game, you are given the opportunity to see the game instructions. Type and enter a Y for instructions,

or an N to begin the game. Before the game starts, there is a brief pause while arrays are set up.

You always get the first move. Move a pawn forward one space to a blank space, or diagonally to an occupied space to capture the opponent's pawn. When the screen prompts FROM, choose the pawn to be moved, type the pawn location and press the enter key. When the screen prompts TO, type the desired destination and press enter. If you make an invalid move (move forward to occupied space, move diagonally to unoccupied space, skip a space), the computer is unforgiving. You lose the game!

The Program

Program Listing 2 sets up four arrays. Array M contains values for each board configuration. When a move results in a loss, that move is changed to zero, so that the next time the configuration comes up, the computer uses the next possible move. A 15 appears on the display if the computer cannot make a move. If the computer loses in that way, it changes its previous move to zero. If all three possible moves become zero, column 2 changes to 15 so that next time around the previous move is changed.

Array B contains all possible computer block configurations—those with which the computer has won by blocking all your possible moves.

Array C contains the possible computer moves using the matrix locations. Column 1 has the FROM matrix location and column 2 has the TO matrix location.

Array G contains a summary of the game matrix. The screen location for the pawn is in column 0, the matrix location of the computer pawn in column 1, and your pawn in column 3. A 1 indicates a pawn in that location and zero indicates an empty space. Column 2 contains specific values for the corresponding matrix location for computer pawns, and column 4 has the values for your pawns.

The program occupies almost 4K and contains several REM statements for program clarity. If you have limited memory space, remove all remark lines. ■

Arrays

B()	Computer block configurations
C()	Possible computer moves
G()	Game matrix summary
M()	Board configurations and possible moves

General

A	Row location of computer move
BL	Human blocked if 1
C	Computer configuration value
F	Matrix location to move computer pawn from
H	Human configuration value
I	For...Next loop counter
J	Matrix location to move human pawn from
K	Matrix location to move human pawn to
L	Number of human losses
LC	Column number of previous computer move
LR	Row number of previous computer move
M	Computer move
NS	? Play again?
T	Matrix location to move computer pawn to
W	Number of human wins
X	Value to check for invalid move
YS	? Instructions wanted?

Table 3. "4K Intelligence" variables list.

Program Listing 2. Intel.

```

10 DIMG(8,4),M(38,4),C(15,1),B(14,1)
20 CLS:PRINT@12,"INTEL":PRINT:W=0:L=0
30 INPUT"DO YOU WANT INSTRUCTIONS? Y/
N",YS
40 IFY$="Y"THEN1170ELSEIFY$="N"THEN70
50 GOTO30
60 'set up possible moves
70 DATA4,3,7,5,4,1,2,1,0,6,8,2,11,7,3
80 DATA7,6,2,5,4,3,11,10,5,6,5,0,9,8,0
90 DATA3,2,0,5,4,3,7,6,0,7,6,0,7,0,0
100 DATA11,8,0,2,0,0,8,5,0,3,14,0,8,11,0
110 DATA15,0,0,15,0,0,11,14,0,8,7,6
120 DATA3,11,0,5,11,0,2,8,0,6,14,0,2,0,0
130 DATA1,2,6,15,0,0,15,0,0,6,0,0,6,7,0
140 DATA7,0,0,1,0,0,1,2,14,14,0,0,11,5,0
150 FORI=0TO38:READM(I,2),M(I,3),M(I,4)
:NEXT
160 'set up computer model table
170 DATA392,7,224,7,336,7,272,13,264,22
180 DATA152,5,296,3,96,22,112,14,160,13
190 DATA280,35,104,6,144,6,80,6,136,5
200 DATA32,28,56,1,48,10,24,34,32,25
210 DATA40,5,136,17,8,52,16,12,8,18
220 DATA16,10,8,5,16,36,24,1,176,5
230 DATA16,2,168,21,56,4,272,6,264,5
240 DATA96,5,80,37,136,37,32,18
250 FORI=0TO38:READM(I,0),M(I,1):NEXT
260 'blocked human move table
270 DATA1,8,2,16,4,32,8,64,16,128
280 DATA12,96,33,264,32,256,5,40
290 DATA40,320,21,168,17,136,20,160
300 DATA34,272,9,80
310 FORI=0TO14:READB(I,0),B(I,1):NEXT
320 'possible computer moves
330 DATA0,3,0,4,1,3,1,4,1,5,2,4,2,5
340 DATA3,6,3,7,4,6,4,7,4,8,5,7,5,8
350 FORI=1TO14:READC(I,0),C(I,1):NEXT
360 ' set up graphic array
370 DATA67,1,1,0,0,72,1,2,0,0
380 DATA77,1,4,0,0,147,0,8,0,8
390 DATA152,0,16,0,16,157,0,32,0,32
400 DATA227,0,0,1,64,232,0,0,1,128
410 DATA237,0,0,1,256
420 FORI=0TO8:READ G(I,0),G(I,1),G(I,2),G
(I,3),G(I,4):NEXT
430 CLS ' setup board graphic
440 LINE(146,4)-(234,50),1,B:LINE(145,3)-
(235,51),1,B
450 LINE(174,5)-(174,50):LINE(205,5)-(
205,50)
460 LINE(147,20)-(233,20):LINE(147,35)-(
233,35)
470 PRINT@65,"0":PRINT@67,CHR$(128)
480 PRINT@70,"1":PRINT@72,CHR$(128)
490 PRINT@75,"2":PRINT@77,CHR$(128)
500 PRINT@145,"3":PRINT@150,"4"
:PRINT@155,"5"
510 PRINT@225,"6":PRINT@227,CHR$(148)
520 PRINT@230,"7":PRINT@232,CHR$(148)
530 PRINT@235,"8":PRINT@237,CHR$(148)
540 ' get human move
550 GOSUB1300
560 GOSUB750
570 ' get model table value.
580 IFH=0THEN970
590 FORI=0TO14
600 IFC=B(I,0)AND H=B(I,1)THENBL=1
610 NEXT
620 IFBL=1THENPRINT@200,"BLOCKED! I
WIN!":BL=0:GOTO990
630 PRINT@200,"YOUR MOVE HUMAN!"

```

Listing 2 continues

Listing 2 continued

```

640 INPUT"FROM";J:PRINT@250,"TO";:INPUTK
650 X=J-K
660 IFX<2ORX>4THENL090
670 IFX=3ANDG(K,1)=1THENL090
680 IFX=4ANDG(K,1)=0THENL090
690 IFX=2ANDG(K,1)=0THENL090
700 G(K,3)=1:G(K,1)=0:G(J,3)=0
710 PRINT@G(K,0),CHR$(148):PRINT@G(J,0),"
"
720 IFK<3THENL120
730 GOSUB740:GOTO810
740 'get array values for comp. move
750 C=0:H=0
760 FORI=0TO8
770 IFG(I,1)=1THENC=C+G(I,2)
780 IFG(I,3)=1THENH=H+G(I,4)
790 NEXT
800 RETURN
810 ' get computer move #
820 FORI=0TO38
830 IFH=M(I,0)ANDC=M(I,1)THENA=I:GOTO860
840 NEXT
850 ' get and make computer move
860 FORI=2TO4
870 IFM(A,I)>0THENM=M(A,I):GOTO900
880 NEXT
890 IFM=0THENM(A,2)=15
900 IFM=15THENL140
910 F=C(M,0):T=C(M,1)
920 G(F,1)=0:G(T,3)=0:G(T,1)=1
930 PRINT@G(F,0)," ":PRINT@G(T,0),CHR$(
128)
940 IFT>5THEN980
950 LR=A:LC=I
960 GOTO550
970 ' computer win routine
980 GOSUB1300:PRINT@200,"I WIN, HUMAN!"
990 ' ending routine
1000 L=L+1
1010 PRINT"YOU'VE WON";W; "AND LOST";L

```

```

1020 INPUT"DO YOU WANT TO PLAY AGAIN? (Y/
N)";N$
1030 FORI=0TO2:G(I,1)=1:G(I,3)=0:NEXTI
1040 FORI=3TO5:G(I,1)=0:G(I,3)=0:NEXTI
1050 FORI=6TO8:G(I,1)=0:G(I,3)=1:NEXTI
1060 M=0:IFN$="Y"THEN430
1070 END
1080 ' invalid move routine
1090 GOSUB1300:PRINT@200,"INVALID MOVE!
I WIN!"
1100 GOTO990
1110 ' human win routine
1120 PRINT@200,"YOU'VE WON, HUMAN!"
1130 W=W+1:M(A,B)=0:GOTO1010
1140 PRINT@200,"YOU'VE WON, HUMAN!"
1150 W=W+1:M(LR,LC)=0:GOTO1010
1160 ' game instructions
1170 CLS:PRINT:PRINT"INTEL IS PLAYED ON A
3 BY 3 MATRIX."
1180 PRINT"THE PAWNS ARE MOVED ONE SPACE
FORWARD"
1190 PRINT"OR ONE SPACE DIAGONALLY TO
CAPTURE."
1200 PRINT"MY PAWNS ARE ";CHR$(128);"
YOURS ARE ";CHR$(148)
1210 INPUT Y$:CLS:PRINT
1220 PRINT"WIN OCCURS WHEN YOU REACH THE
OPPOSITE"
1230 PRINT"SIDE OF THE BOARD OR"
1240 PRINT"WHEN ALL OPPONENTS PAWNS ARE
BLOCKED."
1250 PRINT"AN INVALID MOVE RESULTS IN A
LOSS."
1260 PRINT"TO MAKE A MOVE, ENTER PRESENT
PAWN"
1270 PRINT"POSITION, THEN ENTER NEW PAWN
POSITION."
1280 INPUT Y$:GOTO70
1290 ' blank screen text
1300 FORI=0TO16:PRINT@(200+I)," ":PRINT@
(240+I)," ":NEXT:RETURN

```

Subterra

Conversion by Mare-Anne Jarvela
80 Micro Technical Editor

Subterra, an adventure game by Richard Ramella, first appeared in our Fun House column (80 Micro, November 1982, p. 488). It requires a 24K Model 100.

Variable	Description
AS	Data from data statements
B	Array counter
T	For...Next counter
X\$	Input variable
C\$	Input variable
K\$	Input variable
I	For...Next counter
Z	Random number
M	Random number
K	Found key flag
H	Going in or out flag
P	Mile counter

Table 4. Subterra variables list.

Program Listing 3. Subterra.

```

10 REM SUBTERRA
20 CLS
30 DATA NORTH,SOUTH,EAST,WEST,KEY,NOTE-S
OMETIMES EMPTY
40 DATA DESERT,HOME,LOCATION,DO YOU WALK
INTO WALLS A LOT?
50 DATA WALL,CAVE ENTRANCE,TUNNEL OF MIC
A,CRAWL SPACE,VESTIBULE OF EVIL
60 DATA TRIANGLE TUNNEL,ENDLESS PASSAGE,
GROTTO OF GRIEF,DRAGON,WELL
70 DATA FOUR CORNERS,TROLL WAY,ROCK TUNN
EL,THREE CORNERS,ECHO CAVERN
80 DATA RIVER,THREE DOORWAYS,SULPHUR LAN
E,WATERY ELBOW,DARKLING WAY
90 DATA COBWEBBED HALLWAY,CIRCLE CHAMBER
,WHITE WATER,RIVER ROCK,ABYSMAL WATERFAL
L
100 DATA SACRIFICIAL ALTAR,SHORT HALL,SN
AKE CITY,POISON HALL,RAT CHAMBER
110 DATA IT'S ENDLESS SO GO BACK !!
120 DATA I'M SORRY.. YOU WILL NEVER RETU
RN.
130 DATA HER FIERY BREATH DRIVES YOU BAC
K,A DOORWAY,RIVER BANK
140 DATA LIMBO JAUNT,CAVE-IN NOW BLOCKS
ENTRANCE,A ROUND PORTAL

```

Listing 3 continues

In Subterra, you must traverse underground caves and passages in search of a precious idol. Travel in any direction, but tread cautiously—many hidden traps await you. And don't assume you're through when you find the idol—you are in danger until you and the idol are safely above ground.

Pictures add to the fun, and show off some of the Model 100's graphics. I used CHR\$(27); "p" to make the background dark and CHR\$(27); "q" to make it light. Lines 2230-2730 contain all the graphics. (See Program Listing 3.)

Subterra produces sound in conjunction with the graphics.

Change line 2310 to compose a different tune for the key, line 2390 for the doors, line 2500 for the dragon, line 2620 for the well, and line 2700 for the idol.

The Model 100's random function (RND) gives you numbers between zero and one. I used INT(10*RND(1)) for an integer between zero and nine. RND always gives the same order of random numbers; to avoid that, I used the clock to pick up a different sequence each time (see p. 175 of the Model 100 manual).

Enjoy Subterra—but don't get lost. ■

Listing 3 continued

```

150 CLEAR 500
160 DIM A$(48)
170 FOR B=1 TO 48
180 READ A$(B)
190 NEXT B
200 PRINT@50,"HAVE FUN FINDING THE IDOL!
11"
210 PRINT@90,"HOLD YOUR EYES OPEN FOR...
..":FOR T=1 TO 1200:NEXT T:CLS
220 GOSUB 2350: CLS: GOSUB 2240: CLS: GO
SUB 2420: CLS: GOSUB 2530: CLS: GOSUB 26
40: CLS
230 REM CAVE
240 L=12: N=7: W=7: S=8: E=13
250 GOSUB 2000
260 IF X$="N" OR X$="W" THEN PRINT "LOST
...NEVER HEARD OF AGAIN.":END
270 IF X$="S" THEN PRINT "WENT HOME AND
DIDN'T EVEN TRY.":END
280 IF X$="E" GOTO 300
290 REM TUNNEL OF MICA
300 L=13: N=11: W=13: S=14: E=13
310 GOSUB 2000
320 IF X$="N" THEN PRINT A$(10):GOTO300
330 IF X$="W" THEN PRINT A$(47):GOTO300
340 IF X$="S" GOTO 370
350 IF X$="E" GOTO 480
360 REM VESTIBULE OF EVIL
370 L=15: N=14: W=11: S=11: E=16
380 SEC = VAL(RIGHT$(TIME$,2))
390 FOR I=1 TO SEC
400 Z=INT(10*RND(1))
410 NEXT I
420 IF Z<6 THEN GOSUB 2100
430 GOSUB 2000
440 IF X$="W" OR X$="S" THEN PRINT A$(10
):GOTO 370
450 IF X$="N" GOTO 300
460 IF X$="E" GOTO 600
470 REM GROTTO OF GRIEF
480 L=18: W=13: S=22: E=20
490 IF H=2 THEN N=14 ELSE N=19
500 GOSUB 2000
510 IF X$="W" THEN GOTO 300
520 IF X$="E" THEN GOTO 770
530 IF X$="S" GOTO 600
540 IF X$="N" AND H<>2 THEN GOSUB 2420:C
LS
550 IF X$="N" AND H<>2 THEN SEC=VAL(RIGH
T$(TIME$,2)):FOR I=1 TO SEC:Z=INT(10*RND
(1)):NEXT I
560 IF X$="N" AND H=2 THEN PRINT "YOU EX
IT TO SUNLIGHT. THE IDOL IS YOURS":END
570 IF Z<6 THEN PRINT A$(42): END
580 IF Z>5 THEN PRINT A$(43): Z=0: GOTO
480

```

```

590 REM FOUR CORNERS
600 L=21: N=22: W=16: S=17: E=23
610 GOSUB 2000
620 IF X$="N" GOTO 480
630 IF X$="W" GOTO 370
640 IF X$="E" GOTO 1170
650 IF X$="S" GOTO 660
660 P=2
670 REM ENDLESS PASSAGE
680 L=17: W=11: S=17: E=11
690 GOSUB 2000
700 IF P=2 AND X$="N" THEN PRINT "YOU LE
AVE ";A$(17): P=0:GOTO600
710 IF X$="S" THEN P=P+2
720 IF X$="N" THEN P=P-2
730 IF P=10 THEN GOSUB 2100
740 PRINT "DISTANCE INTO ";A$(17);": ";P;
"MILES"
750 GOTO 680
760 REM WELL
770 GOSUB2530:CLS
780 L=20: N=11: W=11: S=11: E=11
790 GOSUB 2000
800 IF X$="N" OR X$="S" THEN PRINT"YOU CA
N'T GET OUT!!!":END
810 IF X$="W" THEN PRINT"THAT HURT!":FOR
T=1 TO 500:NEXT T:GOTO 770
820 IF X$="E" THEN PRINT"A WALL AGAIN ?":
FOR T=1 TO 500:NEXT T:GOTO 770
830 N=11: W=11: S=25: E=11
840 IF Z=1 THEN L=38
850 IF Z=2 THEN L=39
860 IF Z=3 THEN L=40: E=37
870 SEC = VAL(RIGHT$(TIME$,2))
880 FOR I=1 TO SEC
890 M=INT(10*RND(1))
900 NEXT I
910 IF M<6 THEN PRINT"FOUND-CHEST WITH A
";
920 IF M>5 GOTO 1000
930 SEC = VAL(RIGHT$(TIME$,2))
940 FOR I=1 TO SEC
950 M=INT(10*RND(2))
960 NEXT I
970 IF M<6 THEN PRINT A$(5):FOR T=1 TO 5
00:NEXT T:GOSUB 2230:CLS
980 IF M>5 THEN PRINT A$(6)
990 IF M<6 THEN K=1
1000 GOSUB 2000
1010 IF X$="N" OR X$="W" GOTO 1000
1020 IF X$="E" AND Z=3 GOTO 1450
1030 IF X$="E" GOTO 1000
1040 IF X$="S" GOTO 1060
1050 REM ECHO CAVERN
1060 L=25: N=27: W=20: S=28: E=44
1070 GOSUB 2000
1080 IF X$="W" GOTO 770

```

Listing 3 continues

```

1090 IF X$="S" GOTO 1170
1100 IF X$="E" AND K<>1 THEN PRINT "NO "
;A$(5): GOTO 1060
1110 IF X$="E" AND K=1 THEN PRINT A$(5)
;" DOESN'T WORK.":GOTO 1060
1120 GOSUB2350
1130 PRINT@42, "WHICH DOOR - 1,2 OR 3";:
INPUT Z:CLS
1140 IF Z<>1 AND Z<>2 AND Z<>3 GOTO 1130
1150 GOTO 830
1160 REM RIVER BANK
1170 L=45: N=28: W=23: S=11: E=26
1180 GOSUB 2000
1190 IF X$="N" GOTO 1060
1200 IF X$="W" GOTO 600
1210 IF X$="S" THEN PRINT "HURT YOUR HEA
D?":GOTO 1170
1220 REM WATERY ELBOW
1230 L=29: N=26: W=26: S=46: E=11
1240 GOSUB 2000
1250 IF X$="N" GOTO 1390
1260 IF X$="W" GOTO 1170
1270 IF X$="E" THEN PRINT "OOPS,ANOTHER
WALL EH?": GOTO 1230
1280 REM LIMBO JAUNT
1290 L=46: N=29: W=11: S=46: E=11
1300 PRINT "DISTANCE IN: ";P;"MILES"
1310 GOSUB 2000
1320 IF X$="S" THEN P=P+2
1330 IF X$="N" THEN P=P-2
1340 IF P<2 THEN PRINT "YOU'RE OUT":GOTO
1230
1350 IF P=10 THEN PRINT A$(41)
1360 IF P=12 THEN PRINT "TOO LATE . LOST
IN THE DARK. THAT'S ALL": END
1370 GOTO 1290
1380 REM RIVER ROCK
1390 L=34: N=33: W=44: S=26: E=31
1400 GOSUB2000
1410 IF X$="W" GOTO 1060
1420 IF X$="S" GOTO 1230
1430 IF X$="E" GOTO 1610
1440 REM SACRIFICIAL ALTAR
1450 L=36: N=35: W=40: S=33: E=11
1460 GOSUB 2000
1470 IF X$="W" THEN Z=3: GOTO 830
1480 IF X$="S" GOTO 1390
1490 IF X$="E" THEN PRINT"ANOTHER BRUISE
": GOTO 1450
1500 IF X$="N" THEN PRINT "YOU KNOW WHAT
AN ";A$(35);" IS AND STILL WANT TO GO?"
1510 INPUT "ANSWER YES OR NO";X$
1520 IF X$<>"YES" AND X$<>"NO" GOTO 1510
1530 IF X$="NO" GOTO 1450
1540 PRINT
1550 PRINT "NOW YOU FALL FOREVER ";:GOTO
1590
1560 PRINT "AND EVER ";
1570 FOR T=1 TO 200
1580 NEXT T
1590 GOTO 1560
1600 REM COBWEBBED HALLWAY
1610 L=31: N=11: W=34: S=11: E=48
1620 PRINT "YOU STAND AT ";A$(48)
1630 IF K<>1 THEN PRINT "NO ";A$(5); " TO
ENTER": GOTO 1390
1640 IF K=1 THEN PRINT "YOUR ";A$(5)" WO
RKS!"
1650 GOSUB 2000
1660 PRINT "YOU NOW ENTER THE ";A$(32)
1670 FOR T=1 TO 500
1680 NEXT T
1690 PRINT "DO YOU RECALL THE MAGIC DIRE

```

```

CTION?"
1700 PRINT "IF YOU DON'T KNOW, GUESS QUI
CKLY!"
1710 PRINT"THE CEILING WILL START TO LOW
ER..."
1720 FOR T=1 TO 1000
1730 NEXT T
1740 PRINT "PRESS ANY KEY IF YOU KNOW."
1750 PRINT
1760 FOR T=1 TO 500
1770 NEXT T
1780 FOR M=10 TO 1 STEP -1
1790 CLS
1800 PRINT M;"SECONDS TO GO"
1810 C$=INKEY$
1820 IF C$<>" "GOTO 1860
1830 FOR T=1 TO 200
1840 NEXT T
1850 NEXT M
1860 PRINT "THE MAGIC DIRECTION IS "
1870 INPUT"(NORTH-EAST-SOUTH-WEST)";C$
1880 IF C$=K$ GOTO 1900
1890 PRINT "BAD GUESSING, A CRUSHING DEF
EAT, EH?": END
1900 CLS:GOSUB 2640:CLS
1910 PRINT "YOU FOUND THE GOLDEN IDOL IN
TIME."
1920 PRINT "YOUR WORRIES ARE OVER..."
1930 PRINT "EXCEPT YOU HAVE TO FIND YOUR
WAY OUT."
1940 PRINT"YOU EXIT WITH TREASURE IN HAN
D."
1950 H=2
1960 FOR T=1 TO 1500
1970 NEXT T
1980 CLS
1990 GOTO 1390
2000 PRINT A$(9);": ";A$(L)
2010 PRINT A$(1);": ";A$(N)
2020 PRINT A$(4);": ";A$(W)
2030 PRINT A$(2);": ";A$(S)
2040 PRINT A$(3);": ";A$(E)
2050 PRINT"DIRECTION - (N-W-S-E)";
2060 INPUT X$
2070 IF X$<>"N" AND X$<>"W" AND X$<>"S"
AND X$<>"E" GOTO 2050
2080 CLS
2090 RETURN
2100 IF K$<>" "THEN RETURN
2110 SEC = VAL(RIGHT$(TIME$,2))
2120 FOR I=1 TO SEC
2130 Z=INT(10*RND(1))
2140 NEXT I
2150 IF Z<3 AND Z>0 THEN K$=A$(1):GOTO 2
190
2160 IF Z<5 THEN K$=A$(2):GOTO 2190
2170 IF Z<8 THEN K$=A$(3):GOTO 2190
2180 IF Z<10 THEN K$=A$(4)
2190 Z=0
2200 PRINT "A WALL OPENS. A MESSAGE SCRO
LL APPEARS:"
2210 PRINT "REMEMBER THE MAGIC DIRECTION
: ";K$;" "
2220 RETURN
2230 REM KEY
2240 PRINT@59,CHR$(230);CHR$(231);CHR$(2
31);CHR$(229)
2250 PRINT@99,CHR$(229);CHR$(232);CHR$(2
32);CHR$(230)
2260 PRINT@141,CHR$(233)
2270 PRINT@181,CHR$(233)
2280 PRINT@220,CHR$(232);CHR$(233)
2290 PRINT@259,CHR$(232);CHR$(232);CHR$(

```

```

233)
2300 PRINT@301,CHR$(225)
2310 SOUND 2348,25: SOUND 1864,25: SOUND
7456,25: SOUND11172,25
2320 FOR T=1 TO 500:NEXT T
2330 RETURN
2340 REM DOORS
2350 PRINT@282,CHR$(234);" ";CHR$(233);"
";CHR$(234);" ";CHR$(233);" ";CHR$(234
);" ";CHR$(233)
2360 PRINT@242,CHR$(233);"1";CHR$(234);"
";CHR$(233);"2";CHR$(234);" "CHR$(233
);"3";CHR$(234)
2370 PRINT@202,CHR$(233);" ";CHR$(234);"
";CHR$(233);" ";CHR$(234);" ";CHR$(23
3);" ";CHR$(234)
2380 PRINT@162,CHR$(235);CHR$(231);CHR$(
236);" ";CHR$(235);CHR$(231);CHR$(236);
" ";CHR$(235);CHR$(231);CHR$(236)
2390 SOUND 3134,25: SOUND 12538,25: SOUN
D 2348,25: SOUND 9394,25: SOUND 1660,25:
SOUND 6642,25
2400 FOR T=1 TO 500:NEXT T
2410 RETURN
2420 REM DRAGON
2430 PRINT@59,CHR$(229);" ";CHR$(230)
2440 PRINT@100,CHR$(229);CHR$(228);CHR$(
227);CHR$(230)
2450 PRINT@139,CHR$(228);CHR$(238);CHR$(
239);CHR$(239);CHR$(237);CHR$(227)
2460 PRINT@178,CHR$(228);CHR$(238);CHR$(
232);CHR$(239);CHR$(239);CHR$(232);CHR$(
237);CHR$(227)
2470 PRINT@218,CHR$(239);CHR$(239);CHR$(
239);CHR$(254);CHR$(252);CHR$(239);CHR$(
239);CHR$(239)
2480 PRINT@258,CHR$(236);CHR$(167);CHR$(
167);CHR$(167);CHR$(167);CHR$(167);CHR$(
167);CHR$(235)
2490 PRINT@299,CHR$(229);CHR$(232);CHR$(
232);CHR$(232);CHR$(232);CHR$(230)
2500 SOUND 15000,50: SOUND 16383,50: SOU
ND 15000,50

```

```

2510 FOR T=1 TO 500:NEXT T
2520 RETURN
2530 REM WELL
2540 PRINT@59,CHR$(252);CHR$(239);CHR$(2
39);CHR$(239);CHR$(239);CHR$(239);CHR$(2
39);CHR$(254)
2550 PRINT@100,CHR$(233);" ";CHR$(234
)
2560 PRINT@140,CHR$(237);CHR$(232);CHR$(
232);CHR$(232);CHR$(232);CHR$(238);CHR$(
238)
2570 PRINT@180,CHR$(235);CHR$(231);CHR$(
231);CHR$(231);CHR$(231);CHR$(236)
2580 PRINT@219,CHR$(239);CHR$(255);CHR$(
239);CHR$(255);CHR$(239);CHR$(255);CHR$(
239);CHR$(255)
2590 PRINT@259,CHR$(255);CHR$(239);CHR$(
255);CHR$(239);CHR$(255);CHR$(239);CHR$(
255);CHR$(239)
2600 PRINT@299,CHR$(239);CHR$(255);CHR$(
239);CHR$(255);CHR$(239);CHR$(255);CHR$(
239);CHR$(255)
2610 FOR T=1 TO 500:NEXT T
2620 SOUND 1567,25: SOUND 3134,20: SOUND
6269,25: SOUND 12538,25
2630 RETURN
2640 REM IDOL
2650 PRINT@99,CHR$(252);CHR$(239);CHR$(2
39);CHR$(239);CHR$(239);CHR$(239);CHR$(2
39);CHR$(254)
2660 PRINT@139,CHR$(253);CHR$(239);CHR$(
27);"p";CHR$(92);CHR$(245);CHR$(245);CHR
$(47);CHR$(27);"q";CHR$(239);CHR$(251)
2670 PRINT@180,CHR$(253);CHR$(239);CHR$(
27);"p";CHR$(92);CHR$(47);CHR$(27);"q";C
HR$(239);CHR$(251)
2680 PRINT@221,CHR$(253);CHR$(27);"p";CH
R$(92);CHR$(47);CHR$(27);"q";CHR$(251)
2690 PRINT@262,CHR$(253);CHR$(251)
2700 SOUND 932,25: SOUND 2793,50: SOUND
7456,25: SOUND 1174,25
2710 FOR T=1 TO 500:NEXT T
2720 RETURN
2730 END

```

Renumber 100

by Beve Woodbury
80 Micro Technical Editor

Running out of room to insert additional line numbers in a program is frustrating. This renumber utility solves that problem. It lets you choose line increments and then rennumbers the entire program, including all GOTO, GOSUB, Then, and Else lines. (See Program Listing 4.)

The program first reads a Do file (ASCII), then writes a file (NWNUMB.DO) with the corrected line numbers. Because of these file requirements, the number of bytes available to renumber a program must at least equal the number of bytes in the Do file plus 500 bytes for string space and 4 bytes for each line (array). I can renumber a file of approximately 7,000 bytes on a 24K Model 100 with no other files.

When you run the program, it requests the name of the file you want renumbered. Enter the file name, including the .DO extension. The computer pauses while it determines the number of lines in the file and dimensions an array to store the old and new program line numbers.

The program then requests the desired line increments. After you enter this figure, there is another pause while the

Line	Description
10	Clear \$ space for old and renumbered line
20	Title
30	Get name of file to renumber
40-70	Read file to count lines and dimension array
80-120	Set up array of old and new line numbers
130-140	Open files for input and output
150-190	Read old line and replace line number
200-230	Search for GOTO in line
240-270	Search for GOSUB in line
280-310	Search for THEN followed by line number in line
320-360	Search for ELSE followed by line number in line
370	Get next line
380-390	Sound "beep" and end program
400-520	Replace old line number reference with new

Table 5. Renumber line descriptions.

old/new line-number array is set up.

When the program starts to number lines, "Processing, Please Wait" appears on the screen each time a new line is read. If the program is quite long and a line has several line

references, the processing notice remains steady while all the line changes are checked through the array.

It took approximately one minute to renumber the 7,000-byte program mentioned above. This is a long time by computer standards, but it beats renumbering manually. When the program finishes writing the renumber file, it beeps.

```

10 CLEAR500
20 CLS:PRINT@50,"RENUMBER UTILITY":
PRINT
30 INPUT"NAME OF FILE TO RENUMBER: ";F$
40 FF$="RAM:"+F$:OPENFF$FORINPUTAS1
50 IF EOF(1)THENCLOSE:GOTO70
60 LINEINPUT#1,A$:D=D+1:GOTO50
70 D=D-1:DIMT(D,1)
80 OPENFF$FORINPUTAS1:PRINT
90 INPUT" LINE INCREMENT DESIRED: ";I
100 FORK=0TOD:LINEINPUT#1,A$:N=N+I
110 V=VAL(LEFT$(A$,5)):T(K,0)=V:T(K,1)=N

120 NEXT
130 CLOSE:OPENFF$FORINPUTAS1
140 OPEN"RAM:NWNUMB.DO"FOROUTPUTAS2
150 FORK=0TOD:CLS
160 PRINT@125,"PROCESSING, PLEASE WAIT"
170 LINEINPUT#1,A$:V=VAL(LEFT$(A$,5))
180 Y=LEN(A$):H=LEN(STR$(V))
190 A$=STR$(T(K,1))+MID$(A$,H)
200 X=1
210 X=INSTR(X,A$,"GOTO")
220 IFX>0THENGOSUB410ELSE240
230 GOTO210
240 X=1
250 X=INSTR(X,A$,"GOSUB")
260 IFX>0THENGOSUB400ELSE280
270 GOTO250
280 X=1
290 X=INSTR(X,A$,"THEN"):IFX=0THEN320
300 IFVAL(MID$(A$,X+4))>
0THENGOSUB410ELSEX=X+4
310 GOTO290
320 X=1
330 X=INSTR(X,A$,"ELSE"):IFX=0THEN360
340 IFVAL(MID$(A$,X+4))>
0THENGOSUB410ELSEX=X+4
350 GOTO330
360 PRINT#2,A$
370 NEXT
380 CLOSE:SOUND
4697,75:IFUD=1THENPRINT"UNLISTED LINE
390 END
400 X=X+1
410 X=X+3:Y=Y+1
420 M=VAL(MID$(A$,X+1))
430 R=-1
440 R=R+1
450 IFR>DTHENP$=" ****":UD=1:GOTO480
460 IFM=T(R,0)THENPP$=STR$(T(R,1))
:P$=MID$(PP$,2):GOTO480
470 GOTO440
480 IFY<X+4THEN520
490 C$=RIGHT$(STR$(M),2):LC=LEN(C$)
:Q=INSTR(X,A$,C$):C=Q+LC
500 A$=LEFT$(A$,X)+P$+MID$(A$,C)
510 RETURN
520 A$=LEFT$(A$,X)+P$
530 RETURN

```

Program Listing 4. Renumber utility.

This lets you do other tasks while your program is renumbered.

If there is an undefined line number ("Line number is not in program") referenced in a line, the number is replaced with asterisks.

When the program ends, "Unlisted Line" appears on the screen.

The renumbered file is in NWNUMB.DO. The original file is unchanged. ■

Variable	Description
AS	Old file line input
C	Location to put remainder of line
C\$	Remainder of line
D	Number of lines in program
F\$	Name of file to renumber
FF\$	Proper file name format to open file
H	Length of new line number
I	Increment amount
J	Length of old line number reference
K	Loop counter
LC	Length of remainder of line
M	Value of MID\$
N	New line number
PP\$	New line number reference
P\$	Formatted new line number
Q\$	Location of remainder of line
R	Array row number
T()	Table (array) of old and new line numbers
UD	Indicate presence of undefined line number
V	Value of old line number
X	Location in line
Y	Length of old line
Z\$	New file line output

Table 6. Renumber variables list.

The Year in Review

by Richard Ramella

This program produces a bar graph that displays data for a 12-month period on the X axis and accommodates up to 10 million units on the Y axis. It requires an 8K Model 100. The display fits comfortably on the screen.

The Program

When you run the program, you'll see the prompt "Enter title in 40 or fewer characters." It can be anything: 1983 Births at Enloe Hospital, Sales of the South Pacific, and so on. If you exceed the 40-character limit, you're told so and given another try.

Then you are asked to enter data for each month, from January to December. For each prompt in this section, type the number of units for that month and hit the enter key to see the next prompt. If you enter a number higher than 10 million, the program politely ends its participation in your scheme.

After you enter the December figure, the screen blanks and the program draws the bar graph.

At the left of the screen the prompt "Month?" appears. Answer it by typing the first three letters of any month in low-

erage and the program displays the number for that month. To see a figure for another month, press the enter key. The screen goes blank and another prompt appears.

The strange letter groupings in lines 370-390 of Program Listing 5 turn into three-letter month abbreviations displayed vertically. The bar for each month builds upward to the right of the month.

The Y axis has 10 divisions on it. At the bottom left of the screen is a notation telling you what each of these 10 increments represents. The abbreviation "incr." is followed by either "tens," "hundreds," "thousands," "10 thous," "100

thous.," or "millions."

The program notes the largest number you enter and then scales down all the other numbers so the bars displayed are in proportion to each other.


I arbitrarily set a limit of 10 million units. If you have more than 10 million of something in any one month, you might represent your figures with decimals, for example, 300.200000 representing three hundred million, two hundred thousand. ■

Write to Richard Ramella at 1493 Mountain View Ave., Chico, CA 95926.

Program Listing 5. The Year in Review.

```
100 REM * Bar Graph * TRS-80 Model 100
8K * Richard Ramella
110 CLS
120 CLEAR 200
130 DIM B(12),B$(12)
140 DATA Jan., Feb., Mar., Apr., May.,
June., July., Aug., Sept., Oct., Nov.,
Dec.
150 FOR A=1 TO 12
160 READ B$(A)
170 NEXT A
180 M$=
"janfebmaraprmayjunjulaugsepoctnovdec"
190 PRINT "Enter title in 40 or fewer
characters"
200 INPUT A$
210 IF LEN(A$)>40 THEN PRINT "Title"LEN(
A$)-40"character too long. Try again?":
GOTO 190
220 CLS
230 FOR A=1 TO 12
240 PRINT B$(A)" figure";
250 INPUT B(A)
260 IF B(A)>10000000 THEN PRINT "I'm
sorry. I only accept numbers up to 10
million (10000000)...": END
270 IF B(A)>Z THEN Z=B(A)
280 NEXT A
290 CLS
300 IF Z>10000000 THEN G=2000000:
Z$="millions": ELSE IF Z>1000000 THEN
G=200000: Z$="100 thous." ELSE IF Z>100000
THEN G=20000: Z$="10 thous." ELSE IF Z>
10000 THEN G=2000: Z$="thousands" ELSE IF
Z>1000 THEN G=200: Z$="hundreds" ELSE G=2:
Z$="tens"
310 FOR A=1 TO 12
320 B(A)=B(A)/G
330 NEXT A
340 PRINT @ 240,"incr:"Z$;
```

```
350 C=1
360 PRINT @ 0,A$
370 PRINT @ 216,"j f m a m j j a s o n d
";
380 PRINT @ 256,"a e a p a u u u e c o e
";
390 PRINT @ 296,"n b r r y n l g p t v c
";
400 T=92
410 F=13
420 FOR W=92 TO 238 STEP 2
430 PSET(W,F)
440 NEXT W
450 FOR W=13 TO 63
460 PSET(T,W)
470 IF L=0 OR L/5=INT(L/5) THEN FOR Q=T
TO T-3 STEP -1: PSET(Q,W): NEXT Q
480 L=L+1
490 NEXT W
500 C=1
510 FOR A=102 TO 242 STEP 12
520 FOR B=63 TO 63-B(C) STEP -1
530 FOR D=A TO A+4
540 PSET(D,B)
550 NEXT D
560 NEXT B
570 C=C+1
580 NEXT A
590 PRINT @ 80,SPACE$(14);
600 PRINT @ 80,"";
610 PRINT "month..."
620 L=0
630 INPUT R$
640 PRINT @ 80,SPACE$(14);
650 PRINT @ 120,SPACE$(14);
660 FOR A=1 TO 34 STEP 3
670 L=L+1
680 IF R$=MID$(M$,A,3) THEN PRINT @
80,R$;: PRINT @ 120,B(L)*G;: GOTO 700
690 NEXT A
700 IF INKEY$<>" THEN PRINT @ 80,SPACE$
(14);: PRINT @ 120,SPACE$(14);: GOTO 590
ELSE 700
710 END
```



Nothing's Perfect

by Ken Barbier

Ah, the benefits of the Model 100: optional 24K bytes of battery back-up RAM, RS-232 serial port, built-in text editor, built-in modem, ability to upload into a larger computer, full-size keyboard, and so easy to carry. But does the computer have any flaws?

Run Speed

I keyed a little benchmark program calculating the cosine of one 240 times (Program Listing 6) into the 100, and got what I thought was a dead computer. It wasn't dead, but it was slow. It took 28 seconds to run a benchmark that takes less than four seconds on my 4 MHz Z80 homebuilt computer, and seven seconds on a TRS-80 Model I.

The 100 Basic computer functions in 14-digit double-precision calculations, and while that provides precise answers, it does not provide speed. Patching the benchmark program to force the variable X to single precision, and the counter I to integer produced a result 28 seconds later with six digits, not 14.

Manual Oversights

I spotted a couple of weaknesses in the generally excellent 100 user's manual. The Call statements in the sample programs on pp. 149, 199, and 201 reference machine-language subroutines contained in the Model 100 PROM. Call is documented, but PROM isn't.

The manual doesn't mention that the maximum number of files is limited to the 20 files displayed at sign-on. If you ask Text to create a twenty-first file, you get a beep and another "File to Edit?" prompt, not a warning that the directory is full.

The sample program on p. 199 uses the Basic PRINT@ function without fully explaining it. The inference you must draw is that PRINT 40 causes the next display to start 40 positions from the screen's first character spot.

The Basic initial program load function (IPL) lets you pre-set the computer to load and execute a program the next time you turn on the computer. But if you don't have Basic loaded when you turn the computer off, it powers up the menu instead of your IPL program.

If you ever turn the microcomputer off during the execution

of a program, the program resumes once you restore power. This is handy if you use the 100 with an unattended controller of data-acquisition device powered from the optional ac adapter, but the user's manual unfortunately doesn't ever tell you this happens.

Terminal Hang-ups

Don't use shortcuts with Telecom in the TERM mode. If you try to step through the procedures for calling another computer on the telephone without actually connecting the modem cable to the phone, you end up in limbo as soon as you press the TERM mode key. The computer is waiting to hear the modem tone from the other end of the phone link before it updates the function key display to that shown on p. 81 of the manual.

Try a dry run before you call another computer. Switch your Model 100 from ORIG to ANS (find the switch on the left) before stepping through the TERM procedures. This makes your computer act like the called machine instead of the caller, and you hear the modem tone as soon as you enter TERM. The computer hangs up at this point, since it's waiting for a call.

Use STAT to change from the modem operation to the RS-232 port to make a dry run all the way through the TERM mode. Enter STAT and key in 88NID. You can then fake an upload of a file from your computer through the serial port, even though there's nothing at the other end.

The computer remembers the STAT assignment, and won't revert to the modem port the next time you power up. Use STAT and the manual's table on p. 85 to restore modem operation.

The RS-232 Port

You can't connect a standard RS-232 data cable to the 100 because the cutout in the computer's case is too small to accommodate the connector shell. Worse, the serial port doesn't conform to RS-232 standard.

A table on p. 205 of the documentation implies that the Model 100 serial port uses the data send and receive signals on pins 2 and 3, and the handshaking signals on RS-232 connector pins 4, 5, 6, and 20. Unfortunately, the computer ignores the handshaking signals.

The Model 100 is configured as a terminal device (DTE) to be connected to a communications device (DCE). A DTE should assert the handshake line Data Terminal Ready (DTR, pin 20) when it is powered up, and Ready To Send (RTS, pin 4) when it wants to talk to the DCE.

Similarly, the communications device on the other end of the RS-232 cable (such as a modem), asserts Data Set Ready (DSR, pin 6) when the machine is turned on, and Clear To Send (CTS, pin 5) when it is ready to accept data. The DTE (Model 100, in this case), should stop sending data if the DCE is not ready (DSR, Not True), or is busy (CTS, Not Ready). The Model 100, however, ignores both DSR and CTS.

The 100 always asserts DTR when in the TERM mode, and does not use RTS at all. When the computer is used to upload

```
10 PRINT "Rickard Cosine Benchmark"
20 PRINT "START ";TIMES
30 BEEP
40 FOR I=1 TO 240
50 X=COS(1.0)
60 NEXT
70 BEEP
80 PRINT "STOP ";TIMES
90 PRINT X
100 INPUT AS
110 MENU
```

Program Listing 6. Benchmark program.

files to, or to download files from, another computer at higher baud rates, data can be lost.

I can connect the serial port to my big computer and upload text files to it at 9600 baud (see Sidebar: "Uploading Text to WordStar"), or I can use the Model 100 as a full duplex terminal on the other computer if I don't exceed a 300 baud rate. If I run at higher data rates, the Model 100 screen scroll takes too long, and data from my big computer to Model 100-as-terminal is lost.

If I hook up my Olympia daisy wheel typewriter/printer to the serial port of the Model 100 to use it as a 300 baud letter-quality printer, the 100 ignores the DSR signal, and sends data faster than the printer can print, garbaging the printout.

Uploading Text to WordStar

The TRS-80 Model 100 built-in text editor, Text, stores data in document files (.DO) in a format incompatible with larger microcomputers running WordStar under CP/M. I had to find a simple method to upload Text files to WordStar.

If the Model 100 Telcom facility is used to upload files, it demands that you tell it how long a text line should be, and inserts hard carriage return (CR) characters into the text at the end of each line as the data is uploaded to the target computer (or modem, or printer).

WordStar, on the other hand, inserts soft end-of-lines consisting of a carriage return character (0DH in hexadecimal) with the eighth bit set on (8DH), followed by a line feed (LF) character (0AH). Only paragraph ends are marked with standard CR, LF (0DH, 0AH) sequences in WordStar.

Since WordStar gets confused by plain text with a CR at the end of each line, but no LF, it can't be used to reformat such files. Therefore, the Model 100 Telcom program can't upload files to WordStar. To upload text from the Model 100 to my WordStar-CP/M system, I had to write UPLOAD.BA, shown in Program Listing 7.

This program takes a Text document file named by the operator and sends it out through the serial port to a host computer without inserting CRs at line ends. Paragraph breaks are sent as they exist within a Text file, with a CR and LF, which is already WordStar-compatible. The end of the text file is signaled to the host com-

```
10 PRINT "TRS-80 Model 100 TEXT to WordStar"
20 MAXFILES=2
30 EFS=CHR$(26)
40 INPUT "File to send: ";FIS
50 OPEN FIS FOR INPUT AS 1
60 OPEN "COM:88N2D" FOR OUTPUT AS 2
100 AS=INPUT$(1,1)
110 PRINT #2,AS;
120 IF EOF(1) THEN GOTO 1000
130 GOTO 100
1000 PRINT #2,EFS
1010 MENU
```

Program Listing 7. This program permits uploading Model 100 Text files to a host computer running WordStar under CP/M.

The Up-Side

The Model 100 is perfect for remote sites: programmers working in any language can use the 100 to key in, edit, and store their source programs wherever they are. The 14 digits of double-precision accuracy top the accuracy of the single-precision functions of other computers.

If you live in an area with power interruptions, you can avoid computer glitching by keying in text with the 100 running on batteries. The built-in calendar clock and modem provide numerous remote controller possibilities. ■

Ken Barbier can be reached at P.O. Box 1253, Borrego Springs, CA 92004.

puter by the CTRL Z character (1AH).

This last special character is defined in the program (see Listing 7) in line 30. Line 40 prompts the operator for the name of the file to send, which should be entered in the form FILE.DO without quotation marks. Line 50 then opens this file as input.

Output to the serial port is established in line 60 with the baud rate set at 9600, 8 data bits, no parity, 2 stop bits, and XON/XOFF disabled (see the manual for details on setting up the serial port).

The document file is then transmitted character by character by the program loop starting at line 100. When the end of the document file is reached, a CP/M-compatible terminator (EF\$, 1AH, CTRL Z) is sent to the host computer, and the Model 100 returns to the menu display.

For this output to be properly received by a CP/M computer, the Model 100 serial port has to be connected to the host computer reader device (RDR:) serial port. Since no serial port handshaking signals are recognized by the Model 100, the text has to be sent in a continuous block.

To receive an uninterruptible input through the RDR:, the host computer inputs and buffers the text from the start to the end-of-file character, before writing it to the disk. This is accomplished under CP/M by instructing the Peripheral Interchange Program (PIP) to create a disk file consisting of reader device input buffered in memory until the end-of-file is received:

```
PIP TEXT.DOC=RDR:[B]
```


Once Text.DOC (or whatever file name you chose on the receive end) has been written to the disk by PIP, WordStar can then reformat the file and insert its own soft end-of-line characters. Invoke WordStar, select Text.DOC as a document file, and execute the WordStar global reformat with the command sequence:

```
CTRL Q, Q, CTRL B
```

What started as a Model 100 Text file is now a WordStar-compatible document file.


A similar technique can be used to upload Text files to other word processors running under other operating systems. ■

THE REST OF 80



IT HAD TO GO SOMEWHERE

There's no reason to deprive you of solid microcomputing information just because it wouldn't fit between the covers of *80 Micro*. But even 80, as thick as it is, can hold just so much. Here's the answer—**The Rest of 80**—31 of the best tutorials and utilities, hand-picked from the overflowing files at *80 Micro*. These never-before-published articles for the Model I and Model III were just too good to let them get away.



SOMETHING FOR EVERYONE

Whatever your programming skills, **The Rest of 80** can help you learn more and save time and effort. Here are just a few of the chapters you'll find:


An Unlistable, Unbreakable Program
Adding Commands to BASIC
Programming in Tiny Pascal
Line Drawing
Automatic Master Disk Directory
Faster Loading for the Model I
ASCII Converter

A Better LDOS KSM
And more on BASIC,

Pascal, and assembly language! Every program is of the same high quality you wait for every month in *80 Micro*. Now try **The Rest of 80**—a welcome addition to your computer library.

ISBN 0-88006-062-X, softcover with spiral binding, 7×9, approx. 300 pp. BK7392 \$9.97

Call **TOLL-FREE 1-800-258-5473** for credit card orders. Or mail your order with payment or complete credit card information. Include \$1.50 per order for shipping and handling. Send to: Wayne Green Inc., Attn: Book Sales, Peterborough, NH 03458.



A
WAYNE
GREEN
PUBLICATION
WYBE BOOKS

I'D BE LOST WITHOUT IT!

Send me ____ copies of
THE REST OF 80. Enclosed is \$9.97
(BK7392) per copy plus \$1.50 per order
shipping and handling.

☐ MasterCard Bank # _____ ☐ VISA ☐ AMEX

Card # _____ Expires _____

Signature _____



Name _____

Address _____

City _____

State _____

Zip _____



337B8RB

Photocopy of coupon is
acceptable for ordering.

Collegiate Capers

by Christopher Skapura

If you miss your undergraduate days, buy some new notebooks and dust off your mortarboard—here's your chance to go back to college.

Variable	Function
AB	Psychology lab flag
AL	Amount of alcohol in system
BA	Check if given psychology magazine
BO	Paid tuition flag
CM	Chemistry pass/fail check
CT	Count of items carried
C2	Item sort counter
DH	Frat house check
DN	College dean's mood
EX	Exchange book for I.D.
EN	English pass/fail check
E2	Exchange I.D. for book
FA	Financial aid flag
FM	Financial aid form complete
GT	Grade transcript check
IB	Inkblot check
MF	Manila folder/dean check
MN	Amount of money left
NM\$	Character's name
NU	Concatenated input
PE	Phys. ed. pass/fail check
RR\$(37)	Items in university
P\$(26)	Location
PL	Location flag
P1\$(26)	Obvious exits
PR	Opponent
Q	For...Next counter
QQ	Temporary variable
QS	Temporary variable
RES	Input response
RG	Registration table flag
RS%(37,26)	Item, place array
SC	Present score
SI	Registered student flag
ST	Equipment theft check
TR\$(8)	Array of items
TT	Specific item flag
U	For...Next counter
YN	Yes/No response

Table 1. Variables List

Are your college memories fading? Have you forgotten about freshman orientation, good frat parties, and English pop quizzes?

This Model I/III adventure game takes you back. Beginning as an innocent freshman, you battle the administration, professors, and other students for four years. A bachelor's degree is your goal—good luck!

Playing Instructions

Commands in the form of short sentences are accepted. You can enter "Get I.D.," or "Throw biology book," or simply type a direction of you want to walk (N, for example, moves you north).

Type "Look around" to get a description of your surroundings. "Inventory" or "Inv" produces a list of your supplies, and tells you if you're a freshman, sophomore, junior, or senior.

A few red herrings are included in the game. As in life, not everything is important to your goals.

How It Works

A 37- by 26-element array manipulates objects in the program. Specifically, 37 objects are spread out over 26 locations. If you get an object in location 10 (PL = 10) and drop it in location 12 (PL = 12), the array is changed to make the elements RS(36,10) equal zero

The Key Box

Model I or III
48K RAM
Disk Basic

**TURN BILLABLE TIME
INTO RECEIVABLE CASH
FAST—EFFECTIVE**

SAVE TIME

**DATA SELECTION
BY JOB OR CLIENT**

**INSTANT ACCESS TO
CLIENT FILES**

**PASSWORD
PROTECTION**

**PERSONALIZED
DISK SYSTEM**

**KEEP FAST,
ACCURATE RECORDS**

Data-Timer is the brand new computer program that manages your billable time and resources more accurately and more profitably. And it's so simple to use. Used in conjunction with your Day-Timer™ Diary, Data-Timer is the ideal package for:

advertising execs business executives accountants engineers medical therapists or
physicians (either consultants attorneys architects anyone who bills on
individual or an hourly basis
group practice)

Each Data-Timer Package comes complete with a Program Diskette; easy-to-follow Program Document, Day-Timer™ one full year desk scheduler, and User's Manual; a Quick Reference Guide; and a pad of 350 Data Entry forms. And Data-Timers works on your Radio Shack™ TRS-80 Models II, 12 and 16; IBM™ Personal Computer and System 23 Datamaster; and CP/M. Minimum requirements: 64K of memory, 225K of disk storage total. And every Data-Timer Package is backed by our 100% Guarantee of Satisfaction.

Data-Timer is marketed nationally through Day-Timer Corporation, Wayne Green Inc., and Data-Systems Company. Regional Customizing Centers are available for unique personalized requirements.

***See Your Local Software Dealer for Software Contest Information**



DAY-TIMERS, INC.
Subsidiary of BEATRICE FOODS CO.


ALLENTOWN, PA 18001

 **WAYNE GREEN INC.**
PETERBOROUGH, NEW HAMPSHIRE 03458 USA

DATA SYSTEMS COMPANY
HARRISBURG, PA. 17105

DATA-TIMER TIME ANALYSIS and BILLING

**Radio Shack
CP/M
IBM**



To order CALL: 1-215-395-5884



or use coupon below



☐ Please send me _____ Data-Timers
@ \$295.00 for my _____ computer

Company _____
Name _____
Address _____
State _____ Zip _____

☐ Please send additional information

Dealer inquiries invite

Program Listing

```

0 CLS:INPUT"DO YOU WANT DIRECTIONS?";RS$:IFLEFT$(RS$,1)="Y"THENG
OSUB40000
1 CLS:PRINT"INITIALIZING ...":CLEAR(250):RANDOM:CT=1:DIMRR$(37)
,P$(26),PI$(26),P2$(26),RS$(37,26),TR$(8):PL=1:GOTO32
2 FORQ=1TO750:NEXT:RETURN
3 FORQ=1TO1500:NEXT:RETURN
6 GEN=RND(6)+RND(6)+RND(6):RETURN
32 FORQ=1TO2:RS$(Q,2)=1:NEXT:FORQ=3TO5:RS$(Q,3)=1:NEXT:FORQ=5TO6
:RS$(6,Q)=1:NEXT:FORQ=10TO11:RS$(6,Q)=1:NEXT:RS$(6,14)=1:RS$(6,1
5)=1:RS$(6,18)=1:RS$(6,21)=1:RS$(6,24)=1:RS$(7,7)=1:RS$(8,8)=1
33 FORQ=9TO11:RS$(Q,11)=1:NEXT:FORQ=12TO14:RS$(Q,12)=1:NEXT:RS$(
15,13)=1
34 RS$(34,17)=1:RS$(26,23)=1:FORQ=16TO18:RS$(Q,16)=1:NEXTQ:RS$(1
9,17)=1:FORQ=20TO22:RS$(Q,19)=1:NEXTQ:RS$(23,20)=1:RS$(24,22)=1:
RS$(25,23)=1:RS$(27,25)=1:RS$(28,25)=1:FORQ=29TO31:RS$(Q,26)=1:N
EXTQ
36 FORQ=1TO37:READRR$(Q):NEXTQ
37 DATAI.D. CARD,REGISTRATION TABLE,HAM SANDWICH,BUTCHER K
NIFE,NAPKIN,NOTHING,SECRETARY,BURSAR,ODDBALL PSYCHOLOGIST,MANILL
A FOLDER,INKBLOT PAPER,ROOMFULL OF STUDENTS,DESKS AND CHAIRS,CLA
SS PROCTOR,TOILET
SINK,RECEPTIONIST
38 DATADESK,BOOK,LIBRARIAN,ENGLISH PROFESSOR,CHALK,EXAM BOOKLET,
TRASH CONTAINER,RECORDS KEEPER,COLLEGE DEAN,SHEEP SKIN,PHYS ED I
NSTRUCTOR,TRACK FOR JOGGING,BLUTO,BOTTLE OF GRAIN ALCOHOL,PLEDGE
PIN,I.D. CARD,BURSAR'S RECEIPT
39 DATAPSYCHOLOGY TODAY,PAPER,GRADE TRANSCRIPT,TRANSCRIPT RECEIP
T
40 FORQ=1TO26:READP$(Q):READPI$(Q):NEXTQ
50 DATAEDGE OF FOREST,N S,REGISTRATION HALL,N W E,CAFETERIA,W
55 DATASTAIRWELL,UP DOWN E,STAIRWELL,DOWN E,HALLWAY,N S W,FINANC
IAL AID OFFICE,W,BURSAR'S OFFICE,N,STAIRWELL,E UP DOWN,HALLWAY,N
E S W,PSYCHOLOGY LAB,S
60 DATACHEMISTRY LAB,N,LAVATORY,S,STAIRWELL,E UP DOWN
65 DATAHALLWAY,N E S W,STUDENT UNION ROOM,S,LIBRARY,N,HALLWAY,N
W S,ENGLISH CLASSROOM,S,STAIRWELL,UP DOWN E
70 DATAHALLWAY,W E S,RECORDS OFFICE,N,COLLEGE DEAN'S OFFICE,W,ST

```

Listing continues

and RS(36,12) equal one. The one indicates that object 36 is present in location 10, and the zero indicates object 36 is not present at location 10.

The subroutine in lines 500-510 checks what is or is not in each location. Lines 32-34 set up the initial objects and locations throughout the university.

The workhorse of the program begins at line 5700. Starting here, execution goes to a subroutine at line 3000 to check certain flags, returns to line 5700, makes sure that the values of certain variables are zero, and then prompts you for a two-word command.

Depending upon the input, your location in the program, and the value of variables that you set as you proceed through the game, the program branches outward.

A list of variables is included in Table 1. Because of the program's length, I used no remark statements, and included many multi-statement lines. ■

Contact Christopher Skapura at 3105 Oak St., Murrysville, PA 15668.

Don't Leave Your Good FORTRAN Up To Chance

Model II Direct Screen Input/Output With Full Editing. \$49.95

For Free Brochure...
The Proper Touch
P.O. Box 13760, 202
Houston, Texas 77219
✓423



**Vanguard
Technologies**

R.R.#6 Box 113 Muncie, IN 47302 (317) 759-8128 ✓166

**Two
Printers?**



The Smartest
Printer Switch
for Your Money!

**Get
Switch Wit \$94.95**

- Centronics compatible parallel printer switch for MOD I, II or III.
- Printer selection Automatic (CHRS(2) and CHRS(3)) or Manual (switch).
- Lights indicate selected printer and automatic or manual operation.
- All data and control lines buffered.
- Gold plated edge connectors.
- No exposed circuit board connectors.
- Power ON/OFF switch.
- No MOD II cable modifications.
- Comes complete with power supply, manual and demonstration program.
- Specify computer type when ordering.

**Tired of
Typing? Try**

BOBMOD

**Give Your Fingers
a Break. \$19.95**

Keyboard enhancement program

- Compatible with both MOD I and III.
- Only one keystroke needed to enter complete BASIC or DOS command.
- Keyboard and One stroke commands easily redefined from keyboard.
- Quick keyboard graphics entry.
- Input line editor: Over type, Insert, Delete, Nondestructive cursor control.
- Keypbeep audio feedback via cassette port (amplifier required).
- Complete with manual and users guide.
- Specify DOS when ordering.

UO-LISP

**AN OPTIMIZING COMPILER
AND ASSEMBLER
AN EXCELLENT SYSTEM
FOR A.I. ROBOTICS
INTELLIGENCE SYSTEMS**

FAST LOAD LIBRARIES:
COMPILED CODE CAN BE STORED IN
RELOCATABLE FILES.

INTERPRETER:
OVER 125 FUNCTIONS IMPLEMENTED IN
BASE INTERPRETER.

DOCUMENTATION:
THE MANUAL IS OVER 100 PAGES COVERING
ALL ASPECTS OF THE SYSTEM. NUMEROUS
EXAMPLES OF EACH FACILITY ARE INCLUDED.

SUPPORT SOFTWARE:
LITTLE META-TRANSLATOR WRITING SYSTEM
IS A LISP PROGRAM WHICH PERMITS YOU
TO SPECIFY THE SYNTAX OF A PROGRAMING
LANGUAGE AND HOW IT IS TO BE INTERPRETED.

REQUIREMENTS:
TRS-80 MODEL I OR MODEL III, 48K. DUAL DISKS
ALSO AVAILABLE FOR CP/M.

ORDERING:
SYSTEM MANUAL...\$20.
COMPLETE SYSTEM...\$150.
LITTLE META MANUAL ONLY...\$15.
LITTLE META TRANSLATOR...\$40.
VISA AND MASTERCARD
PLEASE INCLUDE EXPIRATION DATE and CARD No.



FAR WEST SYSTEMS, SOFTWARE, INC.
P.O. BOX 3301 EUGENE, OR 97403
©1983 485-5155

✓454


```

AIRWELL,UP E,GYMNASIUM,W,FRAT HOUSE,N
80 GOSUB5220:GOTO5720
100 PRINT:PRINT"PLACE : ":PRINT:PRINT$(PL):PRINT:PRINT"OBVIOUS
EXIT$ : ";PL$(PL):PRINT:PRINT"YOU CAN SEE :":GOSUB500:RETURN
119 FORQ=1TOCT-1:IFTR$(Q)=RR$(33)THENTT=11:NEXT:RETURNELSENEXT:RE
TURN
120 FORQ=1TOCT-1:IFTR$(Q)=RR$(35)THENTT=7
121 NEXT:RETURN
122 FORQ=1TOCT-1:IFTR$(Q)=RR$(37)THENTT=8
123 NEXT:RETURN
124 FORQ=1TOCT-1:IFTR$(Q)=RR$(36)THENTT=9:RETURNELSENEXT:RETURN
125 FORQ=1TOCT-1:IFTR$(Q)="I.D. CARD"THENTT=1
126 NEXTQ:RETURN
127 FORQ=1TOCT-1:IFTR$(Q)=RR$(10)THENTT=2
130 NEXTQ:RETURN
132 FORQ=1TOCT-1:IFTR$(Q)=RR$(34)THENTT=3
133 NEXT:RETURN
135 FORQ=1TOCT-1:IFTR$(Q)=RR$(18)THENTT=4
136 NEXT:RETURN
137 FORQ=1TOCT-1:IFTR$(Q)=RR$(31)THENTT=5
138 NEXT:RETURN
139 FORQ=1TOCT-1:IFTR$(Q)=RR$(30)THENTT=6:NEXT:RETURNELSENEXT:RE
TURN
140 PRINT"DON'T BE RIDICULOUS!":GOTO5700
200 IFSI<-100THENRG=1:RETURNELSERG=2:RETURN
290 IFPL=28THENQ=1:RETURNELSERRETURN
400 PRINT:PRINT"THE ";RR$(PR);" SEES THAT YOU DON'T HAVE STUDENT
IDENTIFICATION!":GOSUB2:PRINT"YOU ARE FIRMLY LED OUTSIDE OF THE
UNIVERSITY":GOTO30000
405 PRINT"THE ";RR$(PR);" SEES THAT YOU ARE":PRINT"FIRMLY LED OU
T OF THE UNIVERSITY!":PRINT"YOU LOSE!!":GOTO30000
500 IFPL=1PRINT"THE UNIVERSITY ENTRANCE IS TO THE SOUTH AND THE
FOREST TO NORTH":RETURN
501 IFPL=17ANDAB=0THENFORQ=1TO33:IFR$(Q,PL)=1THENPRINTRR$(Q):NE
XTELSENEXT
502 IFPL<>17THENFORQ=1TO37:IFR$(Q,PL)=1THENPRINTRR$(Q):NEXTELSE
NEXT
503 IFPL=17ANDAB=0THENFORQ=35TO37:IFR$(Q,PL)=1THENPRINTRR$(Q):N
EXTELSENEXT
505 IFPL=12ANDCM=0PRINT"THE PROCTER RUSHES UP TO YOU AS YO
U ENTER THE ROOM AND":PRINT"SAYS 'HURRY, HURRY! THE CHEMISTRY TE
ST IS ABOUT TO START!':PRINT"QUICKLY TAKE A SEAT!"
507 IFPL=19ANDEN=0PRINT:PRINT"THE ";RR$(20);" TELLS YOU TO SIT":
PRINT"DOWN AND PREPARE FOR THE ENGLISH TEST."
508 IFPL=26ANDAL=2PRINT"BLUTO SAYS, 'IF YOU TAKE JUST ONE MORE S
LUG OF THAT ALCOHOL,":PRINT"MAYBE I CAN GIVE YOU SOMETHING..."
510 RETURN
600 IFCM<>100PRINT:PRINT"YOU OPEN UP THE TEST BOOKLET AND BEGIN
THE TEST...":GOSUB3
605 IFCM=100PRINT"YOU HAVE ALREADY TAKEN THE TEST, ";NM$:GOTO570
0
610 IFCM<>100THENCM=100:IFDH=100THENPRINT"WITH THE HELP OF THE C
HEAT SHEET, YOU BREEZE THROUGH THE":PRINT"TEST WITH NO PROBLEMS!
":CA=100:PRINT"YOU TURN IN YOUR TEST FORM AND RECEIVE AN 'A+' ON
IT!":SC=SC+10:GOTO5700
620 IFDH<>100PRINT"THE ENTIRE TEST APPEARS TO BE WRITTEN IN A FO
RIGN LANGUAGE!":GOSUB3:PRINT"YOU SPEND THE ALLOTED TIME ON THE
TEST BUT CAN'T":PRINT"ANSWER EVEN ONE QUESTION! YOU FAIL MISERAB
LY!":GOSUB3:PRINT"YOU ARE EXPELLED FROM THE UNIVERSITY!":GOTO300
00
700 IFBO=100ANDEX=0PRINT"THE ";RR$(16);" SAYS SHE NEEDS":PRINT"TO
HOLD YOUR STUDENT IDENTIFICATION IN EXCHANGE FOR THE BOOK.":GO
TO5700
710 IFBO<>100PRINT"THE ";RR$(16);" SAYS YOU MUST":PRINT"BE A REG
ISTERED STUDENT BEFORE SHE CAN HELP YOU.":GOTO5700
720 IFEX=100ANDBO=100ANDRS$(18,16)=1THENPRINT"THE ";RR$(16);" LE
TS YOU TAKE THE BOOK.":GOTO11030
730 IFBO=100ANDEX<>100ANDRS$(32,16)=1THENRES=RR$(32):GOTO11030
735 IFE2=0ANDRES=RR$(32)THENPRINT"THE ";RR$(16);" SAYS SHE WILL
EXCHANGE YOUR":PRINTRR$(32);" FOR THE BOOK.":GOTO5700
740 IFE2=100ANDRES=RR$(32)PRINT"THE ";RR$(16);" GIVES YOU YOUR "
;RR$(32):EX=0:E2=0:GOTO11030
800 IFPL=2PRINT"YOU COMPLETE THE FORM. WHEN YOU HAND IT BACK":PR
INT"TO THE RECEPTIONIST, SHE SLIDES A PLASTIC CARD WITH STRANGE"
:PRINT"NUMBERS ON IT AT YOU.":FM=1:GOTO5700
805 RES=RIGHT$(RES,NU):GOSUB9000:IFPL=7ANDFA=0AND(RES="FORMS"ORR
ES="FORM")THENPRINT"IT TAKES A WHILE":GOSUB2:PRINT"BUT YOU COMPL
ETE THEM!":PRINT"THE ";RR$(7);" GIVES YOU 2100 DOLLARS FOR YOUR
TUITION!":MN=MN+2100:FA=100:GOTO5720
807 IFPL=7ANDFA=100PRINT"YOU'VE ALREADY GOTTEN FINANCIAL AID!":G
OTO5720
810 IFPL=12ANDRES="TEST"THEN600
899 PRINT"NO RESPONSE":GOTO5720
900 IFAL=0PRINT"AS YOU REACH FOR THE ";RR$(31);" BLUTO DROPS HI
S HAND":PRINT"OVER IT AND SAYS, 'NOT SO FAST! WE DON'T LET JUST
ANYONE PLEDGE":PRINT"DELTA HOUSE!":PRINT:GOSUB3:PRINT"'FIRST YO

```

Listing continues

Verbatim® Diskettes



✓440

Top-quality Verbatim® Diskettes from **Tech•Data**, your complete supply and peripheral wholesaler. **Dealers only.**

Call Toll Free
1-800-237-8931.
 In Florida, call
813-577-2794.



Tech•Data Corporation

3251 Tech Drive North
 St. Petersburg, FL 33702

COPYCAT DISK BACKUP UTILITY

- Allows you to duplicate most protected software
- Automatically copies: **\$34.95**
 - Multiple Sector Sizes
 - Dual Density Tracks
 - Any Sector Numbers
 - False Track Numbers
 - Bad Sector ID's as used for Protection
 - False Side Numbers
- Complete error messages
- Requires 48K and 2 disk drives
- Specify Model I or Model III

OMNI-SOFT RESEARCH

2170 W. Broadway, #501A

Anaheim, CA 92804

714-772-5000 ✓36

MICRO-DESIGN

If you don't know the number, you should.

MDX-2

Model I expansion system with
 PHONE MODEM, DISK
 CONTROLLER, EPROM, 32K
 Memory and MUCH MORE.

\$469.95

Fully Assembled
 System with case

\$74.95

✓76 Best Tested &
 Lowest Price

UPGRADE

TRS 80, Model 4 system
 upgrade including the
 exceptional MDX-6 DISK
 CONTROLLER, One 40 track
 Disk Drive, cables and
 hardware.

VISA &
 MasterCard
 Accepted

\$399.00

✓463 Complete

MICRO DESIGN

6301 Manchaca Road, Suite B Austin, Texas 78745

1-800-531-5002

Texas Res. Call 512-441-7890

See our other ads

BOWLING LEAGUE STATISTICS

For the TRS-80*

BOWLSTAT 2.5 will generate team standing sheets suitable for posting with full team and player statistics, and also prints league scoring sheets. A wide range of handicapping and scoring options meets almost any league's requirements. Entry of weekly scores is fast and simple with extensive prompting and error detection.

On Diskette with User's Manual
Model I, III, IV Model II, 12, 16
\$79.95 \$119.95

Manual Only
(Deductible on purchase of Diskette)
\$9.95

Pa. residents add 6% Sales Tax

Datascore ✓438
Box 995, Sharon, Pa. 16146
*Trademark of Tandy Corp.



CHURCH DONATIONS

Computer Program for TRS 80 Models I, II, & III

RECORDS, STORES & REPORTS

Gives printout of collections, totals to date as well as individual quarterly reports to congregation members.

• NOW AVAILABLE •

Additional modules to provide:
Church Directory or
Attendance Record or
Membership Profile

Radio Shack ★★★★★
Five-Star Rating

✓307

For Information, Contact:

CUSTOM DATA John A. Parker
505-434-1096 P.O. Box 1066
Alamogordo, NM 88310

MICRO-DESIGN

If you don't know the number, you should.

MDX-3

\$299.95

Fully Assembled
MDX-3 SYSTEM

Model 4 expansion system
FEATURING THE MDX FLOPPY
DISK CONTROLLER, DIRECT
CONNECT PHONE MODEM,
& SOFTWARE PROGRAMABLE
SERIAL PORT. Full Model 4
Compatibility.

\$74.95

Hardware &
Users Manual

Visa & MasterCard Accepted ✓426

MICRO DESIGN

6301 Manchaca Road, Suite B Austin, Texas. 78745

1-800-531-5002

Texas Res. Call 512-441-7890

See our other ads

Listing continued

```

U HAVE TO PROVE YOU'VE GOT WHAT IT TAKES!":GOSUB3
910 IFAL=0PRINT:PRINT"BLUTO POINTS AT THE ";RR$(30); AND":PRINT
"SAYS, 'CHUG IT.'":GOTO5700
920 IFAL=1PRINT"BLUTO SAYS, 'YOU CAN DO BETTER THAN THAT, CAN'T
YA?":PRINT"DRINK SOME MORE!":GOTO5700
930 IFAL=>2PRINT"THATS THE SPIRIT," BLUTO SAYS. 'GO AHEAD AND T
AKE THE PLEDGE":PRINT"PIN!":RE$=RR$(31):GOSUB3:GOTO11030
999 PRINT"GET WHAT?":GOTO5700
1000 GOSUB9000:RE$=RIGHT$(RE$,NU)
1005 IFPL=2ANDMF<>100ANDRE$="FORM"PRINT"THE FORM IS TITLED 'STUD
ENT I.D. APPLICATION FORM":PRINT"AND ASKS FOR YOUR NAME, SEX AND
AGE.":GOTO5700
1010 IFRE$=RR$(10)THENGOSUB127:IFTT=2PRINT"INSIDE THE ";RR$(10);
" IS A ANALYSIS OF THE COLLEGE DEAN!":PRINT:PRINT"THE REPORT CON
CLUDES THAT 'THE SUBJECT':PRINT"HAS STRONG DELUSIONS OF GRANDEUR
AND EXHIBITS":PRINT"SCHIZOPHRENIC TENDENCIES."
1012 IFRE$=RR$(10)ANDTT=2PRINT:PRINT"HE ALSO HAS DISPLAYED TO TH
IS PSYCHOLOGIST A HIGHLY":PRINT"IRRATIONAL FEAR OF THESE CONCLUS
IONS BEING MADE PUBLIC.":GOTO5700
1015 IFRE$=RR$(10)THENGOSUB127:IFTT<>2THENPRINT"YOU HAVE TO GET
THE ";RR$(10); " BEFORE":PRINT"YOU CAN READ IT.":GOTO5700
1020 IFRE$=RR$(34)THENGOSUB132:IFTT=3THENPRINT"THE ";RE$;" IS FI
LLED WITH":PRINT"INCOMPREHENSIBLE, PSUEDO-SCIENTIFIC JARGON.":GO
TO5700
1025 IFPL=12ANDRE$="TEST"THENGOTO6000
1030 IFRE$=RR$(18)GOSUB135:IFTT=4THENPRINT:PRINT"THE BOOK IS ENT
ITLED 'THE ROAD TO COMMENCEMENT':GOSUB3:PRINT"IT LISTS THE FOLL
OWING STEPS TO ACHIEVE A":PRINT"LEVEL OF POWER TERMED 'GRADUATIO
N.":GOSUB3:PRINTTAB(10)"1. GET I.D. CARD AND REGISTER FOR CLASSE
S."
1035 IFRE$=RR$(18)ANDTT=4PRINTTAB(10)"2. PAY TUITION.":PRINTTAB(
10)"3. ACHIEVE PASSING GRADE IN ENGLISH, CHEMISTRY AND":PRINTTAB
(14)"PHYSICAL EDUCATION.":PRINTTAB(10)"4. GET GRADE TRANSCRIPT.
":PRINTTAB(10)"5. TAKE PAPERWORK TO COLLEGE DEAN."
1040 IFRE$=RR$(18)ANDTT=4PRINTTAB(10)"6. HOPE COLLEGE DEAN IS I
N GOOD MOOD.":GOSUB3:GOTO5700
1042 IFRE$=RR$(18)GOSUB135:IFTT<>4PRINT"MAYBE YOU SHOULD GET IT
FIRST!":GOTO5700
1045 IFRE$=RR$(35)GOSUB120:IFTT=7THENPRINT"THE PAPER IS A CHEAT-
SHEET WITH":PRINT"ALL THE ANSWERS TO THE CHEMISTRY TEST ON IT!":
GOTO5700
1099 PRINT"THERE'S NOTHING HERE TO READ, ";NM$;".":GOTO5700
1500 PRINT"YOU'VE ALREADY COMPLETED YOUR BUSINESS THERE! MOVE AL
ONG!":GOTO5720
1525 GOSUB9000
1530 RE$=RIGHT$(RE$,NUM):IFPL=2AND(RE$="PLASTIC CARD"ORRE$="CARD
"ORRE$="I.D. CARD")THENGOSUB125:IFTT=1THENPRINT"THE CLERK GLANCE
S AT THE ";RE$; ", WRITES,":PRINT"YOUR NAME DOWN ON A SHEET AND S
AYS 'REGISTRATION COMPLETE!":SI=-1000:GOTO5720ELSEGOTO2900
1532 IFPL=11GOSUB125:IFTT<>1PRINT"YOU DON'T HAVE A ";RR$(32):GOT
O5700
1534 IFRE$=RR$(32)GOSUB125:IFTT<>1PRINT"YOU DON'T HAVE A ";RR$(3
2):GOTO5700
1535 IFPL=11ANDOB<>100PRINT"THE ";RR$(9); " CHECKS HIS RECORDS":P
RINT"AND SAYS 'I'M SORRY, YOU MUST PAY YOUR TUITION BEFORE I CAN
':PRINT"HELP YOU!":GOTO5700
1540 IFPL=7AND(RE$="CARD"ORRE$="PLASTIC CARD"ORRE$=RR$(32))THENG
OSUB125:IFTT=1PRINT"THE ";RR$(7); " CROSS-REFERENCES YOUR CARD WI
TH HER RECORDS.":ELSEPR=7:GOTO400
1545 IFPL=7ANDSI<-100PRINT"THE ";RR$(7); " SLIDES A THICK STACK O
F FORMS TO YOU.":GOTO5700ELSEIFPL=7ANDSI>=-100PRINT"THE ";RR$(7)
; " SAYS THAT YOU ARE NOT A REGISTERED STUDENT!":PR=7:GOTO405
1550 IFPL=23ANDRE$=RR$(32)PRINT"THE ";RR$(25); " SAYS, 'THATS NOT
':PRINT"GOOD ENOUGH, CHUMP!":GOSUB2:PRINT"GIVE IT TO ME!":GOTO57
00
1555 IFPL=23ANDRE$=RR$(33)PRINT"THE ";RR$(25); "'S HAND SHOOTS OU
T.":PRINT"AND HE SAYS 'LET ME SEE THAT!":GOTO5700
1557 IFPL=23ANDRE$=RR$(37)THENPRINT"GIVE IT TO ME, CHUMP!":GOT
O5700
1560 IFPL=23ANDRE$=RR$(10)THENGOSUB127:IFTT=2PRINT"THE ";RR$(25)
; "'S FACE TURNS PALE!":GOSUB3:PRINT"HE SAYS : 'LOOK, I WILL BE F
AIR WITH YOU! IF ALL OF":PRINT"YOUR RECORDS ARE STRAIGHT, YOU CA
N HAVE THE DIPLOMA!":MF=100:GOTO5700
1599 PRINT"YOU SHOW IT BUT NOTHING HAPPENS.":GOTO5700
1600 IFPL<>2THEN PRINT"NO RESPONSE":GOTO5700
2200 FORQ=1TOCT:IFTR$(Q)=RR$(34)THENAB=100:NEXTELSENEXT
2202 IFPL=11ANDBA=500THENRE$=RR$(10):SC=SC+5:GOTO11030
2205 IFAB<>100PRINT"THE ";RR$(9); " STOPS YOU AS YOU":PRINT"REACH
FOR THE ";RR$(10); " AND SAYS,":PRINT"THAT IS A CONFIDENTIAL FIL
E! I CAN'T LET YOU SEE IT":GOSUB2:PRINT"UNLESS ...":GOSUB2:PRINT
"YOU BRING ME A COPY OF THE MAGAZINE 'PSYCHOLOGY TODAY'"
2210 IFPL=11ANDAB<>100THEN5700
2230 IFPL=11ANDAB=100ANDBA<>500PRINT"THE ";RR$(9); "SAYS 'FIRST G
IVE ME THE MAGAZINE!":GOTO5700
2240 IFPL=11ANDBA=500THENRE$=RR$(10):SC=SC+5:GOTO11030
2500 GOSUB9000:RE$=RIGHT$(RE$,NU):IFPL=7ANDLEFT$(RE$,1)="Y"THEN2
550

```

Listing continues

```

2505 IFPL=7THEN10050
2510 IFPL=8THEN10075
2515 IFPL=11ANDIB=1PRINT"THE PSYCHOLOGIST MUMBLES APPROVINGLY AT
YOUR RESPONSE":PRINT"AND HE SHOWS YOU ANOTHER INBLOT. 'AND THIS
ONE?':IB=2:GOTO5700
2517 IFPL=11ANDIB=2PRINT"INTERESTING, INTERESTING. AND WHAT DO
YOU THINK OF THIS ONE?":IB=3:GOTO5700
2520 IFPL=11ANDIB=3PRINT"THE ";RR$(9);" FROWNS DISAPPOINTEDLY AN
D SAYS, 'ALAS, ";PRINT"YOU APPEAR RELATIVELY NORMAL. YOU HAVE NO
NEED FOR THERAPY.':IB=4:GOTO5700
2549 PRINT"NO RESPONSE":GOTO5720
2550 PRINT"THE ";RR$(7);" NODS HAPPILY AND ASKS TO SEE":PRINT"YO
UR STUDENT IDENTIFICATION".PR=7:GOSUB125:IFTT=1THEN5700ELSE400
2600 PRINT"THE ";RR$(7);" GIVES YOU A THICK STACK OF FORMS TO CO
MPLTE":GOTO5700
2610 GOSUB9000:RE$=RIGHT$(RE$,NU):IFPL=8ANDMN>=2000ANDRE$="TUITI
ON"ANDBO<>100THENMN=MN-2000:PRINT"THE ";RR$(8);" TAKES YOUR MONE
Y AND SLIDES YOU A RECEIPT".RS$(33,8)=1:BO=100:GOTO5700
2615 IFPL=22ANDMN=10THENGOTO2700ELSEIFPL=22ANDMN<10PRINT"YOU DO
N'T HAVE ENOUGH MONEY TO DO THAT!":GOTO5700
2620 GOSUB3300:IFYN=100THEN5700ELSEIFPL=8AND(RE$="10 DOLLARS"ORR
E$="FOR GRADE TRANSCRIPT"ORRE$="FOR GRADE TRANSCRIPTS"ORRE$=RR$(
36)ORRE$="TRANSCRIPT FEE")THENPRINT"THE BURSAR SLIDES YOU A RECE
IPT".RS$(37,8)=1:MN=MN-10:GT=1:SC=SC+7:GOTO5700
2625 PRINT"PAY WHAT, ";NM$;"?"
2630 GOTO5720
2700 PRINT"THE ";RR$(24);" SHAKES HER HEAD AND":PRINT"SAYS 'YOU
HAVE TO PAY FOR THE TRANSCRIPT AT THE BURSAR'S":PRINT"OFFICE. GE
T A transcript receipt FOR IT AND BRING IT BACK HERE":PRINT"AND
THEN I CAN LET YOU HAVE THE ";RR$(36):GOTO5700
2900 IFSI>1PRINT"THE CLERK YELLS, 'THIS PERSON IS NOT COOPERATIN
G! EXPEL HIM!":GOTO13800ELSEGOTO5700
2975 C2=1:FORQ=1TOCT-1
2980 IFTR$(Q)=""THENC2=C2ELSETR$(C2)=TR$(Q):C2=C2+1
2985 NEXT:CT=C2:FORQ=CTTO8:TR$(Q)=""NEXT:RETURN
3000 ST=0:IFAL=0RETURN
3005 FORQ=1TOCT-1:IFTR$(Q)=RR$(35)THENDH=100:NEXTELSENEXT
3010 IFAL>2Q=RND(10):IFQ=3CLS:PRINTCHR$(23)"YOU PASS OUT
FROM TOO
MUCH ALCOHOL!!!":GOSUB3:CLS:AL=1:Q=RND(CT-1):IFQ=0THEN5700ELSERE
$=TR$(Q):TR$(Q)=""FORU=1TO37:IFRE$=RR$(U)THENQQ=U:GOTO30900ELSEN
EXT
3020 IFST=1PRINT"WHEN YOU AWAKEN, YOU DISCOVER THAT SOME OF YOUR
":PRINT"EQUIPMENT HAS BEEN STOLEN!":GOSUB3:AL=1:ST=0:SC=SC+3:RET
URN
3050 RETURN
3089 PRINT"GLITCH.":GOTO5700
3090 IFQQ=0THEN5700
3095 Q=RND(26):QH=Q:RS$(QQ,Q)=1:ST=1:GOTO3020
3100 IFBO<>100PRINT"YOU HAVE TO PAY YOUR TUITION FIRST!":GOTO570
0
3105 IFGT=0AND(EN<3ORPE<>100ORCM<>100)PRINT"YOU HAVE TO FINISH T
HE ENTIRE CURRICULA FIRST!":GOTO5700
3110 IFGT=0PRINT"THE ";RR$(24);" SAYS 'THAT COSTS':PRINT"10 DOLL
ARS FOR THAT!":GOTO5700
3115 IFGT>100PRINT"THE ";RR$(24);" SAYS 'GIVE ME THE ";RR$(37):
GOTO5700
3120 IFGT=100PRINT"THE ";RR$(24);" GIVES YOU THE ";RR$(36):RS$(3
6,22)=1:RE$=RR$(36):GT=500:SC=SC+3:GOTO11030
3149 PRINT"GET WHAT?":GOTO5700
3300 IFMN<10ANDPL=8AND(RE$="10 DOLLARS"ORRE$="FOR GRADE TRANSCRI
PT"ORRE$="FOR GRADE TRANSCRIPTS"ORRE$=RR$(36)ORRE$="TRANSCRIPT")
PRINT"YOU DON'T HAVE THAT MUCH MONEY!":GOSUB2:YN=100
3305 IFGT=1PRINT"YOU ALREADY DID THAT!":YN=100:RETURN
3310 RETURN
3400 IFCT>5PRINT"DROP SOMETHING FIRST!!!":QQ=100
3410 RETURN
3500 IFDN=0THENPRINT"THE ";RR$(25);" CHUCKLES. 'HEH HEH!":PRINT"
YOU DIDN'T THINK IT'D BE THAT EASY, DIDJA?":GOSUB3
3505 IFBO<>100PRINT"YOU HAVEN'T EVEN PAID YOUR TUITION YET!":GOT
O5700
3510 GOSUB3:PRINT:IFCM=100ANDEN>=3ANDPE=100THEN3520ELSEPRINT"YOU
HAVEN'T EVEN GONE THROUGH THE CURRICULA YET!!!":GOTO5700
3520 IFDN=0PRINT"FIRST OF ALL, LET ME SEE YOUR STUDENT IDENTIFI
CATION!":GOTO5700
3530 IFDN=1PRINT"NOW GIVE ME YOUR GRADE TRANSCRIPT!":GOTO5700
3540 IFDN=2PRINT"AGAIN THE DEAN STANDS IN YOUR WAY!":GOSUB3:PRIN
T:PRINT"HMM...WE SEEM TO HAVE TEMPORARILY LOST YOUR RECORDS!":
GOSUB3:PRINT"DO YOU HAVE ANY PROOF THAT YOU PAID YOUR TUITION?":
GOTO5700
3550 IFDN>2ANDMF=0PRINT"THE ";RR$(25);" FROWNS DISGUSTEDLY.":GOS
UB3:PRINT"HE SAYS 'I DON'T LIKE YOUR FACE!":PRINT"GOSUB2:PRINT"Y
OU'VE GOT ALL THE PAPERWORK, BUT I'M NOT GOING":PRINT"TO GIVE YO
U THE DIPLOMA!":GOSUB3:PRINT"TOUGH LUCK, KIDDO! HEH, HEH":GOTO57
00
3555 IFDN>2ANDMF=100PRINT"MUMBLING ANGRILY, THE ";RR$(25):PRINT"
STANDS ASIDE AND SAYS, 'TAKE IT, THEN!":RE$=RR$(26):PRINT"YOU
HAVE WON ...":SC=SC+50:GOTO11030

```

Listing continues

SOFTWARE TO GET YOU OUT OF THE CLOSET.



Software, Inc.® M-8

P.O. Box 572 Bellevue, Washington 98009

Order by phone 206/644-3469 or ☐ Check or Money
 Order enclosed. Charge my ☐ Mastercard ☐ Visa
 Exp. Date _____ Card # _____

Qty.	Size	Color	Slogan

This fine quality Cotton/Polyester blend T-Shirt available in Sm, Med, Lg, XL and Green, Red, Lt. Blue or Black. Slogans include (A) Take a MegaByte. (B) This Software User Friendly. (C) This Unit programmed in Basic. (D) Who needs Brains when you have a Computer. T-Shirts \$12.50 each.

☐ For other Shirt styles send \$2.50 catalog. 261

Name _____
 Address _____
 City _____ State _____ Zip _____

Postage paid. Washington State residents add sales tax

EPSON FX-80/FT

\$565 (SHIPPING INCLUDED)

160 CPS 11 x 9 DOT MATRIX
 GRAFTRAX-PLUS
 SUPERScript/SUBSCRIPT
 TRUE UNDERLINING
 FRICTION AND TRACTOR FEED

ADJUSTABLE TRACTOR \$55
 4K SERIAL BOARD (RS 232) \$150
 APPLE II BOARD AND CABLE \$80
 TRS 80 EXP INT CABLE \$25
 IBM PC CABLE \$30

STAR GEMINI 10 \$370 \$350

BRUM ELECTRONICS

151-07 20 AVE.

WHITESTONE, N.Y. 11357

(212) 767-4353

532

ALLOW 2 WEEKS FOR PERSONAL CHECKS
 CERTIFIED CHECKS IMMEDIATE
 MONEY ORDERS DELIVERY
 COD ADD \$2 NY RESIDENTS ADD TAX

MICRO-DESIGN

If you don't know the number, you should.

MDX-5

\$15995

For the Model 4 User who already has floppy disk this is the PHONE MODEM & SERIAL PORT for you!! 427

Fully Assembled

MDX-5 System

\$4995

Basic Board & User Manual

VISA & MASTERCARD ACCEPTED

MDX-6

\$12995

MICRO-DESIGNS STAND ALONE FLOPPY DISK CONTROLLER BOARD for your Model 4 428

Fully Assembled

MDX-6 System

\$4995

Basic Board & User Manual

MICRO DESIGN

6301 Manchaca Road, Suite B Austin, Texas. 78745

1-800-531-5002

Texas Res. Call 512-441-7890

See our other ads

*** FOR APARTMENT BUILDING OWNERS ***
APARTMENT BUILDING
MANAGEMENT SYSTEM

Computerize your management functions for up to 30 apartment buildings. Performs all necessary accounting for all owner and tenant transactions.

Transactions include: Rent Pmts, Late Chrgs, Mort Pmts, Utility Pmts, Taxes, Insurance, Capital Expenditures, 40 User Categories (Income & Expenses) and much more.


Produces many reports: Audit Trail, Late Rents, Percent Rtn on Inv, G/L Full Dump, Income, Expenses, Taxes, Investments, Rcvd Rents, Late Chrgs, Deductibles, Utilities, Insurance, Percent Occupancy, Profit/Loss Stmt, User Cat's, Vacant Units and more.

Runs on TRS-80 Model I & III 32K. Supports Hard Disk Drive operation. ==> Send for FREE Description and Sample Printouts. Also available is FREE 1983 Software Catalog with complimentary Phone Directory Program.

COST ONLY \$79.95
COLEMAN COMPUTER SERVICES
 P.O. BOX 588, ST. ALBANS, N.Y. 11412

✓448

CIRCUIT SOLVER I



You don't have to be an engineer to make productive use of this program. A large clear manual leads you through the use of Circuit Solver using sample problems which have practical application.

Features

- Simple Circuit Entry
- Circuit Listing
- Circuit Storage & Retrieval
- Easy Circuit Editing
- Supports Op-Amps
- Many Useful Sample Circuits

ORDER

CSI-100C	PET/CBM/64*	\$34.95
CSI-101C	APPLE*	34.95
CSI-102C	TRS-80*	34.95

Include \$2.50 shipping and handling.

*PET CBM 64, APPLE and TRS-80 are *Trademarks of Commodore, Apple Computer and Tandy Resp.

SHS SOLUTIONS

1430 N. LATROBE
 SUITE 2A
 CHICAGO, IL 60651

✓432



TM TRS80 color

From the January 1981 issue of the CSRA Computer Club newsletter:

There was some amusement at the November meeting when the Radio Shack representatives stated that the software in the ROM cartridges could not be copied. This month's 68 Micro Journal reported they had disassembled the programs on ROM by covering some of the connector pins with tape. They promise details next month. Never tell a hobbyist something can't be done! This magazine seems to be the only source so far of technical information on the TRS-80 color computer. Devoted to SS-50 6800 and 6809 machines up to now, 68 Micro Journal plans to include the TRS-80 6809 unit in future issues.

To get the MOST from your 6809 CPU - This is the BEST SOURCE! The ONLY Magazine for the 6809 Computer. Months Ahead of All Others!

68 MICRO JOURNAL

5900 Cassandra Smith Rd.
 Hixson, TN 37343

USA
 1 Yr. - \$24.50 2 Yr. - \$42.50 3 Yr. - \$64.50
 *Foreign Surface Add \$12 Yr. to USA Price
 *Foreign Air Mail Add \$35 Yr. to USA Price
 *Canada & Mexico Add \$5.50 Yr. to USA Price

✓213

Listing continued

```

3599 PRINT"GET WHAT?":GOTO5700
3600 CLS:PRINT:PRINT"YOU MOVE AWAY FROM THE UNIVERSITY!"
3605 FORQ=1TOCT-1:IFTR$(Q)=RR$(26)PRINT:PRINT"YOU HAVE GOTTEN TH
E TREASURED DIPLOMA!":PRINT:PRINT"YOU WIN!!!":PRINT:PRINT"WOULD
YOU LIKE TO TRY AGAIN?":GOTO3650ELSENEXT
3610 PRINT:PRINT"BUT YOU DON'T HAVE THE DIPLOMA!":PRINT:PRINT"YO
U LOSE!":PRINT:PRINT"WOULD YOU LIKE TO TRY AGAIN?"
3650 CH$=INKEY$:IFCH$="Y"ORCH$="N"THEN3660ELSE3650
3660 IFCH$="Y"THENRUNELSEEND
5220 CLS:PRINT679,"CHARACTER'S ATTRIBUTES":GOTO5230
5230 PRINT:PRINT"STATUS :";IFSC<10THENPRINT"INCOMING FRESHMAN"EL
SEIFSC>=10ANDSC<20PRINT"SOPHOMORE"ELSEIFSC>=20ANDSC<30PRINT"JUN
IOR"ELSEIFSC>=30ANDSC<40PRINT"JUNIOR"ELSEIFSC>=40ANDSC<50PRINT"S
TUCK-UP SENIOR"ELSEIFSC>=50PRINT"GRADUATE!"
5235 PRINT:PRINT"PLACE : ANYSTATE UNIVERSITY":PRINT
5245 PRINT"TOTAL DOLLARS - ";MN
5246 PRINT6577,"EQUIPMENT : ";IFCT=1PRINT6769,"NOTHING"ELSEFORQ=
1TOCT:PRINTTR$(Q);NEXT
5247 IFNM$=" "THEN5250ELSEPRINT6512,"CHARACTER'S NAME - ";NM$
5248 PRINT6577,"EQUIPMENT : ";IFCT=1PRINT6769,"NOTHING"ELSEFORQ=
1TOCT:PRINTTR$(Q);NEXTQ:GOSUB2:RETURN
5249 GOSUB3:RETURN
5250 PRINT6833,"WHAT DO YOU NAME THIS CHARACTER?"
5251 INPUT NM$:IFLEN(NM$)>12PRINT"MAXIMUM OF 12 CHARACTERS, PLEA
SE!":GOTO5251ELSEGOTO5247
5290 GEN=RND(6)+RND(6)+RND(6):IFGEN=18THENGEN=GEN+RND(6)ELSEGEN=
GEN:RETURN
5500 GOTO5720
5700 QQ=0:GOSUB3000:YN=0:TT=0:Q=RND(350):PRINT"COMMAND ?":INPUTR
E$:GOTO5900ELSEGOTO5900
5720 QQ=0:GOSUB3000:YN=0:TT=0:Q=RND(350):GOSUB290:GOSUB100:PRINT
"COMMAND ?":INPUTRES$
5730 GOTO5900
5750 IFPL=1AND(RE$="S"ORRE$="N")THEN5855
5755 IFPL=2AND(RE$="N"ORRE$="W"ORRE$="E")THEN5857
5760 IFPL=3ANDRE$="W"THENPL=PL-1:GOTO5720
5765 IFPL=4AND(RE$="U"ORRE$="UP"ORRE$="D"ORRE$="DOWN"ORRE$="E")T
HEN5861
5768 IFPL=5AND(RE$="E"ORRE$="D"ORRE$="DOWN")THEN5863
5770 IFPL=6AND(RE$="N"ORRE$="S"ORRE$="W")THEN5868
5772 IFPL=7ANDRE$="W"THENPL=10:GOTO5720
5774 IFPL=8ANDRE$="N"THENPL=6:GOTO5720
5776 IFPL=9AND(LEFT$(RE$,1)="U"ORLEFT$(RE$,1)="D"ORRE$="E")THEN5
870
5778 IFPL=10AND(RE$="N"ORRE$="S"ORRE$="W"ORRE$="E")THEN5872
5780 IFPL=11ANDRE$="S"THENPL=10:GOTO5720
5782 IFPL=12ANDRE$="N"THENPL=10:GOTO5720
5784 IFPL=13ANDRE$="S"THENPL=6:GOTO5720
5786 IFPL=14AND(RE$="E"ORLEFT$(RE$,1)="U"ORLEFT$(RE$,1)="D")THEN
5874
5788 IFPL=15AND(RE$="N"ORRE$="S"ORRE$="E"ORRE$="W")THEN5876
5790 IFPL=17ANDRE$="N"THENPL=15:GOTO5720
5792 IFPL=16ANDRE$="S"THENPL=15:GOTO5720
5794 IFPL=18AND(RE$="N"ORRE$="W"ORRE$="S")THEN5878
5796 IFPL=19ANDRE$="S"THENPL=18:GOTO5720
5798 IFPL=20AND(LEFT$(RE$,1)="U"ORLEFT$(RE$,1)="D"ORRE$="E")THEN
5800
5800 IFPL=21AND(RE$="S"ORRE$="W"ORRE$="E")THEN5882
5802 IFPL=22ANDRE$="N"THENPL=21:GOTO5720
5804 IFPL=23ANDRE$="W"THENPL=21:GOTO5720
5806 IFPL=24ANDLEFT$(RE$,1)="U"THENPL=20:GOTO5720
5808 IFPL=24ANDRE$="E"THENPL=25:GOTO5720
5810 IFPL=25ANDRE$="W"THENPL=24:GOTO5720
5812 IFPL=26ANDRE$="N"THENPL=18:GOTO5720
5850 PRINT:PRINT"YOU CANNOT GO THAT DIRECTION!":GOTO5720
5855 IFRES$="N"THENGOTO3600ELSEPL=PL+1:GOTO5720
5857 IFRES$="N"THENGOTO3600ELSEIFRES$="E"THENPL=PL+1:GOTO5
720ELSEPL=PL+2:GOTO5720
5859 IFRES$="W"THENPL=1:GOTO5720ELSEIFRES$="U"THENPL=5:GOTO5720ELS
EPL=9:GOTO5720
5861 IFPL=4AND(RE$="U"ORRE$="UP")THENPL=5:GOTO5720ELSEIFRES$="D"O
RRE$="DOWN"ANDPL=4THENPL=9:GOTO5720ELSEIFRES$="E"ANDPL=4THENPL=2:
GOTO5720
5863 IFLEFT$(RE$,1)="D"THENPL=4:GOTO5720ELSEIFLEFT$(RE$,1)="E"TH
ENPL=6:GOTO5720
5868 IFRES$="N"ANDPL=6THENPL=13:GOTO5720ELSEIFRES$="S"ANDPL=6THENP
L=8:GOTO5720ELSEIFRES$="W"ANDPL=6THENPL=5:GOTO5720
5870 IFLEFT$(RE$,1)="U"ANDPL=9THENPL=4:GOTO5720ELSEIFPL=9ANDLEFT
$(RE$,1)="D"THENPL=14:GOTO5720ELSEIFPL=9ANDRE$="E"THENPL=10:GOTO
5720
5872 IFPL=10ANDRE$="N"THENPL=11:GOTO5720ELSEIFPL=10ANDRE$="S"THE
NPL=12:GOTO5720ELSEIFPL=10ANDRE$="W"THENPL=9:GOTO5720ELSEIFPL=10
ANDRE$="E"THENPL=7:GOTO5720
5874 IFPL=14AND(LEFT$(RE$,1)="U")THENPL=9:GOTO5720ELSEIFPL=14AND
(LEFT$(RE$,1)="D")THENPL=20:GOTO5720ELSEIFPL=14ANDRE$="E"THENPL=
15:GOTO5720
5876 IFPL=15ANDRE$="N"THENPL=16:GOTO5720ELSEIFPL=15ANDRE$="S"THE
NPL=17:GOTO5720ELSEIFPL=15ANDRE$="W"THENPL=14:GOTO5720ELSEIFPL=1

```

Listing continues

Since 1978

- REPUTATION BACKED BY YEARS OF EXPERIENCE.
- PIONEER IN DIRECT TO CONSUMER SALES OF MICRO COMPUTERS AND ELECTRONICS
- MILLIONS OF DOLLARS IN SALES OVER THE YEARS
- TENS OF THOUSANDS OF CUSTOMERS
- HONEST
- RELIABLE
- LARGE INVENTORY
- NAME BRAND PRODUCTS



Micro Management
Systems, Inc.

2803 Thomasville Road East
Cairo, Georgia 31728
(912) 377-7120

**DISCOUNT
PRICES**



**BUY
DIRECT**

**It's simple. . . .
CALL & SAVE MONEY**

"TELEMARKETING WORKS"

1-800-841-0860
CONVENIENT ORDER ENTRY

Ga & Info 912-377-7120

COMPUTERS & EQUIPMENT



FROM

'898

ACE 1000

ACE 1200

TRS-80 COMPUTERS



**PURE
RADIO SHACK
EQUIPMENT**

MODEL 4 TRS-80.....'828
MODEL 12 TRS-80.....'2639
MODEL 16 TRS-80.....'4012
MODEL 100 TRS-80.....'677
MC-10 TRS-80.....'99
COLOR COMPUTER.....'CALL

WE SELL THE COMPLETE LINE
OF TRS-80 COMPUTERS
AND ACCESSORIES

**commodore
COMPUTERS**

FROM **\$CALL**
VIC 20 COMPUTER
COMMODORE 64
VIC 1541 DISK DRIVE
VIC 1525 PRINTER
VIC 1701 MONITOR
CALL & SAVE

DATA FLEX
APPLICATIONS
DATA BASE
BY DATA ACCESS
'CALL

ATARI
1200 XL
COMPUTER
'CALL

**EPSON
PRINTERS**
FROM **'CALL**

FX-80.....SAVE
RX-80.....SAVE
MX-80.....SAVE
FX-100.....SAVE

**SMITH
CORONA**
TP-1 DAISY
WHEEL PRINTER
FROM **'489**

star
PRINTERS
FROM **'309**
GEMINI 10 & 15

**OKIDATA
PRINTERS**
FROM **'339**
MICROLINE SERIES
•80 •82A •83A
•84P •92P •93P
PACE MARK 2350P

**NEW
PRODUCTS
'CALL**

brother.
DAISY WHEEL
PRINTERS
'CALL

Dynax
DX-15
DAISY WHEEL
'CALL

COMREX
•MONITORS
•PRINTERS
'CALL

Hayes®
MODEMS
FROM **'239**
MICRO MODEM I
SMART MODEM 300
SMART MODEM 1200

**C. Itoh
PRINTERS**
PROWRITER
8510.....'397
NEW! 8600.....'CALL

**QUADRAM
CORPORATION**
•APPLE BOARDS
•IBM BOARDS
•MICROFAZERS
'CALL

Novation
MODEMS
FROM **'119**
•J-CAT •D-CAT
•CAT •AUTO CAT
•SMART CAT •APPLE CAT

SILVER-REED
DAISY WHEEL
PRINTERS
'CALL

NEC
3550 SPINWRITER
'1987

Panasonic.
•PRINTERS
•MONITORS
'CALL

AMDEK
MONITORS
FROM **'178**

NOTICE

ALL PRODUCTS WE SELL ARE BRAND NEW
AND COVERED BY THE MANUFACTURER'S
SPECIFIC WARRANTIES. COPIES AVAILABLE
UPON REQUEST.
WE DO NOT SELL ANY USED, RECONDITIONED,
FOREIGN OR INFERIOR MODIFIED EQUIP-
MENT.
PRICES AND PRODUCTS SUBJECT TO
CHANGE WITHOUT NOTICE.

**TRS-80
PRINTERS**
COMPLETE LINE
FROM **'199**

PRINTER CARDS & CABLES
•MICROTEK DUMPLING GX
•GRAPPLER PLUS
•APPLE •IBM
•OSBORNE •ATARI
•TRS-80 •MORE

FREE
UPON REQUEST
•DISCOUNT PRICE LIST
& INFORMATION KIT
WRITE TO:
MICRO MANAGEMENT SYSTEMS
TELEMARKET DEPT. # 4
2803 THOMASVILLE RD. EAST
CAIRO, GEORGIA 31728

Verbatim
DATA LIFE
DISKETTES
\$CALL

WE SELL IBM P.C.
COMPATIBLES. CALL
FOR YOUR CHOICE.

TRS-80

COMPUTER DISCOUNTS

- Factory Direct
- Best Prices Anywhere
- No Out-of-State Taxes
- 100% Radio Shack Warranty
- Free Price List

SCOTT TASSO ASSOCIATES


175 E North Delsea Drive
Vineland, N.J. 08360
800-257-0426
NJ 609-691-7100

510



PROTECT YOUR COMPUTER FROM POWER SURGES WITH A VOLTAGE SPIKE PROTECTOR

ACTS LIKE A SAFETY VALVE ASSURING PROTECTION.



RATED 15 AMPS @ 120 VAC

- NO WIRING REQUIRED—JUST PLUG IT IN.
- PROTECTS SOLID STATE EQUIPMENT FROM DAMAGING VOLTAGE SPIKES.
- USE ON YOUR COMPUTER—PERIPHERALS T.V. SET—STEREO ETC.

REGULAR \$16.25 EACH

★ ★ SPECIAL \$10.⁸⁸ EA ★ ★
ORDER 2 OR MORE @ \$10.00 EACH

SHEPHERD MARKETING

P.O. BOX 941339
SCHAUMBURG, IL 60194
PHONE 312-490-9239



We ship PP-IL residents add 6% sales tax

34

PAJARO Models I/III 48k

A new programming environment allowing more efficient development of software with user defined statements. Programs easily chained using a built-in bank of variables, making memory seem much larger. Multiple programs in memory. Both integer and 32 place floating point are supported, as well as random and sequential disk files. PAJARO's syntax is much like BASIC's (altho it can be changed if you wish, to spanish, german or whatever you like). Machine language like commands (Block moves and searches) as well as DRAW and SOUND commands. Compiled programs run up to 20 times faster than interpreted BASIC and may be moved to other types of computers (IBM PC, APPLE and CPM run time units available early '84). Models I/III 48k at least 1 drive. Price is \$89.95 post paid in the U.S. Manual only is \$25.00.

ULTRA MAGNETICS

402

Lifetime warranty, SS DD 40 track;
Box of 10 . . . introductory price . . . \$29.95
LOWCOST disks, 6 month warranty SS DD 40 track;
Box of 10 . . . introductory price . . . \$19.95
Add \$2.50 shipping for each disk order. Calif. orders add 6.5% sales tax. Add \$3 for COD. Send Cashier's Check or Money Order only to:

RDS, 79 Hill, Watsonville, CA 95076 (408) 722-5354

Listing continued


```

5ANDRES="E"THENPL=18:GOTO5720
5878 IFPL=18ANDRES="N"THENPL=19:GOTO5720ELSEIFPL=18ANDRES="W"THE
NPL=15:GOTO5720ELSEIFPL=18ANDRES="S"THENPL=26:GOTO5720
5880 IFPL=20ANDLEFT$(RES,1)="U"THENPL=14:GOTO5720ELSEIFPL=20ANDL
EFT$(RES,1)="D"THENPL=24:GOTO5720ELSEIFPL=20ANDRES="E"THENPL=21:
GOTO5720
5882 IFPL=21ANDRES="S"THENPL=22:GOTO5720ELSEIFPL=21ANDRES="W"THE
NPL=20:GOTO5720ELSEIFPL=21ANDRES="E"THENPL=23:GOTO5720
5899 PRINT"YOU CAN'T GO IN THAT DIRECTION!":GOTO5720
5900 IFRES="N"ORRES="S"ORRES="W"ORRES="E"ORRES="UP"ORRES="DOWN"O
RRES="U"ORRES="D"THEN5750
5910 IFLEFT$(RES,4)="SHOW"THENNU=LEN(RES)-5:GOTO1525ELSEIFLEFT$(
RES,7)="PRODUCE"THENNU=LEN(RES)-8:GOTO1525
5920 IFRES="LOOK"ORRES="LOOK AROUND"THEN5720
5930 IFLEFT$(RES,4)="DROP"THENNU=LEN(RES)-5:GOTO16000
5940 IFLEFT$(RES,3)="EAT"THENNU=LEN(RES)-4:GOTO15500
5945 IFLEFT$(RES,3)="SAY"THENNU=LEN(RES)-4:GOTO2500
5950 IFLEFT$(RES,3)="PAY"THENNU=LEN(RES)-4:GOTO2610
5955 IFLEFT$(RES,4)="GIVE"THENNU=LEN(RES)-5:GOTO20500
5960 IFLEFT$(RES,3)="SIT"THENNU=LEN(RES)-4:GOTO20000
5965 IFLEFT$(RES,4)="OPEN"THENNU=NU-5:GOTO21000
5970 IFRES="RAISE HAND"THENGOTO22000
5975 IFLEFT$(RES,4)="CHUG"THENNU=LEN(RES)-5:GOTO22500ELSEIFLEFT$(
RES,5)="DRINK"THENNU=LEN(RES)-6:GOTO22500
5985 IFLEFT$(RES,3)="JOG"ORLEFT$(RES,3)="RUN"THEN23000
6000 IFLEFT$(RES,8)="APPROACH"THENNUM=LEN(RES)-9:GOTO10000ELSE
IFLEFT$(RES,4)="GOTO"THENNUM=LEN(RES)-5:GOTO10000ELSEIFLEFT$(R
ESS,5)="GO TO"THENNUM=LEN(RES)-6:GOTO10000ELSEIFLEFT$(RES,7)="
LOOK AT"THENNUM=LEN(RES)-8:GOTO10000
6002 IFLEFT$(RES,7)="EXAMINE"THENNU=LEN(RES)-8:GOTO10000
6005 IFLEFT$(RES,8)="FILL OUT"ORLEFT$(RES,8)="COMPLETE"ANDFM<
>100THEN800
6006 IFLEFT$(RES,8)="FILL OUT"ORLEFT$(RES,8)="COMPLETE"THENNU=LE
N(RES)-9:GOTO805
6010 IFLEFT$(RES,7)="PICK UP"THENNUM=LEN(RES)-9:GOTO11000ELSEI
FLEFT$(RES,3)="GET"THENNUM=LEN(RES)-4:GOTO11000
6015 IFLEFT$(RES,4)="READ"THENNUM=LEN(RES)-5:GOTO1000
6020 IFRES="FLUSH TOILET"ANDPL=13THENPRINT"THE TOILET FLUSHES":G
OTO5700
6025 IFRES="STAND UP"THENPRINT"YOU'RE STANDING.":GOTO5700
6060 IFLEFT$(RES,4)="TAKE"THENNU=LEN(RES)-5:GOTO21500ELSEIFLEFT$(
RES,5)="BEGIN"THENNU=LEN(RES)-6:GOTO21500
6150 IFRES="INVENTORY"ORRES="INV"ORRES="INVEN"THENGOSUB5220:G
OTO5720
6160 IFLEFT$(RES,5)="THROW"THENNU=LEN(RES)-6:GOTO31000
6999 PRINT:PRINT"I DON'T KNOW HOW TO ";RES:GOTO5700PRINT":GOTO57
20
9000 IFNUM<=0GOTO5720
9010 RETURN
10000 GOSUB9000
10010 RES$=RIGHT$(RE2$,NUM)
10015 IF(PL=2ANDRES=RR$(1)ANDFM<>100)PRINT"YOU REACH THE ";RR$(1
);" AND A".PRINT"BORED LOOKING RECEPTIONIST SLIDES A FORM AND A"
:PRINT"PENCIL AT YOU.":GOTO5700
10020 IF(PL=2ANDRES=RR$(1)ANDFM=100)THEN1500
10025 IFPL=2ANDSI>1THEN2900ELSEIFPL=2ANDRES=RR$(2)ANDSI>0THENPR
INT"THE CLERK BEHIND THE DESK DEMANDS TO SEE YOUR":PRINT"STUDEN
T IDENTIFICATION!":SI=SI+1:GOTO5700
10030 IFPL=2ANDRES=RR$(2)ANDSI<100THENPRINT"YOU HAVE COMPLETED
YOUR BUSINESS THERE! MOVE ALONG!":GOTO5720
10050 IFPL=7PRINT"THE ";RR$(7);" ASKS IF YOU":PRINT"WANT FINANCI
AL AID.":GOTO5700
10075 IFPL=8ANDBO<>100PRINT"THE ";RR$(8);" GLANCES UP AT YOU AND
":PRINT"SAYS 'YOU OWE US 2000 DOLLARS FOR THIS TERM'S TUITION!":
IFMN>2000THEN5700ELSEGOSUB3:PRINT:PRINT"THE ";RR$(8);" SEES THA
T YOU DO NOT HAVE THE MONEY!":PR=8:GOTO405
10080 IFPL=8ANDBO<>100THENGOSUB125:IFTT<>1THENPRINT"THE ";RR$(8)
;" ASKS FOR YOUR STUDENT IDENTIFICATION!":GOSUB3:PR=8:GOTO400
10085 IFPL=8ANDBO=100THENPRINT"NOW THAT YOU'VE PAID YOUR TUITION
, THE BURSAR HAS":PRINT"LOST INTEREST IN YOU.":GOTO5720
10100 IFPL=11AND(RES=RR$(9)ORRES="PSYCHOLOGIST"ORRES=RR$(11))AND
BO=100PRINT"THE ";RR$(9);" ASKS YOU TOO HAVE A SEAT.":IB=1:GOTO5
700
10102 IFPL=11ANDBO<>100PRINT"THE ";RR$(9);" ASKS TO SEE YOUR STU
DENT IDENTIFICATION!":GOSUB125:IFTT=1THENGOTO1535ELSEPRINT"THE "
;RR$(9);" SAYS THAT YOU MUST HAVE IDENTIFICATION":PRINT"BEFORE H
E CAN HELP YOU":GOTO5700
10105 IFPL=11ANDRES=RR$(10)ANDAB<>100PRINT"THE ";RR$(9);" BLOCKS
YOUR PATH!":PRINT"AND YOU CANNOT GET TO IT.":GOTO5700
10125 IFPL=12ANDBO<>100THENPRINT"THE MAN CHECKS HIS CLASS":PRINT
"ROSTER AND SAYS 'YOU MUST PAY YOUR TUITION BEFORE I CAN":PRINT"
ADMIT YOU TO CLASS!":GOTO5700
10130 IFPL=12AND(RES=RR$(12)ORRES=RR$(13))THENGOTO1400ELSEIFPL=12
ANDRES=RR$(14)THENPRINT"THE ";RR$(14);" ASKS YOU TO SIT DOWN!":G
OTO5700
10150 IFPL=13ANDRES="TOILET"THENPRINT"SCRATCHED ON THE WALL BY T
HE TOILET IS INDECIPHERABLE MESSAGE ":GOSUB3:PRINT:PRINT"

```

Listing continues

Need More Serial Ports ?



- ★ Add a BTA smart multiport controller to your C.P.U.
- ★ The **MODEL 524** expands a single RS232 port to four individual ports with port selection and baud rate controlled by user software.
- ★ Buffered inputs permit simultaneous operation increasing data exchange rate.
- ★ 62K spooler model also available.

Price
\$249.00

Bay Technical Associates

P. O. Box 387, Bay St. Louis, MS. 39520 ✓ 243
601 - 467-8231

two/sixteen
magazine

The journal for business, professional, and scientific members of the TRS-80 community

**THE ONLY
MAGAZINE FOR
MODEL II & 16
USERS**

two/sixteen magazine
131A East Orange St.
Lancaster, Pa. 17603
✓522 (717) 397-3364



Reduction of an actual sign
✓335

The Banner Machine©

- For the TRS-80 I & III with 32K tape or 48K disk
- For use on the Epson MX-80 with Grafix
- Uses dot graphics instead of TRS-80 block graphics
- Menu-driven program
- Operation similar to a word processor
- Makes signs up to 10" tall by any length
- 10 sizes of letters from 3/4" - 8" high
- Mono or proportional spacing
- Automatic centering; Right and left justifying
- Makes borders of variable width up to 3/4"

Order The Banner Machine© — \$49.95 from

Virginia
Micro
Systems

Virginia Micro Systems
13646 Jeff Davis Highway
Woodbridge, Virginia 22191

Phone (703) 491-6502



**NODVILL
DIET
PROGRAM**

\$69.95

"TAKE A BYTE".
MAINTAIN, LOSE OR GAIN WEIGHT
With your TRS-80 Double Density Disk Model I/III/4
and
The NODVILL DIET PROGRAM "Take a Byte"

you can quickly and accurately:

- ★ Calculate caloric and nutritive food intake
- ★ Evaluate nutritive value of your diet
- ★ Compare daily diet to Individual RDA Chart
- ★ Create personalized daily meals and menus
- ★ Plan varied daily menus based on sound nutrition
- ★ Save records of daily meals and menus for future planning
- ★ Print nutrition charts, food, meal, menu and grocery lists

"Take a Byte" is a Modular BASIC Program

MAIN Program Menu


- (1) Recommended Daily Dietary Allowance (RDA) CHART
- (2) 733 Expandable Random Access FOOD LIST Data File
- (3) 28 Nutritional MEAL LIST Data File Examples
- (4) 7 Balanced DAILY MENU LIST Data File Examples
- (5) GROCERY LIST Program Module
- (6) 25 PAGE USER'S MANUAL including Charts and Tables

ALL Data Files can be EXPANDED and MODIFIED systematically and flexibly to reflect your personal diet, your choice of diet book, or your doctor's suggested diet.

For more information: Call: (203) 431-6449
To Order: Mail a check or money order for \$69.95 to:
NODVILL Software
24 Nod Road
Ridgefield, Conn. 06877

TRS-80 is a trademark of the Tandy Corporation

✓54



Hardwood For Hardware

Beginning at \$175.00

Designed for Personal Computers.

Elegant handcrafted furniture at a price you can afford.
Hardwood and hardwood veneer worktables, shelf units,
and printer tables. Choose from Oak, Walnut, or Cherry.
Natural or Stained.

MC & VISA accepted.

**the wood
works**


(913) 842-7797

11th & Haskell Rt. 2, Box 407
Lawrence, KS 66044

For Information or to order, call —
913-842-7797

MEMOREX FLEXIBLE DISCS

**WE WILL NOT BE UNDER-
SOLD!!** Call Free (800)235-4137
for prices and information. Dealer
inquiries invited and C.O.D.'s
accepted.



**PACIFIC
EXCHANGES**
100 Foothill Blvd.
San Luis Obispo, CA
93401. In Cal. call
(800)592-5935 or
(805)543-1037

✓207

TRSDOS ↔ CP/M

with

REFORMATTER™

Model II users! Convert files between
TRSDOS and CP/M!


- REFORMATTER runs under TRSDOS
- Operates on single drive system
- Converts in both directions
- CP/M operating system not needed
- All TRSDOS record lengths supported
- Initializes blank CP/M diskette
- Displays or dumps CP/M files
- Manipulates CP/M directory under TRSDOS

✓380

\$249.00 from stock. CP/M ↔ IBM,
TRSDOS ↔ DEC, and CP/M ↔ DEC ver-
sions of **REFORMATTER** also available at
\$249.00 from MicroTech Exports, Inc.,
467 Hamilton Ave., Palo Alto, CA 94301
□ Tel: 415/324-9114 □ TWX:
910-370-7457 MUH-ALTOS

1724

PRESERVE 80 MICRO WITH BINDERS & FILE CASES.



Keep your issues of 80 Micro handy and protected in
handsome and durable library file boxes or binders.
Both styles are bound in dark green leatherette with
the magazine logo stamped in gold.

File boxes: each file box holds 12 issues, with spines
visible for easy reference.

\$5.95 each, 3 for \$17.00, 6 for \$30.00

Binders: each binder holds 12 issues and opens flat
for easy reading.

\$7.50 each, 3 for \$21.75, 6 for \$42.00

(USA postage paid. Foreign orders must include
\$2.50 per item.)

Please state years desired (1980 to 1984).

Send check or money order to:

Jesse Jones Box Corp., P.O. Box 5120, Philadelphia,
PA 19141; please allow 6 to 8 weeks for delivery.
Sorry, no C.O.D. or phone orders.

Listing continued

```

if PRO Is the OpPosiTe Of CON";PRINT"      TheN wHAT is the oPpos
ite oF PROGRESS?";PRINT:GOTO5700
10155 IFPL=13ANDRES="SINK"THENPRINT"THE SINK APPEARS TO BE NORMA
L.";GOTO5700
10175 IFPL=26ANDRES=RR$(29)PRINTRR$(29);" SAYS, 'YOU KNOW WHAT I
AM...?';GOSUB3:PRINT"...A ZIT!!!";PRINT"AND HE SPITS HALF-CH
EWED FOOD ALL OVER YOU!";GOTO5700
10180 IFPL=26ANDRES=RR$(30)PRINT"BLUTO SAYS, 'THATS GOOD STUFF!';
";GOTO5700
10185 IFPL=26ANDRES=RR$(31)PRINT"THE ";RR$(31);" HAS THE INITIAL
S 'DH' ON IT.";GOTO5700
10200 IFPL=25ANDRES=RR$(27)ANDPE<>100PRINT"THE ";RR$(27);" LOOKS
AT YOU AND";PRINT"SAYS, 'ANOTHER WIMP!';GOSUB2:PRINT:PRINT"TO
PASS PHYS ED, YOU GOTTA JOG 40 LAPS AROUND THE TRACK."::GOSUB2:
PRINT"THAT'S 5 MILES. IF YA CAN'T DO IT, YA DON'T PASS.";GOTO57
00
10210 IFPL=25ANDRES=RR$(27)ANDPE=100PRINT"'GET LOST, KID! YOU'VE
ALREADY PASSED PHYS ED!";GOTO5700
10225 IFPL=22ANDRES=RR$(24)THENPRINT"THE ";RR$(24);" LOOKS AT YO
U EXPECTANTLY.";GOTO5700
10230 IFPL=17ANDRES=RR$(19)PRINT"THE ";RR$(19);" IGNORES YOU.";G
OTO5700
10235 IFPL=16ANDRES=RR$(16)PRINT"THE ";RR$(16);" LOOKS AT YOU EX
PECTANTLY.";GOTO5700
10240 IFPL=16ANDRES=RR$(17)PRINT"THE ";RR$(17);" LOOKS LIKE A NO
RMAL ";RR$(17):GOTO5700
10245 IFPL=16ANDRES=RR$(18)PRINT"THE ";RR$(18);" SITS FACE DOWN
ON THE ";RR$(17):GOTO5700
10250 IFPL=25ANDRES=RR$(28)PRINT"YOU ARE AT THE ";RR$(28):GOTO57
00
10255 IFPL=23ANDRES=RR$(25)PRINT"THE ";RR$(25);" LOOKS AT YOU WI
TH DISGUST.";GOTO5700
10260 IFPL=23AND(RES="DIPLOMA"ORRES=RR$(26))PRINT"YOU APPROACH T
HE ";RR$(26):GOTO5700
10275 IFRES=RR$(23)PRINT"THE ";RR$(23);" IS OVERFLOWING WITH GAR
BAGE.";GOTO5700
10280 IFRES=RR$(20)ANDPL=19PRINT"THE ";RR$(20);" SAYS 'SIT DOWN!
';GOTO5700
10285 IFRES=RR$(21)ORRES=RR$(23)ANDPL=19ORRES=RR$(22)ANDPL=19PRI
NT"YOU APPROACH THE ";RES:GOTO5700
10290 IFRES=RR$(13)PRINT"YOU APPROACH THE ";RR$(13):GOTO5700
10295 IFRES=RR$(3)ANDPL=3ORRES=RR$(4)ANDPL=3ORRES=RR$(5)ANDPL=3P
RINT"YOU APPROACH THE ";RES:GOTO5700
10999 GOTO19999
11000 GOSUB9000:GOSUB2975
11010 RE2$=RIGHT$(RE2$,NUM)
11015 IF(PL=2ANDFM=1AND(RES="CARD"ORRES="PLASTIC CARD"))THEN1850
0
11016 IFPL=11ANDRES=RR$(11)THENPRINT"THE ";RR$(9);" GRABS THE ";
RR$(11):PRINT"AWAY FROM YOU AND SAYS, 'THESE ARE MINE.'";GOTO570
0
11017 IFPL=11ANDRES=RR$(10)THEN2200ELSEIFPL=12ANDRES="TEST"THEN
PRINT"YOU CANNOT TAKE A TEST FORM OUT OF THE CLASSROOM!";GOTO570
0
11020 IFRES=RR$(1)ORRES="TOILET"ORRES="SINK"ORRES=RR$(16)ORRES=R
R$(17)ORRES=RR$(14)ORRES=RR$(13)ORRES=RR$(12)ORRES=RR$(7)ORRES=R
R$(8)ORRES=RR$(9)ORRES=RR$(2)ORRES=RR$(6)ORRES=RR$(19)ORRES=RR$(
20)ORRES=RR$(24)ORRES=RR$(25)ORRES=RR$(27)THENGOTO140
11021 IFRES=RR$(28)ORRES=RR$(29)THEN140
11022 IFPL=16ANDRES=RR$(18)THEN700ELSEIFPL=16ANDRES=RR$(32)THEN7
30
11023 IFPL=26ANDRES=RR$(31)THEN900
11025 IFPL=22ANDRES=RR$(36)ANDGT<>500THEN3100
11027 IFPL=23ANDRES=RR$(26)ORRES="DIPLOMA"THEN3500
11028 IFPL=8ANDGT<>1ANDRES=RR$(37)THENPRINT"THE BURSAR SAYS 'THA
T WILL BE 10 DOLLARS, PLEASE.";GOTO5700
11030 GOSUB3400:IFQQ=100THEN5700ELSEYN=0:FORQ=1TO37:IFRES=RR$(Q)
ANDRS$(Q,PL)=1THENYN=1:Q5=Q:Q=37
11035 NEXTQ:IFYN=1THEN18500ELSEPRINT"WHERE DO YOU SEE THAT?";GOT
O5720
11999 GOTO19999
13800 PRINT"YOU ARE ESCORTED OUT OF THE UNIVERSITY!";GOTO30000
15499 GOTO19999
15500 GOSUB9000:RES=RIGHT$(RES,NU)
15505 YN=0:IFRES=RR$(3)THENFORQ=1TOCT:IFTR$(Q)=RR$(3)THENPRINT"Y
OU HAVE EATEN THE HAM SANDWICH.";TR$(Q)="":GOSUB2975:Q=CT+1:NEXT
Q:GOTO5720ELSENEXTQ:PRINT"MAYBE YOU SHOULD GET IT FIRST.";GOTO14
0
15999 GOTO19999
16000 GOSUB9000:RES=RIGHT$(RES,NU):GOSUB2975
16010 YN=0:FORQ=1TOCT:IFRES=TR$(Q)THENYN=1:Q4=Q:Q=CT+1
16020 NEXTQ:IFYN=1THENFORQ=1TO37:IFRES=RR$(Q)THENPRINT"YOU DROP
THE ";RES:RS$(Q,PL)=1:TR$(Q4)="":GOTO5720ELSENEXTQ
16030 IFYN=0PRINT"YOU DON'T HAVE A ";RES:GOTO5720
18499 GOTO19999
18500 GOSUB3400:IFQQ=100THEN5700ELSEPRINT:PRINT"THE MOST YOU CAN
CARRY AT ANY TIME IS 5 ITEMS":PRINT:PRINT"YOU ARE PRESENTLY CAR

```

Listing continues

Listing continued

```

RYING ";CT-1;"ITEMS":PRINT:PRINT"DO YOU CARRY THE ";RE$;" WITH
YOU?"
18505 CH$=INKEY$:IFCH$="Y"ORCH$="N"THEN18510ELSE18505
18507 IFQ5>0THEN18600
18510 IFCH$="N"THENGOTO5720
18515 IFRE$="PLASTIC CARD"ORRE$="CARD"THENTR$(CT)="I.D. CARD":CT
=CT+1:GOSUB5220:FM=100:GOTO5720
18520 IFRE$=RR$(3)THENTR$(CT)=RR$(3):CT=CT+1:RS$(3,PL)=0:GOSUB52
20:GOTO5720ELSEIFRE$=RR$(4)THENTR$(CT)=RR$(4):RS$(4,PL)=0:CT=CT+
1:GOSUB5220:GOTO5720ELSEIFRE$=RR$(5)THENTR$(CT)=RR$(5):RS$(5,PL)
=0:CT=CT+1:GOSUB5220:GOTO5720
18600 RS$(Q5,PL)=0:TR$(CT)=RR$(Q5):CT=CT+1:GOSUB5220:Q5=0:Q4=0:G
OTO5720
18999 GOTO19999
19999 PRINT:PRINT"I DON'T SEE A ";RE$;" HERE!":GOTO5720
20000 GOSUB9000:RE$=RIGHT$(RE$,NU):IFPL=1LANDAB<>100PRINT"THE ";
RR$(9);"SHOVES THE ";RR$(11):PRINT"AT YOU AND ASKS 'WHAT DOES T
HIS SUGGEST TO YOU?':IB=1:GOTO5700
20010 IF(PL=12ORPL=19)ANDBO<>100PRINT"WHILE YOU FIND A CHAIR, TH
E MAN CHECKS HIS":PRINT"CLASS ROSTER. HE SAYS 'YOU MUST PAY YOUR
TUITION BEFORE I':PRINT"CAN ADMIT YOU TO CLASS!":GOTO5700
20015 IFPL=12ANDBO=100PRINT"THE ";RR$(14);" SAYS YOU MAY BEGIN":
PRINT"THE TEST WHEN YOU'RE READY.":GOTO5700
20020 IFPL=19ANDBO=100PRINT"THE ";RR$(20);" SAYS 'RAISE YOUR HAN
D WHEN':PRINT"YOU'RE READY TO BEGIN.":GOTO5700
20499 PRINT"YOU SIT DOWN.":GOTO5700
20500 GOSUB9000:RE$=RIGHT$(RE$,NU):IFPL=11THENFORQ=1TOCT:IFTR$(Q
)=RR$(34)THENAB=100:TR$(Q)="":BA=500:NEXTELSENEXT
20505 IFPL=11LANDAB=100ANDRE$=RR$(34)THENPRINT"THE ";RR$(9);" GRE
EDILY GRABS THE MAGAZINE AND SAYS ":PRINT"THANK YOU! THE FOLDER
IS YOURS IF YOU WANT IT.":GOTO5700
20510 IFPL=16ANDRE$=RR$(32)THENFORQ=1TOCT-1:IFTR$(Q)=RR$(32)THEN
EX=100:Q=CT+1:SC=SC+3:PRINT"THE ";RR$(16);" TAKES YOUR ";RR$(32)
:RE$=RR$(32):NEXT:GOTO16010ELSENEXT
20515 IFPL=16ANDRE$=RR$(18)THENFORQ=1TOCT-1:IFTR$(Q)=RR$(18)THEN
E2=100:Q=CT+1:PRINT"THE ";RR$(16);" TAKES BACK THE BOOK.":RE$=RR
$(18):NEXT:GOTO16010ELSENEXT
20520 IFPL=22THENGOSUB122:IFTT=8THENG=100:PRINT"THE ";RR$(24);"
TAKES THE ";RR$(37):FORQ=1TOCT-1:IFTR$(Q)=RR$(37)THENTR$(Q)="":
NEXT:GT=100:GOTO5700ELSENEXT:GT=100:GOTO5700
20525 IFPL=23ANDRE$=RR$(32)ANDDN=0THENGOSUB125:IFTT=1PRINT"THE "
;RR$(25);" TAKES YOUR ";RR$(32):PRINT"AND CASUALLY POCKETS IT. H
E GRINS AT YOU.":DN=1:FORQ=1TOCT-1:IFTR$(Q)=RR$(32)THENTR$(Q)="":
NEXT:GOTO5700ELSENEXT:GOTO5700
20530 IFPL=23ANDRE$=RR$(36)ANDDN=1THENGOSUB124:IFTT=9PRINT"THE "
;RR$(25);" TAKES YOUR ";RR$(36);"":PRINT"CRUMPLES IT INTO A TIG
HT BALL AND EATS IT!":DN=2:FORQ=1TOCT-1:IFTR$(Q)=RR$(36)THENTR$(
Q)="":NEXT:GOTO5700ELSENEXT:GOTO5700
20535 IFPL=23ANDRE$=RR$(33)ANDDN=2THENGOSUB119:IFTT=11PRINT"THE
";RR$(25);"SWEARS ANGRILY AND TEARS":PRINT"THE ";RR$(33);" INTO
TINY PIECES!":DN=3:FORQ=1TOCT-1:IFTR$(Q)=RR$(33)THENTR$(Q)="":Q=
CT+1:NEXT:GOTO5700ELSENEXT:GOTO5700
20540 IFPL=23ANDRE$=RR$(10)THEN1540
20599 PRINT"GIVE WHAT?":GOTO5700
21000 GOSUB9000:RE$=RIGHT$(RE$,NU):IFRE$=RR$(34)THEN1010
21010 IFRE$=RR$(18)THEN1010
21499 PRINT"READ WHAT?":GOTO5700
21500 GOSUB9000:RE$=RIGHT$(RE$,NU):IFPL=12ANDRE$="TEST"THEN600
21999 PRINT"TAKE WHAT, ";NM$;"?":GOTO5700
22000 IFEN>0PRINT"YOU CAN ONLY TAKE THIS TEST ONCE, ";NM$:GOTO57
20
22003 IFPL<>19THENPRINT"YOUR HAND IS RAISED":GOTO5700
22005 CLS:PRINT"THE ";RR$(20);" SAYS 'THERE WILL BE NO':PRINT"IN
TERRUPTIONS DURING THE COURSE OF THIS TEST.":GOSUB3:PRINT:PRINT"
THE TEST CONSISTS OF 5 QUESTIONS. YOU MAY ANSWER 2 OF":PRINT"THE
M INCORRECTLY AND STILL PASS. OTHERWISE, YOU FAIL AND WILL"
22010 PRINT"BE EXPELLED FROM THE UNIVERSITY.":PRINT:PRINT"QUESTI
ON NUMBER 1 :":PRINTTAB(3)"enter THE ADJECTIVE IN THE FOLLOWING
SENTENCE?":PRINT:PRINT"The water was perfectly transparent.":PRI
NT:INPUTRE$
22015 IFRE$="TRANSPARENT"ORRE$="transparent"THENEN=EN+1
22020 CLS:PRINT"QUESTION NUMBER 2 :":PRINT:PRINT"THIS IS MULTIP
LE CHOICE. INPUT THE number OF THE CORRECT ANSWER.":GOSUB3:PRINT
:PRINT"WHO IS THE AUTHOR OF SHAKESPEARE'S Taming of the Shrew?":
PRINT
22025 PRINTTAB(10)"1. CHARLES DICKENS":PRINTTAB(10)"2. JOHN STEI
NBECK":PRINTTAB(10)"3. HENRY DAVID THOREAU":PRINTTAB(10)"4. ISAA
C ASIMOV":PRINTTAB(10)"5. NONE OF THE ABOVE"
22030 INPUTRE$:IFRE<LORRE>5THEN22030
22035 IFRE=5THENEN=EN+1
22040 CLS:PRINT"QUESTION NUMBER 3:":PRINT:PRINT"ANSWER TRUE OR
FALSE.":GOSUB3:PRINT:PRINT"A COMPLEMENT IS THE OPPOSITE OF AN IN
SULT.":
22045 PRINT"?":
22050 CH$=INKEY$:IFCH$="T"ORCH$="F"THEN22055ELSE22050
22055 IFCH$="F"THENEN=EN+1
22060 CLS:PRINT"QUESTION NUMBER 4 :":PRINT:PRINT"ENTER THE WORD

```

Listing continues

FOR TRS-80 MODEL I OR III
IBM PERSONAL COMPUTER

The MMSFORTH System. Compare.

- The speed, compactness and extensibility of the MMSFORTH total software environment, optimized for the popular IBM PC and TRS-80 Models 1 and 3.
- An integrated system of sophisticated application programs: word processing, database management, communications, general ledger and more, all with powerful capabilities, surprising speed and ease of use.
- With source code, for custom modifications by you or MMS.
- The famous MMS support, including detailed manuals and examples, telephone tips, additional programs and inexpensive program updates, User Groups worldwide, the MMSFORTH Newsletter, Forth-related books, workshops and professional consulting.

mmsFORTH

A World of Difference!

- Personal licensing for TRS-80: \$129.95 for MMSFORTH, or "3/4TH" User System with FORTHWRITE, DATA-HANDLER and FORTHCOM for \$399.95.
- Personal licensing for IBM PC: \$249.95 for MMSFORTH, or enhanced "3/4TH" User System with FORTHWRITE, DATAHANDLER-PLUS and FORTHCOM for \$549.95.
- Corporate Site License Extensions from \$1,000.

If you recognize the difference and want to profit from it, ask us or your dealer about the world of MMSFORTH.

MILLER MICROCOMPUTER SERVICES
61 Lake Shore Road, Natick, MA 01760
(617) 653-6136

✓ 137

NEWBASIC 2.0

Adds over 40 commands to Model I/III disk BASIC.

- Customize NEWBASIC—include only those commands you need.
- Over a dozen easy-to-use and powerful **graphics** commands (eg, DRAW, LINE, CIRCLE, PAINT).
- Produce **sound** for music & effects.
- Pre-defined and definable keys.
- Disk-based spooler/despooler.
- Execute strings, label lines, 2-byte PEEK/POKE, restore to any DATA line, block memory move, set hi-mem, and **much, much more.**
- 70 page manual & summary card.
- **Only \$39.95!** (+ \$2.50 shipping)

Check, money order, VISA, M/C, and C.O.D. (+ \$2) accepted. CA residents add 6% tax. Foreign orders (exc. Canada), \$5 shipping, US funds only. Both Model I & III versions on same disk. Requires 48K & 2 disk drives. (Not copy protected—personal backups OK.) Works with most major DOS's.




209 18th Street
Huntington Beach, CA 92648

Credit card & C.O.D. orders accepted 24-hrs (manned 8-5, M-F): (714) 960-6668.

Dealer inquiries invited.

TIME SAVING — MONEY SAVING PRINTER BUFFER



SPOOL-Z-Q

Spool-Z-Q accepts characters at computer speed and feeds them to your printer at its much slower speed. This eliminates the time you waste waiting for your printer to finish before you can use your computer.

FEATURES

Spool-Z-Q is perfect for use with all parallel (Centronics standard) printers including Radio Shack printers. Spool-Z-Q is stand-alone, it doesn't steal power from the computer or printer. The many advanced features include automatic internal space character compression, copy and self-test functions, and a special "Pause-on-Formfeed" mode.

SIZES AND EXPANSION

Spool-Z-Q comes in 32K, 64K, and 128K character sizes. Any Spool-Z-Q can be user expanded to 64 or 128K by just plugging in chips — the sockets are already installed. There are no jumpers to fool with either, Spool-Z-Q knows how much memory is installed without being told.

15 DAY TRIAL PERIOD

You may try Spool-Z-Q with your system and, if you aren't completely satisfied, return it within 15 days for a no-hassle full refund.

FACTORY DIRECT PRICES (Shipping included)

32K — \$219
64K — \$249
128K — \$309

Cable to printer — \$27

California residents include 6% sales tax. We accept Master Card, Visa, AMEX, and C.O.D.

JVB ELECTRONICS
1601 Fulton Ave., Suite 1
Sacramento, CA 95825
(916) 483-0709

Listing continued

```

    THAT IS SPELLED INCORRECTLLY.":PRINT:PRINTTAB(10)"OCTOPUS":PRINT
    TAB(10)"SKEPTICISM":PRINTTAB(10)"RECIPROCAL":PRINTTAB(10)"CLANDE
    STINE":PRINTTAB(10)"PRECURSOR"
    22065 INPUTRE$:IFRE$="INCORRECTLLY"THENEN=EN+1
    22070 CLS:PRINT"AND FINALLY, BY number, RESPOND TO THIS QUESTION
    TRUTHFULLY.":GOSUB3:PRINT:PRINT"WHAT DO YOU THINK OF THE ";RR$
    (20);"?":PRINT:PRINTTAB(10)"1. HE'S GREAT!!!":PRINTTAB(10)"2. HE
    'S AVERAGE.":PRINTTAB(10)"3. DEFINITELY INFERIOR."
    22075 INPUTRE$:IFRE$>3ORRE$<1THEN22075
    22080 IFRE=1THENEN=EN+1
    22085 IFRE=3THENEN=EN-1
    22100 CLS:PRINT"THE ";RR$(20);" TABULATES YOUR SCORE WHILE YOU W
    AIT.":GOSUB3
    22105 GOSUB137:IFTT=5THENPRINT"THE ";RR$(20);" NOTICES YOUR ";RR
    $(31):PRINT"AS HE CORRECTS YOUR PAPER AND ARBITRARILY LOWERS YOU
    R GRADE BY ONE."
    22110 IFEN=5PRINT"YOU ANSWERED EVERY QUESTION CORRECTLY!":SC=SC+
    10:GOTO5700
    22115 IFEN<5PRINT"YOU ANSWERED ";EN;" OUT OF 5 QUESTIONS CORRECT
    LY."
    22120 IFEN=>3PRINT"YOU PASS!":GOSUB3:SC=SC+10:GOTO5700ELSEPRINT"
    YOU'VE FAILED!":GOSUB3:PRINT"YOU ARE EXPELLED!":GOTO30000
    22499 GOTO5700
    22500 GOSUB9000:RE$=RIGHT$(RE$,NU):IFRE$="ALCOHOL"ORRE$="GRAIN A
    LCOHOL"ORRE$=RR$(30)THENYN=10:GOSUB139:IFTT=6THEN22510ELSEPRINT"
    MAYBE YOU SHOULD GET THE ";RR$(30);" BEFORE YOU DRINK IT.":GOTO5
    700
    22510 IFYN=10ANDTT=6ANDAL=0THENAL=1:PRINT"YOU PUT THE ";RR$(30);
    " TO":PRINT"YOUR MOUTH AND DRINK.":PRINT:GOSUB2:PRINT"IT BURNS I
    TS WAY INTO YOUR STOMACH!":GOTO5700
    22520 IFYN=10ANDTT=6ANDAL=1THENAL=2:PRINT"YOU SLOSH DOWN ANOTHER
    GULP OF THE ALCOHOL AND HICCOUGH":PRINT"VIOLENTLY!":GOSUB2:PRIN
    T"YOU'RE BEGINNING TO FEEL VERY LIGHT-HEADED.":GOTO5700
    22530 IFYN=10ANDTT=6ANDAL=2THENAL=3:PRINT"YOU CHUG DOWN ANOTHER
    HUGE DRAFT OF THE HELLISH LIQUID":PRINT"AND BEGIN TO FEEL NAUSEA
    TED!":GOSUB3:IFPL=26PRINT"BLUTO GRINS AND SLIDES A PIECE OF GRUB
    BY LOOKING":PRINT"PAPER AT YOU.":RS$(35,26)=1:GOSUB3:GOTO5700
    22540 IFYN=10ANDTT=6ANDAL=3THENAL=4:PRINT"YOU EMPTY THE BOTTLE!":
    PRINT"YOU ARE COMPLETELY AND TOTALLY DRUNK!":PRINT"THE ROOM SWI
    RLS CHAOTICALLY AROUND YOU!":FORQ=1TOCT-1:IFTR$(Q)=RR$(30)THENTR
    $(Q)="":NEXT:GOTO5700ELSENEXT:GOTO5700
    22999 PRINT"DRINK WHAT, ";NM$;?":GOTO5700
    23000 IFPL<>25THEN140
    23005 IFPE=100PRINT"YOU HAVE ALREADY PASSED PHYS ED!":GOTO5700
    23010 PRINT"YOU BEGIN JOGGING...":GOSUB3:FORQ=0TO30STEP5:PRINTQ
    Q;" LAPS ...":GOSUB2:NEXT:IFAL>0PRINT"THE ALCOHOL YOU DRANK HAS
    TAKEN TOO MUCH OUT OF YOU!":GOSUB2:PRINT"YOU COLLAPSE, EXHAUSTED
    !":GOTO30000
    23020 IFAL=0PRINT"35 LAPS...":GOSUB2:PRINT"40 LAPS!!!":PRINT:PRI
    NT"YOU MADE IT!!!":PE=100:SC=SC+5:GOTO5700
    30000 PRINT:PRINT"YOU LOSE!"
    30050 PRINT"WOULD YOU LIKE ANOTHER GAME?":INPUTR$:IFLEFT$(R$,1)=
    "Y"THEN0
    30060 IFR$="N"END
    30070 GOTO30050
    31000 GOSUB9000:RE$=RIGHT$(RE$,NU)
    31010 FORQ=1TOCT-1:IFRE$=TR$(Q)THENYN=1:Q4=Q
    31015 NEXTQ
    31020 IFYN=1THENPRINT"YOU THROW THE ";RE$:GOSUB2:PRINT"IT BOUNCE
    S HARMLESSLY ACROSS THE FLOOR.":FORQ=1TO37:IFRE$=RR$(Q)THENRS$(Q
    ,PL)=1:TR$(Q4)="":GOTO5700ELSENEXTQ
    31030 IFYN=0PRINT"YOU DON'T HAVE A ";RE$:GOTO5700
    40000 YN=1:GOTO40030
    40010 PRINT0933,"PRESS '/' TO CONTINUE"
    40020 CH$=INKEY$:IFCH$="/"THENRETURNELSE40020
    40030 CLS:PRINTCHR$(23)"
    P A P E R C H A S E
    A LESSON IN
    FRUSTRATION
    BY CHRIS SKAPURA":FORQ=1TO2500:NEXT:CLS
    40040 CLS:PRINT:PRINT"THE PLACE : ANYSTATE UNIVERSITY, U.S.A.":P
    RINT:PRINT"THE TIME : THE NOT SO UNREAL FUTURE.":PRINT"(IT MIGHT
    EVEN BE TODAY)"
    40050 PRINT:PRINT"THE SCENARIO : YOU ARE ABOUT TO ENTER A STRANG
    E AND SOMETIMES":PRINT"UNBELIEVABLE ENVIRONMENT. AS AN INCOMING
    FRESHMAN TO THE":PRINT"PRESTIGIOUS ANYSTATE U., YOU HAVE BUT ONE
    GOAL ..."
    40060 GOSUB40010:CLS:PRINT:PRINT:PRINT"... YOU MUST SEEK OUT, DI
    SCOVER AND ATTAIN THAT LEGENDARY":PRINT"ARTIFACT, THE college di
    ploma!":PRINT:PRINT"AND AS AN INCOMING FRESHMAN, YOU KNOW NOthin
    G ABOUT THE":PRINT"UNIVERSITY SAVE WHAT YOU DISCOVER INSIDE OF I
    TS"
    40070 PRINT"CONFINES":PRINT:PRINT:PRINT"WHAT YOU DO KNOW A LITTL
    E ABOUT IS YOURSELF ...":GOSUB40010:CLS:PRINT:PRINT"YOU ARE THE
    TYPICAL COLLEGE FRESHMAN. YOUR NOT THE THE TYPICAL":PRINT"COLLEG
    E FOOTBALL PLAYER. AS SUCH, YOU ARE FORCED"
  
```

Listing continues

Listing continued

```
40080 PRINT"TO RELY ON YOUR BRAINS, AND NOT YOUR BRAWN.":PRINT:P
RINT:PRINT"BRUTE FORCE IS SELDOM, IF EVER, AN OPTION.":PRINT:PRI
NT"SO YOU MUST GET THE DIPLOMA-TALISMAN THROUGH PERSISTANCE AND"
:PRINT"INTELLIGENCE.":PRINT:PRINT"THERE WILL OF COURSE BE SOME"
40090 PRINT"OBSTACLES ...":GOSUB40010:CLS:PRINT:PRINT"... FOR IN
STANCE, YOU KNOW VIRTUALLY NOTHING OF THE NATURAL":PRINT"SCIENCE
S. THEY MAY BE A PROBLEM. BUT YOU FEEL FAIRLY CONFIDENT":PRINT"A
BOUT YOUR COMMAND OF LANGUAGES."
40100 PRINT:PRINT"PHYSICALLY, YOU ARE NO PUTZ, BUT AGAIN YOU'RE
NO HERCULES.":PRINT:PRINT"ALL YOU CAN DO IS WHAT ALL OTHER COLLE
GE FRESHMAN DO ...":GOSUB40010:CLS:PRINTCHR$(23)"
GO TO SCHOOL
AND
```

HAVE FUN!"

```
40110 FORQ=1TO1000:NEXT:CLS:PRINT:PRINT"... AND NOW, A LITTLE AB
OUT THE PROGRAM :":PRINT:PRINT:PRINT"THE PROGRAM IS WRITTEN TO A
CCEPT NATURAL LANGUAGE RESPONSES,":PRINT"typically IN 2-WORD SEN
TENCES.":PRINT:PRINT"STATEMENTS SUCH AS 'GOTO DESK' OR 'SAY HELL
O'"
40120 PRINT"ARE TYPICAL.":PRINT:PRINT"THERE ARE, HOWEVER, 2 EXCE
PTIONS TO THIS RULE ...":GOSUB40010:CLS:PRINT:PRINT"THE EXCEPTIO
NS TO 2-WORD SENTENCES :":PRINT:PRINT"1.) MOVEMENT. TO TRAVEL TH
ROUGH THE UNIVERSITY, SIMPLY ENTER":PRINT"THE FIRST LETTER OF TH
E"
40130 PRINT"INTENDED DIRECTION.":PRINT" (S FOR SOUTH, N FOR NO
RTH ETC)":PRINT"2.) OBJECTS IN THE UNIVERSITY MAY REQUIRE 3 OR M
ORE":PRINT"WORD SENTENCES.":PRINT" FOR INSTANCE, YOU MAY HAVE
TO 'GOTO BULLETIN BOARD' OR":PRINT" 'GET CHEMISTRY BOOK'."
40140 GOSUB40010:CLS:PRINT:PRINT"... AND FINALLY, SOME KEY WORDS
:":PRINT:PRINT"LOOK AROUND' OR 'LOOK' WILL DISPLAY THE CONDITI
ONS OF YOUR":PRINT"IMMEDIATE ENVIRONMENT.":PRINT:PRINT"INVENTOR
Y' OR 'INV' WILL DISPLAY ALL OF THE ITEMS YOU POSSESS"
40150 PRINT:PRINT"THE REST OF THE WORDS YOU WILL HAVE TO DISCOVE
R FOR YOURSELF..."
40160 GOSUB40010:CLS:PRINT:PRINT"AND NOW, ON WITH THE GAME ...":
PRINT:PRINT:PRINT:PRINT" (GOOD LUCK, YOU POOR SLOB!)"
40170 PRINT:PRINT:PRINT"PRESS '/' TO BEGIN GAME, '0' TO REREAD."
40180 CH$=INKEY$:IFCH$="/"ORCH$="0"THEN40190ELSE40180
40190 IFCH$="0"THEN40000ELSERETURN
50003 CT=5:EN=4:CM=100:PE=100:TR$(1)=RR$(32):TR$(2)=RR$(33):TR$(
3)=RR$(10):TR$(4)=RR$(36):PL=23:GOTO5700
```

\$\$ PRINTERS \$\$

EPSON

MX 80	Lowest Prices in USA
MX 80 FT III	
MX 100 FT III	
FX 80	

STAR MICRONICS

Gemini 10	\$329
Gemini 15	509

C. ITOH

8510 Prowriter Parallel ..	\$385
8510 Prowriter Serial	569
1550 Parallel	669
1550 Serial	749

\$\$ Letter Quality Printers \$\$

SMITH CORONA TP-1...	\$549
COMREX-CRI	825
SILVERREED	629
NEC 3510	1499
Interfaces with Cables ...	69

Shipping and Handling, Add 3%.

Credit Cards Add 3%.

CA Residents Add 6%.

THE COMPUTER STORE

Dept. #345 • 3941/B South Bristol St.
Santa Ana, CA 92704

714-662-1425

✓244

LET YOUR HOME COMPUTER SUPPORT YOU

(For as little as \$20 per month!)

Use your home computer to select and time stocks, options and commodities.

Timing charts and model portfolios updated daily

(actual 12 month performance computerized and logged daily)

- Over 4,000 securities on-line 24 hours, 7 days
- 21 years of testing/credibility
- In use now by traders, brokers & investors
- Cost based upon usage (as low as \$20 per month!)

Whether you trade \$5,000 or \$5,000,000 our SCC/90 information service is designed for you! ✓272

For information, call (516) 757-8638
or write John Lambert or Ron Olsen
Securities & Commodities Corp
Box 521, Northport, N.Y. 11768

Name _____

Address _____

City _____

State _____ Zip _____

Phone _____

The Automatic Ribbon Re-Inker

Re-ink any type of ribbon (except carbon) for less than 5 cents.

Extremely simple operation. 1) Load cartridge or spool. 2) Add ink to reservoir. 3) Start motor.

We have a MAC INKER for any printer—many MAC INKER units support multiple printers. Ink contains lubricant for safe dot matrix printhead operation. Multicolored inks available. Ask for brochure.

Computer Friends

100 Northwest 86th Avenue
Portland, Oregon 97229
(503) 297-2321 ✓357



Price \$54.95
plus \$3.00 S&H.
Prices slightly
higher for some
printers. Total
satisfaction or
full refund.

US Patent Pending

Dealer inquiries
welcome

MacInker

Attack of the TRS-80

by Hollie H. Satterfield

Attack of the TRS-80 is a graphics-filled adventure game with a difference: you need strategy and luck, rather than pure logic, to complete it. Attack runs on Models I and III with at least 16K of RAM. Model I owners should make the changes listed in Table 1.

The game is set in a lunar colony where a deranged Model I has taken over the land and its electronic inhabitants. Your mission is to locate and

A lunar colony is depending on you to deliver its inhabitants from a deranged Model I.

destroy the nefarious TRS-80. Deadly robots patrol the corridors trying to stop you. The colonists have been temporarily evacuated, and you are their only hope.

Essential to victory is your suspension of disbelief—the ability to believe the unbelievable. Each time you are injured in this game you can take the wound or you can use suspension-of-disbelief points; to win, however, you can't use more than 75 of these points, or your adventure would be too unbelievable. Also, you can receive only six wounds, and you must maintain an alertness factor above zero.

A map is randomly generated for each game, and you must choose items to take on your mission (some might be useless). The same rooms appear in every game, but the items found in each room change. Since the rooms are randomly arranged, you might run into some rooms more than once. Make a map of the colony as you play.

The game uses slightly less than 16K. POKE in the graphics using the string-packing technique in Program Listing 1. (For details on this procedure, see "The STRING\$'s the Thing," *80 Micro*, June/July 1982, p. 298.) Instead of spaces in lines 499–501 and 10000–

```
1000 XA = PEEK(16416):XB = PEEK(16417):PRINT@0,"CARRYING"H"ITEMS.
    ALERTNESS:"A"SUSPENSION OF DISBELIEF:"DB":POKE16416,XA:POKE16417,
    XB:IFDB>75 OR A<1 THEN 60000
1010 PRINT"CARRYING"H"ITEMS. ALERTNESS:"A"SUSPENSION OF
    DISBELIEF:"DB:IFDB>75 OR A<1 THEN 60000 ELSE RETURN
```

From line 695 on, change every GOSUB 1000 to GOSUB 1010

Add GOSUB 1000 to line 540 after CLS

Change GOSUB 1010 in line 330 to GOSUB 1000

Remove POKE16916, 0 from line 10007

Table 1. Model I owners must make these changes to Program Listing 2.

Lines	Description
10–40	Instructions.
60–520	Initialize variables and let you choose your provisions. Data includes robot names and strengths in line 140, map set-up in 140–170, rooms in 190–320, provisions in 380 and 410, and objects and their locations in 480 and 490.
540–579	Print room descriptions and determine if robots are present.
580–645	Decipher your commands and refer to lines 650–910. Compare line 645 to the data in 515 to see which verbs go to which lines.
1000	Updates your points. Locations 16416 and 16417 contain the current cursor position.
2000–2230	Line 575 refers to these if special decisions are required in certain rooms.
2240–10013	Explain your final combat against the TRS-80 when you reach that room.
10100–16100	Contain combat routines and "charts"; yours are in lines 15000–15800, and the robots' are in lines 16000–16050.

Table 2. Description of Lines in Program Listing 2.

The Key Box

Model I and III
16K RAM
Cassette Basic

10006, you can use numbers or letters for easier counting. It doesn't matter, because these positions are replaced by characters POKEd in by the program.

After running the program, delete everything except lines 499-501 and 10000-10006. Type Program Listing 2 "on top" of the remaining lines (typing the listings separately and merging them is difficult). Model III owners will see the graphics characters in the remains of Listing 1, while Model I owners will see

token words substituted for the characters; both versions work equally well. Table 1 explains the program's lines.

This program was inspired by, and loosely based on, *Return of the Stainless Steel Rat*, a board game published by Simulations Publications Inc., which is no longer in business. ■

Contact Hollie H. Satterfield at 416 Starmont Drive, Danville, VA 24540.

Program Listing 1

```

0 'ATTACK OF THE TRS-80      LISTING 1
  BY HOLLIE SATTERFIELD
  ADDITIONAL GRAPHICS BY MARTIN JOSEPH
5 'DATA FOR ROBOT #1
10 DATA128,128,160,184,174,157,180,144,26,8,8,8,8,8,8,180,180,
186,147,131,131,163,181,184,184,26,8,8,8,8,8,8,170,130,164,32,
170,149,26,8,8,8,8,8,138,188,140,141,190,133,26,8,8,8,8,8,130,
131,129,130,131,129
15 'ROBOT #2
20 DATA128,136,152,157,152,26,8,8,8,8,160,134,151,164,26,8,8,8,8,
160,135,166,166,134,165,26,8,8,8,8,8,169,152,137,184,129
25 'ROBOT #3
30 DATA168,151,131,171,148,131,175,191,159,131,26,8,8,8,8,8,8,8,
8,8,188,159,159,143,172,140,140,143,26,8,8,8,8,8,8,8,191,183,132,
87,170,26,8,8,8,8,8,135,157,153,153,187,26,8,8,8,8,8,143,190,190,14
2,26,8,8,8,138,133
35 'ROBOT #4
40 DATA128,139,183,179,179,187,135,26,8,8,8,8,8,8,8,188,188,142,14
3,143,141,188,188,26,8,8,8,8,8,8,8,8,191,138,181,128,128,186,133,1
91,26,8
50 DATA8,8,8,8,8,8,8,131,160,187,148,168,183,144,131,26,8,8,8,8,8,
8,8,186,133,130,129,138,181,26,8,8,8,8,8,8,8,143,128,128,128,128,143
55 'ROBOT #5
60 DATA128,128,160,174,164,26,8,8,8,8,8,144,128,160,159,181,128,12
8,144,26,8,8,8,8,8,8,8,130,164,134,152,146,164,134,26,8,8,8,8,8,
8,160,135,130,130,165,26,8,8,8,8,8,8,137,128,128,128,136,129
65 'ROBOT #6
70 DATA128,128,160,142,164,128,152,141,144,26,8,8,8,8,8,8,8,176,17
9,172,131,156,179,176,26,8,8,8,8,8,8,8,8,168,131,166,164,128,131
128,152,153,131,148,26
80 DATA8,8,8,8,8,8,8,8,8,8,130,164,128,137,153,176,166,134,128,1
52,129,26,8,8,8,8,8,8,8,8,160,142,140,141,144,26,8,8,8,8,8,134,128
128,128,137
499 R$(1)="      (68 SPACES)
      " :R$(2)="      (37 SPACES)
500 R$(3)="      (69 SPACES)
      " :R$(4)="      (84 SPACES)
      "
501 R$(5)="      (59 SPACES)
      " :R$(6)="      (93 SPACES)
      "
510 DIMA$(16)
515 'POKING GRAPHICS FOR ROBOTS #1-6
520 FORN=1TO6:X=PEEK(VARPTR(R$(N))+2)*256+PEEK(VARPTR(R$(N))+1):FO
RT=0TOLEN(R$(N))-1:READJ:CS=CS+J:POKEX+T,J:NEXTT,N
525 'CS = CHECKSUM
530 IFCS=33979THENFORX=1TO16:READA$(X):NEXT:CS=0:ELSEPRINT"DATA ER
ROR IN LINES 10-80." :STOP
535 'POKING GRAPHICS FOR ROBOT #7
540 FORN=1TO16:X=PEEK(VARPTR(A$(N))+2)*256+PEEK(VARPTR(A$(N))+1):F
ORT=0TOLEN(A$(N))-1:READJ:CS=CS+J:IFJ<32THENREADQ:CS=CS+Q:FORI=0TO
J:POKEX+T+I,Q:NEXTI:T=T+J:NEXTT,N
550 POKEX+T,J:NEXTT,N:IFCS<>21430THENPRINT"DATA ERROR IN LINES 101
00-10180"
10000 DATA"      (19 SPACES)      "      (25 SPACES)      "      (2
8 SPACES)      "      (29 SPACES)      "      (31 SPACES)
10002 DATA"      (30 SPACES)      "      (32 SPACES)
      "      (32 SPACES)
10004 DATA"      (32 SPACES)      "      (31 SPACES)
      "      (28 SPACES)      "      (28 SPACES)
10006 DATA"      (29 SPACES)      "      (29 SPACES)
      "      (29 SPACES)
10095 'DATA FOR ROBOT #7
10100 DATA12,32,170,131,171,151,131,149,6,32,160,152,134,2,131,171

```

Listing 1 continues

REMsoft, INC.

Let Your TRS-80® Teach You ASSEMBLY LANGUAGE

Tired of buying book after book on assembly language programming and still not knowing your POP from your PUSH?

REMsoft proudly announces a more efficient way, using your own TRS-80® to learn the fundamentals of assembly language programming . . . at YOUR pace and YOUR convenience.

Our unique package, "INTRODUCTION TO TRS-80® ASSEMBLY PROGRAMMING", will provide you with the following:

- Ten 40 minute lessons on audio cassettes
- A driver program to make your TRS-80® video monitor serve as a blackboard for the instructor.
- A display program for each lesson to provide illustration and reinforcement for what you are hearing.
- Step-by-step dissection of complete and useful routines to test memory and to gain direct control over the keyboard, video monitor, and printer.
- How to access and use powerful routines in your Level II or Model III Basic ROM

AVAILABLE FOR MODEL 1 & 3

REMASSEM (tape)	\$74.95
REMASSEM (disc)	\$79.95

LEARN TRS-80® ASSEMBLY LANGUAGE DISK I/O

Your disk system and you can really step out with REMsoft's Educational Module, REMDISK-1, a "short course" revealing the details of DISK I/O PROGRAMMING using assembly language. Intended for the student with experience and assembly language.

COURSE INCLUDES:

- Two 45-minute lessons on audio cassette
- A driver program to make your TRS-80® video monitor serve as a blackboard for the instructor.
- A display program for each lesson to provide illustration and reinforcement for what you are hearing.
- A booklet of comprehensive, fully commented program listings illustrating sequential file I/O random-access file I/O and track and sector I/O.
- A diskette with machine readable source codes for all programs discussed in both Radio Shack EDTASM and Macro formats.
- Routines to convert from one assembler format to the other.

Presently available for Model 1 only
REMDISK-1 only \$29.95

Dealer inquiries invited

These courses were developed and recorded by Joseph E. Willis and are based on the successful series of courses he has taught at Meta Technologies Corporation, the Radio Shack computer Center, and other locations in Northern Ohio.



REMsoft, INC.

571 E. 185 St.
Euclid, Ohio 44119
(216) 531-1338




SHIPPING CHARGES:
\$2.50 WITHIN UNITED STATES
\$5.00 CANADA AND MEXICO
OTHER FOREIGN ORDERS ADD 20%
OHIO RESIDENTS ADD 6% SALES TAX

TRS-80® IS A TRADEMARK OF TANDY CORP.

129

Verbatim flexible disks

Call Free (800) 235-4137 for prices and information. Dealer inquiries invited. C.O.D. and charge cards accepted.



PACIFIC EXCHANGES
100 Foothill Blvd.
San Luis Obispo, CA
93401. In Cal. call
(800) 592-5935 or
(805) 543-1037.

VISA

✓207

MS

**MANAGEMENT
SYSTEMS
SOFTWARE**

Business Programs

	Model 1111	Model 11
Proforma Cash-Budget	\$125	\$175
Proforma Income and Balance Sheet	125	175
Lease-Purchase Decision	100	150
Business Analysis Package (12 individual programs)	100	150
Procurement	100	150

Educational Programs

	Model 1111	Model 11
College Enrollment Projection	100	150
Gradebook	50	100

All programs on disk, with extensive documentation. Send for a brochure which fully describes the programs.

**MANAGEMENT SYSTEMS
SOFTWARE, INC.**

5200 Brittany Drive #1006
St. Petersburg, FL 33715
(813) 864-4347

✓457

Subscription Problem?

80 Micro does not keep subscription records on the premises, therefore calling us only adds time and doesn't solve the problem.

Please send a description of the problem and your most recent address label to:

80micro
Subscription Dept.
PO Box 981
Farmingdale, NY 11737

Thank you and enjoy your subscription.

Listing 1 continued

```

,32,170,149,32,151,2,131,137,164,144
10110 DATA3,32,160,152,134,129,4,32,170,32,170,149,32,149,4,32,130
,137,164,144,2,32,152,129,7,32,170,32,170,149,32,149,7,32,130,164
10120 DATA32,32,150,9,32,170,32,170,149,32,149,9,32,169,32,154,10,
32,170,32,170,149,32,149,10,32,165
10130 DATA168,133,32,160,8,176,186,176,186,181,176,181,8,176,144,3
2,138,144,170,32,32,154,23,32,165,32,32,149
10140 DATA170,144,32,141,23,140,142,32,160,149
10150 DATA32,130,137,140,188,5,32,9,176,5,32,188,140,134,129,3,32,
170,4,32,168,141,7,140,142,148,4,32,149
10160 DATA3,32,149,3,32,160,183,9,179,187,144,3,32,170,2,32,160,13
3,3,32,158,11,140,173,3,32,138,144
10170 DATA2,32,170,3,32,186,13,179,181,3,32,149,2,32,150,2,32,168,
141,13,140,142,148,2,32,169
10180 DATA2,32,181,2,176,183,15,179,187,2,176,186

```

Program Listing 2


```

0 'ATTACK OF THE TRS-80
  by Hollie Satterfield
10 CLS:PRINT@20,"ATTACK OF THE TRS-80!":PRINT:PRINT
The coloni
sts of Moonbase II have been forced to flee for
their lives. A deranged Model I microcomputer has infiltrated
the colony's central computer and has taken over the base and"
20 PRINT"all of its electronic inhabitants. Your mission: Find the
Model
I and destroy it while avoiding the deadly robots which now
patrol the station.":PRINT
30 PRINT" Type in verb + noun commands to do whatever you wish.
You
may use the following verbs: N,S,E,W (to move in any direction),GE
T (to retrieve something),TAKE (to take a pill),DROP,DRINK,"
40 PRINT"LOOK,and INVENTORY. You are dead if you receive more than
6
wounds or if your alertness rating drops to 0,and you lose if
you use more than 75 Suspension of Disbelief points. Good luck!"
60 CLEAR85:FORX=1TO6:READN$(X),CR(X):NEXT:D$(0)="NORTH":D$(1)="SOU
TH":D$(2)="EAST":D$(3)="WEST":CP=15:DIMR(30),Y(30),D(30,3),C$(15),
A$(49),A(28),OB(49),WP(30)
140 FORX=1TO30:FORY=0TO3:READD(X,Y):NEXTY,X:DATAMAIDBOT,0,HANDYMAN
,4,GARCON,3,SECURIBOT,5,CARGOBOT,2,GUARDIAN,3,,6,2,,7,3,1,,4,2,,
9,5,3,,1,10,,
150 DATA2,,12,,4,13,,6,14,11,,12,10,8,,13,11
160 DATA9,,12,10,19,,20,16,,21,17,15,,22,16,,19,,14
170 DATA23,,18,15,24,,16,,17,26,,19,27,,20,,25,,29,26,24,22,
,,25,23,,28,,29,27,25,,30,28,,29
190 C$(1)="A WEAPONRY SHOP.":C$(2)="A HUGE SUITE DONE IN EARLY GRE
EK DECOR,WITH
RED VELVET CARPETING AND UPHOLSTERY,A SMALL SWIMMING POOL,AN
EXTENSIVE MOOD LIGHTING SYSTEM,AND A ZERO GRAVITY BED CHAMBER.
200 C$(3)="The Pizza Palace,A RESTAURANT. UNFORTUNATELY,
LARGE QUANTITIES OF TOMATO SAUCE,PEPPERONI,AND ANCHOVIES WILL BEOP
NO HELP TO YOU IN YOUR QUEST.
210 C$(4)="WHAT MUST HAVE BEEN A MAJOR BATTLE SITE BEFORE
THE COLONISTS EVACUATED. SHRAPNEL AND SHATTERED CONCRETE BLOCKS AR
E SCATTERED AROUND.":C$(5)="A SMALL AUDITORIUM. THE WORDS 'GO BACK
!' ARE
SPRAY PAINTED IN LARGE LETTERS ON THE WALL.
250 C$(6)="A RANSACKED SALOON. ALMOST EVERYTHING YOU CAN
SEE IS BATTERED OR SMASHED.":C$(8)="A PHARMACY. SHELVES HERE ARE F
ILLED WITH
HUNDREDS OF BOTTLES FILLED WITH MULTICOLORED PILLS. THE BOTTLES AR
E MARKED IN SOME UNKNOWN LANGUAGE.
260 C$(7)="AN ELECTRICIAN'S SHOP. MANGLED ELECTRICAL
EQUIPMENT IS EVERYWHERE.":C$(9)="A COMMUNICATIONS ROOM. ALL OF THE
VARIOUS
SPEAKERS,MICROPHONES,AND SCREENS,HOWEVER,HAVE BEEN SMASHED.
270 C$(15)="SPLASH! THIS MUST HAVE BEEN THE CHILDREN'S WARD,AS A B
UCKET OF
WATER WAS BALANCED OVER THE DOOR. YOU ARE SOAKED AND ANY LASERS YO
U HAVE ARE SHORT-CIRCUITED.
280 C$(11)="The Cigar Box,A TOBACCO STORE WITH EVERY KIND
OF TOBACCO IMAGINABLE: TOBACCO FOR SMOKING,CHEWING,SNORTING,
DRINKING,AND FOR SEASONING FOOD. YUCCH.
290 C$(12)="AN EMPTY SPACECRAFT HANGAR. ELECTRONIC LAUGHTERECHOES
THROUGH THE HUGE CHAMBER FROM ITS P.A. SYSTEM.":C$(13)="A ROOM DEC
ORATED HOTEL-STYLE: PLASTIC
FURNITURE,SILLY PAINTINGS,ETC.
320 C$(10)="A FAIRLY LARGE NOVELTY SHOP. ON THE COUNTER IS A BOWL
OF CHOCOLATE-COVERED INSECTS.":C$(14)="THE ROOM IS MARKED AS AN EX
ECUTIVE OFFICE. SEVERAL DIPLOMAS AND OTHER CERTIFICATES HANG ABOVE
THE MESSY DESK.
330 A$=INKEY$:PRINT@978,"Press any key to continue";:A=20:GOSUB790
:CLS:GOSUB1010

```

Listing 2 continues

IF YOU'RE GOING TO BE PICKY ABOUT AN OPERATING SYSTEM SEE WHICH WAS PICKED BEST.



The readers of 80 Micro were asked to select their favorite operating system for the TRS-80 Model I&III. LDOS, DOSPLUS, TRSDOS, MULTIDOS, WOBOS I and NEWDOS/80 were all on the ballot. They picked NEWDOS/80.

The editors of 80 Micro have also awarded their Hall of Fame Awards. From among every software package on the market, the editors picked only six that they felt made a lasting and significant contribution to the TRS-80 computer. NEWDOS/80 was one of the six.

Since we first introduced the NEWDOS operating system we've been stating its features, capabilities and advantages. Thank you 80 Micro readers and NEWDOS/80 users for supporting us.

Version 2.0 . . .

High Performance DOS

NEWDOS/80 Version 2.0 is our highest performance system yet. The versatility and sophistication of Version 2.0 includes features like:

- Double density support on the Model I

- Enhanced compatibility between Model I and III
 - Triples directory size
 - Dynamically merge in BASIC (also allows merging of non ASCII format files)
 - Selective variable clearing
 - Can display BASIC listings page by page
 - Automatic repeat function key
 - Routing for peripheral handling
 - Enhanced disassembler
 - Command chaining
 - Superzap to scan files
 - Fast sort function in BASIC
- Hard Disk Support Now Available**
- Support for Apparat's and Radio Shack's Model III hard disk (optional-available upon request for additional \$60)

These features make NEWDOS/80 one of the most powerful additions you can make to your system. And Apparat's commitment to support assures that you've purchased a superior product, both today and tomorrow. At just \$149.00 it could be the best investment you will make for your TRS-80.

For more information see your local computer store or contact Apparat, Inc., 4401 S. Tamarac Parkway, Denver, CO 80237, 303/741-1778.

TRS-80 and TRSDOS are registered trademarks of Tandy Corp., LDOS - Logical Systems, DOSPLUS - Micro Systems Software, MULTIDOS - Cosmopolitan Electronics, WOBOS I - Western Operations, NEWDOS/80 - Apparat.



MASTER HORSE HANDICAPPER



OVER 3 YEARS IN THE MAKING
1st complete handicapping program
that evaluates all variables

EVALUATES FROM RACING FORM:

Age	Gender	Post (Today)
Class	Jockey (Today)	Post (Last)
Condition	Jockey (Last)	3 Speed
Consistency	Length	Trainer
Earnings	Time of Yr.	Workouts

And gives you GRAPHIC
REPRESENTATION of finish

ADAPTS TO ANY TRACK IN THE WORLD

Quickly and easily by changing data statements
relating to local track records/jockeys and trainers.

COMPLETE INSTRUCTIONS INCLUDED

If you own a model I/III and also enjoy a day at the races, why not com- bine them and make a nice profit. With a \$1.75 racing form and this program you can take the "luck" out of the track and be a "con- sistent" winner.	Program: A. Thoroughbred + Maiden 59.95/16K B. Quarterhorse + Maiden 59.95/16K C. Pace Handicap 39.95/16K D. Thoroughbred/Pace 79.95/32K E. All with One MENU 99.95/48K
Note: Specify Mod I/III & Memory.	This program can be suited to 16K-48K machines TAE OR DISC.

Send check/money order/VISA/Mastercharge (in-
clude expiration date) to:
Prof. Jones
1114 N. 24th St.
Boise, Idaho 83702
Or call (208) 342-6939 M-F/8:00-3:00 MST

TERMS: Add 3 WEEKS for personal checks / Add 6.00 for
C.O.D. / Add 4% for Idaho residents / Add 4.00 shipping
outside U.S.A.

✓449

CRITICAL PATH SCHEDULING

SOFTWARE FOR THE TRS-80 MODEL II

- up to 500 activities per file
- comprehensive job calendar
processor
- user-defined activity codes
- selective reports by code, status,
criticality, sorted by date
- prints easy-to-read barcharts
- designed for unskilled operators
- proven on multi-million \$
projects
- 110 page manual includes
primer on the Critical Path
Method
- requires 64K Model II and 132
column printer

System U.S. \$495.00
Manual only ... U.S. \$ 25.00
(Incl. shipping & Handling)
Ontario residents add 7%
Send check or M.O. to:

CANADIAN MICRO SOFTWARE
P.O. Box 98, Station J,
Toronto, Ontario, Canada
M4J 4X8

ask about our upcoming version
for the TRS-80 Modell III

✓279

Listing 2 continued

```

360 PRINT" You must wear a vacuum suit. Here are the 4 types of s
uits,
and their corresponding Suspension of Disbelief cost. #1 is a
regular suit, #2 reflects laser blasts, #3 deflects bullets, and #4
does both.
370 FORX=1TO4:READA$(X),A(X):PRINTX;" "A$(X);A(X):NEXT
380 DATA VACUUM,5,REFLECTIVE,7,BODARMOR,7,REFLECBO,10,LASER PISTO
L #1,3,LASER RIFLE #1,5,PISTOL #1,3,RIFLE #1,5,LASER RECHARGE #1,1
,LASER RECHARGE #2,1,LASER RIFLE RECHARGE #1,2,LASER RIFLE RECHARGE
E #2,2,PISTOL AMMO #1,1,PISTOL AMMO #2,1
390 INPUT"Which do you want";B:IFB<1ORB>4THEN390ELSEOB(B)=-1:H=H+1
:DB=DB+A(B):GOSUB1000
400 CLS:Y=64:FORX=5TO28:READA$(X),A(X):PRINT@Y,X-4;" "A$(X);A(X):Y
(X)=Y:Y=Y+32:NEXT:FORX=29TO49:READA$(X),OB(X):NEXT
410 DATARIFLE AMMO #1,2,RIFLE AMMO #2,2,SCOTCH,1,WINE,1,BOTBLASTER
,3,PAIN PILLS #1,2,PEP PILLS,2,EXPL GRENADE,2,SILVER KEY,2,ATARI J
OYSTICK,1,BLUE INSULATED GLOVES,1,GAS GRENADE,1,SMOKE GRENADE,2,GO
LF CLUB,1
430 PRINT"You may now choose 8 other items. Think carefully about
your
choices. Press any key to begin choosing.":GOSUB790:PRINT@832,CHR
$(31);:FORX=1TO8:B=0
460 PRINT@896,;:INPUT"Which item";B:IFB<1ORB>26THENPRINT@896,"
";:GOTO460ELSEIFOB(B+4)<>0THEN465ELSEOB(B+4)=-1:DB=DB+A(
B+4):H=H+1:GOSUB1000:PRINT@896,"";:PRINT@Y(B+4),"
";:GOTO470
465 PRINT@896,"You already have it!";:FORX=1TO200:NEXTY:PRINT@896,
";:GOTO460
470 NEXT
480 DATARIFLE #2,1,RIFLE #3,1,LASER RIFLE #2,1,LASER RIFLE #3,4,LA
SER PISTOL #2,1,LASER PISTOL #3,1,RIFLE AMMO #3,1,RIFLE AMMO #4,1,
LASER RECHARGE #3,1,LASER RECHARGE #4,1,LASER RIFLE RECHARGE #3,1,
LASER RIFLE RECHARGE #4,1,PAIN PILLS #2,2,PAIN PILLS #3,2
490 DATA5-IRON,14,GOLF BALL,14,WHISKEY,6,VODKA,6,INSULATED GLOVES,
7,HUMIDOR,11,ASH TRAY,11
510 FORX=1TO30:R1=RND(15):R(X)=R1:NEXT
515 FORX=1TO10:READVB$(X):NEXT:DATAN,S,E,W,GET,DRO,DRI,TAK,INV,LOO
520 PRINT@977,"Press any key to begin game":GOSUB790
540 CLS:IFCP=5THENGOTO10000ELSEPRINT:IFR(CP)<14THENPRINT"YOU HAVE
ENTERED ";
550 PRINTC$(R(CP)):NR=0
560 R1=RND(6):IFR1>5THENR1=RND(3):PRINT"WARNING: ROBOTS APPROACHIN
G!";:FORX=1TO750:NEXT:CLSE575
570 FORX=1TOR1:RB(X)=RND(6):NR=NR+1:NEXT:PRINT@64,R$(RB(1));:PRINT
@448,N$(RB(1));:IFNR>1THENPRINT@89,R$(RB(2));:PRINT@473,N$(RB(2));
:IFNR>2THENPRINT@115,R$(RB(3));:PRINT@500,N$(RB(3));
572 PRINT:GOSUB15000:FORX=1TO500:NEXT:GOTO540
575 IFR(CP)=8THEN2000ELSEIFR(CP)=15THEN2100ELSEIFR(CP)=10THEN2200E
LSEIFR(CP)=13THEN2150
576 B=0:PRINT"IMPORTANT VISIBLE ITEMS: ";:FORX=1TO49:IFOB(X)=R(CP)
THENPRINTA$(X)" ";:B=1
577 NEXTX:IFB=0THENPRINT"NONE.";
578 PRINT:PRINT"EXITS: ";:FORX=0TO3:IFD(CP,X)<>0THENPRINTD$(X)" "
;
579 NEXTX:PRINT
580 PRINT:INPUT"COMMAND";CO$:VB=0:NO=0:VB$="":NO$=""
590 LC=LEN(CO$):IFLC<4THENVB$=CO$:GOTO620
600 FORX=1TOLC:A$=MID$(CO$,X,1):IFA$<>" "THENVB$=VB$+A$:NEXTX
610 IFLEN(VB$)=LEN(CO$)THENNO=0ELSENO$=RIGHT$(CO$,LC-X)
615 VB$=LEFT$(VB$,3)
620 FORX=1TO10:IFVB$=VB$(X)THENVB=X:ELSENEXT
630 FORX=1TO49:IFNO$=A$(X)THENNO=XELSENEXT
640 IFVB=0THENPRINT"WHAT?":GOTO580
645 ONVBGOTO650,650,650,650,850,900,670,700,800,750
650 IFD(CP,VB-1)=0THENPRINT"YOU CAN'T GO THAT WAY!":GOTO580
652 IFRND(10)<>1THEN668ELSEPRINT"THE DOOR IS ELECTRIFIED!"
655 IFOB(25)=-1OROB(47)=-1THENPRINT"YOUR INSULATED GLOVES PROTECT
YOU, HOWEVER.":GOTO665
660 PRINT"YOU ARE WOUNDED!":GOSUB11520
665 FORX=1TO1000:NEXT
668 CP=D(CP,VB-1):GOTO540
670 IFNO=17ORNO=18ORNO=45ORNO=46THEN680ELSEPRINT"ARE YOU NUTS?":GO
TO580
680 IFOB(NO)=-1THEN695
690 PRINT"YOU DON'T HAVE ANY!":GOTO580
695 OB(NO)=0:H=H-1:PRINT"O.K. YOUR ALERTNESS IS INCREASED BY 2 POI
NTS.":A=A+2:GOSUB1000:GOTO580
700 IFNO<>20ANDNO<>21ANDNO<>41ANDNO<>42THENPRINT"TRY 'GET'." :GOTO5
80
710 IFNO=20ORNO=41ORNO=42THENIFOB(NO)=-1THENPRINT"O.K. ONE WOUND I
S CURED IF YOU HAVE ANY.":OB(NO)=0:H=H-1:GOSUB1000:IFW>0THENW=W-1:
GOTO580ELSE580
720 IFOB(NO)=-1THENOB(NO)=0:PRINT"O.K. YOUR ALERTNESS IS INCREASED
BY 2 POINTS.":H=H-1:A=A+2:GOSUB1000:GOTO580
730 PRINT"YOU DON'T HAVE ANY!":GOTO580
750 IFR(CP)<14THENPRINT"YOU HAVE ENTERED ";
755 PRINTC$(R(CP)):GOTO576
760 XA=1:RETURN
770 XA=2:RETURN

```

Listing 2 continues

PROTECT YOUR TRS-80 MOD III* KEYBOARD

WITH


PLEXA-LOK

PROTECT YOUR \$2000 INVESTMENT FOR UNDER \$20!

PLEXA-LOK slips up and over the keyboard – then gently snaps into position.

- Your valuable computer is protected from objects and spills directly on top of keyboard which could cost hundreds of dollars to repair!
- PLEXA-LOK allows your secretary to go on break without having to worry about visitors accidentally destroying their hours (and your \$) of work.

HOMES – SCHOOLS – BUSINESS




PLEXA-LOK

- **ENHANCES** looks of your system
- **PROTECTS** keyboard from dust
- **30-DAY GUARANTEE**
- **ALLOWS** computer to remain on while unattended
- **KEYBOARD** protected from kids
- **HIGH QUALITY** Acrylic
- **SCHOOLS – A MUST!**

INTRODUCTORY SPECIAL
\$19.95 Prepaid UPS
Continental USA

TM TANDY CORPORATION



LAST ELECTRONICS
P.O. BOX 1300E
SAN ANGELES, CA 95249
(209) 754-1800

CA Residents Add 6% Tax
Allow 4-6 Weeks
Delivery
Dealer Inquiries Welcome

✓336

MON-FRI 9:00-5:00
MasterCard and Visa Accepted

Micro-Grip™


FRICION FEED FOR YOUR EPSON

MX-70* or MX-80*

*MX-70 and MX-80 are Trademarks of EPSON, Inc.

- Converts your printer for friction feed of **SINGLE SHEETS** or **ROLL PAPER**.
- **SIMPLE Installation** (all you need is a screwdriver, no soldering).
- Tractor feed remains **undisturbed**.

• Only **\$39⁹⁵**
(add \$2.00 for shipping)



SATISFACTION GUARANTEED OR YOUR MONEY BACK



VISA & Master Card
Accepted

MICRO-GRIP

✓161

3164 Dumbarton Ave.
San Bernardino, CA 92404

CALIFORNIA RESIDENT ADD 6% STATE SALES TAX

(714) 864-6643



**MIDWEST
COMPUTER
WHOLESALE**



AS A WHOLESALE, MCW'S SERVICE IS NOT RECOMMENDED FOR EVERYONE. A WHOLESALE TRANSACTION IS BEST SUITED TO THE INFORMED OR EXPERIENCED SHOPPER, ONE WHO KNOWS HIS NEEDS. IF YOU ARE A BEGINNER WE ASK THAT YOU DEAL WITH A RETAILER WHO'S HIGHER MARGIN ALLOWS THE "HAND HOLDING" LEVEL OF SUPPORT WHICH WE CAN'T PROVIDE AT THESE PRICES. IF HOWEVER YOU DON'T NEED "HAND HOLDING" WE CAN OFFER YOU TREMENDOUS VALUES AND SAVINGS ON ALL YOUR COMPUTER SYSTEMS NEEDS. PLEASE READ ON.

**CHECK THESE SAMPLES OF OUR PRODUCTS
GIVE US A CALL IF YOU DON'T FIND
EXACTLY WHAT YOU ARE LOOKING FOR**

COMPUTERS * * * *

TRS-80 MOD4 64K (2) DRIVES 40TR/SS/DD.....\$1349.00
TRS-80 MOD2 64K (1) DRIVE 77TR/SS/DD.....\$2500.00
VICTOR 9000 128K (2) DRIVES 80TR/SS/DD.....\$2995.00
SANYO MBC-1000 64K (1) DRIVE 40TR/SS/DD.....\$1690.00

RAW DISK DRIVES * * * (WE STOCK TANDON AND MPI)

40 TRACK SINGLE SIDE DRIVES FROM.....\$147.00
40 TRACK DOUBLE SIDE DRIVES FROM.....\$184.00
80 TRACK SINGLE SIDE DRIVES FROM.....\$202.00
80 TRACK DOUBLE SIDE DRIVES FROM.....\$272.00
77 TRACK SINGLE SIDE 8" DRIVES FROM.....\$357.00
77 TRACK DOUBLE SIDE 8" DRIVES FROM.....\$462.00
SINGLE CASE AND POWER SUPPLY 5" FROM.....\$53.00
DUAL CASE AND POWER SUPPLY 5" FROM.....\$86.00
SINGLE AND DUAL 8" CASE AND POWER SUPPLY FROM.....\$200.00

WINCHESTER HARD DRIVES * * *

(5) SIZES COMPLETE, CASE, POWER SUPPLY, DOS, MOD 3 OR 4
6.4 MEG.....\$1499.00
12.8 MEG.....\$1649.00
14.3 MEG.....\$1749.00
19.1 MEG.....\$1849.00
31 MEG.....\$2399.00

PRINTERS * * *

EPSON FX-80.....\$359.00
EPSON MX-100.....\$675.00
SMITH CORONA TP-1.....\$499.00

CABLES * * *

(2) DISK DRIVES.....\$16.00
(4) DISK DRIVES.....\$24.00
PRINTER STD PARALLEL.....\$18.00
RS-232C.....\$15.00
SPECIAL CABLES MADE TO YOUR SPEC'S\$CALL

MISCELLANEOUS * * *

COMPUTER POWERLINE FILTERS FROM.....\$25.00
J-CAT MODEM 300 BAUD DIRECT CONNECT.....\$109.00
SMART-CAT 1200 BAUD, AUTO ANS/DIAL DIR/CONN.....\$445.00
SMART-CAT 300 BAUD, AUTO ANS/DIAL, DIR/CONN.....\$190.00
GREEN CRT FILTER .0125" THICK.....\$9.50
5.1 MEG MOD3 SPEED-UP KIT.....\$79.00
16K MEMORY KIT (150NS PRIME NEC CHIPS).....\$18.00
64K MEMORY KIT (150NS PRIME OKI CHIPS).....\$59.00
MOD4 128K MEMORY UP-GRADE KIT COMPLETE.....\$89.00
PRINTER SWITCH, 2 PRINTERS ON ONE COMPUTER.....\$68.00

DISKETTES * * * (BOX OF 10).....OPUS.....VERBATIM
40 TRACK SBL SIDE, DBL DENSITY.....\$20.....\$25
40 TRACK DBL SIDE, DBL DENSITY.....\$30.....\$35
80 TRACK SBL SIDE, DBL DENSITY.....\$30.....\$35
80 TRACK DBL SIDE, DBL DENSITY.....\$30.....\$35
40 TRACK DBL SIDE, DBL DENSITY (FLIPPY).....\$30.....\$35
PRICES AND SPEC'S ARE SUBJECT TO CHANGE, WITHOUT NOTICE


TRS-80 IS A TRADEMARK OF RADIO SHACK-DIV OF TANDY CORP. ALL TRS-80'S FROM MCW ARE CONSTRUCTED TO OUR SPEC'S AND ARE COVERED BY OUR WARRANTY SEE NOTE BELOW.

***** PAYMENTS *****
WE ACCEPT VISA, M/C, MONEY ORDERS, AND CHECKS. NOTE: NON-CERTIFIED CHECKS REQUIRE (2) WEEKS FOR BANK CLEARANCE. NO SALES TAXES ARE COLLECTED ON SALES OUTSIDE OF MICHIGAN.

***** DELIVERY *****
SHIPMENTS ARE MADE PROMPTLY FROM STOCK, VIA UPS, (SIZE PERMITTING), OTHERS, BEST WAY, COSTS UNLESS OTHERWISE NOTIFIED ARE 2.5% OF THE ORDER TOTAL BUT NOT LESS THAN \$3

***** WARRANTY *****
YOUR HARDWARE PURCHASE IS COVERED BY AN MCW 90 DAY, LIMITED, PARTS AND LABOR WARRANTY OR THE WARRANTY OF THE ITEM'S MANUFACTURER. CONFIRM YOUR COVERAGE WHEN PLACING AN ORDER. COPIES OF THE WARRANTY ARE AVAILABLE ON REQUEST.

MIDWEST COMPUTER WHOLESALE
PO BOX 39278 DETROIT, MI. 48239
TELEPHONE ORDER LINE (313) 525-3040



OPTIONS-80

ANALYZES OPTION INVESTMENTS

HANDLES CALLS, PUTS, SPREADS, BUYING AND SELLING. INCLUDES COMMISSIONS, RISK, COST OF MONEY, DIVIDENDS. PRESENTS RESULTS IN TABULAR OR GRAPHICAL FORM. HARDCOPY AND STORAGE TO DISK. ACCOMPANYING MANUAL A COMPLETE AND UNIQUE GUIDE TO OPTION INVESTING. \$125. M/C AND VISA. MONEY BACK GUARANTEE. SEND FOR FREE BROCHURE.

FOR TRS-80, APPLE & IBM PC.

OPTIONS-80, BOX 471-E
CONCORD, MASS 01742.


✓206



Dysan

CORPORATION

Solve your disc problems. buy 100% surface tested Dysan diskettes. All orders shipped from stock, within 24 hours. Call toll FREE (800) 235-4137 for prices and information. Visa and Master Card accepted.




PACIFIC EXCHANGES

100 Foothill Blvd.
San Luis Obispo, CA
93401 (In Cal. call
(805) 543-1037)

✓207

this publication is available in microform



University Microfilms International

300 North Zeeb Road
Dept. P.R.
Ann Arbor, MI 48106
U.S.A.

18 Bedford Row
Dept. P.R.
London, WC1R 4EJ
England

Listing 2 continued

```

780 XA=3:RETURN
790 AS=INKEY$:IFAS=""THEN790ELSEReturn
800 B=0:PRINT"YOU ARE CARRYING:":FORX=1TO49:IFOB(X)=-1THENPRINTAS(X):B=1
810 NEXT
820 IFB=0PRINT"NOTHING!"
830 GOTO580
850 IFNO=0PRINT"GET WHAT?":GOTO580
860 IFH=9PRINT"YOU CAN'T CARRY ANY MORE!":GOTO580
870 IFOB(X)=R(CP)THENOB(X)=-1:PRINT"O.K.":H=H+1:GOSUB1000:GOTO580:ELSEPRINT"IT'S NOT HERE!":GOTO580
900 IFNO=0PRINT"DROP WHAT?":GOTO580
910 IFOB(X)=-1THENOB(X)=R(CP):PRINT"O.K.":H=H-1:GOSUB1000:GOTO580:ELSEPRINT"YOU DON'T HAVE IT!":GOTO580
1000 XA=PEEK(16416):XB=PEEK(16417):PRINT@8,H:PRINT@29,A:PRINT@59,DB:POKE16416,XA:POKE16417,XB:IFDB>75ORA<1THEN60000
1001 RETURN
1010 PRINT@0,"CARRYING"H"ITEMS. ALERTNESS:"A" SUSPENSION OF DISBELIEF:"DB:POKE16916,1:RETURN
2000 INPUT"WILL YOU TRY ONE OF THE PILLS":AS=IFLEFT$(AS,1)="Y"THENR1=RND(3):ON RND(3)GOTO2010,2020,2030ELSEPRINT"O.K.":GOTO576
2010 PRINT"IT'S A PAIN PILL. ONE WOUND IS CURED IF YOU HAVE ANY.":IFW>0THENW=W-1
2015 GOTO576
2020 PRINT"IT'S A PEP PILL.YOUR ALERTNESS LEVEL IS INCREASED BY TWO POINTS.":A=A+2:GOSUB1000:GOTO576
2030 PRINT"IT'S AN HALLUCINOGEN. THAT'LL TEACH YOU TO TAKE STRANGE PILLS. YOUR ALERTNESS LEVEL IS REDUCED TWO POINTS.":A=A-2:GOSUB1000:GOTO576
2100 IFOB(5)=-1THENOB(5)=0:H=H-1
2110 IFOB(6)=-1THENOB(6)=0:H=H-1
2120 FORX=31TO34:IFOB(X)=-1THENOB(X)=0:H=H-1
2130 NEXTX:GOSUB1000:GOTO576
2150 INPUT"WILL YOU INVESTIGATE FURTHER":AS=IFLEFT$(AS,1)="Y"THENR1=RND(6)+RND(6)ELSE576
2160 IFR1>ATHENPRINT"THE BED IS EQUIPPED WITH AN AUTOMATIC MASSAGE MACHINE WHICH GRABS YOU AND PUMMELS YOU WILDLY. THE RESULT:":GOSUB11510:GOTO576ELSEPRINT"NOTHING SPECIAL HERE.":GOTO576
2200 INPUT"WILL YOU TRY ONE":AS=IFLEFT$(AS,1)="Y"THENR1=RND(3):ONR1GOTO2210,2220,2230ELSEPRINT"CHICKEN.":GOTO576
2210 PRINT"IT CONTAINS AN AWARENESS HEIGHTENING DRUG. YOUR ALERTNESS IS INCREASED BY ONE POINT.":A=A+1:GOSUB1000:GOTO576
2220 PRINT"IT WAS YUMMY.":GOTO576
2230 PRINT"IT GIVES YOU A MILDLY UPSET STOMACH. YOUR ALERTNESS LEVEL IS REDUCED BY ONE POINT.":A=A-1:GOSUB1000:GOTO576
2240 AS=INKEY$:IFAS=""THENRETURNELSE10010
10007 POKE16916,0:FORX=1TO16:READA$:PRINTA$:IFX<>16THENPRINT:NEXTX
10008 PRINT@489,"YOU HAVE ENTERED THE":PRINT@552,"DEADLY COMPUTER ROOM!!!":PRINT@935,"PRESS ANY KEY TO CONTINUE":PRINT@1005,"TO YOUR DOOM!":
10009 FORX=15814TO15833:POKEX,188:POKEX-2,32:GOSUB2240:NEXT:FORX=1TO20:NEXT:FORX=15833TO15814STEP-1:POKEX,188:POKEX+2,32:GOSUB2240:NEXT:FORX=1TO20:NEXT:GOTO10009
10010 CLS:FORX=1TO5:RB(X)=RND(6):NR=NR+1:NEXT:PRINT@64,R$(RB(1)):PRINT@448,N$(RB(1)):PRINT@89,R$(RB(2)):PRINT@473,N$(RB(2)):PRINT@115,R$(RB(3)):PRINT@500,N$(RB(3)):PRINT@588,R$(RB(4)):PRINT@972,N$(RB(4)):PRINT@614,R$(RB(5)):PRINT@998,N$(RB(5)):
10012 PRINT@2,"THE DESTRUCTION OF THESE 5 ROBOTS WILL DESTROY THE TRS-80.":FORX=640TO896STEP64:READA$:PRINTX,A$:NEXT:DATA PRESS,ANY,KEY,TO,START
10013 GOSUB790:CLS:GOSUB1010:GOTO15000
10100 IFOB(20)=-1THENW=W-1:OB(20)=0:PRINT"YOUR PAIN PILLS SAVE YOU!":RETURN
10110 FORX=41TO42:IFOB(X)=-1THENW=W-1:OB(X)=0:PRINT"YOUR PAIN PILLS SAVE YOU!":RETURNELSENEXTX
10120 GOTO60000
10750 HH=4-CR(RB(N)):R1=RND(6):IFHH<1THENHH=1
10755 IFOB(28)=-1OROB(43)=-1THENPRINT"YOUR GOLF CLUB HELPS YOU!":HH=HH+1
10760 ONHH+4GOSUB10800,10805,10805,10810,10815,10820,10825,10830,10830,10835,10835,10840
10765 ONXAGOSUB12500,12510,12520
10770 GOTO16000
10800 GOTO760
10805 IFR1<6THEN760ELSE770
10810 IFR1<5THEN760ELSE770
10815 IFR1<4THEN760ELSEIFR1<6THEN770ELSE780
10820 IFR1<3THEN760ELSEIFR1<6THEN770ELSE780
10825 IFR1=1THEN760ELSEIFR1<5THEN770ELSE780
10830 IFR1<4THEN770ELSE780
10835 IFR1<3THEN770ELSE780
10840 IFR1=1THEN770ELSE780
11000 R1=RND(6)+RND(6)
11005 IF(OB(2)=-1OROB(4)=-1)AND(WP=3ORWP=4)THENR1=R1-3

```

Listing 2 continues

```

11010 IF(0B(3))=-1OROB(4)=-1)AND(WP=5ORWP=6) THENR1=R1-3
11015 IFR1<1THENR1=1
11020 ONWPGOSUB11100,11105,11110,11115,11120,11125
11025 ONXAGOSUB12500,12510,12520
11030 GOTO16000
11100 PRINT"GAS AND SMOKE HAVE NO EFFECT ON ROBOTS YOU MORON.":OB(
NO)=0:GOTO760
11105 OB(22)=0:IFR1<5ORR1=6THEN760ELSEIFR1=8THEN770ELSE780
11110 IFR1=4ORR1=7ORR1=10THENWNP(NO-4)=1
11111 IFR1<6THEN760ELSEIFR1=6THEN770ELSE780
11115 IFR1=4ORR1=7ORR1=10THENWNP(NO-4)=1
11116 IFR1<4THEN760ELSEIFR1<7THEN770ELSE780
11120 IFR1=7THENWNP(NO-4)=1
11121 IFR1<5THEN760ELSEIFR1<7THEN770ELSE780
11125 IFR1=3ORR1=4ORR1=7ORR1=9ORR1=10THENWNP(NO-4)=1
11126 IFR1=1THEN760ELSEIFR1<6THEN770ELSE780
11500 PRINT"NO EFFECT.":RETURN
11510 PRINT"STUN. ";:INPUT"DO YOU WANT TO (1) TAKE THE EFFECT OF T
HE BLAST OR
(2) EXPEND 2 SUSPENSION OF DISBELIEF PTS.":B:IFB=1THENA=A-1ELSEIFB
=2THENDB=DB+2ELSE11510
11515 PRINT"O.K.":GOSUB1000:RETURN
11520 PRINT"DIRECT HIT. ";:INPUT"DO YOU WANT TO (1) TAKE THE EFFECT
OF THE BLAST
OR (2) EXPEND 5 SUSPENSION OF DISBELIEF PTS.":B:IFB=1THEN11522ELSEI
FB=2THENDB=DB+5:PRINT"O.K.":GOTO11525ELSE11520
11522 A=A-2:W=W+1:PRINT"YOU NOW HAVE"W" WOUND":IFW>1THENPRINT"S."E
LSEPRINT"
11525 GOSUB1000:RETURN
11750 HH=CR(RB(N))-4:R1=RND(6):IFHH<1THENHH=1
11760 ONHH+4GOSUB10800,10805,10805,10810,10815,10820,10825,10830,1
0830,10835,10835,10840
11765 ONXAGOSUB11500,11510,11520:RETURN
12000 R1=RND(6)+RND(6)
12005 IFR1<7THEN760ELSEIFR1=7THEN770ELSE780
12010 ONXAGOSUB11500,11510,11520:RETURN
12500 PRINT"THE "N$(RB(N))" IS UNAFFECTED.":RETURN
12510 PRINT"THE "N$(RB(N))" IS STUNNED.":CR(RB(N))=CR(RB(N))-5:RE
TURN
12520 PRINT"THE "N$(RB(N))" IS BLOWN APART!":RB(N)=0:RETURN
15000 FORX=1TO600:NEXT:FORN=1TONR:IFRB(N)<>0THEN15010ELSENEXT:IFCP
=5THEN50000ELSEPRINT"ROBOTS DESTROYED!":RETURN
15010 IFQ=0THENIFCR(RB(N))>ATHEN15995
15020 Q=1:PRINT"YOU ATTACK!
15025 PRINT"INVENTORY. ":FORX=1TO49:IFOB(X)=-1THENPRINTA$(X) " ";
15030 NEXT:PRINT
15035 INPUT"(1) WEAPONS OR (2) HAND-TO-HAND COMBAT":B:IFB=1THEN15040
ELSEIFB=2THEN10750ELSE15035
15040 WP=0:INPUT"WHICH WEAPON":A$:FORX=1TO49:IFA$(X)=A$THENNO=XELS
ENEXTX:PRINT"WHAT?":GOTO15040
15045 IFNO=26ORNO=27THENWNP=1ELSEIFNO=22THENWNP=2
15050 IFNO=5ORNO=33ORNO=34THENWNP=3
15055 IFNO=6ORNO=31ORNO=32THENWNP=4
15060 IFNO=7THENWNP=5
15065 IFNO=8ORNO=29ORNO=30THENWNP=6
15070 IFNO=19THEN15080
15075 IFWP=0THENPRINT"WHAT?!?":GOTO15040
15077 IFOB(NO)<>-1THENPRINT"YOU DON'T HAVE THAT!":GOTO15025
15080 IFWP(NO-4)=1THENPRINT"YOUR WEAPON IS OUT OF AMMUNITION."ELSE
11000
15085 ONWP-2GOTO15090,15095,15100,15105
15090 FORX=9TO10:IFOB(X)=-1THEN15120ELSENEXTX
15092 FORX=37TO38:IFOB(X)=-1THEN15120ELSENEXTX
15093 GOTO15110
15095 FORX=11TO12:IFOB(X)=-1THEN15120ELSENEXTX
15097 FORX=39TO40:IFOB(X)=-1THEN15120ELSENEXTX
15098 GOTO15110
15100 FORX=13TO14:IFOB(X)=-1THEN15120ELSENEXTX
15103 GOTO15110
15105 FORX=15TO16:IFOB(X)=-1THEN15120ELSENEXTX
15107 FORX=35TO36:IFOB(X)=-1THEN15120ELSENEXTX
15110 PRINT"AND YOU HAVE NO AMMO. TRY ANOTHER WAY.":GOTO15035
15120 IFWP(NO-4)=1THENWNP(NO-4)=0:OB(X)=0:PRINT"I HAVE RELOADED IT
FOR YOU.":H=H-1:GOSUB1000
15125 GOTO11000
15800 PRINT"THE BOTBLASTER EXPLODES IN YOUR HAND!":OB(NO)=0:H=H-1:
GOSUB11520:GOTO16000
16000 FORN=1TONR:IFRB(N)<>0THEN16010ELSENEXT:GOTO16100
16010 PRINT"THE "N$(RB(N))" ATTACKS!
16020 IFD<4GOSUB11750ELSEGOSUB12000
16040 IFW>6THENGOSUB10100
16050 NEXT
16100 FORN=1TONR:IFRB(N)<>0THEN15000ELSENEXT:IFCP=5THEN50000ELSEPR
INT"ROBOTS DESTROYED!":RETURN
50000 CLS:PRINT@411,"YOU WIN!":PRINT@467,"THE MOONBASE IS SAVED!!"
:GOTO50000
60000 CLS:PRINT@392,"YOU HAVE EXCEEDED YOUR LIMITS! YOU ARE DEAD!
":PRINT@467,"THE MOONBASE IS DOOMED!":GOTO60000

```



The Complete Word Processing System

“I can honestly say Lazy Writer is the best word processing program I know. Lazy Writer's logical mnemonics are easy to learn and re-member, making it ideal for the person who uses it only occasionally, while the regular user can take advantage of its powerful advanced features...”

Charles L. Creesy
Editor
Princeton Alumni Weekly
for TRS-80 Mod I, III, IV...\$175

LazyFont for font
creation on dot matrix
printers

LazyMerge for form
letters from a mail list

LazyDraw for block
graphics

LazyDo for executing a
series of commands

LazyTab for decimal
alignment

LazyCalc for math
functions

LazyDoc for custom
document preparation

NEW !

MINI-SPOOLER prints as you type
for fast memos and letters!
== Call about 80 character
version for Model IV & MAX-80.

AlphaBit Communications, Inc.

13349 Michigan Ave.
Dearborn, Michigan 48126

(313) 581-2896 476

Maxwell's Demon

by Lee Morgenstern

Learn something about Maxwell's Hypothesis while you try to keep the hot and cold molecules separated in this physics-based game.

The hottest debate in physics in 1871 centered around James Clerk Maxwell's theory of thermodynamics. Maxwell hypothesized that if you manipulate a valve between two containers filled with gas at identical temperatures so that fast-moving molecules accumulate in one container and slow-moving molecules in the other, the temperature difference created produces useful energy.

But Maxwell's theory seemed to violate the second law of thermodynamics,

which states that in a closed system, you can't create order from chaos. When Maxwell first described his hypothesis, it sparked a great deal of debate in the scientific community. However, the hardware necessary to test his hypothesis wasn't available, so the theory could be debated but never proved or disproved. As such, it was a thought experiment only.

Today, computers make thought experiments obsolete. With the help of

your Model I/III, you can demonstrate Maxwell's theory visually. It also makes an entertaining game.

The Game

Maxwell's Demon, as the game is called, is so named because the concept of a controllable valve, while central to Maxwell's idea, did not exist in his time. Instead, Maxwell proposed that a supernatural being—a demon—maintained the temperature difference between containers.

In this game, you are Maxwell's demon, the force that separates fast-moving molecules from slow-moving molecules. These hot and cold molecules are depicted on the screen as large H and C characters.


There are six levels of play. The lowest level has four slow-moving molecules, and the highest has 12 fast-moving molecules. The space bar opens and closes the valve separating the two compartments and the break key lets you exit from the game or select a new playing level.

Program Design

The program is written in Assembly language for fast animation. Data tables drive most of the logic for animating the molecules.

Data-driven logic makes the program simple to understand and makes program modification easier since it reduces processing time.

A data base containing all possible



The Key Box

Model I or III
16K RAM Cassette
32K RAM Disk
Assembly Language
Editor/Assembler

situations, such as the positions of an animated figure, increases processing speed and improves animation quality.

The idea of referring to a table of pre-calculated values is not new. Techniques to do so have existed for a long time, but were impractical due to the amount of memory required. Since memory is less expensive today, such techniques are now feasible. The following program provides an example of one of these techniques.

Data Structure

The tables in this program are two-dimensional arrays. The first dimension points to a list of starting addresses for lists in the second dimension. Each list in the second dimension contains the actual table entries.

The first table in the program listing, the move table, uses pixel position and move direction as the two indexes. MOVX, the first list, consists of the addresses MOV0 through MOV5, which correspond to the six pixel positions. MOV0 through MOV5 are the second dimension lists; they are indexed by move direction, and contain the final entries.

The program accesses an entry in the table by following these steps:

- (1) Load the DE registers with the first index.
- (2) Load the HL registers with the address of the first list.
- (3) Add DE to HL.
- (4) Reload DE with the 2 bytes addressed by HL. This is the starting address of the proper second list.
- (5) Load HL with the second index.
- (6) Add DE to HL.
- (7) Load the table entry bytes addressed by HL.

Data Tables

The move table, MOVX, determines how to move a molecule. It handles eight move directions including up left, up right, down left, and down right in each of two ways. The first way moves one pixel up or down and one pixel left or right. The other way moves one pixel up or down and two pixels left or right. The indexes of MOVX are pixel position (zero through five) and move direction (zero through seven). There are two values in each entry: the new pixel position and the video address offset.

The wall table, WALLX, determines how to bounce a molecule off a wall. The indexes of WALLX are move direction (zero through seven) and wall number (zero, 2, 4, 6). The entries in the table are new move directions.

The hot table, HOTX, and cold

Program Listing

```

00100 ;MAXWELL'S DEMON
00110 ; BY LEE MORGENSTERN, MAY, 1982
00120 ;
00130 ORG 7000H
00140 ;
00150 ;MOVE TABLE - INDEXED BY PIXEL AND MOVE DIRECTION
00160 ; OUTPUTS NEW PIXEL AND VIDEO ADDRESS OFFSET
00170 MOVX DEFW MOV0
00171 DEFW MOV1
00172 DEFW MOV2
00173 DEFW MOV3
00174 DEFW MOV4
00175 DEFW MOV5
00180 ;
00190 MOV0 DEFB 5
00191 DEFB 191
00192 DEFB 5
00193 DEFB 192
00194 DEFB 4
00195 DEFB 255
00196 DEFB 4
00197 DEFB 0
00198 DEFB 2
00199 DEFB 191
00200 DEFB 2
00201 DEFB 193
00202 DEFB 1
00203 DEFB 255
00204 DEFB 1
00205 DEFB 1
00206 MOV1 DEFB 3
00207 DEFB 255
00208 DEFB 3
00209 DEFB 0
00210 DEFB 5
00211 DEFB 255
00212 DEFB 5
00213 DEFB 0
00214 DEFB 0
00215 DEFB 255
00216 DEFB 0
00217 DEFB 1
00218 DEFB 2
00219 DEFB 255
00220 DEFB 2
00221 DEFB 1
00222 MOV2 DEFB 4
00223 DEFB 255
00224 DEFB 4
00225 DEFB 0
00226 DEFB 3
00227 DEFB 63
00228 DEFB 3
00229 DEFB 64
00230 DEFB 1
00231 DEFB 255
00232 DEFB 1
00233 DEFB 1
00234 DEFB 0
00235 DEFB 63
00236 DEFB 0
00237 DEFB 65
00238 MOV3 DEFB 2
00239 DEFB 192
00240 DEFB 2
00241 DEFB 193
00242 DEFB 1
00243 DEFB 0
00244 DEFB 1
00245 DEFB 1
00246 DEFB 5
00247 DEFB 191
00248 DEFB 5
00249 DEFB 193
00250 DEFB 4
00251 DEFB 255
00252 DEFB 4
00253 DEFB 1
00254 MOV4 DEFB 0
00255 DEFB 0
00256 DEFB 0
00257 DEFB 1
00258 DEFB 2
00259 DEFB 0
00260 DEFB 2
00261 DEFB 1
00262 DEFB 3
00263 DEFB 255
00264 DEFB 3
00265 DEFB 1
00266 DEFB 5
00267 DEFB 255
00268 DEFB 5
00269 DEFB 1
00270 MOV5 DEFB 1
00271 DEFB 0
00272 DEFB 1
00273 DEFB 1
00274 DEFB 0
00275 DEFB 64
00276 DEFB 0
00277 DEFB 65

```

Listing continues

Listing continued

```

7064 04      00278      DEFB      4
7065 FF      00279      DEFB     255
7066 04      00280      DEFB      4
7067 01      00281      DEFB      1
7068 03      00282      DEFB      3
7069 3F      00283      DEFB     63
706A 03      00284      DEFB      3
706B 41      00285      DEFB     65
              00250 ;
              00260 ;WALL TABLE - INDEXED BY WALL(L,R,U,D) AND MOVE DIRECTION
              00270 ; OUTPUTS NEW MOVE DIRECTION
706C 7470     00289 WALLX  DEFW     WALLL
706E 7C70     00290     DEFW     WALLR
7070 8470     00291     DEFW     WALLU
7072 8C70     00292     DEFW     WALLD
              00290 ;
              00300 WALLL  DEFB      1
7074 01      00301     DEFB      1
7075 01      00302     DEFB      3
7076 03      00303     DEFB      3
7077 03      00304     DEFB      5
7078 05      00305     DEFB      5
7079 05      00306     DEFB      7
707A 07      00307     DEFB      7
707B 07      00310 WALLR  DEFB      0
707C 00      00311     DEFB      0
707D 00      00312     DEFB      2
707E 02      00313     DEFB      2
707F 02      00314     DEFB      4
7080 04      00315     DEFB      4
7081 04      00316     DEFB      6
7082 06      00317     DEFB      6
7083 06      00320 WALLU  DEFB      2
7084 02      00321     DEFB      3
7085 03      00322     DEFB      2
7086 02      00323     DEFB      3
7087 03      00324     DEFB      6
7088 06      00325     DEFB      7
7089 07      00326     DEFB      6
708A 06      00327     DEFB      7
708B 07      00330 WALLD  DEFB      0
708C 00      00331     DEFB      1
708D 01      00332     DEFB      1
708E 00      00333     DEFB      4
708F 01      00334     DEFB      5
7090 04      00335     DEFB      5
7091 05      00336     DEFB      4
7092 04      00337     DEFB      5
7093 05      00340 ;
              00350 ;HOT MOLECULE GRAPHICS - INDEXED BY PIXEL
7094 A070     00360 HOTX  DEFW     HOT0
7096 A870     00361     DEFW     HOT1
7098 B070     00362     DEFW     HOT2
709A B870     00363     DEFW     HOT3
709C C070     00364     DEFW     HOT4
709E C870     00365     DEFW     HOT5
70A0 3F      00370 HOT0  DEFB     3FH
70A1 0C      00371     DEFB     0CH
70A2 3F      00372     DEFB     3FH
70A3 00      00373     DEFB     00H
70A4 00      00374     DEFB     00H
70A5 00      00375     DEFB     00H
70A6 00      00376     DEFB     00H
70A7 00      00377     DEFB     00H
70A8 3C      00380 HOT1  DEFB     3CH
70A9 30      00381     DEFB     30H
70AA 3C      00382     DEFB     3CH
70AB 00      00383     DEFB     00H
70AC 03      00384     DEFB     03H
70AD 00      00385     DEFB     00H
70AE 03      00386     DEFB     03H
70AF 00      00387     DEFB     00H
70B0 30      00390 HOT2  DEFB     30H
70B1 00      00391     DEFB     00H
70B2 30      00392     DEFB     30H
70B3 00      00393     DEFB     00H
70B4 0F      00394     DEFB     0FH
70B5 03      00395     DEFB     03H
70B6 0F      00396     DEFB     0FH
70B7 00      00397     DEFB     00H
70B8 2A      00400 HOT3  DEFB     2AH
70B9 1D      00401     DEFB     1DH
70BA 2E      00402     DEFB     2EH
70BB 15      00403     DEFB     15H
70BC 00      00404     DEFB     00H
70BD 00      00405     DEFB     00H
70BE 00      00406     DEFB     00H
70BF 00      00407     DEFB     00H
70C0 28      00410 HOT4  DEFB     28H
70C1 34      00411     DEFB     34H
70C2 38      00412     DEFB     38H
70C3 14      00413     DEFB     14H
70C4 02      00414     DEFB     02H
70C5 01      00415     DEFB     01H
70C6 02      00416     DEFB     02H
70C7 01      00417     DEFB     01H
70C8 20      00420 HOT5  DEFB     20H
70C9 10      00421     DEFB     10H
70CA 20      00422     DEFB     20H
70CB 10      00423     DEFB     10H
70CC 0A      00424     DEFB     0AH
70CD 07      00425     DEFB     07H
70CE 0B      00426     DEFB     0BH
70CF 05      00427     DEFB     05H
              00430 ;

```

Listing continues

table, COLDX, each contain the graphics bits for the molecules in each of the six pixel positions. Figure 1 shows the H graphics in each of the pixel positions.

The molecule control variables, H0 through H5 and C0 through C5, contain parameters that maintain the current status of the molecules. The data in the HC table initializes the values. Each list consists of the pixel position, video address, move direction, and molecule type.

There are three more tables that contain program control parameters. Each is indexed by the playing level. The molecule update table, LEVELX, con-

"The program begins by disabling interrupts and setting the stack pointer to the highest point in a 16K memory."

tains pointers to active molecule update sequences. The molecule update count table, FIGCTX, contains the length of the molecule update list. The molecule timing table, TIMX, contains the time delays between molecule updates.

Program Control

The program begins by disabling interrupts and setting the stack pointer to the highest point in a 16K memory.




Fig. 1. Pixel Positions for Hot Molecule Graphic.

"No, we're all okay, but our computer's gone."

It could have been a lot worse.

Luckily, all that was missing was the computer and some spreadsheet software. And that should be covered by insurance.

But it isn't. Ed didn't realize that once he started using his home computer on business projects, his homeowners insurance no longer would cover it.

As suddenly as the robbery had occurred, Ed found himself out several thousand dollars with no way to recover it.

You need SAFEWARE™

If you use your microcomputer for business, you can protect yourself from a loss like this with SAFEWARE. For as little as \$35 a year, SAFEWARE insurance covers all hardware, media and purchased software. Both business and personal.

SAFEWARE protects against theft, fire, accidental damage, even the destruction caused by power surges.

And, now, SAFEWARE is available on a 10-day trial basis. If you are not completely satisfied with the coverage provided, return the policy within 10 days for a full refund.

The only risk you take with SAFEWARE is not having it.


To obtain more information, or bind coverage immediately, call the toll free number. Or send the coupon to: Columbia National General Agency, 88 E. Broad St., Columbus, Ohio 43215 (In Ohio call toll free 1-800-848-2112).

1-800-848-3469

Hours: Mon.-Fri. 8:30-7;

Sat.-Sun. 10:30-4:30 (EST)

✓368



Amount of Insurance	Annual Premium
Up to \$ 2,000	\$ 35
\$ 2,001-\$ 5,000	\$ 60
\$ 5,001-\$ 8,000	\$ 75
\$ 8,001-\$11,000	\$ 90
\$11,001-\$14,000	\$105

Not avail. in AK, DC, HI, KY, LA, ME, MS, NV, SC, or WY.

Send for immediate protection: CNGA, 88 E. Broad St., Columbus, Ohio 43215

Name _____

Street _____

City _____ State _____ ZIP _____

System value \$ _____

☐ Check enclosed ☐ VISA ☐ MasterCard Card # _____

Expires: _____ ☐ Send additional information

80M

Listing continued


70D0 DC70	00440	COLD MOLECULE GRAPHICS - INDEXED BY PIXEL
70D2 E470	00450	COLDX DEFW COLD0
70D4 EC70	00451	DEFW COLD1
70D6 P470	00452	DEFW COLD2
70D8 FC70	00453	DEFW COLD3
70DA 0471	00454	DEFW COLD4
70DC 3F	00455	DEFW COLD5
70DD 33	00460	COLD0 DEFB 3FH
70DE 33	00461	DEFB 33H
70DF 00	00462	DEFB 33H
70E0 00	00463	DEFB 00H
70E1 00	00464	DEFB 00H
70E2 00	00465	DEFB 00H
70E3 00	00466	DEFB 00H
70E4 3C	00467	DEFB 00H
70E5 0C	00470	COLD1 DEFB 3CH
70E6 0C	00471	DEFB 0CH
70E7 00	00472	DEFB 0CH
70E8 03	00473	DEFB 00H
70E9 03	00474	DEFB 03H
70EA 03	00475	DEFB 03H
70EB 00	00476	DEFB 00H
70EC 30	00477	DEFB 00H
70ED 30	00480	COLD2 DEFB 30H
70EE 30	00481	DEFB 30H
70EF 00	00482	DEFB 30H
70F0 0F	00483	DEFB 00H
70F1 0C	00484	DEFB 0FH
70F2 0C	00485	DEFB 0CH
70F3 00	00486	DEFB 0CH
70F4 2A	00487	DEFB 00H
70F5 37	00490	COLD3 DEFB 2AH
70F6 33	00491	DEFB 37H
70F7 11	00492	DEFB 33H
70F8 00	00493	DEFB 11H
70F9 00	00494	DEFB 00H
70FA 00	00495	DEFB 00H
70FB 00	00496	DEFB 00H
70FC 28	00497	DEFB 00H
70FD 1C	00500	COLD4 DEFB 28H
70FE 0C	00501	DEFB 1CH
70FF 04	00502	DEFB 0CH
7100 02	00503	DEFB 04H
7101 03	00504	DEFB 02H
7102 03	00505	DEFB 03H
7103 01	00506	DEFB 03H
	00507	DEFB 01H

Listing continues

Before starting any animation, the program calls four routines to set the scene: DMSG displays the opening message containing the name of the program and a list of the playing levels, GETLV reads the keyboard and inputs a playing level from the operator, Setup sets up the playing level parameters and initializes the locations of the molecules, and BRD draws the playing area on the screen.

Demon then executes a loop that updates the location and movement of each active molecule. FIGCNT contains the number of passes to be made through this loop. FIGX points to a list containing the molecule control variable addresses in the sequence to be updated. Notice that each active hot molecule appears twice in the list and each active cold molecule appears once. This causes the hot molecules to be moved twice as fast as the cold ones.

For each pass through this loop, Demon updates a molecule by calling four routines. Each routine requires that the IX register contain the address of the molecule control variable list. Wall controls the animation of the wall bouncing—it checks for wall contact, and if any occurs, it changes the move



First in
Its Class
and
Looking
for
Work.

TRS-80 Model I, II, III

Five multiple regression procedures (including stepwise, backward elimination, all subset, and ridge), 24 transformations, comprehensive data base manager (with search and sort), descriptive statistics, hypothesis testing (7 tests), time series analysis (7 models), random variate generation, discrete probability distributions, sampling distributions, nonparametrics (5 tests), and complete documentation.

Complete package with manual — \$125

To order, send payment plus \$2.00 shipping and handling to:

Quant Systems

P.O. Box 628
Charleston, S.C. 29402
803-571-2825

✓194

S.C. residents add 4% sales tax
Overseas orders add \$7 for shipping

TRS - 80 MODEL 100

TRS 80 is a trademark of the Tandy Corporation

Monthly magazine loaded with Software and Hardware Reviews, Useful How-to Tips, Program Listings, and Accessory Interface Suggestions for this unique new computer. Whatever your interest in this notebook size portable, this exclusive publication will help you realize its maximum potential while saving you money. Regular subscription rate is \$24/year (12 issues), however charter subscriptions are available for a limited time at \$9.00 for 6 months or \$16.00 for 12 months.



customers call 800-227-1617 ext 425

In California 800-772-3545 ext 425 or send check or Money Order to:

briefcase portable

560 South Hartz Avenue, Suite 447 • Danville, CA 94526

✓165

Complete Business Software Package

TRS-80 MOD. II/12/16
FLOPPY OR HARD DISK



INTERNATIONAL SOFTWARE SALES INC.

- General Ledger
- Accounts Payable
- Accounts Receivable
- Inventory
- Payroll w/Job Costing
- Practice Management
- Structural Engineering
- Reviewed In April 80 MICRO

Software Modules All Interactive

P.O. BOX 223 - DEPT. A
NEWTONVILLE, N. Y. 12128

✓470

(518) 271-6825

direction in the control variable list for that molecule.

REM removes the molecule graphics from the screen. Move calculates the next screen location for the molecule, and Add redraws the molecule graphics at the new location.

When Demon finishes with the molecule update loop, it calls the Open routine to control the opening or closing of the partition. It then executes a time delay before restarting the loop. During this delay, any wall contact produces a beeping sound through the cassette port. When the time delay is finished, the loop is repeated unless the break key is pressed. The break key restarts the entire program, letting the operator select a new playing level.

At slow playing levels, Demon calls the Open routine in the middle of the molecule update loop. This provides better response time for the operator.

“During this delay, any wall contact produces a beeping through the cassette port.”

Routines

The MSG routine clears the screen and displays the opening message with the name of the program and a list of the playing levels. MSG scans the message text and transfers each character to the video memory. There are two control characters that MSG processes differently: The dollar sign indicates a carriage return and an asterisk signals the end of the message.

The GETLVL routine reads the memory-mapped keyboard byte for the number keys to determine the playing level selected. It loops until it detects a bit set, indicating a depressed key. It then shifts and counts the bits to find the key and the corresponding playing level.

The Setup routine establishes control parameters based on the selected playing level. The parameters consist of the number-of-molecules updates, FIGCNT; the time delay between updates, TIMING; and the molecule update list pointer, FIGX. Setup then performs a block move from HC to H0 to

Listing continued

```

7104 20      00510 COLD5  DEFB  20H
7105 30      00511      DEFB  30H
7106 30      00512      DEFB  30H
7107 10      00513      DEFB  10H
7108 0A      00514      DEFB  0AH
7109 0D      00515      DEFB  0DH
710A 0C      00516      DEFB  0CH
710B 04      00517      DEFB  04H
              00520 ;
              00530 ;MOLECULE UPDATE SEQUENCE - INDEXED BY PLAYING LEVEL
710C 1871    00540 LEVELX DEFW  L1
710E 2471    00541      DEFW  L2
7110 2471    00542      DEFW  L2
7112 3C71    00543      DEFW  L4
7114 3C71    00544      DEFW  L4
7116 3C71    00545      DEFW  L4
7118 A672    00550 L1    DEFW  H0
711A C472    00551      DEFW  H5
711C CA72    00552      DEFW  C0
711E A672    00553      DEFW  H0
7120 C472    00554      DEFW  H5
7122 E872    00555      DEFW  C5
7124 A672    00560 L2    DEFW  H0
7126 AC72    00561      DEFW  H1
7128 CA72    00562      DEFW  C0
712A BE72    00563      DEFW  H4
712C C472    00564      DEFW  H5
712E D072    00565      DEFW  C1
7130 A672    00566      DEFW  H0
7132 AC72    00567      DEFW  H1
7134 E272    00568      DEFW  C4
7136 BE72    00569      DEFW  H4
7138 C472    00570      DEFW  H5
713A E872    00571      DEFW  C5
713C A672    00572 L4    DEFW  H0
713E AC72    00573      DEFW  H1
7140 CA72    00574      DEFW  C0
7142 B272    00575      DEFW  H2
7144 B872    00576      DEFW  H3
7146 D072    00577      DEFW  C1
7148 BE72    00578      DEFW  H4
714A C472    00579      DEFW  H5
714C D672    00580      DEFW  C2
714E A672    00581      DEFW  H0
7150 AC72    00582      DEFW  H1
7152 DC72    00583      DEFW  C3
7154 B272    00584      DEFW  H2
7156 B872    00585      DEFW  H3
7158 E272    00586      DEFW  C4
715A BE72    00587      DEFW  H4
715C C472    00588      DEFW  H5
715E E872    00589      DEFW  C5
              00590 ;
              00600 ;MOLECULE UPDATE TIMING - INDEXED BY PLAYING LEVEL
7160 60      00610 TIMX  DEFB  96
7161 30      00611      DEFB  48
7162 0C      00612      DEFB  12
7163 08      00613      DEFB  8
7164 04      00614      DEFB  4
7165 01      00615      DEFB  1
              00620 ;
              00630 ;MOLECULE UPDATE COUNT - INDEXED BY PLAYING LEVEL
7166 06      00640 FIGCTX DEFB  6
7167 0C      00641      DEFB  12
7168 0C      00642      DEFB  12
7169 12      00643      DEFB  18
716A 12      00644      DEFB  18
716B 12      00645      DEFB  18
              00650 ;
716C 4D      00660 MSG    DEFM  'MAXWELL'
              41 58 57 45 4C 4C
7173 27      00670      DEFB  27H
7174 53      00680      DEFM  'S DEMON$'
              20 44 45 4D 4F 4E 24
717C 24      00690      DEFM  '$ENTER PLAYING LEVEL:$'
              45 4E 54 45 52 20 50 4C
              41 59 49 4E 47 20 4C 45
              56 45 4C 3A 24
7192 24      00700      DEFM  '$1.  4 SLOW MOLECULES'
              31 2E 20 20 34 20 53 4C
              4F 57 20 4D 4F 4C 45 43
              55 4C 45 53
71A7 24      00710      DEFM  '$2.  8 SLOW MOLECULES'
              32 2E 20 20 38 20 53 4C
              4F 57 20 4D 4F 4C 45 43
              55 4C 45 53
71BC 24      00720      DEFM  '$3.  8 MEDIUM MOLECULES'
              33 2E 20 20 38 20 4D 45
              44 49 55 4D 20 4D 4F 4C
              45 43 55 4C 45 53
71D3 24      00730      DEFM  '$4. 12 MEDIUM MOLECULES'
              34 2E 20 31 32 20 4D 45
              44 49 55 4D 20 4D 4F 4C
              45 43 55 4C 45 53
71EA 24      00740      DEFM  '$5. 12 FAST MOLECULES'
              35 2E 20 31 32 20 46 41
              53 54 20 4D 4F 4C 45 43
              55 4C 45 53
71FF 24      00750      DEFM  '$6. 12 SUPER FAST MOLECULES*'
              36 2E 20 31 32 20 53 55
              50 45 52 20 46 41 53 54
              20 4D 4F 4C 45 43 55 4C
              45 53 2A
              00760 ;
721B 4C      00770 PROMPT DEFM  'LEVEL X - '
              45 56 45 4C 20 58 20 2D

```

Listing continues

Listing continued

```

20
7225 50 00700 DEFM 'PRESS SPACE BAR TO OPEN DOOR - '
52 45 53 53 20 53 50 41
43 45 20 42 41 52 20 54
4F 20 4F 50 45 4E 20 44
4F 4F 52 20 2D 20
7244 50 00790 DEFM 'PRESS BREAK TO EXIT'
52 45 53 53 20 42 52 45
41 4B 20 54 4F 20 45 58
49 54

0001 00800 ;
0001 00810 DOOR DEFS 1 ;Z=DOOR OPEN, NZ=DOOR CLOSED
0001 00820 LEVEL DEFS 1 ;PLAYING LEVEL (0-5)
0001 00830 TIMING DEFS 1 ;TIME DELAY INBETWEEN UPDATES
0001 00840 FIGCNT DEFS 1 ;MOLECULE UPDATE COUNT
0002 00850 FIGX DEFS 2 ;MOLECULE LIST POINTER
0001 00860 WALLF DEFS 1 ;NZ=WALL CONTACT,Z=NO CONTACT
0001 00870 ;
725E 00 00880 HC DEFB 0 ;H0 PIXEL
725F A73C 00890 DEFW 3CA7H ;VIDEO ADDRESS
7261 00 00900 DEFB 0 ;MOVE DIRECTION
7262 9470 00910 DEFW HOTX ;GRAPHICS POINTER
7264 00 00920 DEFB 0 ;H1
7265 033E 00930 DEFW 3E03H
7267 01 00940 DEFB 1
7268 9470 00950 DEFW HOTX
726A 00 00960 DEFB 0 ;H2
726B 333F 00970 DEFW 3F33H
726D 02 00980 DEFB 2
726E 9470 00990 DEFW HOTX
7270 00 01000 DEFB 0 ;H3
7271 0F3E 01010 DEFW 3E0FH
7273 07 01020 DEFB 7
7274 9470 01030 DEFW HOTX
7276 02 01040 DEFB 2 ;H4
7277 7B3D 01050 DEFW 3D7BH
7279 04 01060 DEFB 4
727A 9470 01070 DEFW HOTX
727C 02 01080 DEFB 2 ;H5
727D 5B3D 01090 DEFW 3D5BH
727F 06 01100 DEFB 6
7280 9470 01110 DEFW HOTX
7282 00 01120 DEFB 0 ;C0
7283 0F3D 01130 DEFW 3D0FH
7285 00 01140 DEFB 0
7286 D070 01150 DEFW COLDX
7288 00 01160 DEFB 0 ;C1
7289 333F 01170 DEFW 3F33H
728B 01 01180 DEFB 1
728C D070 01190 DEFW COLDX
728E 00 01200 DEFB 0 ;C2
728F 033E 01210 DEFW 3E03H
7291 02 01220 DEFB 2
7292 D070 01230 DEFW COLDX
7294 00 01240 DEFB 0 ;C3
7295 A73C 01250 DEFW 3CA7H
7297 04 01260 DEFB 4
7298 D070 01270 DEFW COLDX
729A 00 01280 DEFB 0 ;C4
729B 0F3E 01290 DEFW 3E0FH
729D 05 01300 DEFB 5
729E D070 01310 DEFW COLDX
72A0 00 01320 DEFB 0 ;C5
72A1 333F 01330 DEFW 3F33H
72A3 07 01340 DEFB 7
72A4 D070 01350 DEFW COLDX
01360 ;
0006 01370 ;MOLECULE CONTROL VARIABLES
0006 01380 H0 DEFS 6
0006 01390 H1 DEFS 6
0006 01400 H2 DEFS 6
0006 01410 H3 DEFS 6
0006 01420 H4 DEFS 6
0006 01430 H5 DEFS 6
0006 01440 C0 DEFS 6
0006 01450 C1 DEFS 6
0006 01460 C2 DEFS 6
0006 01470 C3 DEFS 6
0006 01480 C4 DEFS 6
0006 01490 C5 DEFS 6
01500 ;
01510 ;START OF PROGRAM
72EE F3 01520 DEMON DI ;DISABLE INTERRUPTS
72EF 310000 01530 LD SP,8000H ;SET STACK POINTER
72F2 CD4B73 01540 CALL DMSG ;DISPLAY OPENING MESSAGE
72F5 CD7973 01550 CALL GETLV ;GET PLAYING LEVEL
72F8 CD8E73 01560 CALL SETUP ;SET UP INITIAL LOCATIONS
72FB CDBE73 01570 CALL BRD ;DISPLAY PLAYING BOARD
72FE 2A5B72 01580 DEMON1 LD HL,(FIGX) ;MOLECULE LIST POINTER
7301 3A5A72 01590 LD A,(FIGCNT) ;NO. OF MOLECULE UPDATES
7304 47 01600 LD B,A ;
7305 C5 01610 DEMON2 PUSH BC ;
7306 E5 01620 PUSH HL ;
7307 5E 01630 LD E,(HL) ;MOLECULE CONTROL LIST
7308 23 01640 INC HL ;
7309 56 01650 LD D,(HL) ;
730A DD210000 01660 LD IX,0 ;
730E DD19 01670 ADD IX,DE ;
7310 CD2174 01680 CALL WALL ;REFLECT FIGURE OFF WALL
7313 CDB274 01690 CALL REM ;REMOVE FIGURE
7316 CDE274 01700 CALL MOVE ;MOVE FIGURE
7319 CD1175 01710 CALL ADD ;ADD FIGURE
731C 3A5872 01720 LD A,(LEVEL) ;
731F FE02 01730 CP 2 ;
7321 DC3F75 01740 CALL C,OPEN ;OPEN/CLOSE DOOR

```

Listing continues

initialize the molecule locations and move directions.

The BRD routine draws the playing area on the screen. It stores a one into the door status flag (DOOR) indicating a closed door. It displays the playing level and operating instructions on the last line of the screen.

The Wall routine deflects molecules after a wall contact by changing the move direction appropriately. It also takes into account a corner contact,

“The Wall routine deflects molecules after a wall contact by changing the move direction appropriately.”

where the molecule can touch two walls simultaneously.

The Wall routine checks for a wall contact by extracting the X and Y coordinates of the molecule location and then comparing these values to the known locations of the walls. Figure 2 shows the pixel positions where wall



Left Wall Contact
Pixel positions
0, 1, 2



Right Wall Contact
Pixel positions
0, 1, 2



Upper Wall Contact
Pixel positions
1, 4



Down Wall Contact
Pixel positions
2, 5

Fig. 2. Possible Pixel Positions for Wall Contacts.

MODEL IV DISK UPGRADE ONLY FROM MICRO MAINFRAME

SHIPPING FROM STOCK

- Our **FDC-3B** Standard Grade controller is for single sided disk operation only and does not provide for 8" disk operation.
- Our **FDC-3C** Premium Grade controller is for double sided and/or 8" disk drives.

BOTH COMPLETE DISK UPGRADE KITS INCLUDE THE TEC 5" SINGLE SIDED, DOUBLE DENSITY TEC DISK DRIVE. Double sided drives will be available at extra cost. 8" drives are available from a number of vendors. Please order according to the stock numbers listed below:

DRIVE UPGRADE KIT INCLUDES CONTROLLER, SWITCHING POWER SUPPLY, INSTALLATION KIT, TEC DISK DRIVE AND COMPLETE INSTRUCTIONS.

FDC-3BKD (Standard Grade Controller)	\$ 349.95
FDC-3CKD (Premium Grade Controller)	\$ 369.95

DISK CONTROLLER PC BOARDS ARE AVAILABLE AS FOLLOWS.

FDC-3B (Standard Grade Controller)	\$ 79.95
FDC-3C (Premium Grade Controller)	\$ 99.95

CONTROLLER UPGRADE KIT (less drive) INCLUDES CONTROLLER, SWITCHING POWER SUPPLY, INSTALLATION KIT, AND COMPLETE INSTRUCTIONS.

FDC-3BK (Standard Grade Controller)	\$ 179.95
FDC-3CK (Premium Grade Controller)	\$ 199.95

MODEL-III ** COMPUTER COMPLETE WITH DUAL TEC DISK DRIVES, 48K RAM, AND A MICRO MAINFRAME FACTORY INSTALLED DISK UPGRADE KIT.

M32-1 Model-III ** with FDC-3BKD	\$1495.00
M32-2 Model-III ** with FDC-3CKD	\$1595.00

THE NEW DS-1A DATA SEPARATOR IS NOW AVAILABLE AND GIVES SUPERIOR DATA SEPARATION AND EXTENDS 8" DISK OPERATION TO ALMOST ANYONE'S DISK CONTROLLER!

If you are having difficulty with your disk controller, the problem may be the data separator. Micro Mainframe can provide data separation you need, and, on selected controllers, we can give you 8" disk capability for FREE!

DS-1A Data Separator \$ 39.95

WHAT IS DIFFERENT ABOUT THE MICRO MAINFRAME CONTROLLER?

- **MICRO MAINFRAME** controllers have features other manufacturers haven't yet thought of.
- **MICRO MAINFRAME** products have been proven over the longest period of time of any in the industry and are state of the art. Thanks to our high volume production, we can offer the highest quality products at the most competitive price in the industry.
- **EVERY MICRO MAINFRAME CONTROLLER PRODUCED HAS INCLUDED GOLD PLATED CARD EDGE CONNECTORS FOR INCREASED RELIABILITY AT NO EXTRA COST.**
- **MICRO MAINFRAME IS FIRST TO USE THE STATE OF THE ART 9216 DATA SEPARATOR (FDC-3C ONLY).** We have proven this data separator for a full year and have used it beginning with the very first **FDC-3C** disk controller. Unlike other controllers, **NO ADJUSTMENTS ARE EVER REQUIRED TO OUR DATA SEPARATOR.**
- **MICRO MAINFRAME IS FIRST TO PROVIDE FOR 8" DISK OPERATION ON BOTH OUR FDC-3A and FDC-3C MODELS.**
- **MMF GIVES YOU A SYSTEM THAT CAN GROW WITH YOUR NEEDS,** from floppy disk systems to state of the art hard disk systems with full ECC and the industry's only SASI Multiplexer with our SASI-NET **.
- **MMF's NEW 24 PAGE INSTALLATION MANUAL IS SECOND TO NONE.** Installing a disk upgrade kit from **MICRO MAINFRAME** is now easier than ever before.

WHO IS MICRO MAINFRAME?

MICRO MAINFRAME is the oldest and most respected after-market manufacturer of floppy disk controllers for the Model-III **. *

MICRO MAINFRAME has more experience in floppy and hard disks than any other manufacturer, and we are producing our now-famous **FDC-3** series of disk controllers for the third year.

MICRO MAINFRAME has sold thousands of controllers to many OEMs who have marketed MMF controllers as their own unit.

HOW DO I ORDER?

In order to provide the lowest possible price to the end user, **MICRO MAINFRAME** does not accept credit cards. You may either pre-pay your shipment, or we will ship COD. All orders over \$600 require a 10% deposit upon placement. All non-certified funds will be held a minimum of 3 weeks to allow them to clear. Shipping and handling charges are extra and are not included in the prices above. **MODEL-III ** COMPUTERS** are shipped by truck only. Please phone MMF to obtain shipping and handling fees to your location.

ACCEPT NOTHING LESS THAN THE BEST. INSIST UPON GENUINE MICRO MAINFRAME QUALITY PRODUCTS. Micro Mainframe has a complete line of products for the TRS-80 ** computer system. Call or write for our descriptive flyer.

DEALER INQUIRIES SOLICITED ON YOUR PRINTED LETTERHEAD ONLY.

Phone orders are accepted only between 8:30 AM and 5:00 PM Pacific Time.

MICRO MAINFRAME
11325 Sunrise Gold Circle
Building A
Rancho Cordova, CA 95670
(916) 635-3997

✓50

Listing continued

```

7324 3A5972 01750 LD A,(TIMING) ;DELAY BETWEEN UPDATES
7327 47 01760 LD B,A ;
7328 3A5D72 01770 LD A,(WALLP) ;
732B C5 01780 PUSH BC ;
732C EE03 01790 XOR 3 ;
732E D3FF 01800 OUT (255),A ;BEEP WHEN WALL CONTACT
7330 0640 01810 LD B,40H ;
7332 10FE 01820 DJNZ BC ;
7334 C1 01830 POP BC ;
7335 10F4 01840 DJNZ DEMON3 ;CONTINUE DELAY LOOP
7337 E1 01850 POP HL ;
7338 C1 01860 POP BC ;
7339 23 01870 INC HL ;
733A 23 01880 INC HL ;
733B 10C8 01890 DJNZ DEMON2 ;CONTINUE UPDATE LOOP
733D CD3F75 01900 CALL OPEN ;OPEN/CLOSE DOOR
7340 3A4038 01910 LD A,(3840H) ;BREAK KEY?
7343 E604 01920 AND 4 ;
7345 CAF72 01930 JP Z,DEMON1 ;CONTINUE IF NOT BREAK
7348 C3EE72 01940 JP DEMON ; ELSE START PROGRAM OVER
01950 ;
01960 ;DISPLAY OPENING MESSAGE
734B 21003C 01970 DMSG LD HL,3C00H ;CLEAR SCREEN
734E 11013C 01980 LD DE,3C01H ;
7351 01FF03 01990 LD BC,1023 ;
7354 3620 02000 LD (HL),20H ;
7356 EDB0 02010 LDIR ;
7358 116C71 02020 LD DE,MSG ;MESSAGE ADDRESS
735B 21003C 02030 LD HL,3C00H ;VIDEO ADDRESS
735E 1A 02040 DMSG1 LD A,(DE) ;GET MESSAGE CHARACTER
735F FE2A 02050 CP '*' ;
7361 C8 02060 RET Z ;RETURN IF END OF MESSAGE
7362 FE24 02070 CP 'S' ;
7364 CA6D73 02080 JP Z,DMSG3 ;JUMP IF CARRIAGE RETURN
7367 77 02090 LD (HL),A ;STORE CHARACTER IN VIDEO
7368 13 02100 INC DE ;
7369 23 02110 INC HL ;
736A C35E73 02120 JP DMSG1 ;NEXT CHARACTER
736D 13 02130 DMSG3 INC DE ;
736E 7D 02140 LD A,L ;COMPUTE NEXT LINE ADDR
736F E6C0 02150 AND 0C0H ;
7371 6F 02160 LD L,A ;
7372 014000 02170 LD BC,64 ;
7375 09 02180 ADD HL,BC ;
7376 C35E73 02190 JP DMSG1 ;START NEXT LINE
02200 ;
02210 ;GET PLAYING LEVEL
7379 3A1038 02220 GETLV LD A,(3810H) ;KEYBOARD NUMERIC KEYS
737C E67E 02230 AND 7EH ;MASK FOR KEYS 1-6
737E CA7973 02240 JP Z,GETLV ;LOOP UNTIL 1-6 PRESSED
7381 0F 02250 RRCA ;
7382 0E00 02260 LD C,0 ;
7384 0C 02270 GETLV1 INC C ;
7385 0F 02280 RRCA ;
7386 30FC 02290 JR NC,GETLV1 ;LOOP UNTIL KEY FOUND
7388 0D 02300 DEC C ;
7389 79 02310 LD A,C ;
738A 325872 02320 LD (LEVEL),A ;SAVE PLAYING LEVEL
738D C9 02330 RET ;
02340 ;
02350 ;SET UP PLAYING LEVEL PARAMETERS
02360 ; AND INITIAL FIGURE LOCATIONS AND MOVE DIRECTIONS
738E 3A5872 02370 SETUP LD A,(LEVEL) ;
7391 4F 02380 LD C,A ;
7392 0600 02390 LD B,0 ;
7394 216671 02400 LD HL,FIGCTX ;
7397 09 02410 ADD HL,BC ;
7398 7E 02420 LD A,(HL) ;
7399 325A72 02430 LD (FIGCNT),A ;NO. OF MOLECULE UPDATES
739C 216071 02440 LD HL,TIMX ;
739F 09 02450 ADD HL,BC ;
73A0 7E 02460 LD A,(HL) ;
73A1 325972 02470 LD (TIMING),A ;DELAY BETWEEN UPDATES
73A4 79 02480 LD A,C ;
73A5 87 02490 ADD A,A ;
73A6 4F 02500 LD C,A ;
73A7 210C71 02510 LD HL,LEVELX ;
73AA 09 02520 ADD HL,BC ;
73AB 5E 02530 LD E,(HL) ;
73AC 23 02540 INC HL ;
73AD 56 02550 LD D,(HL) ;
73AE ED535B72 02560 LD (FIGX),DE ;MOLECULE UPDATE LIST
73B2 014800 02570 LD BC,72 ;SET MOLECULE VARIABLES
73B5 215E72 02580 LD HL,HC ;
73B8 11A672 02590 LD DE,H0 ;
73BB EDB0 02600 LDIR ;
73BD C9 02610 RET ;
02620 ;
02630 ;DRAW BOARD
73BE 21003C 02640 BRD LD HL,3C00H ;CLEAR SCREEN W/GRAPHICS
73C1 11013C 02650 LD DE,3C01H ;
73C4 01FF03 02660 LD BC,1023 ;
73C7 3680 02670 LD (HL),80H ;
73C9 EDB0 02680 LDIR ;
73CB 21003C 02690 LD HL,3C00H ;DRAW TOP WALL
73CE 11013C 02700 LD DE,3C01H ;
73D1 013F00 02710 LD BC,63 ;
73D4 3683 02720 LD (HL),83H ;
73D6 EDB0 02730 LDIR ;
73D8 21803F 02740 LD HL,3F80H ;DRAW BOTTOM WALL
73DB 11813F 02750 LD DE,3F81H ;
73DE 013F00 02760 LD BC,63 ;
73E1 36B0 02770 LD (HL),0B0H ;
73E3 EDB0 02780 LDIR ;
73E5 21003C 02790 LD HL,3C00H ;DRAW LEFT WALL
73E8 3EBF 02800 LD A,0BFH ;

```

Listing continues

contacts are possible. For the left and right walls, the molecule must be in pixel positions zero, 1, or 2. Only pixel positions 1 and 4 can contact the upper wall. For the down wall, only pixel positions 2 and 5 can make contact.

If Wall finds that a molecule is at a wall with the right pixel position, it calls **CONTC** to change the move direction unless the wall is the partition and the door is open. If the Y coordinate of the molecule is within range of the door, Wall makes no change to the move direction and lets the molecule continue through.

Wall handles a corner contact by first processing the left or right wall move change and then recalling **CONTC** for the upper or lower wall.

CONTC finds the new move direction for a molecule contacting a wall. It requires that the E register contain the wall number zero, 2, 4, or 6 (corresponding to left, right, up, or down). It uses this wall number, along with the move direction. **CONTC** stores the new move direction in the molecule control variable list by way of the IX register.

The **REM** routine removes the molecule graphics from the screen. It performs two loops, each processing four graphics characters. To avoid too much interference with an overlapping molecule, it masks out the graphics bits rather than storing blanks. **REM** uses the pixel position and the type of molecule to index into the proper table to find the graphics characters.

The **Move** routine calculates the next location and pixel position for a molecule. It indexes into the move table to find the next pixel position and video address offset. It then adds this offset to the current video address and stores it into the molecule control list.

The **Add** routine redraws a molecule on the screen. It performs a logical OR of the graphics bits with the video memory bits for each graphics character and prevents any blanking of an overlapping molecule or wall.

The **Open** routine opens or closes the door in response to the space bar. If the space bar is pressed and the door is closed, it blanks out the door on the screen. If the space bar is not pressed, it draws the door on the screen. It also redraws the partition each time in case it is overwritten by a passing molecule. ■

Contact Lee Morgenstern at 14358 Dyer St., Sylmar, CA 91324.

Listing continued

73EA 114000	02810	LD	DE,64	;
73ED 060F	02820	LD	B,15	;
73EF 77	02830	LD	(HL),A	;
73F0 19	02840	ADD	HL,DE	;
73F1 10FC	02850	DJNZ	BRD1	;
73F3 213F3C	02860	LD	HL,3C3FH	;DRAW RIGHT WALL
73F6 060F	02870	LD	B,15	;
73F8 77	02880	LD	(HL),A	;
73F9 19	02890	ADD	HL,DE	;
73FA 10FC	02900	DJNZ	BRD2	;
73FC 211F3C	02910	LD	HL,3C1FH	;DRAW MIDDLE PARTITION
73FF 1B	02920	DEC	DE	;
7400 060F	02930	LD	B,15	;
7402 77	02940	LD	(HL),A	;
7403 23	02950	INC	HL	;
7404 77	02960	LD	(HL),A	;
7405 19	02970	ADD	HL,DE	;
7406 10FA	02980	DJNZ	BRD3	;
7408 3E01	02990	LD	A,1	;INDICATE DOOR CLOSED
740A 325772	03000	LD	(DOOR),A	;
740D 211B72	03010	LD	HL,PROMPT	;DISPLAY PROMPT AT BOTTOM
7410 11C23F	03020	LD	DE,3FC2H	;
7413 013C00	03030	LD	BC,60	;
7416 EDB0	03040	LDIR		;
7418 3A5872	03050	LD	A,(LEVEL)	;DISPLAY PLAYING LEVEL
741B C631	03060	ADD	A,31H	;
741D 32C83F	03070	LD	(3FC8H),A	;
7420 C9	03080	RET		;
	03090			;
	03100			;REFLECT OFF WALL
	03110			; INPUT IX POINTING TO PIXEL,VIDEO ADDR,MOVE DIRECTION
	03120			; OUTPUT NEW MOVE DIRECTION IF WALL CONTACT
7421 AF	03130	WALL	XOR A	;
7422 325D72	03140	LD	(WALLF),A	;INDICATE NO WALL CONTACT
7425 DD6E01	03150	LD	L,(IX+1)	;GET FIGURE VIDEO ADDRESS
7428 DD6E02	03160	LD	H,(IX+2)	;
742B 7D	03170	LD	A,L	;EXTRACT COORDINATES
742C 1100C4	03180	LD	DE,-3C00H	;
742F 19	03190	ADD	HL,DE	;
7430 29	03200	ADD	HL,HL	;
7431 29	03210	ADD	HL,HL	;H = Y COORDINATE
7432 E63F	03220	AND	3FH	;
7434 6F	03230	LD	L,A	;L = X COORDINATE
7435 DD7E00	03240	LD	A,(IX)	;GET PIXEL POSITION
7438 FE03	03250	CP	3	;
743A D26F74	03260	JP	NC,WALL1	;JUMP IF HALF POSITION
743D 7D	03270	LD	A,L	;GET X COORDINATE
743E 1E00	03280	LD	E,0	;INDICATE LEFT WALL
7440 FE01	03290	CP	1	;
7442 CA6C74	03300	JP	Z,WALL2	;JUMP IF WALL CONTACT
7445 FE21	03310	CP	33	;
7447 CA5974	03320	JP	Z,WALL3	;JUMP IF PARTITION CONT
744A 1E02	03330	LD	E,2	;INDICATE RIGHT WALL
744C FE1C	03340	CP	28	;
744E CA5974	03350	JP	Z,WALL3	;JUMP IF PARTITION CONT
7451 FE3C	03360	CP	60	;
7453 CA6C74	03370	JP	Z,WALL2	;JUMP IF WALL CONTACT
7456 C36F74	03380	JP	WALL1	;CHECK UP, DOWN WALLS
7459 3A5772	03390	LD	A,(DOOR)	;GET DOOR STATUS
745C A7	03400	AND	A	;
745D C26C74	03410	JP	NZ,WALL2	;JUMP IF CLOSED
7460 7C	03420	LD	A,H	;GET Y COORDINATE
7461 FE06	03430	CP	6	;
7463 DA6C74	03440	JP	C,WALL2	;JUMP IF TOO HIGH
7466 FE08	03450	CP	8	;
7468 D26C74	03460	JP	NC,WALL2	;JUMP IF TOO LOW
746B C9	03470	RET		;ALLOW PASSAGE THRU DOOR
746C CD9774	03480	WALL2	CALL	CONTC
	03490			;
746F DD7E00	03500	WALL1	LD	A,(IX)
7472 FE01	03510	CP	1	;
7474 CA7C74	03520	JP	Z,WALL1A	;JUMP IF MIDDLE PIXEL
7477 FE04	03530	CP	4	;
7479 C28574	03540	JP	NZ,WALL1B	;JUMP IF NOT MIDDLE PIXEL
747C 7C	03550	WALL1A	LD	A,H
747D 1E04	03560	LD	E,4	;INDICATE UPPER WALL
747F FE00	03570	CP	0	;
7481 CA9374	03580	JP	Z,WALL4	;JUMP IF WALL CONTACT
7484 C9	03590	RET		;
7485 FE02	03600	WALL1B	CP	2
7487 CA8D74	03610	JP	Z,WALL1C	;JUMP IF BOTTOM PIXEL
748A FE05	03620	CP	5	;
748C C0	03630	RET	NZ	;RET IF NOT BOTTOM PIXEL
748D 7C	03640	WALL1C	LD	A,H
748E 1E06	03650	LD	E,6	;INDICATE DOWN WALL
7490 FE0D	03660	CP	13	;
7492 C0	03670	RET	NZ	;RET IF NO WALL CONTACT
7493 CD9774	03680	WALL4	CALL	CONTC
7496 C9	03690	RET		;
	03700			;
	03710			;GET NEW WALL REFLECTION MOVE DIRECTION
	03720			; INPUT IX POINTING TO PIXEL,VIDEO ADDR,MOVE DIR
	03730			; INPUT E-WALL NUMBER (0,2,4,6) (L,R,U,D)
	03740			; OUTPUT NEW MOVE DIRECTION
7497 E5	03750	CONTC	PUSH	HL
7498 3E01	03760	LD	A,1	;
749A 325D72	03770	LD	(WALLF),A	;INDICATE WALL CONTACT
749D 1600	03780	LD	D,0	;
749F 216C70	03790	LD	HL,WALLX	;GET WALL TABLE ADDRESS
74A2 19	03800	ADD	HL,DE	;COMPUTE WALL LIST
74A3 4E	03810	LD	C,(HL)	;GET MOVE DIR LIST ADDR
74A4 23	03820	INC	HL	;
74A5 46	03830	LD	B,(HL)	;
74A6 DD6E03	03840	LD	L,(IX+3)	;GET MOVE DIRECTION
74A9 2600	03850	LD	H,0	;

Listing continues

Now for
super SCRIPTIT



MAXPRINT

✦ PLUS ✦

for EPSON printers

**EXCEPTIONAL MX SERIES
PRINT DRIVER UTILITY**

✦ PLUS ✦

**COMPLETE
CHARACTER EDITOR**

♥ ♦ ♣ ♠ Σ ⊕ ⊗ ⊙

✓ SUPPORTS ALL GRAFTRAX^{PLUS} FEATURES

- TEXT CONTROL USING CONTROL CHARACTERS
- EASY TRANSPARENT USE

✓ CREATE SPECIAL LETTERS AND PRINT FONTS

- USE WITHIN YOUR WORD-PROCESSOR
- 33 POWERFUL EDITOR COMMANDS
- GREAT FOR BUSINESS OR PROFESSIONALS
- LOTS OF CREATIVE FUN TOO

✓ POWERFUL TRIPLE MENU CONTROL MODE

- IDEAL FOR QUICK PRINTER SET-UP

✓ TRUE PROPORTIONAL MARGIN JUSTIFICATION

- COMPATIBLE WITH OTHER FEATURES

✓ WORKS WITH MOST POPULAR PROGRAMS

- SCRIPTIT[®] • LAZYWRITER • PENCIL
- ANY BASIC PROGRAM

ADDITIONAL FEATURES

- + COMPLETE PAGE AND FORM CONTROL
- + CONTINUOUS UNDERLINING
- + EPSON sm / ^{sup}SCRIPTS
- + AUTO-CENTERING
- + SUPERSCRIPTS
- + SUBSCRIPTS
- + ITALICS

CREATE NEW CHARACTERS

MAXPRINT^{PLUS} CONTAINS A POWERFUL YET EASY-TO-USE CHARACTER EDITOR THAT ALLOWS YOU TO QUICKLY DESIGN SPECIAL LETTERS AND PRINT FONTS FOR YOUR EPSON PRINTER WITH GRAFTRAX^{PLUS}. THEN USE THESE SYMBOLS WITHIN YOUR WORD-PROCESSOR TEXT FOR

+ MATH & SCIENCE -- π Σ ∞ μ ± *

+ BUSINESS -- © ® £ ¢ % ¢

+ FOREIGN LANGUAGE -- ä å ö or 見解

+ PERSONAL FUN -- ♥ ♦ ♣ ♠ ⊕ ⊗ ⊙

MAXPRINT^{PLUS} is an exceptionally versatile Printer driver utility specifically designed for Epson MX Series printers with GRAFTRAX^{PLUS}. It allows you to utilize any Graftrax text feature on a character-by-character basis. Changes are created by inserting simple control characters within word processing text.

The character editor feature allows you to create any letter imaginable. The entire program is 100% assembly language for extremely smooth, quick response. 33 editor and character generation commands with a built-in help file allow you to perform functions like copy, find, merge, replicate, and delete. Completed letter files can be stored and recalled from disk for future use.

The standard MAXPRINT^{PLUS} works with all BASIC programs. Adapter programs are provided for SCRIPTIT, LAZY WRITER, and PENCIL. Minimum system requirements are a 48K Model I or Model III with one disk drive. (Model III needs two disk drives to convert only.) Epson MX Series printer must be equipped with GRAFTRAX^{PLUS}.

Unleash the true potential of your EPSON. MAXPRINT is supplied on disk with manual, adapter programs, and shipping for only:

*** * * \$39.50 * * ***

TO ORDER:

Call (619) 436-1012 Visa / Mastercard
Or send check or money order to:

Peggytronics, 333
249 South Highway 101, Suite 471
Solana Beach, California 92075

CA residents add 6% sales tax // Scriptit TM of Tandy Corp.
All text printed using an Epson MX-80 and MAXPRINT^{PLUS}.

INTRODUCING!!!

α *FAST, SOPHISTICATED*
and **USER FRIENDLY** ✓75
graphics and text program

KWIKDRAW


WITH KWIKDRAW YOU CAN QUICKLY AND EASILY CREATE/EDIT DISPLAYS COMBINING GRAPHICS, TEXT, AND SPECIAL CHARACTERS.

YOU CAN: • Save/Load displays to/from disk in 3 formats: BASIC/ASCII/object • Save/Load/Overlay displays to/from 10 RAM buffers • Print in a variety of formats, with multiple copy and BACKGROUND printing • 2 cursor sizes, each can move at one of 255 speeds from slow to VERY FAST! • Set delay before keys repeat • Have cursors stop at screen edge or wraparound to opposite edge • Fast line & circle • Move/Duplicate/Erase individual figures and/or text • Fill figures • Reverse black/white • Scroll entire screen with/without wraparound • 2 mirror image routines • View directories • 8 menu/help screens • AND MUCH MORE!! Logical key assignments are easy to learn. 50+ page manual with instructions for using displays in your programs. What makes it KWIK? Written in 100% machine code — no SLOW BASIC or compiled BASIC! Backups allowed. **REQUIRES:** 48K Model III* & 1 disk drive. Printing routines require an Epson MX** series printer. **TERMS:** \$74.95 — cash, certified check, money order, or personal check. Allow 2-3 weeks for personal checks to clear, all other orders will be shipped within 48 hours. **LICHEN SOFTWARE, 6603 N. LEE ST. SPOKANE, WA 99207, (509) 448-4026** *Trademark of Tandy Corp. **Trademark of Epson America, Inc.

TRS-80® Programmer's Sourcebook

TRS-80®
Programmer's
Sourcebook

Enduring listings for:
• Applications Software
• System Software
• Reference Publications
• Computer Video



First Edition

Now there is a national TRS-80 sourcebook with system software listings plus club listings, all in addition to many new application software listings, all of which are separated by model number. The first edition of this, by 11-inch bright yellow publication is now in national distribution in both the US and Canada, and is available through your favorite computer store, book store (ISBN 0-912043-0) or you can order direct from us by sending \$4.95 (plus \$1.00 postage and handling) to:

Ocean, Inc.

P.O. Box 2331
Springfield, VA 22152-0331

Visa and Master Card accepted.
(Dealer's inquiries invited.)

*TRS-80 is a registered trademark of Tandy Corp.

Listing continued

```

74AB 09      03860      ADD      HL,BC      ;
74AC 7E      03870      LD      A,(HL)      ;GET NEW MOVE DIRECTION
74AD DD7703  03880      LD      (IX+3),A      ;STORE
74B0 E1      03890      POP      HL      ;
74B1 C9      03900      RET      ;
              03910      ;
              03920      ;REMOVE FIGURE
              03930      ; INPUT IX POINTING TO PIXEL,VIDEO ADDR,MOVE DIR,FIGURE
74B2 DD7E00  03940      REM      LD      A,(IX)      ;GET PIXEL
74B5 87      03950      ADD      A,A      ;
74B6 5F      03960      LD      E,A      ;
74B7 1600    03970      LD      D,0      ;
74B9 DD6E04  03980      LD      L,(IX+4)      ;GET FIGURE POINTER
74BC DD6605  03990      LD      H,(IX+5)      ;
74BF 19      04000      ADD      HL,DE      ;
74C0 5E      04010      LD      E,(HL)      ;GET GRAPHICS POINTER
74C1 23      04020      INC      HL      ;
74C2 56      04030      LD      D,(HL)      ;
74C3 DD6E01  04040      LD      L,(IX+1)      ;GET VIDEO ADDRESS
74C6 DD6602  04050      LD      H,(IX+2)      ;
74C9 0604    04060      LD      B,4      ;
74CB 1A      04070      REM1     LD      A,(DE)      ;GET VIDEO CHARACTER
74CC 2F      04080      CPL      ;
74CD A6      04090      AND      (HL)      ;MASK OUT FIGURE
74CE 77      04100      LD      (HL),A      ;STORE VIDEO
74CF 23      04110      INC      HL      ;
74D0 13      04120      INC      DE      ;
74D1 10F8    04130      DJNZ     REM1      ;CONTINUE FIRST LINE LOOP
74D3 013C00  04140      LD      BC,60      ;
74D6 09      04150      ADD      HL,BC      ;COMPUTE NEXT LINE ADDR
74D7 0604    04160      LD      B,4      ;
74D9 1A      04170      REM2     LD      A,(DE)      ;GET VIDEO CHARACTER
74DA 2F      04180      CPL      ;
74DB A6      04190      AND      (HL)      ;MASK OUT FIGURE
74DC 77      04200      LD      (HL),A      ;
74DD 23      04210      INC      HL      ;
74DE 13      04220      INC      DE      ;
74DF 10F8    04230      DJNZ     REM2      ;CONTINUE SECOND LINE
74E1 C9      04240      RET      ;
              04250      ;
              04260      ;MOVE FIGURE
              04270      ; INPUT IX POINTING TO PIXEL,VIDEO ADDR,MOVE DIR
              04280      ; OUTPUT NEW PIXEL,NEW VIDEO ADDR
74E2 2670    04290      MOVE     LD      H,MOVX<-8      ;MOVE TABLE
74E4 DD7E00  04300      LD      A,(IX)      ;GET PIXEL
74E7 87      04310      ADD      A,A      ;
74E8 6F      04320      LD      L,A      ;
74E9 5E      04330      LD      E,(HL)      ;GET MOVE POINTER
74EA 23      04340      INC      HL      ;
74EB 56      04350      LD      D,(HL)      ;
74EC EB      04360      EX      DE,HL      ;
74ED DD7E03  04370      LD      A,(IX+3)      ;GET MOVE DIRECTION
74F0 87      04380      ADD      A,A      ;
74F1 5F      04390      LD      E,A      ;
74F2 1600    04400      LD      D,0      ;
74F4 19      04410      ADD      HL,DE      ;
74F5 7E      04420      LD      A,(HL)      ;GET NEW PIXEL
74F6 DD7700  04430      LD      (IX),A      ;SAVE IN VARIABLE LIST
74F9 23      04440      INC      HL      ;
74FA 6E      04450      LD      L,(HL)      ;GET VIDEO ADDR OFFSET
74FB 2600    04460      LD      H,0      ;
74FD CB7D    04470      BIT      7,L      ;
74FF 2802    04480      JR      Z,MOVE1      ;
7501 26FF    04490      LD      H,0FFH      ;
7503 DD5E01  04500      MOVE1    LD      E,(IX+1)      ;GET CURRENT VIDEO ADDR
7506 DD5602  04510      LD      D,(IX+2)      ;
7509 19      04520      ADD      HL,DE      ;COMPUTE NEW VIDEO ADDR
750A DD7501  04530      LD      (IX+1),L      ;SAVE IN VARIABLE LIST
750D DD7402  04540      LD      (IX+2),H      ;
7510 C9      04550      RET      ;
              04560      ;
              04570      ;ADD FIGURE
              04580      ; INPUT IX POINTING TO PIXEL,VIDEO ADDR,MOVE DIR,FIGURE
7511 DD7E00  04590      ADD      LD      A,(IX)      ;GET PIXEL
7514 87      04600      ADD      A,A      ;
7515 5F      04610      LD      E,A      ;
7516 1600    04620      LD      D,0      ;
7518 DD6E04  04630      LD      L,(IX+4)      ;GET FIGURE POINTER
751B DD6605  04640      LD      H,(IX+5)      ;
751E 19      04650      ADD      HL,DE      ;
751F 5E      04660      LD      E,(HL)      ;GET GRAPHICS POINTER
7520 23      04670      INC      HL      ;
7521 56      04680      LD      D,(HL)      ;
7522 DD6E01  04690      LD      L,(IX+1)      ;GET VIDEO ADDRESS
7525 DD6602  04700      LD      H,(IX+2)      ;
7528 0604    04710      LD      B,4      ;
752A 1A      04720      ADD1     LD      A,(DE)      ;GET VIDEO CHARACTER
752B B6      04730      OR      (HL)      ;ADD FIGURE
752C 77      04740      LD      (HL),A      ;STORE VIDEO
752D 23      04750      INC      HL      ;
752E 13      04760      INC      DE      ;
752F 10F9    04770      DJNZ     ADD1      ;CONTINUE FIRST LINE LOOP
7531 013C00  04780      LD      BC,60      ;
7534 09      04790      ADD      HL,BC      ;COMPUTE NEXT LINE ADDR
7535 0604    04800      LD      B,4      ;
7537 1A      04810      ADD2     LD      A,(DE)      ;GET VIDEO CHARACTER
7538 B6      04820      OR      (HL)      ;ADD FIGURE
7539 77      04830      LD      (HL),A      ;STORE VIDEO
753A 23      04840      INC      HL      ;
753B 13      04850      INC      DE      ;
753C 10F9    04860      DJNZ     ADD2      ;CONTINUE SECOND LINE
753E C9      04870      RET      ;
              04880      ;
              04890      ;OPEN/CLOSE DOOR
753F 3EBF    04900      OPEN     LD      A,0BFH      ;RESTORE PARTITION
    
```

Listing continues

Listing continued

```

7541 32DF3C 04910 LD (3CDFH),A ;
7544 32E03C 04920 LD (3CE0H),A ;
7547 321F3D 04930 LD (3D1FH),A ;
754A 32203D 04940 LD (3D20H),A ;
754D 325F3D 04950 LD (3D5FH),A ;
7550 32603D 04960 LD (3D60H),A ;
7553 325F3E 04970 LD (3E5FH),A ;
7556 32603E 04980 LD (3E60H),A ;
7559 329F3E 04990 LD (3E9FH),A ;
755C 32A03E 05000 LD (3EA0H),A ;
755F 32DF3E 05010 LD (3EDFH),A ;
7562 32E03E 05020 LD (3EE0H),A ;
7565 3A5772 05030 LD A,(DOOR) ;GET DOOR STATUS
7568 A7 05040 AND A ;
7569 CA7775 05050 JP Z,OPEN3 ;JUMP IF DOOR OPEN
756C 3A4038 05060 LD A,(3840H) ;GET SPACE BAR STATUS
756F E680 05070 AND 80H ;
7571 CA7D75 05080 JP Z,OPEN2 ;JUMP IF NOT PRESSED
7574 C39775 05090 JP OPEN1 ;JUMP IF PRESSED
7577 3A4038 05100 LD A,(3840H) ;GET SPACE BAR STATUS
757A E680 05110 AND 80H ;
757C C0 05120 RET NZ ;RET IF SPACE BAR PRESSED
757D 3E95 05130 LD A,095H ;CLOSE DOOR
757F 325772 05140 LD (DOOR),A ;
7582 329F3D 05150 LD (3D9FH),A ;
7585 32DF3D 05160 LD (3DDFH),A ;
7588 321F3E 05170 LD (3E1FH),A ;
758B 3EAA 05180 LD A,0AAH ;
758D 32A03D 05190 LD (3DA0H),A ;
7590 32E03D 05200 LD (3DE0H),A ;
7593 32203E 05210 LD (3E20H),A ;
7596 C9 05220 RET ;
7597 3E80 05230 LD A,080H ;OPEN DOOR
7599 329F3D 05240 LD (3D9FH),A ;
759C 32A03D 05250 LD (3DA0H),A ;
759F 32DF3D 05260 LD (3DDFH),A ;
75A2 32E03D 05270 LD (3DE0H),A ;
75A5 321F3E 05280 LD (3E1FH),A ;
75A8 32203E 05290 LD (3E20H),A ;
75AB AF 05300 XOR A ;
75AC 325772 05310 LD (DOOR),A ;
75AF C9 05320 RET ;
75AF C9 05330 ;
72EE 05340 END DEMON
00000 TOTAL ERRORS

```

TRS-80*

WOBOS™ I

WESTERN OPERATIONS

Basic Operating System

WOBOS I is a menu driven, prestructured program in BASIC that provides access to over 30 utility functions during development or actual use of a program. Its unique layout allows you to develop your programs within a well organized environment that provides a very strong foundation to build upon. You always had to start from scratch before but now, after loading WOBOS I, you'll start with over 11K of subroutines and system utilities. Imagine what this can do for your productivity! WOBOS I is not an accessory to your program. It actually becomes its foundation!

WOBOS I for Model III BASIC 03/01/82 12:34:56

PROGRAM	MENU	UTILITIES
1 Your Program A	11 Data List	
2 B	22 Sort	
3 C	33 Renumber	
4 D	44 Append	
5 E	55 Memory Dump	
6 Graphics Synthesis	66 Map	
7 Special characters 0-31	77 Size	
8 91-257	88 New Data Entry	
9 192-255	99 Device I/O	

Illustrated above is the Primary Menu of WOBOS I for Model III. In addition to the features shown, the DEVICE I/O generates a separate 9-choice menu that will allow you to compile, update, sort and output your data files. It also includes a utility that will save both the DATA and WOBOS I on tape and/or disk.

With controllable SOUND!

"Once you've used it, you'll never write another program without it!"

Model	III	I	COLOR
BASIC	MODEL III	DISK	LEVEL II
P-N	CC 1021	CD 1031	CC 1022
			CD 1032
			CC 1023
			CD 1033

Shipped First Class Airmail at no extra charge if you mention this ad.

ON QUALITY CASSETTE & MANUAL

ORDER PHONE	VISA	MasterCard	ONLY
(503) 289-1133			\$35

SEND CHECK, MONEY ORDER OR NUMBER AND EXPIRATION DATE OF YOUR CREDIT CARD TO:

WESTERN OPERATIONS

395 N. Hayden Bay Drive, Portland, Oregon 97217

Dedicated to Excellence since 1976

*TRS-80 is a TM of TANDY CORP.

Try **DISnDATA**,
The Disassembler That

Even Tracks Down DATA!!!

NEW!!! VERSION 2

- Outputs fully labeled R.S. or APPARAT™ EDTASM™ format code to display, printer, cassette or disk.
- Loads programs from cassette or disk and displays main entry point.
- Printer output fully paginated.

• Outputs " H37F7 DEFM 'Cass?'
DEFB 03H
instead of the meaningless "equivalent",
" AB25 LD B,E
LD H,C
LD (HL),E
LD (HL),E
CCF
JR NZ,S+5 ", etc.

- Automatically identifies such data areas.
- Relocates itself to any desired RAM area, up/down one byte or as many as required.
- Runs on TRS-80 Model I (Level II) or Model III, 16K or more, cassette or disk.

To order **DISnDATA** phone (513) 435-4480
(M-F, 9 a.m. - 5 p.m. EST), or send check or money order for:

#1354-12 (Model I/III cassette) \$34.95
#1354-22 (Model III diskette), TRSDOS* \$39.95
format
(U.S. Funds only) Add \$2.00 shipping (U.S.)
\$5.00 (Foreign). \$3.00 Additional on C.O.D. Orders.
Ohio Residents please add 6.5% Sales Tax.

*Registered Trademarks Tandy Corporation
**Registered Trademark Apparat Inc.

Professional Software for both Novice and Expert



Pro/Am Software
220 Cardigan Road
Centerville, Ohio 45459

Visa and Mastercard accepted.


When ordering via card include card number, interbank number, expiration date, your name, address and phone number.

✓260


Put your TRS-80[®] in touch with IBM's universe

Now you can have full IBM communications capability through one of Innovative Data Technology's 1/2" magnetic tape peripherals.

Featuring industry-standard interfaces, rapid data transfer rates, full operating and command subsets and a wide selection of models and configurations, IDT's magnetic tape subsystems provide economical and reliable data/program interchange, 40M bytes of storage and disc back-up. All IDT subsystems come complete and include tape transport, formatter, intelligent controller, computer resident coupler, cables, documentation and software. But most importantly, they help put your system in touch with the IBM universe.



TRS-80



TD-1012-3
Tape
Subsystem

O.E.M., dealer/distributor discounts available.



INNOVATIVE
DATA
TECHNOLOGY

✓377

4060 Morena Blvd. • San Diego, CA 92117
(619) 270-3990 • TWX: (910) 335-1610

Eastern Regional Office:
P.O. Box 1093 • McLean, VA 22101-1093
(703) 821-1101 • TWX: (710) 833-9888

IBM is a trademark of International Business Machines Corp.
TRS-80 is a trademark of the Tandy Corporation

Kings and Castles

by Gary Michaels

Remember "Kings and Catapults"? Well, now you can enjoy that same kind of action on your Color Computer with this exciting variation.

As an avid Dungeons & Dragons player and a semi-accomplished adventure fanatic, I was intrigued by William C. Adams' fantasy role-playing game, "Kings and Catapults" (80 Micro, February 1982, p. 232).

Adams' program was written for the Model I or III. Since there are few adventure programs available for the Col-

or Computer, I decided to try my hand at converting his program to Extended Color Basic. After many hours editing and reediting it, I believe I've come up with a reasonable facsimile, and added a few surprises along the way (see Program Listing 1).

The Game

Like its predecessor, Kings and Castles is a one- or two-player game in which each participant takes the role of a king. Each king commands a large army of fierce warriors, a kingdom of civilians, an arsenal of cannon, and a number of infiltrators available for hire. Players can also acquire a catapult

The Key Box

Color Computer
16K RAM
Extended Color Basic



which, if used properly, inflicts substantial damage.

At the start of every war, each king has a large sum of money, which he uses to pay his troops, buy cannon, or hire infiltrators (at \$10,000 each). Infiltrators are potentially the most deadly weapons at your disposal. If they survive the opposing king's guards, they'll strike the king down, making you the victor.

You can also claim victory if your opponent's castle loses all of its vulnerable spots (hit points), or if you destroy all of his warriors. However, additional men can be recruited from the civilian ranks.

On occasion, your father (who is also a very powerful king) ships you aid in the form of money, warriors, cannon, civilians, catapults, or, if you're fortunate, a sampling of each.

The first ruler to overcome his opponent five times becomes the victor, and is deemed the monarch of both kingdoms.

Significant Changes

On the surface, Kings and Castles appears almost identical to its predecessor, but there are several significant changes.

The opponents' names, accompanied by their ranks, appear in a scoreboard at the top of each title screen. This lets you know when you can afford to live dangerously and when it's time to infiltrate to save your skin.

Catapults are fired either at your opponent's men or his castle.

The computer (in a one-player game) is now an extremely worthy opponent. In Kings and Catapults, it selected options unavailable to it, such as attempting to infiltrate when it had no spies left, causing it to lose a turn. This happened with alarming regularity, as the computer's moves were chosen by an 'X=RND(4)' statement. In addition, it was unable to buy cannon when all its cannon were destroyed, or to hire civilians when its warriors were decimated. The latter often caused the computer to lose entire wars, making for an extremely boring game.

In this version, however, the computer chooses its options more methodically. It fires cannon or catapults at your warriors or castle, not randomly but according to what causes you to lose more quickly. It no longer stupidly advances troops into battle with only 200 men left. It infiltrates when necessary, hires civilians when warriors are becoming an endangered species, and purchases cannon when supplies run out.

Program Listing 1. Kings and Castles.

```

5 CLS:PRINT@160," I'M SETTING UP A SERIES OF BAT-TLEFIELDS WITH
A RANDOM SEED GE-NERATOR, INDICATED BY THE NUM- BERS AT LOWER R
IGHT. WHEN THEY STOP, WE'LL BEGIN. IT WILL BE A FEW MOMENTS, SO
PLEASE BEAR WITHME....."
10 'RNDGEN DEVISED BY CRAIG TOOKER, COL'S OH
15 X=TIMER
20 IFX>10000THENX=X/10:GOTO20
25 FORZ=1TOX:Y=RND(RND(X)):PRINT@505,Z,:NEXTZ
30 'BY GARY MICHAELS, COLUMBUS, OH 43229, 614/476-0578
35 CLEAR(100):CLS:PRINT"KINGS AND CASTLES":PRINT:PRINT" THE SCEN
E IS SOMEWHERE IN THE DAMP, FOGGY REGION WHICH IS NOW KNOWN AS
SCOTLAND, SOMETIME IN THE MIDDLE AGES.":GOSUB815
40 PRINT:SOUND180,10:INPUT" WHO SHALL BE THE NORTHERN KING?(UP T
O EIGHT LETTERS)":N$:PRINT:SOUND220,10:INPUT" AND THE RULER OF T
HE SOUTHERN KINGDOM? (TYPE IN computer IF YOU WISH TO WAR AGA
INST ME)":S$
45 IFSS="COMPUTER"THENGOSUB765:GOSUB765:PRINT@483,"*I WELCOME TH
E CHALLENGE*":GOSUB765:GOSUB765
50 ER=0:WR=0
55 GOSUB545:M=0:M=RND(30000):M=M+150000:N=M:SM=M
60 R=0:RI=0
65 X=RND(10000):NW=X+20000:X=RND(10000):SW=X+20000:N=RND(10000):
N=N+20000:S=RND(10000):S=S+20000:CN=500:CS=500
70 NC=RND(10000):SC=RND(10000):I=RND(5):I1=RND(5)
75 X=RND(100):IFX<25THEN NS=1ELSE NS=0
80 X=RND(100):IFX<25THEN SS=1ELSE SS=0
85 GOSUB725:CLS:PRINT@2,N$:PRINT@18,S$:
90 Q=0
95 IF Nn<=0THEN NM=0ELSE NM=NM
100 IF SM<=0THEN SM=0ELSE SM=SM
105 IFNW<=0THEN NW=0ELSE NW=NW:IFSW<=0THEN SW=0ELSE SW=SW:IF NC<
=0THEN NC=0ELSE NC=NC
110 IF SC<=0THEN SC=0ELSE SC=SC
115 PRINT@32,"***** ":TS="":PRINT@0,TS
:PRINT@11,WR:PRINT@11,TS:PRINT@13,TS:PRINT@16,TS:PRINT@27,E
R:PRINT@27,TS:PRINT@29,TS:
120 PRINT@96,"$NM:PRINT@112,$"SM
125 PRINT@128,"WAR'RS.":IFNW<=0THEN465ELSEPRINTNW:PRINT@144,"W
AR'RS.":IFSW<=0THEN470ELSEPRINTSW:PRINT@160,"HIT PTS.":IFN<=0
THEN550ELSEPRINTN:PRINT@176,"HIT PTS.":IFS<=0THEN555ELSEPRINTS
:
130 IFCN<=0THENCN=0
135 IFCS<=0THENCN=0ELSE140
140 PRINT@192,"CANNON:CN:PRINT@208,"CANNON:CS:PRINT@224,"CIV'L
NS:":IFNC<=0THENCN=0:PRINTNC:GOTO145ELSEPRINTNC
145 PRINT@240,"CIVILIANS:SC:
150 PRINT@256,"SPIES:I:PRINT@272,"SPIES:I1:IFNS>=1THENPRINT@
288,"CATAPULTS:NS
155 IFSS>=1THENPRINT@304,"CATAPULTS:SS
160 IFT=0THENT=1:PRINT@480,N$'S TURN":GOTO165ELSEIFT=1THENT=0:
PRINT@480,S$'S TURN":IFSS="COMPUTER"THENPRINT@499,"DONT RUSH M
E":GOTO285ELSE285
165 PRINT@352,"F)IRE CAN. A)DVANCE C)ATAPULT H)IRE CIV. B)UY
CAN. I)NFI LTRT R)ELEASE WARRIORS":SOUND180,1
170 AS=INKEY$:IFA$=" "THEN170ELSECLS:GOSUB435:GOSUB670:IFA$
="F"THEN175ELSEIFA$="A"THEN215ELSEIFA$="C"THEN225ELSEIFA$="H"
THEN245ELSEIFA$="B"THEN265ELSEIFA$="I"THEN560ELSEIFA$="R"THEN190
ELSE165
175 CLS:PRINT"CANNON FIRED"
180 IFCN<=0THENPRINT"NO CANNON LEFT, SIR":CN=0:GOTO540ELSEPRINT"
FIRE AT HIS C)ASTLE OR HIS M)EN":PRINT
185 AS=INKEY$:IFA$="C"THENPRINT"CASTLE":GOSUB760:GOTO195ELSEIFA$
="M"THENPRINT"MEN":GOSUB760:GOTO210ELSE185
190 CLS:PRINT"RELEASING WARRIORS":PRINT:PRINT"HOW MANY TO LET GO
?":INPUT A:IF A>NW THEN190ELSE NW=NW-A:GOSUB775:PRINT"THEY'RE ON
THEIR WAY HOME!":GOTO540
195 V=RND(3):IFV=1THENPRINT"WAY OFF!":GOTO540ELSEV=RND(5000):S=S
-D:PRINT"BOOM!!":PRINTSS" LOST"D"HIT POINTS!":D=RND(100):CS=CS-D
:PRINT"AS WELL AS"D"CANNON":D=RND(99)
200 SC=SC-D:PRINT"AND":D"CIVILIANS":IFSS<1THENGOTO540ELSEV=RND(1
0):IFD<4THENPRINT"***AND YOUR CATAPULT!***":SS=SS-1:IFSS<1THENS
S=0:GOTO540ELSEGOTO540
205 GOTO540
210 V=RND(3):IFV=1THENPRINT"YOU HIT A FIELD!":GOTO540ELSEV=RND(5
000):SW=SW-D:PRINTSS" LOST"D"MEN!":IFD>3000THENV=RND(3000):NW=NW
-D:PRINT"BUT "N$'S WARRIORS WERE TOO":PRINT@192,"CLOSE TO "SS"
'S TROOPS.":PRINTSS" LOST"D"MEN.":GOTO540ELSEGOTO540
215 CLS:PRINT"TROOPS ADVANCED":PRINT:GOSUB800
220 D=RND(4500):SW=SW-D:PRINTSS" LOST"D"MEN, AND":D=RND(4500):NW
=NW-D:PRINTN$" LOST"D"OF HIS":PRINT"WARRIORS IN THIS BATTLE.":GO
TO540
225 CLS:PRINT"CATAPULT FIRED":IFNS<1THENPRINT:PRINT"YOU DON'T HA
VE ONE!":GOTO540ELSEPRINT"FIRE AT HIS C)ASTLE OR HIS M)EN?"
230 AS=INKEY$:IFA$="C"THENPRINT"CASTLE":GOSUB760:GOTO235ELSEIFA$
="M"THENPRINT"MEN":GOSUB760:GOTO240ELSE230
235 X=RND(10):IFX=5THENPRINT"IT BACKFIRED!":D=RND(1000):N=N-D:PR
INTN$" LOST"D"HIT POINTS!":GOTO540ELSEX=RND(2):IFX=2THENPRINT"NO

```

Listing 1 continues

Listing 1 continued

```
T EVEN CLOSE!":GOTO540ELSE$=RND(11000):S=S-D:PRINT$"'S CASTLE L
OST"D"HIT POINTS!":GOTO540
240 X=RND(3):IFX<3THENPRINT"YOU MISSED!":GOTO540ELSE$=RND(11000)
:SW=SW-D:PRINT$" LOST"D"OF HIS WARRIORS!":GOTO540
245 CLS:PRINT"HIRING CIVILIANS":PRINT
250 IFNC=0THENPRINT"NO ONE LEFT TO RECRUIT":GOTO540
255 PRINT"HOW MANY DO YOU NEED?"
260 INPUT A:IF A>NC THENPRINT"THESE ARE ONLY"NC"1":GOTO540ELSE N
C=NC-A:NW=NW+A:GOSUB785:PRINT"THEY'RE HEADING FOR THE FRONT!":GO
TO540
265 CLS:PRINT"BUYING CANNON":PRINT
270 GOSUB780:PRINT"A LOUD HORN IS BLOWN BELOW. ONE OF THE MERCHA
NTS ASKS HOW MANY YOU WOULD LIKE?"
275 X=RND(100):PRINT"CANNON COST $";X" EACH"
280 INPUTA:A1=A:A1=A1*X:IFAL>NM THENPRINT"YOU DON'T HAVE ENOUGH
GOLD, SIR!":GOTO540ELSEPRINT"THE CANNONSMITH IS LOADING YOUR WAG
ONS!":NM=NM-A1:CN=CN+A:GOTO540
285 PRINT0352,"F)IRE CAN. A)DVANCE C)ATAPULT H)IRE CIV. B)UY
CAN. I)NFI LTRT R)ELEASE WARRIORS":SOUND220,1
290 IF$="COMPUTER"THENGOSUB815:GOSUB505:GOTO300ELSE$=INKEYS:IF
A$=" "THEN290ELSECLS:GOSUB505:GOSUB670:IFA$="F"THEN320ELSEIFA$="A
"THEN365ELSEIFA$="C"THEN375ELSEIFA$="H"THEN395ELSEIFA$="B"THEN41
5ELSEIFA$="I"THEN580ELSEIFA$="R"THEN295ELSE285
295 IF$="COMPUTER"THEN290ELSECLS:PRINT"RELEASING WARRIORS":PRIN
T:PRINT"HOW MANY ARE LEAVING?":INPUT A:IF A>SW THEN295ELSE SW=SW
-A:GOSUB775:PRINT"THEY'RE GLAD TO GO HOME!":GOTO540
300 IF NS>=LAND SW<11000AND SC>=1THEN310ELSEIFSW<8000AND SC>=1TH
EN310ELSEIF CS<LAND SM>4999THEN315ELSEIF NS>=LAND SW<11000AND SM
>9999AND IL>=1THEN580ELSEIFSW<8000AND SM>9999AND IL>=1THEN580ELS
EIF NS>=LAND S<11000AND SM>9999AND IL>=1THEN580ELSE305
305 IF S<8000AND SM>9999AND IL>=1THEN580ELSEIF NW<3000AND SW>600
0THEN365ELSEIF SS>=1THEN375ELSEIF CS>=1THEN320ELSE365
310 IFSW<11000THEN D=11000:X=D-SW:IFSC>X THENCLS:PRINT"HIRING"X"
CIVILIANS":SW=11000:SC=X:GOSUB785:GOTO540ELSEIFSW<8000ANDSC>5
0THENCLS:PRINT"HIRING"SC"CIVILIANS":GOSUB785:SW=SW+SC:SC=0:GOTO5
40ELSE315
315 IFCS<LANDSM>5000THEND=RND(50):A1=D*100:CS=CS+100:SM=SM-A1:CL
S:PRINT"BUYING 100 CANNON AT $"D" EACH.":GOSUB780:GOTO540
320 CLS:PRINT"CANNON FIRED"
325 IFCS<=0THENPRINT"YOU HAVE NONE LEFT":GOTO540ELSEPRINT"AT HIS
M)EN OR HIS C)ASTLE?":PRINT
```

Listing 1 continues

A legend now appears at the top of the screen notifying you and your opponent which option the other has chosen. (Previously it was difficult, especially when battling against the computer, to ascertain just how your men or castle were destroyed.)

Floods and plagues, which occur from time to time and inflict a tremendous amount of damage, now cannot occur when either king has fewer than 10,000 warriors or hit points, so battles must be decided by head-to-head combat. Although this is unrealistic, you'd be surprised at how tedious it was previously to lose battles because of a devastating plague. This was particularly annoying to the Northern ruler, because if both kings' castles were wiped out, the Northern king always lost.

Infiltrators must fight a minimum of two guards to kill the opposing king—it was much too simple to fell a lone guard in Kings and Catapults.

Sound effects are added to each phase of the battles. They include "We're In The Money" for payday, "Taps" for either king's demise, "Jaws" for floods, "The Love Boat Theme" when fathers ship aid, the Wizard of Oz's guard song ("Ohh-ee-

Buy
Direct!

SAVE MONEY ON TRS-80[®] COMPUTERS

Discount
Prices!

1-800-835-9056

Kansas Residents — 316-624-1919 (collect)


✓ **CHECK WITH US AND SAVE**

We have the largest inventory in the Central United States. Immediate shipment directly to you from our warehouse.

- ✓ Bank Cashier's Checks
- ✓ Bank Money Orders
- ✓ Bank Wire Transfers

- * All Inventory 100% TRS-80 Equipment
- * Free Price List
- * No Out-Of-State Taxes

TRS-80 MODEL 12



Two Disk Drive System
(Cat. No. 26-4005)

Jimscot Inc

1023 N. Kansas — Box 607
Liberal, Ks. 67901

TRS-80 is the registered trademark of Tandy Corporation

✓254

Listing 1 continued

```

330 IF$="COMPUTER"THEN335ELSE$=INKEY$:IFA$=" "THEN330ELSEIFA$="
C"THEN340ELSEIFA$="M"THEN355
335 IF N<NW THEN340ELSE355
340 PRINT"CASTLE":GOSUB760:V=RND(3):IFV=1THENPRINT"WAY OFF!":GOT
0540ELSE$=RND(5000):N=N-D:PRINT"BOOM!":PRINTN$ "LOST"D"HIT POINT
SI":D=RND(100):CN=CN-D:PRINT"AS WELL AS"D"CANNON":D=RND(99)
345 NC=NC-D:PRINT"AND":D"CIVILIANS":IFNS<1THENGOTO540ELSE$=RND(1
0):IFD<4THENPRINT"***HE HIT YOUR CATAPULT!***":NS=NS-1:IFNS<1THE
NNS=0ELSE NS=NS:GOTO540ELSE540
350 GOTO540
355 PRINT"MEN":GOSUB760:V=RND(3):IFV=1THENPRINT"YOU HIT A FIELD!
":GOTO540ELSE$=RND(5000):NW=NW-D:PRINTN$ "LOST"D"MEN!":IFD>3000T
HEND=RND(3000):SW=SW-D:PRINT"BUT "SS"'S WARRIORS WERE TOO";:PRIN
T$192,"CLOSE TO "N$"'S TROOPS":PRINTN$ "LOST"D"MEN."
360 GOTO540
365 CLS:PRINT"TROOPS ADVANCED":PRINT:GOSUB800
370 D=RND(4500):NW=NW-D:PRINTN$ "LOST"D"MEN, AND":D=RND(4500):SW
=SW-D:PRINTN$ "LOST"D"OF HIS TROOPS":PRINT"IN THIS BATTLE.":GOTO
540
375 IF$="COMPUTER"ANDSS<1THEN290ELSECLS:PRINT"CATAPULT FIRED":I
FSS<1THENPRINT:PRINT"YOU DON'T HAVE ONE":GOTO540ELSEPRINT"FIRE A
T HIS C)ASTLE OR HIS M)EN?"
380 IF$="COMPUTER"AND N<NW THENPRINT"CASTLE":GOSUB760:GOTO385EL
SEIFA$="COMPUTER"THENPRINT"MEN":GOSUB760:GOTO390ELSE$=INKEY$:IF
A$="C"THENPRINT"CASTLE":GOSUB760:GOTO385ELSEIFA$="M"THENPRINT"ME
N":GOSUB760:GOTO390ELSE380
385 X=RND(10):IFX=5THENPRINT"IT BACKFIRED!":D=RND(1000):S=S-D:PR
INTN$ "LOST"D"HIT POINTS!":GOTO540ELSEX=RND(2):IFX=2THENPRINT"NO
T EVEN CLOSE!":GOTO540ELSE$=RND(11000):N=N-D:PRINTN$ "'S CASTLE L
OST"D"HIT POINTS!":GOTO540
390 X=RND(3):IFX<3THENPRINT"YOU MISSED!":GOTO540ELSE$=RND(11000)
:NW=NW-D:PRINTN$ "LOST"D"OF HIS WARRIORS!":GOTO540
395 CLS:PRINT"HIRING CIVILIANS":PRINT
400 IFSC=<0THENPRINT"NO ONE LEFT, SIR":GOTO540
405 PRINT"HOW MANY DO YOU WANT?"
410 INPUT:A:IFA>SC THENPRINT"YOU ONLY HAVE"SC"CIVILIANS!":GOTO540
ELSE$=SC-A:SW=SW+A:GOSUB785:PRINT"THEY'RE DONNING THEIR ARMOR!":
GOTO540
415 PRINT"BUYING CANNON":PRINT
420 GOSUB780:PRINT"A TRUMPET'S BLARE COMES UP FROM THE VILLAGE.
THE CANNONSMITH WANTS TO KNOW HOW MANY?"

```

Listing 1 continues

oh, Ee-ohh-oh") for troop advances, and "You're In The Army Now" for hiring civilians.

I have also included a random seed generator. Since the Color Computer doesn't have one built in, each time the game loaded from tape, the first status listing gave the same number of warriors, castle hit points, and civilians. North's father would always bring aid on his second turn, and it was always \$23,302.

Fortunately, a friend at a local Radio Shack store came to my rescue, writing the 'RNDGEN' subroutine that appears in lines 5-25. This subroutine replaces a Random routine found in Model I or III programs. Without it, this program is useless.

Possible Modifications For 32K Users

As this program uses all but about 500 bytes of the 16K Color Computer's memory, further changes are all but impossible for those with that system. But 32K owners may want to make these relatively simple modifications.

Playing this game with female friends might elicit comments like, "Why does it always call me 'him'?" The remedy is to insert a question at the beginning of

UPGRADE

Micro-Designs System Upgrade for the TRS Model III and 4

THE MICRO-DESIGN TRS 80 upgrade includes MICRO-DESIGNS EXCEPTIONAL MDX-6 disk CONTROLLER board, ONE 40 TRACK TANDON Disk Drive, NECESSARY INSTALLATION CABLES AND HARDWARE. Will also CONTROL EXTERNAL 8" Disk Drive Systems.

FOR MORE INFORMATION & FREE LITERATURE
CALL OR WRITE

MICRO-DESIGN

6301 MANCHACA ROAD
AUSTIN TEXAS, 78745

TOLL FREE

1-800-531-5002

\$399.00

✓463

See our ads on pages 215, 216, 217, 257, 273

```

425 X=RND(100):PRINT"CANNON COST $"X"EACH."
430 INPUTA:AL=A:AL=X:IFAL>SM THENPRINT"NOT ENOUGH CASH ON HAN
DI":GOTO540ELSEPRINT"THEY'VE BEEN ADDED TO YOUR ARSE-NAL!":SM=SM
-AL:CS=CS+A:GOTO540
435 M5=M5+2:IFM5=12THENCLS:PRINT"PAYDAY!":GOSUB795:PRINT"$2.00 P
ER WARRIOR IS BEING DE- DUCTED.":PRINT:M5=0:P=PW*2:PL=SW*2:N=M=N
M-P:SM=SM-PL:IFNM<=0AND SM<=0THEN450ELSEIFNM<=0THEN445ELSEIF SM<
=0THEN440ELSEGOTO535ELSERETURN
440 X=RND(2):IFX=1THEND=RND(SW):SW=SW-D:PRINTD:"OF "S$:"S MEN H
AVE DIED O- STARVATION":GOTO535ELSED=RND(SW):SW=SW-D:NM=NM-D:PRI
NTD:"OF "S$:"S MEN JOINED "N$:"S ARMY. HE CAN'T PAY THEM!":GOTO5
35
445 X=RND(2):IFX=1THEND=RND(NW):NW=NW-D:PRINTD:"OF "N$:"S MEN JU
ST PERISHED FROM HUNGER":GOTO535ELSED=RND(NW):NW=NW-D:SW=SW-D:PR
INTD:"OF "N$:"S MEN SWITCHED SIDES- "N$" CAN'T PAY THEM!":GOTO53
5
450 X=RND(2):IFX=1THEND=RND(NW):NW=NW-D:PRINTD:"OF "N$:"S MEN JUS
T DIED OF STARVATION- HE CAN'T PAY THEM!":GOTO455ELSEPRINTN$:"CA
N'T PAY HIS MEN, BUT THEY REMAIN LOYAL!":GOTO455
455 X=RND(2):IFX=1THEND=RND(SW):SW=SW-D:PRINTD:"OF "S$:"S MEN HAV
E DIED FROM MALNUTRITION- HE CAN'T PAY THEM!":GOTO535ELSEPRINTN$
" CAN'T PAY HIS MEN, BUT THEY REMAIN LOYAL!":GOTO535
460 PRINT:PRINT:INPUTPRESS<ENTER>...:A:RETURN
465 CLS:PRINT"SORRY, "N$":GOSUB770:PRINT:PRINT" YOUR WARRIORS
HAVE ALL BEEN KILLED. YOUR CASTLE HAS BEEN TA-KEN OVER BY "S$
"S TROOPS.":Y=2:GOTO615
470 CLS:PRINT"SORRY, "S$":GOSUB770:PRINT:PRINT" ALL OF YOUR WA
RRIORS ARE DEAD. YOUR CASTLE HAS BEEN OCCUPIED BY"N$:"S FORCES."
:Y=1:GOTO615
475 X=RND(100):IFX>15THENRETURNELSE R=R+1:IF R>7 THENRETURNELSEC
LS:PRINT@12,"**AHoy**":GOSUB790:PRINT:PRINTN$:"S FATHER JUST BRO
UGHT- "P=RND(7)
480 IFP=1THENX=RND(100):CN=CN+X:PRINTX;CS:GOTO535ELSEIFP=2THENX=
RND(1000):NW=NW+X:PRINTX;WS:GOTO535ELSEIFP=3THENNS=NS+1:PRINT"A
";DS:GOTO535ELSEIFP=4THENX=RND(20000):N=N+X:PRINT"A CASTLE REPAI
R CREW- HE NOW HAS "N;H$;GOTO535
485 IFP=5THENX=RND(30000):NM=NM+X:PRINTM$;"$":X:GOTO535ELSEIFP=6
THENX=RND(10000):NC=NC+X:PRINTX;ES:GOTO535ELSEIFP=7THEN490
490 C5=RND(500):W5=RND(30000):NS=NS+1:H5=RND(30000):M8=RND(30000
):E5=RND(10000):CN=CN+C5:NW=NW+W5:N=N+H5:NM=NM+M8:NC=NC+E5:PRINT
C5;CS
495 PRINTW5;WS:PRINT" 1";DS:PRINT" A CASTLE REPAIR CREW WHICH RE
S- TORES";H5;H$:PRINT" $";M8:PRINTES;ES:X=RND(5):PRINT" AND";X;"
SPIES!":I=I+X
500 GOTO535
505 X=RND(100):IFX>15THENRETURNELSEIF$="COMPUTER"AND Q>=1THENG
OTO300ELSE RI=R+1:IF RI>7 THENRETURNELSECLS:PRINT@12,"**AHoy**":
GOSUB790:PRINT:PRINTN$:"S FATHER JUST BROUGHT- "O=O+1:P=RND(7)
510 IFP=1THENX=RND(100):CS=CS+X:PRINTX;CS:GOTO535ELSEIFP=2THENX=
RND(10000):SW=SW+X:PRINTX;WS:GOTO535ELSEIFP=3THENSS=SS+1:PRINT"O
NE";DS:GOTO535ELSEIFP=4THENX=RND(20000):S=S+X:PRINT"A CASTLE REP
AIR CREW- IT NOW HAS "S;H$;GOTO535
515 IFP=5THENX=RND(30000):IF SM<=0THEN SM=X ELSE SM=SM+X:PRINTM$
,"$";X:GOTO535ELSEIFP=6THENX=RND(10000):SC=SC+X:PRINT X;ES:GOTO5
35ELSEIFP=7THEN520
520 C5=RND(500):W5=RND(30000):SS=SS+1:H5=RND(30000):D=RND(30000)
:E5=RND(10000):CS=CS+C5:SW=SW+W5:S=S+H5:IF SM<=0THEN SM=D ELSE S
M=SM+D:SC=SC+E5
525 PRINT C5;CS:PRINTW5;WS:PRINT" ONE";DS:PRINT" A CASTLE REPAIR
CREW WHICH RES- TORES";H5;H$:PRINT" $";D:PRINTES;ES:X=RND(5):P


```

The Driving Force!

JFD - COCO DISC SYSTEM - \$449

J & M Systems, Ltd. is a leader in the Model III marketplace with our JFD-III Disc Controller. With thousands in operation, we have set new standards in controller performance and reliability. We bring these same high standards to the COCO, resulting in the highest quality disc controller system on the market. Compare these functions before you buy:

- Price. \$449 includes controller, first drive, disc basic in ROM, and manuals. Just plug it in.
- Never needs adjusting. Our exclusive Digital Phase Lock Loop Data Separator and Digital Pre-comp Circuit eliminates the 3 adjustments found on other controllers.
- High quality standard production disc drives. For improved service and reliability. Tandon & Teac drives provide twice the read sensitivity that the drives found in other disc systems do, and hold their alignment far longer.
- Gold-plated card edge connectors throughout.
- Software compatible with Radio Shack Disc Basic, Flex, and OS/9.



J & M Systems, Ltd., 137 Utah NE, Albuquerque, N.M. 87108
(505) 265-1501

J&M SYSTEMS, LTD.

```

RINT" AND";X;"SPIES!";I1=I1+X
530 GOTO535
535 PRINT:PRINT:INPUT:PRESS<ENTER>...";A:RETURN
540 PRINT:PRINT:INPUT:PRESS<ENTER>...";A:GOTO85
545 CS="CANNON":WS="WARRIORS":DS="CATAPULT":HS="HIT POINT
S":MS="MONEY":ES="CIVILIANS":RETURN
550 CLS:PRINT"SORRY,"NS":GOSUB770:PRINT:PRINT"YOUR CASTLE HA
S BEEN LVELED BY KING,"SS":YOU ARE FLEEING!";Y=2:GOTO615
555 CLS:PRINT"SORRY,"SS":GOSUB770:PRINT:PRINT"YOUR CASTLE HA
S BEEN DEMOLISHED BY KING,"NS":YOU'VE LOST:"Y=1:GOTO615
560 CLS:PRINT"INFILTRATING":PRINT:GOSUB765:GOSUB765
565 IFWK<10000THENPRINT"YOU DON'T HAVE ENOUGH MONEY!";GOTO540
570 IFI<0THENPRINT"THEY'RE DEAD!";GOTO540ELSEX4=AND(5):IFX4=1TH
EN570ELSEI=1:GOSUB810:PRINT"HE HAS TO FIGHT"X4"GUARDS."NM=NM-
10000:FURX2=1:TOX4:X3=AND(2)
575 IFX3<>1THENGOSUB805:SOUND1,30:PRINT"THE GUARDS KILLED HIM!";
GOTO540ELSEGOSUB805:GOSUB765:PRINT"ONE DOWN!";NEXTX2:GOSUB805:GO
SUB755:PRINT:PRINT"HE MADE IT!";GOSUB810:GOTO600
580 CLS:PRINT"INFILTRATING":PRINT:GOSUB765:GOSUB765
585 IFWK<10000THENPRINT"NOT ENOUGH CASH ON HAND!";GOTO540
590 IFI1<0THENPRINT"THEY'RE DEAD!";GOTO540ELSEX4=AND(5):IFX4=1T
HEN590ELSEI1=1-1:GOSUB810:PRINT"HE HAS TO FIGHT"X4"GUARDS."SM=
SM-10000:FORX2=1:TOX4:X3=AND(2)
595 IFX3<>1THENGOSUB805:SOUND1,30:PRINT"THE GUARDS KILLED HIM!";
GOTO540ELSEGOSUB805:GOSUB765:PRINT"ONE DOWN!";NEXTX2:GOSUB805:GO
SUB755:PRINT:PRINT"HE MADE IT!";GOSUB810:GOTO605
600 CLS:PRINT@160,"*****KILLED KING "SS"!";PRINT:P
"NS"IS INFILTRATOR":PRINT"KILLED KING "SS"!";GOTO615
RINT"*****KILLED KING "SS"!";GOTO615
605 CLS:PRINT@160,"*****KILLED KING "NS"!";PRINT:PRIN
T"*****KILLED KING "NS"!";GOSUB770:Y=2:GOTO615
610 RETURN
615 GOSUB815:WBS="(0) WATERBOY FOR A SHEPHERD."S RANK IS NOW:"(1) CUSTER'
S STRATEGIC ADVISOR."JLS="(2) JERRY LEWIS IN A WAR MOVIE."NBS:
(3) BONAPARTE AT WATERLOO."GWS="(4) WASHINGTON AT VALLEY FORGE
."LBS="(5) LOUIS XIV, THE BLOODLORD."
620 CLS
625 GOSUB740:PRINTNS";S RANK IS NOW:"IFWR=0THENPRINTWBSELSEIF
WR=1THENPRINTSASELSEIFWR=2THENPRINTJLSELSEIFWR=3THENPRINTWBSELSE
IFWR=4THENPRINTGWSLSELSEIFWR=5THENPRINTLBS
630 IFWR=0THENSOUND10,10ELSEIFWR=1THENSOUND50,10ELSEIFWR=2THENS0
UND100,10ELSEIFWR=3THENSOUND150,10ELSEIFWR=4THENSOUND200,10ELSEI
FWR=5THENGOSUB765:GOTO606ELSE635
635 PRINT:PRINTNS";S RANK IS NOW:"IFER=0THENPRINTWBSLSELSEIFER=1
THENPRINTSASELSEIFER=2THENPRINTJLSELSEIFER=3THENPRINTWBSLSEIFER
=4THENPRINTGWSLSELSEIFER=5THENPRINTLBS
640 IFER=0THENSOUND10,10ELSEIFER=1THENSOUND50,10ELSEIFER=2THENS0
UND100,10ELSEIFER=3THENSOUND150,10ELSEIFER=4THENSOUND200,10ELSEI
FER=5THENGOSUB765:GOTO606ELSE645
645 IFER=5THENGOSUB735:GOTO650
650 PRINT:PRINT"WANT ANOTHER GAME?"INPUT"IT CAN BE ANY TWO PLAY
ERS...";AS:IFA$="THENG50ELSEIFA$="Y"THENG55ELSEEND
655 PRINT:INPUT"PRESS ENTER TO KEEP THE SAME PLAYERS AND RANK
S. SIMPLY TYPE THE WORD NEW...";AS:IFA$="NEW"THENG35ELSE55
660 PRINT:PRINTNS";S RANK ENDS AT:PRINT"RANK ("ER").":PRINT:PRI
NTNS" HOWEVER, HAS RISEN FAR":PRINT@224,"ABOVE KINGMANSHIP AND H
AS BEEN GIVEN COMMAND OF THE ENTIRE COUNTRY!!!";GOSUB765:GO

```



```

5 PMODE3,1:PCLS:SCREEN1,1
10 DRAW"BM12,156U100L5U10R10D5R10U5R10D5R10U5R10D5R10U5R10D10L5D
100BM20,51E22F22BM42,29U20R20G3F3L20":PAINT(42,35),8,8:PAINT(63,
50),8,8:PAINT(22,50),8,8:PAINT(45,11),3,8
15 CIRCLE(42,66),10,8,1,.5,1:DRAW"BM32,66D15R20U15":PAINT(42,66)
,3,8
20 FORX=1TO500:NEXT
25 DRAW"BM182,156U100L5U10R10D5R10U5R10D5R10U5R10D5R10U5R10D10L5
D100BM190,51E22F22BM212,29U20R20G3F3L20BM202,66D15R20U15":CIRCLE
(212,66),10,8,1,.5,1:PAINT(214,10),3,8:PAINT(212,35),8,8:PAINT(1
92,50),8,8:PAINT(233,50),8,8:PAINT(212,66),3,8
30 FORX=1TO500:NEXT
35 DRAW"BM72,79R10D5R10U5R10D5R10U5R10D5R10U5R10D5R10U5R10D5R10U
5R10BM112,126D30R30U30":CIRCLE(127,126),15,8,1,.5,1:PAINT(127,12
6),8,8:FORX=1TO500:NEXT:DRAW"BM0,156R25D25L255U25":PAINT(127,17
5),2,8
40 FORX=1TO2000:NEXT:PAINT(0,0),3,8:FORX=1TO2000:NEXT:PAINT(0,0)
,8,1:FORX=1TO2000:NEXT:PAINT(8,47),8,2:PAINT(2,170),3,8:FORX=1TO
500:NEXT
45 PAINT(0,0),3,3:DRAW"BM16,16D30BM16,31R15E15G15F15BM56,16D30BM
66,46U30F30U30BM116,36R20D10L30U30R30D5BM176,16L30D10R30D20L30":
FORX=1TO500:NEXT:DRAW"BM16,92U15E15F15D15BM16,77R30BM56,92U30F30
U30BM96,92U30R15BM96,92R15":CIRCLE(111,77),15,8,1,.75,.25
50 FORX=1TO500:NEXT
55 DRAW"BM42,108L26D30R26BM50,138U17E13F13D17BM110,108L26D10R26D
20L26BM118,108R26BM131,108D30BM152,108D30R26BM206,108L20D30R26BM
209,123L23BM246,108L26D10R26D20L26BM50,123R26":FORX=1TO500:NEXT:
DRAW"BM57,170F10E10F10E10F10E10F10E10F10E10F10E10F10E10F10E10"
60 DRAW"BM57,170F21BM197,170G21":PAINT(127,185),4,8:CIRCLE(127,1
80),40,4,.5,.5,1:PAINT(127,175),1,8:DRAW"BM125,163U9L5U4R5U5R4D
5R5D4L5D9":PAINT(127,155),4,8:FORX=1TO2000:NEXT
65 GOTO75
70 FORL=99TO255STEP2:SOUNDL,1:NEXT:RETURN
75 CLS:PRINT@43,"K I N G S":PRINT@109,"A N D":PRINT@169,"C A S T
L E S":GOSUB70:PRINT@257,"A FANTASY ROLE-PLAYING ADVENTURE
GAME WHICH PITS TWO KINGS AND THEIR KINGDOMS AGAINST ONE ANOTH
ER":GOSUB115
80 FORL=200TO255:SOUNDL,1:PRINT@420,"*BY GARY SMITH MICHAELS*":N
EXT:FORL=200TO255:SOUNDL,1:PRINT@453,"*PREPARE TO DO BATTLE*":N
EXT
85 'BY GARY MICHAELS, 4561 BRIDGEWOOD CT., COLUMBUS, OH 43229, (
614) 4/6-0578; INITIAL IDEA FROM 'KINGS AND CATAPULTS', BY WILLI
AM C. ADAMS, FROM 2/82 ISSUE OF '80 MICROCOMPUTING
90 GOTO120
95 SOUND1,10:SOUND30,5 :SOUND70,10:SOUND110,20:FORX=1TO50:NEXT:S
OUND110,5 :FORX=1TO20:NEXT:SOUND110,10:SOUND90,10:SOUND70,5 :SOU
ND90,10:SOUND70,10:SOUND30,5 :SOUND70,15
100 FORX=1TO500:NEXT:RETURN
105 PRINT:PRINT:INPUT"PRESS <ENTER>...":A:RETURN
110 INPUT"PRESS <ENTER>...":A:RETURN
115 FORX=1TO2000:NEXT:RETURN
120 CLS:PRINT" WELCOME TO 'KINGS AND CASTLES'":PRINT@64," RULER
S, YOU WILL EACH BEGIN WITH A KINGDOM, A LARGE AMOUNT OF MON
EY, SEVERAL THOUSAND WAR- RIORS, 500 CANNON, AND A CIVI- LIAN P
OPULATION."
125 PRINT" YOUR AMBITION IS TO DEMOLISH YOUR OPPONENT BY DESTR
OYING HIS CASTLE'S HIT POINTS OR HIS WAR- RIORS, OR BY KILLING T
HE KING HIMSELF":GOSUB105
130 CLS:PRINT" YOU ACCOMPLISH THIS BY ADVAN- CING YOUR TROOPS I
NTO BATTLE, FIRING CANNON, OR BY UNLEASHING YOUR CATAPULT, IF
YOU'RE FORTU- NATE ENOUGH TO ACQUIRE ONE."
135 PRINT" AT THE START OF THE WAR, YOU HAVE A NUMBER OF ALLIE
D INFIL- TRATORS AT YOUR DISPOSAL, AT A COST OF $10,000 EACH,
WHO WILL SEEK OUT THE OPPOSING KING AND KILL HIM -- IF THEY EL
UDE THE KING'S PROTECTORS":GOSUB105
140 CLS:PRINT" EACH OF YOUR WARRIORS IS PAID $2 EACH PAYDAY FOR
FIGHTING. SHOULD YOU FIND THAT YOU NEED MORE SOLDIERS, HIR
E CIVILIANS AT THE SAME RATE. REMEMBER, YOU PAY NOTHING UNTIL PAYD
AY."
145 PRINT" IF, AT ANY TIME, YOU HAVE MORE WARRIORS THAN YOU CAN
AFFORD TO PAY, THEY CAN BE RELEASED AND SENT HOME."
150 PRINT" IF YOUR CANNON ARSENAL SHOULD DIMINISH, MORE ARE AVA
ILABLE FORPURCHASE":GOSUB105
155 CLS:PRINT" YOUR FATHERS ARE BOTH VERY POW-ERFUL KINGS AND, S
INCE EACH ONE WANTS HIS SON TO WIN THE WAR, FROM TIME TO TIME
THEY WILL SENDGIFTS OF MONEY, WARRIORS, REPAIRCREWS, CANNON, CIV
ILIANS, SPIES,CATAPULTS, OR SOME OF EACH."
160 PRINT" HOWEVER, THE BATTLES ARE NOT WITHOUT THEIR NATURAL
HAZARDS, AS FLOODS AND PLAGUES OCCUR NOW AND THEN. THESE CAN BE
DEVASTA- TING, SO TRY NOT TO HAVE TOO FEWWARRIORS AT ANY TIME."
:GOSUB105
165 CLS:PRINT@224," **YOU'D BEST DON YOUR ARMOUR** **I THINK I
HEAR BAGPIPES!**":GOSUB100:GOSUB95
170 CLS:PRINT" WHEN YOU SEE THE 'OK', PRESS THE POWER OFF BUTT
ON -- not the reset button -- AND THEN PRESS IT AGAIN TO POWER
UP AND TYPE IN THE FOLLOWING...":PRINT@160," YOU MAY WANT TO WRIT

```

Listing 2 continues

the program that asks which gender each player is, and have the computer change each affected statement accordingly, so that king becomes queen, he becomes she, and so on.

Modify the program so that firing cannon at your opponent's warriors also knocks out a few of his cannon, as it does when you fire at his castle.

When you fire your catapult at the opposing king's castle and he has a catapult, you should be able to destroy it. Perhaps you can use a statement like the one found in the 'Fire Cannon At Castle' lines.

Add statements that allow fathers to send aid only when it is needed. That way, he wouldn't bring you 30,000 warriors when you really need a castle repair crew.

Calculate the number of opponent warriors killed according to which army is stronger. That way, if your troops are

*"Infiltrators must fight
a minimum
of two guards
to kill the
opposing king. . . ."*

larger than those of your opponent, you stand a better chance of destroying him by advancing your troops.

The last is the most obvious—add graphics to the program. Artistic graphics would add immensely to the fun.

Entering and Loading the Programs

Due to the memory size of the 16K computer, the instructions are given in a separate program, which includes a colorful graphics display (see Program Listing 2). Again, if you have 32K or more, you can add this program to the main program. If you own the basic 16K computer, you can dispense with it altogether, if desired, but it includes the complete loading instructions which save you the trouble of referring back to this article.

Enter and load the instructions program as usual. CSAVE the program on tape (or disk if you have 32K). Turn your computer off and then on again. It is important that you follow the above directions carefully. Do not attempt to simply type in 'NEW' or use a delete statement. They will not work.

The main "Kings and Castles" program does not fit into the 16K Color Computer's normal memory even with a PCLEAR 1 statement because it uses approximately 14,100 bytes. So type in the following before attempting to enter or load the program:

```
POKE25,6 (ENTER)
POKE27,6 (ENTER)
POKE29,6 (ENTER)
POKE31,6 (ENTER)
```

These instructions work in Color Computers with Basic 1.0 and the newer Basic 1.1. I've been told the following can be used in 1.1 machines in place of all those POKE statements, but I can't confirm or deny it:

```
POKE25,6 (ENTER)
NEW (ENTER)
```

*"...it is advisable
to wipe out
your opponent's castle
as soon as possible."*

Strategies for Battles

Except for infiltrators, catapults are the most powerful weapons on the battlefield. They destroy up to 10,999 warriors or castle hit points. The computer uses it when it has one, as you should.

Catapults are always located in castles. The only way to destroy them is to fire cannon at the castle. In light of the above statistics, it is advisable to wipe out your opponent's catapult as soon as possible.

Cannon kill up to 4,999 men, or take out an equal number of hit points. They also destroy up to 100 opposing cannon, so five good hits on your opponent's castle can send him to the cannonsmith, wasting one of his turns. Additional cannon cost from \$1 to \$99, depleting his cash reserve and possibly stopping him from using an infiltrator later.

Payday comes around every 12th turn, during which each warrior is paid \$2 from his king's coffers. So if you have 25,000 men, payday costs you

Listing 2 continued

```
E THIS DOWNON YOUR TAPE. IGNORE THIS IF YOUHAVE A 32K COCO."
175 PRINT@298,"POKE 25,6 <ENTER>":PRINT@330,"POKE 27,6 <ENTER>
":PRINT@362,"POKE 29,6 <ENTER>":PRINT@394,"POKE 31,6 <ENTER>":
PRINT
180 GOSUB110:CLS:PRINT" THIS SETS ASIDE 14631 BYTES OF MEMORY. Y
OU must TURN POWER OFF AND ON AGAIN BEFORE ENTERING POKE STAT
EMENTS.":PRINT" DON'T JUST TYPE 'NEW' OR USE A DELETE STATEMENT,
AS YOU WILL BE REWARDED WITH A ?SN ERROR WHEN YOU RUN";
185 PRINT" THE PROGRAM.":PRINT" IF YOU DO GET THE SYNTAX ERROR,T
YPE IN THE FOLLOWING: 'PRINTPEEK(PEEK(25)*256)'"
THE NUMBER PRINTED WILL PROBAB-LY BE 170, BUT IF IT'S ANY NUM- B
ER GREATER THAN 0, TYPE THIS:":PRINT
190 GOSUB110:CLS:PRINT@5,"'POKEPEEK(25)*256,0'":PRINT:PRINT" MAN
Y THANKS TO CHROMASSETTE MAG-AZINE FOR THAT LITTLE TIDBIT.":PRINT
@160," OK, TURN ME OFF AND ON, ENTER THOSE POKE STATEMENTS, CLO
AD THEMAIN PROGRAM, AND RUN IT.":PRINT:GOSUB110
195 END
```

Line	Description
5-25	Random seed generator
30-45	Introduction and set players' strings
50-110	Initialize variables
115	Scoreboard display
120-155	Status display
160	Determines and prints whose turn
165	North's option display
170	North's INKEY routine
175-280	Carry out all of North's options but infiltration
285	South's option display
290	South's INKEY routine
295	South's 'release warriors' option
300-315	Determine computer's move in one-player game
320-430	Carry out balance of South's options but infiltration
435	Checks for payday; if so, \$2 per warrior is paid
440-455	Determine how men react if their king cannot pay them
465	North loses due to lack of warriors
470	South loses due to lack of warriors
475-500	North's father possibly sends aid
505-530	South's father possibly sends aid
535-540	'Press enter to continue' subroutines
545	String data for status reports
550	North loses due to lack of hit points
555	South loses due to lack of hit points
560-575	North's infiltration routine
580-595	South's infiltration routine
600	North's infiltrator kills Southern king
605	South's infiltrator kills Northern king
615	String data for ranks
620-630	Check for, display, and sound North's rank
635-645	Check for, display, and sound South's rank
650-655	Another game?
660-665	Display message if either king has won five battles
670	Determines if there is a plague or flood
675-695	Flood subroutine
700-720	Plague subroutine
725-730	Check for either king not having enough warriors or hit points to continue
740-745	Determine rank values
755	Sound: Infiltrator killed a king
760	Sound: Cannon or catapult fired
765	Sound: Infiltrating
770	Sound: "Taps"—A king is dead
775	Sound: "Happy Days Are Here Again"—Releasing warriors
780	Sound: Buying cannon
785	Sound: "You're In The Army Now"—Hiring civilians
790	Sound: "The Love Boat Theme"—Father shipped aid
795	Sound: "We're In The Money"—Payday
800	Sound: Guard song from "Wizard of Oz"—Advancing troops
805-815	For...Next loops

Table 1. Kings and Castles line descriptions.

Langley-St.Clair Gets Mail

From unsolicited letters of testimonial

I recently purchased your amber CRT for my Model III with anti-glare features. I seldom write regarding products I've purchased for the computer, but I felt that your product warranted a short note. I am extremely happy with my new CRT. The color is great, and easy on the eyes, as you claimed. Your documentation was excellent. I am by no means electronically inclined, but I had no problem with the installation.

Just wanted you to know that I would recommend your product to anyone interested in upgrading their CRT. Thank you for your excellent service also.

A.P.

New Monmouth, NJ

I have got my Orange CRT installed in my computer and it sure is a good tube. Now after looking at the screen for 8 hours my eyes aren't falling out. Thank you very much for all the trouble you had to go through with my order. This tube works fine, and after a little getting used to the color I like it a lot better than green and 100% better than B/W. Your company is sure wonderful to do business with. You can be sure I will tell anybody that is looking for a replacement CRT where to get one. Also tell Donna thanks for all the help she gave me...she was right about the color; it is a lot better to look at once you get used to it. Again, thank you very much.

K.L.

Saginaw, MI

LSIS's NEW SOFT-VIEW
REPLACEMENT CRT

FOR THE
FULL STORY,
SEE PAGE 41



Langley-St.Clair



Instrumentation
Systems, Inc. 462

132 West 24th St., NY, NY 10011
1-800-221-7070

\$50,000. You begin with over \$120,000 so money is usually not a factor unless you run out of cannon or elect to use an infiltrator.

While cannon or catapults are not guaranteed to hit their targets—you can

*“... you don't
want to opt
for troop action
if you're
low on men...”*

hit a field or your weapon might back-fire—advancing troops into battle is a sure killer. It's a little risky, as you and your opponent always lose men, up to 4,999 in fact. So you don't want to opt for troop action if you're low on men,

especially if you have no civilians left to hire. But it's an excellent option if your opponent is down to 500 men and you have 10,000.

I like to save my infiltrators until I'm in deep trouble. Although they can win the game for you on the first move, they are much more useful when you're down to 1,000 warriors and 760 hit points. They're your last hope for victory when you're down.

One Final Note

Due to space considerations, there are no remark statements in the programs, but each line is covered in the line descriptions (see Table 1). Don't add additional spaces between characters in the main program. ■

Write to Gary Michaels at 4561
Bridgewood Court, Columbus, OH
43229.

Variable Description

N\$	Northern king
S\$	Southern king
WR	North's current rank
ER	South's current rank
M5	Determines payday
M	Initial money amount for both kings
NM	North's current money amount
SM	South's current money amount
NW	North's warriors
SW	South's warriors
N	North's hit points
S	South's hit points
CN	North's cannon
CS	South's cannon
NC	North's civilians
SC	South's civilians
I	North's infiltrators
I1	South's infiltrators
NS	North's catapults
SS	South's catapults
T	Monitors whose turn it is
P	North's pay figure
PI	South's pay figure
Y=1	North wins a battle
Y=2	South wins a battle
C\$	Cannon
W\$	Warriors
D\$	Catapult
H\$	Hit points
M\$	Money
E\$	Civilians
WBS	Rank (0)
SAS	Rank (1)
JLS	Rank (2)
NBS	Rank (3)
GWS	Rank (4)
LBS	Rank (5)
R	Number of times North's father has brought aid this game
RI	Number of times South's father has brought aid this game

Table 2. Kings and Castles variables list.



THE MICRO COMPUTER BUSINESS WILL GROW FROM \$10 TO \$100 BILLION IN THE NEXT EIGHT YEARS! ARE YOU READY TO CASH IN?


The micro computer business is predicted to grow from its present \$10 billion to \$100 billion before 1990! Imagine the possibilities this opens for you! No matter where you live, if you're starting up or presently in business, **no other industry offers you more opportunities!**

Now, finally, all the inside information you need to secure a prosperous future in this dynamic industry is available in one place - **THE COMPUTER ENTREPRENEUR MANUAL!** - An immense information source, compiled by our inquisitive research team, aided by a panel of experts and business people from all areas of the computer industry!

We present the inside story of more than 100 lucrative computer businesses you can enter, where you'll find the real opportunities for the eighties: from one man operations like **Programming Author, Word Processing Center or Consulting, to Systems House, Service Bureau, Computer Store** etc! Many at little or no investment! All the invaluable facts and figures: **How to start, Capital needs, Profit estimates and Margins, How to Sell and Market, How missing technical or business experience need not stand in your way, Source of Suppliers, etc!** Details that could take years to find out on your own!

We'll show you **inside tricks**, like how to **never again pay retail** for computer products and consumer electronics, **even for one item - right now**, while you're starting your business! How to get **free merchandise** and trade show invitations, etc. **This alone will more than pay for the manual!** You'll read **actual case histories** of other computer entrepreneurs, so you can **learn from their mistakes**, and **profit from their success stories!** Where you'll be one year from now depends on your actions today! Let us show you how to take the first crucial steps!

Order now and take advantage of our limited introduction special, **THE COMPUTER ENTREPRENEUR MANUAL**, and a six month subscription to **THE COMPUTER ENTREPRENEUR REPORT/NEWSLETTER** (so you're always up-to-date with the industry), both for only \$29.95! You must be convinced on how easy you can strike it rich in the micro computer business - or you may return the manual for a full refund within thirty days! **USE OUR TOLL FREE NUMBER TO ORDER!**



EVERYTHING YOU NEED TO KNOW TO SUCCEED IN THE COMPUTER BUSINESS IS ALL IN THIS MANUAL!

THE COMPUTER ENTREPRENEUR MANUAL has the answers to all your questions about selecting, starting and successfully running a computer business! There has never been such a comprehensive collection of know-how and information about this business in one place! All the facts you need to plan and achieve your goals in easy-to-follow, step-by-step instructions!

These are some of the 100-plus businesses covered in **PART ONE** of the manual, with the facts on **How to start and run, Start-up Cost** (Even how to operate on a shoestring), **What profits to expect, Wholesale prices, Mark-ups, Suppliers, future outlook, case histories** for each, etc:

Systems House, Software Author (who to sell to and who to avoid), **Service Bureau, Software Publisher** (How to find programs that sell), **Word Processing Service, Consulting and Consultant Broker** (use your skills or those of others, make \$150 - \$1000 a day!), **The Incredible Games Business, Computer Store** (Franchises: Pro and Contra, or a low inventory store in your home!), **OEM, Hardware Mfg, Data base and Teletext Service** (big prospects!), **Used Computers, Repairs, Rent-A-Computer, Promote Fests and Trade Shows, Turnkey Systems,**

Bartering, Mail Order, Compile and rent mailing lists, Specialized Data Headhunting and Temp Help Service, Tech Writer Shop, Custom Engineering, The highly profitable Seminars and Training Business, and many more!

Many new ideas and ground floor opportunities! Interviews and success stories on companies of all sizes! Privy info on the profits made: How some computer store operators net \$100 - \$250,000! Little known outfits that made their owners millionaires, one of these low-key companies, making simple boards, went from nil to \$20,000,000 and 100 employees in four years! Programmers that make \$300,000, Thousands of micro millionaires in the making, etc!

Whatever your goal is - **Silicon Valley Tycoon**, or just a business at home - we guarantee you'll find a business to suit you - or your money back!

PART TWO of the manual is loaded with the know-how and "streetfighting" savvy you need, both as a novice or business veteran, to get started, to stay and to prosper in the micro computer business! A goldmine of information in clear and easy-to-use instructions: How to prepare your **Business Plan, Outside financing, The mistakes you must avoid, How to hire and manage employees, Incorporation** (when, and how to do it cheaply), **Surviving bad times, Record Keeping, how to estimate your market before you start, Use multiple locations to maximize profits, how to promote and stay steps ahead of the competition!** How to get free advertising, free merchandise, free advice, Power negotiating with suppliers to double your profit margins, etc! Even how to keep a present job while starting a business part time!

Don't miss this opportunity to be part of this great industry - the next success story could be your own! Order the manual today! Part one and two, bound in a deluxe ring binder, where you can also collect our newsletter (free for six months with the manual - a \$32.50 value!) - all for only \$29.95!



THE COMPUTER ENTREPRENEUR NEWSLETTER - ALL THE LATEST INSIDE BUSINESS NEWS! NOW! SIX MONTHS FREE WITH YOUR MANUAL!

You're always attuned to the industry, and your manual kept up-to-date, with our newsletter! Each issue has the latest business news, ideas, new suppliers, our indispensable "watchdog" column on profits, discounts (don't miss mfg's promos, like recently, when top video monitor sold at \$80 - that's half wholesale, one third of the retail price!), the competition, the big deals, etc! Feature stories with start-up info and case histories on new micro businesses!

You'll get invitations to trade shows and conventions, the usage of our advisory service and our discount buying service for your purchases!

You'll find many items in our newsletter that will save you the cost of your manual many times over!



**CALL TOLL FREE!
CHARGE IT!**
Credit Card Orders
(MC, VISA only)
accepted 24 hours/day
1-800-227-3800
Ask for extension 1135
In California call
1-800-792-0990



Order by phone (Credit cards only), or use the coupon:

549
Mail to **THE COMPUTER ENTREPRENEUR PUBLISHING CO.**
PO BOX 456, Grand Central Station, New York, N.Y. 10163
Please send me **THE COMPUTER ENTREPRENEUR MANUAL**, and the six month free subscription to **THE COMPUTER ENTREPRENEUR REPORT/NEWSLETTER**. All for only \$29.95, plus \$3 for postage/handling (NY residents: add \$2.64 for sales tax). If I decide not to keep the manual, I may return it within 30 days for a full refund.

NAME: _____

ADDRESS: _____

CITY, STATE, ZIP: _____

☐ Check or M.O. enclosed Charge to ☐ VISA ☐ MC

CARD#: _____

Exp. Date: _____

SIGNATURE: _____

TR0883

Strip Blackjack

by Stephen Mills

Strip blackjack adapts the concept of strip poker to computer blackjack. The result is more interesting than either. The program shows off the graphics and sound capabilities of the TRS-80, as well as the computing power of 16K memory.

The stakes involved are real, personal, and legal in most places. Finally, the game is protracted enough to give players a sense of involvement that strip poker doesn't provide.

The rules of play are similar to casino blackjack. The computer acts as both bank and dealer. A player's stakes are chips allotted by the computer for each article of clothing worn. As dealer, the computer always draws last, draws on 16 points, stands on 17, and wins pre-

If you find that strip poker has lost its charm, liven up your next party with a new hit game.

emptively with 21 points on the deal.

The game observes the five-card rule; if a player has five cards totaling 21 or less, he wins automatically, as if a blackjack were drawn on the deal.

An option is available to include jokers in the deck. If the computer draws a joker, all bets are lost; if a player draws one, the program randomly decides the consequences. A player

can win or lose the round automatically, or receive extra chips from the computer. There is also the less likely possibility of losing practically everything on a joker.

Betting is more structured than in conventional blackjack. The computer awards a specific number of chips for each article of clothing. It maintains each player's clothing in a hierarchical order, with clothing worth the least number of chips, like shoes and sweaters, at the upper level and undergarments at the bottom level.

Players can bet only according to this hierarchy. That is, shoes and sweater chips are bet first, undergarment chips last.

A player's bet can range anywhere from zero chips to the total number of chips a piece of clothing is worth. So, if a player is wearing a sweater, he can bet

Continues on p. 258

Table 1. Program Description

10-75	Packed string graphics
85-140	General initialization
150-240	Instructions
250-370	Initialization of game parameters
380-750	Main playing loop
380-450	Betting; cards are dealt into array
460-610	Individual player interactive processing
620-640	End-of-round display
650-700	Dealer's activities

Table 1 continues

The Key Box

Model I and III

32K RAM

Cassette Basic

Audio Amplifier Optional

710-750	End of play; results and internal maintenance Subroutines
770	Home cursor; video maintenance
780-920	Player entry and stakes setting
930-960	Player level informational routine
970-1030	Dealer's cards display
1040	Clears the on-screen instructions
1050	Displays play instructions
1060	INKEY\$ subroutine
1070	The current level of player Y is returned as S
1100	Displays card image
1110-1140	Convert numeric card values to display form
1150-1260	Extra chip round
1280-1300	Player X loses one level
1310-1320	Find next valued level of player X
1340-1360	Random selection of one card
1370-1380	Shuffling—initialize card matrix
1390	Executes card selection routine and stores it in player's hand
1400-1480	Player's joker processing
1490-1520	Deck display
1520	Clears hands
1530-1570	Review contents of hands
1580-1600	Video paging routine
1610-1660	Process individual clothing questions and responses
1670	Title display
1680-1730	Clothing query block for items common to both sexes
1740-1760	Recompute current betting level
1770-1920	Sound subroutines
1930	Evaluation of card points
1940-1960	Error traps
2000-2040	Chip equalization option routine

System Modifications

Multiple USR Functions

Disk Basic and some tape operating system enhancements provide multiple USR functions. To provide for this, change line 30 from:

```
POKE16526,PEEK(Z+1):POKE16527,
PEEK(Z+2)
```

to:

```
DEFUSR4=Z!
```

Change all occurrences of USR to USR4 in lines 1770-1920.

Cassette Sound

You can produce sound through an amplifier or a modified cassette system. The latter method requires turning on the cassette system relay. Program Listing 2 supports the former technique, and does not operate the cassette relay latch.

You must make some changes to provide operation of the relay on the

Model I. In line 100, one of the data elements is a space. The interpreter reads this as a numeric value of zero. Change the space to 4.

In line 1400, find POKEZ! + 32,8. Replace the 8 with a 12. In lines 1480 and 1880, find POKEZ! + 32,0 and change the zero to 4.

Memory Differences

This program will run on memory in 16K, although you should probably delete the instruction section in lines 140-240. The presence of any operating system utilities could make a critical difference.

You can adjust this to some extent by modifying the amount of string space reserved in line 120. An optional 650 bytes allow the maximum number of players, but you can do with less.

Another possibility is to add lines that delete 10-85 (90 and 95 are available). You must enter Run again after the graphics display. ■

IEEE-488 TO TRS-80* INTERFACE

Everything needed to add powerful BASIC GPIB-488 controller capability to TRS-80 Model 1, 3 or 4, Level 2 or DOS with a minimum of 16K.



488-80C
For Model 3 or 4
Operation



488-80B
For Model 1
Operation

Model 488-80B or 488-80C Price: \$375
+ shipping, insurance & tax

WHEN ORDERING SPECIFY DISK OR TAPE

**SCIENTIFIC ENGINEERING
LABORATORIES**

11 Neil Drive • Old Bethpage, NY 11804
Telephone: (516) 694-3370

*Trademark of Tandy Corp.

There is no affiliation between Scientific Engineering Laboratories and Tandy Corp. or Radio Shack.



- Raises & tilts TV monitor for easy viewing
- Allows CC keyboard to slip under monitor for more desk space
- Matching silver-gray fiberglass
- \$37.50 + \$2.50 shipping

"80" DEMI-CASES

- Models for LNW or MDX I & II Boards
- \$32.50 + \$2.50 shipping

N.Y.S. Residents Add 7% Tax

SYRACUSE R & D CENTER

Box 125, Dewitt, N.Y. 13214

"Specializing in Electronic Packaging"

MICRO-DESIGN

If you don't know the number, you should.

MICRO-DESIGN for full service TRS 80 hardware support. Micro Design offers the TRS 80 owner a complete line of control systems, printers, upgrades, disk drives & much more. Micro Design also offers an amazingly low priced complete Model 4 system that includes double disk drives and the complete MDX upgraded "muscle" system.

VISA & MASTERCARD ACCEPTED

MICRO DESIGN

6301 Manchaca Road, Suite B Austin, Texas 78745

1-800-531-5002

Texas Res. Call 512-441-7890

See our other ads

up to 3 points, the total allotment for sweaters. Whenever a player loses all the chips for a given level, he must sacrifice the associated apparel.

Winnings are always kept separate and are always bet and lost first.

Sequence of Play

The game begins with a full-screen display, followed by an option to display instructions. The computer then asks if you have sound capability. This requires attaching the cassette AUX plug to a speaker. This program provides a variety of interesting sound effects. If you do not use sound, the program skips the sound subroutines to circumvent tedious time delays.

The computer prompts for the number of players, the number of decks to use, and the number of jokers to add. You are allowed up to 10 players or you can play solitaire. The default is one for the number of decks and zero for the number of jokers.

The option for a fast or slow game follows. This decision affects the number of chips allocated for each player's clothing.

The program asks each player for name, sex, and clothing worn. The clothing interview consists of yes/no

Integer Variables

C1	Numeric value for the rank of a card (1 = ace, 13 = king)
C2	Suit code for a card
F	Freeze-play flag, used with one of the joker effects
LS	Long/slow game flag used by the chip allocation algorithm to compute value
N	Used to construct the betting ranks table of player Y during initialization interview; 2nd-dimension pointer for arrays B and V
ND	Number of decks in play
PC	Number of players
PO	Players out. Talled each round to check for an end-of-game condition. If not, the tally is continued during rounds to decide whether dealer must draw
PS	Position on CRT used for PRINT@
R	Remaining cards in shuffled deck
S	A flag used for making special adjustments to the B and V arrays
T	Total point value of a group of cards
T1	Dealer's total
TA	Total number of aces possessed
X	A miscellaneous local variable, sometimes used to identify a player (see text)
Y	Loop variable usually identifying the player being processed
ZD	Flag for the use of sound

Single-Precision Variables

X!	Loop variables for fractional decrementing
Z!	PEEK/POKE address pointer


String Variables

A	Item name during initialization interview
AS	His or Her depending on SX(Y)
B	Player's name (same as B(Y,0)) or other temporary functions
BB	A screen width graphics bar
BC	— separator
BD	Deck or Decks depending on ND
CB\$	Graphic representation of the bottom edge of a playing card
CMS	The middle of a card
CT\$	The top of a card
N\$	The display format of a card's rank
S\$	The display format of a card's suit
Z7\$	String where data for the sound routine is stored
ZD\$	String in which the machine-language sound USR routine is stored

Arrays and Matrices

B(PC,10)	String array. B(Y,0) is the player's name; other second-dimension elements are names of items worn
C(PC,4,1)	Card hands. First dimension is the player (dealer = zero). Second dimension is card number. Third dimension is rank (zero) and suit (one) of card
CL(PC)	Pointer to the player's active betting level
D(13,4)	Deck of cards by rank and suit; zero elements are not used
IS(12)	String array of packed graphics
SX(PC)	Sex code (zero = Female; one = Male)
T(PC)	Carries player's point total from play to end-of-round results; can carry special values indicating no play, joker, and so on
V(PC,10)	Value of items in the B array. The second-dimension zero element stores winnings
W(PC)	The wager each player makes on the round

Table 2. Variables and Arrays



Definitely *THE BEST* of the space games for the **TRS-80 MOD I/III**

★ 1, 2 or 3 SIMULTANEOUS players!

- Each piloting a separate space ship

★ Incredibly realistic graphics!

★ Fast arcade response!

★ Options individually selected!

- Meteors • Blackhole Gravity
- Flying Saucers • Objects & Mines
- Bounce or Wrap-Around Screen
- Weapons: Missiles or Lasers

★ Difficulty options selectable!

- # of Saucers • Saucer Speed
- Space Ship Power • Gravity Force
- Meteor Speed • Fuel Supply
- Weapon Supply • Laser Length

★ Sophisticated ship controls!

- Variable thrust level • Rotation • Flip
- Fire left or right barrel • Hyperspace

★ Cooperative or Competitive!

- Numerous scoring options
- 1 player can fly 2 ships - 1 with each hand!

★ Alpha & Trisstick compatible ★ Sound

32K Disk \$29.95 or 16K Tape \$26.95
Specify MOD I or III. 22 page manual included.

California residents add 6% sales tax.

Outside USA (except Canada) add \$10.00

Copyright 1983 by John McAfee

T.M. TANDY CORP.

**SOFT SYSTEMS
& CONSULTING**

PO BOX 60031 Santa Barbara, CA 93160

RUN BASIC PROGRAMS AT SUPER SPEED WITH ZBASIC 2.2.

THE WORLDS FASTEST TRS-80 BASIC COMPILER from **SIMUTEK**

BELIEVE IT OR NOT WE'VE ADDED MORE NEW FEATURES to the ONLY INTERACTIVE BASIC COMPILER for the TRS-80!

1. Speed increases of 10-100 times are typical after compilation.
2. Compiled code can be RELOCATED to run anywhere in memory. Code is even ROMable!
3. ZBASIC 2.2 NOW SUPPORTS BOTH RANDOM and SEQUENTIAL DISK I/O.
4. ZBASIC 2.2 is now a super tool for business programmers: RANDOM ACCESS FILES, and PRINT USING statements are supported as well as a HIGH PRECISION MATH package (with no rounding problems).
5. Special BUILT-IN MACHINE LANGUAGE COMMANDS to increase program operation by as much as 1000 times! Special commands are implemented for fast memory searching (CPDR, CPJR), block memory moves (LDIR, LDDR), inputting and printing HEX numbers, inserting MACHINE LANGUAGE into COMPILED CODE, disabling and enabling interrupts, inverting memory, 16 bit PEEKs and POKEs, and stack control, debug and much more.
6. ZBASIC 2.2 compiles the ENTIRE PROGRAM into Z-80 machine language. (Not 8080 code or a combination of BASIC and machine language like some other compilers.) Clumsy LINKING LOADERS, and RUNTIME MODULES are not needed; ZBASIC 2.2 creates a ready to run MACHINE LANGUAGE program.
7. NO ROYALTIES imposed on registered ZBASIC owners.
8. Typical COMPILATION TIME is TWO SECONDS for a 4K program.
9. Use TRS-80 Basic to write ZBASIC programs!
10. Compile some existing programs with only minor changes. (BASIC programming experience is required.)
11. Fully compatible with both the Model I and the Model III. Mod I compiled programs work on a MODEL III, and vice-versa. ZBASIC works with NEWDOS-80, NEWDOS+, DOSPLUS, LDOS, MULTIDOS, ULTRADOS, TRSDOS etc. (Not TRSDOS Mod I double density)
12. BUILT-IN and much improved MUSIC and SOUND EFFECTS commands.
13. Improved CHAINING for disk users.
14. TIME\$ now available on DISK version. (Mod I only)
15. ZBASIC 2.2 now has an INPUT @ command (similar to PRINT @).
16. The TAB function will now tab 255 columns on a printer. (BASIC cannot tab past column 64.)
17. NEWDOS 80 2.0 USERS can use the CMD "dos command" function! (DOSPLUS may use name "dos command")
18. NEW and EASIER to use USR COMMANDS.
19. New math functions to calculate XOR and INTEGER REMAINDERS of a DIVISION.
20. Logical STRING COMPARISONS are now supported.
21. The disk commands INSTR, MID\$ ASSIGNMENT are now supported on both DISK AND TAPE ZBASIC.
22. DEFSTR is now supported.
23. Eight disk files may be opened simultaneously; random, sequential or mixed.
24. LINE INPUT#, is now supported.
25. Invoke the compiler by simply hitting these two keys: "-"
26. NEW 60+ PAGE MANUAL WITH DESCRIPTIONS AND EXAMPLE.
27. ZBASIC 2.2 Comes with CMDFILE/CMD program from MISOSYS, to allow appending or merging compiled programs and machine language programs from tape or disk.

ZBASIC 2.2 DOES NOT SUPPORT THESE BASIC COMMANDS:

1. ATN, EXP, COS, SIN, LOG, TAN, and exponentiation. (However, subroutines are included in the manual for these functions.)
2. ERROR, ON ERROR GOTO, ERL, ERR RESUME.
3. No direct commands like AUTO, EDIT, LIST, LLIST ETC, although these commands may be used when writing programs.
4. Others NOT supported: CDBL, CINT, CSNG, DEFFN, FIX, FRE.
5. Normal CASSETTE I/O. (ZBASIC supports it's own SPECIAL CASSETTE I/O statements.)
6. SOME BASIC COMMANDS MAY DIFFER IN ZBASIC. For instance, END jumps to DOS READY, STOP jumps to BASIC READY etc.
7. MEMORY REQUIREMENTS: to approximate the largest BASIC program that can be compiled in your machine (at one time), enter BASIC and type: PRINT (MEM-6500)/2. Remember, you can merge compiled programs together to fill memory.

ZBASIC 2.2 SPEED COMPARISON DEMO

To help give you an idea how fast compiled programs are, we have included this demo program:

ZBASIC 2.2 DEMO PROGRAM

Time to compile and run complete program	: 0 MIN. 2 SEC.
BASIC Execution speed MOD I, LEVEL II	: 7 MIN. 34 SEC.
ZBASIC Execution speed MOD I, LEVEL II	: 0 MIN. 18 SEC.
BASIC Program size (WITHOUT VARIABLES)	: 895 BYTES
ZBASIC Program size (WITHOUT VARIABLES)	: 2733 BYTES

(Remember that the ZBASIC program includes an 1879 byte sub-routine package.) Program shown exactly as compiled and run in BASIC and ZBASIC.

```

10 '===== ZBASIC 2.2 EXAMPLE PROGRAM AND TIME TEST=====
20 CLS: CLEAR 100: DEFINT A-X: DEFSTR Z: DIM AA(64, 24), Z(50): RANDOM
30 AA=100: BB=-1000: CC=3: DD=-3: EE=-9999: ST$="START TIME "+TIME$
40 FOR I=1 TO 127 STEP 2: FOR J=47 TO 1 STEP -3: XX=POINT(I, J): SET(I, J)
50 XX=(I-J)/CC*(7+I+J): XX=ABS(INT(RND(I*J)-AA)+7): RESET(I, J)
60 XX=PEEK(I+J): POKE 15360+I+J, J: OUT 255, J AND (3*J): XX=INP(I)
70 AB$=STR$(I+J): BA$=LEFT$(AB$, 2): AR(I/2, J/2)=VAL(BA$)+AR*3
80 BA$=BA$+RIGHT$(BA$, RND(3)): XX=INSTR(1, BA$, "9"): XX=SQR(I*J)
90 BA$=MID$(BA$, 2, 2): MID$(BA$, 1, 1)=Z: IF XX THEN 100 ELSE CLS
100 IF LEN(BA$) > 3 OR SGN(XX)=1 AND ASC(BA$)=32 THEN PRINT "+++"
110 IF POS(0) < 62 THEN TRON: TROFF: PRINT ELSE XX=NOT(RND(99))+100
120 AS$=INKEY$: IF AS$="Y" OR AS$="y" AND I > 120 THEN PRINT "TRUE.."
130 RESTORE: READ A, C, Z(J), D: GOSUB 170: GOSUB 170: GOSUB 170: GOTO 210
140 NEXT J: PRINT "*" : NEXT I: CLS: PRINT 512, ST$, "STOP TIME "; TIME$
150 STOP '===== END OF MAIN TEST LOOP =====
160 DATA 12345, -1, "TEST", -9999
170 ON RND(6) GOTO 180, 190, 200, 180, 190, 200
180 RETURN
190 RETURN
200 RETURN
210 ON RND(9) GOSUB 180, 190, 200, 180, 190, 200, 180, 190, 200
220 GOTO 140
    
```

NOTICE ZBASIC 2.0 OWNERS: you can upgrade your ZBASIC 2.0 for no charge. Just send us your original diskette/cassette and \$15.00 with your registered serial number and copy of your invoice. We will send your ZBASIC 2.2 and updates to your manual.

VISA, MASTERCARD, AMERICAN EXPRESS, C.O.D. ORDERS CALL.

800 528-1149 order line

ZBASIC 2.2 DISK VERSION AND MANUAL	89.95
ZBASIC 2.2 TAPE VERSION AND MANUAL	79.95
ZBASIC 2.2 DISK & TAPE VERSION AND MANUAL	99.99
MANUAL ONLY... (APPLIES TO PURCHASE)	25.00

SIMUTEK COMPUTER PRODUCTS INC.

TECHNICAL QUESTIONS PLEASE CALL (602) 323-9391
4897 E. SPEEDWAY, TUCSON, ARIZONA 85712

TRS-80 is tm of Radio Shack, a Tandy Corp.

Listing 1 continues

After the interviews, the program displays a comparative table of the players' stakes. The totals will vary, but the chip allocation algorithm produces roughly equivalent totals for each sex's typical casual attire.

Play proceeds through rounds typical

TRS-80*

100% Radio Shack Equipment

SAVE A BUNDLE

Order Toll Free 1-800-874-1551

FLA Residents 904-438-6507 collect

EPSON, OKIDATA, CITHO, TABCO Printer Switches



HVAC SALES CO.

704 W Michigan Ave; P.O. Box 8098
Pensacola, FLA 32505

CopyArt II

WORD GRAPHICS DATA PROCESSOR

CopyArt II has earned the "Professional Software Programmers Association's Recommended Seal of Approval" Certification #1633

Columns
Sorting
Graphics
Math
Graphic Characters
Justify/Proportional
Super/Sub Script
Underlining
Change Character Size or Pitch Easily!
Help Command
Electric Webster Integration
Headers/Footers
Page Numbering
Edit Basic Programs

DOS Commands Like Dir, Kill & Free
Hi-Res Graphics Supported on Most Printers with Capability
Free Mail List Program Allows Merging Names with Form Letters
Scripsit File Loader
Imbed Printer Control Codes
Block Move
Find/Replace with Wildcard and Repeat
Super Easy Manual & Reference Card!
Add Graphics Easily!

CUSTOMIZED PRINTER DRIVERS FOR


Radio Shack LP II, V, VI, VIII, DMP2100, DMP100, DMP500, DMP600, Daisy Wheel II

Epson MX-80, MX-80F/T, MX-100, FX-80 (all with or without Grafrax 80, Grafrax Plus, or Type III)

Okidata 80, 82A, 83A, 84, 92, 93

C. Itoh 8510, 1550, Prowriter Series, Starwriter F-10 series, Printmaster
Others supported. Call if yours is not listed. Printer must have mechanical ability to do some features.

Smith-Corona Daisy Wheel
Brother HR-1 Daisy Wheel



This Report Card was done for CopyArt Version One (since vastly improved to CopyArt II).

"As a word processor with integral graphics capabilities, CopyArt is fabulous!"

Dan Robinson,
80 MICRO, Sept 82

call toll free

800-528-1149



SPECIFY PRINTER WHEN ORDERING

COPYART **149.95**
Extra printer drivers **19.95**
"ELECTRIC WEBSTER" .. **149.95**

Visa/MC/AMEX
Check/COD

Hardware Requirements TRS-80 Mod I, III or IV
48K Memory One Disk Drive/Double Density Two Disk Drives/Single Density

SIMUTEK

Computer Products Inc.
4897 E. Speedway Tucson, AZ 85712
(602) 323-9391

164

Listing 1 continued

```

6,170,191,149,32,32,32,32,128,32,171,191,149,32,32,32,151,183,166,
132,191,136,137,187,186,32,32,32,170,191,149,32,32,32,128
130 DATA191,181,176,176,159,133,32,191,149,32,32,32,184,183,176
,187,180,32,191,149,32,32,32,32,191,181,184,135,128,170,191,149,32
,32,32,32,32,170,191,149,32,32,32,141,172,185,155,179,175,178,1
74,170,32,160,32,170,191,149,32,32,32,128,191,149,32,32,191
135 DATA149,32,191,149,32,32,176,128,191,149,32,170,191,32,191,149
,32,160,176,128,191,149,130,173,144,170,191,149,32,32,32,32,32
,170,191,149,32,32,32,32,35,141,177,177,141,131,131,32,139,129,1
70,191,149,32,32,32,130,131,131,131,131,131,32,130,131,131
140 DATA131,131,131,130,131,131,32,131,131,129,130,131,131,131,128
,130,131,131,128,131,131,130,143,143,143,143,143,143,143,175,1
91,149,32,32,32,32,32,35,170,172,136,149,32,32,32,151,133,170,191,
149,32,32,32,32,32,128,128,136,188,156,32,32,160,188,144
145 DATA32,128,184,156,140,172,180,136,188,156,128,172,156,132,32,
32,32,32,32,128,32,32,32,32,32,170,191,181,176,176,176,176,1
76,184,187,187,187,185,176,176,176,177,176,186,191,149,32,32,32
,32,32,32,128,191,149,128,184,183,176,187,180,128,191,149
150 DATA32,32,32,32,191,181,184,135,128,32,32,32,32,32,32,128,3
2,32,32,32,32,32,130,131,131,131,131,131,131,131,131,131,131,13
1,131,131,131,131,131,131,131,32,32,32,32,32,168,180,128,128,19
1,149,128,191,149,32,170,191,128,191,149,32,160,176,128,191
155 DATA149,130,173,144,32,32,32,32,32,32,32,32,32,32,32,32,32
,32,32,32,32,32,32,32,32,32,32,32,32,32,32,32,32,32,32,32,32
,32,32,32,128,131,131,131,131,32,130,131,131,128,131,131,129,130
,131,131,131,129,130,131,131,128,131,131,32,130,131,32,32

```

Program Listing 2

```

10 DIMS(12):'STRIP BLACKJACK by S. Mills
80 CLS:FORX=0TO4:PRINTLEFT$(I$(X),30):NEXTX:PRINT$(5):PRINT@371,"
";:PRINT@384,I$(6);:FORX=7TO12:PRINT$(X);:NEXT
85 PRINTCHR$(28);:FORX=0TO600:NEXTX:FORX=0TO5:PRINT$(X);:NEXT:FOR
X=0TO300:NEXTX:PRINT@912,"A SymparaneKromenoi Adult game":FORX=1TO
2000:NEXTX
100 DATA205,127,10,203,124,221,33,183,127,40,7,221,117,252,221,116

```

Listing 2 continues

of blackjack. Each player has a turn at the keyboard, with a display that shows the dealer's cards, the players' cards, and the stakes.

Between rounds, players can examine the cards remaining in the deck, or review the hands of the current round. The rounds can continue until all but one player has lost everything.

Theory and Strategy


Ordinary blackjack is a tug-of-war to shift the available resources, the chips, to your advantage. In strip blackjack, you try to control a process of erosion.

During a game, a player's stakes are limited to the clothing value, so the opportunity to place a large bet is rare. Winning a few chips does not usually increase the potential bet, since the next bet is restricted to the winnings themselves.

Other factors further increase the likelihood of a player losing. The dealer always wins on jokers; a player might lose. Also, winnings are good only for buffering your losses and for making immediate claims against another player. Winnings cannot increase indefinitely. The net result of winning more than 10 chips is to reduce, not increase, the total number of chips in play.

**Computer
Case
Company**

WE MAKE A GREAT CASE FOR YOUR RADIO SHACK.



RS204

One size does not fit all. Our cases are designed for specific hardware configurations. When you put your computer in our case, it fits hand-in-glove. Once your equipment is safely inside the attaché-style carrying case, it never has to be taken out again. To operate, simply remove the lid and connect the power. To store your computer, disconnect the power, enclose your disks, working papers, and manuals in the compartments provided, and attach the lid. It's as easy as that.

CALL TOLL FREE: (800) 848-7548

• AP106	Amdek Color I, II or III Monitor	119
• P401	Paper Tiger Printer (400/445/460)	99
• P402	Centronics 730/737 & Radio Shack Printer	89
• P403	Epson MX70 or MX80, Microline 82A Printer or Color Computer	89
• P404	Epson MX100 Printer	99
• P405	IDS 560 or Prism 132 Printer	109
• P406	C. Itoh Starwriter/Printmaster F-10 Printer	119
• P407	Okidata Microline 83A or 84 Printer	99
• P408	C. Itoh Prowriter 2 Printer	99
• P409	C. Itoh Prowriter (Apple Dot Matrix) or NEC PC8023 Printer	89
• IB501	IBM Personal Computer with Keyboard	129
• IB502	IBM Monochrome Monitor	99
• CC50	Case Cart	79
• CC80	Matching Attache Case (5")	85
• CC90	Matching Attache Case (3")	75
• CC91	Matching Accessories Case (5 1/4" Diskettes, Paper, etc.)	95
• CC92	5.25" Diskette Case (Holds 75 Diskettes)	49



139

Computer Case Company, 5650 Indian Mound Court, Columbus, Ohio 43213 (614) 868-9464

If our price isn't already the lowest . . .

WE'LL BEAT ANY PRICE IN THIS MAGAZINE BY \$1.00*

PRINTERS

OKIDATA

Microline 80	334.
Microline 82	414.
Microline 83	667.
Microline 84	999.
Microline 92	518.
Microline 93	880.
80/82a/92 Tractor	49.

SMITH CORONA

Daisy Wheel	599.
-------------	------

C.ITOH

Prowriter I (P)	363.
Prowriter I (S/P)	540.
Prowriter II (P)	699.
Prowriter II (S/P)	766.

EPSON

MX-80	363.
FX-80	535.
MX-100	611.
Grafrax Plus	59.

BROTHER HR-1

Daisy Wheel Printer	713.
Tractor Feed	199.

Printer Cable MI/III	39.
----------------------	-----

RIBBONS

BY THE DOZEN

Prowriter	35.
Epson (MX-80 FX-80)	51.
Okidata	
(80/82/83/92/93)	39.
Okidata 84	49.

MODEMS

LYNX MODEM 300 Baud

Complete with software and RS-232, ready to plug in and operate on Model I or Model III 229.

HAYES SMARTMODEM

300 Baud	219.
1200/300 Baud	539.
RS-232 for Model III	99.

PRINTERMAID

64K Spooler for Mod I or Mod III. Works with serial and parallel printers! \$399.

VIDEO MONITORS

TIRED of EYESTRAIN on your present monitor? These monitors will work on your Model I and stop those HEADACHES!

USI 12" AMBER	179.
USI 12" GREEN	99.
USI 9" AMBER	139.
BMC 12" GREEN	89.
Model I Cable	15.

MOD III MONITORS

AMBER or GREEN	\$139.
(Requires installation)	

DOSes

MultiDOS	99.
NewDOS 80 V.2	129.
DOSPlus	129.
TRSDOS 1.3	29.

MOD I DOSPLUS

49.95
while supply lasts!

10-MEGABYTE HARD DISK

Complete with LDOS for MOD I OR MOD III
Specify Model
Only \$1499.
JUST PLUG IT IN!

PERCOM

DOUBLER

MODEL I USERS double the storage on your present disk drives! Installs in 5 minutes.
JUST PLUG IT IN!

Percom Doubler with DOSPlus	139.
-----------------------------	------

DRIVES

40 TRACK DRIVE

for Mod I or III external
249.00 COMPLETE!
Includes Power Supply and Cabinet

ONE 40 for MODEL III

Drive Zero
449.00 COMPLETE!
Includes: PS, Hardware, Instructions & Drive

TWO 40 TRACK DRIVES

Mod III DRV 0 & 1
599.00 COMPLETE!
Includes: PS, Hardware, Instructions & 2 Drives

16K RAM

\$14
Mod I/III/Color
w/inst. & 2-yr. warranty

DISKETTES by 100's

Verbatim SS/DD	239.
Ectype SS/DD	199.

DISKETTE FILE BOXES

Smoke (holds 50)	19.95
Plastic Box (10 boxes hold 10 diskettes ea.)	19.95

MAIL ORDER ONLY

CALL TOLL FREE TO ORDER . . .

1-800-528-1149

TECHNICAL QUESTIONS CALL (602) 323-9391

SIMUTEK has hundreds of items IN STOCK! If you don't see it, call; we probably have it.

ARIZONA RESIDENTS ONLY - ADD 4% SALES TAX. Prices subject to change without notice. Personal checks require 3 weeks to clear.

SHIPPING COSTS
CONTINENTAL U.S.A. ONLY!

AIR or FOREIGN
CALL FOR COSTS

C.O.D. is CASH or
CERTIFIED CHECK ONLY
and is \$5 extra.

SEND CHECK, MONEY
ORDER OR CREDIT

CARD TO: 4897 E. SPEEDWAY TUCSON, AZ 85712 (602) 323-9391

VISA-MASTERCARD-AMERICAN EXPRESS ACCEPTED

INVOICE	SHIPPING
\$20-\$75	\$ 4.00
\$75-\$200	\$ 9.00
\$200-\$1000	\$19.00
\$1000 up	\$22.00

*We'll beat any price in this magazine by \$1.00. Just quote the ad with the page number. We reserve the right to refuse to meet prices below our cost.

In ordinary blackjack, a player wins by gaining some of the dealer's resources. The wins and losses of other players are irrelevant to your game. In this game, although you play cards and bet against the dealer, wins and losses are meaningful only in relation to the other players.

Since playing is virtually guaranteed to erode everyone's stakes, each player is competing for the best status in relation to the others. Winning is simply losing more slowly.

Playing strategy—when to draw and when to stand—is identical to casino blackjack. You do have the option of reviewing the available cards. Since a good blackjack player attempts to keep track of this anyway, use the option; it eases the strain on your memory.

Betting strategy is different. You are betting against the other players, so try to minimize your losses and maximize theirs. I recommend very conservative betting of your fundamental resources.

The procedure for betting chips won (extra chips) is variable. There is little point in gambling for the extra chip round when the other players are betting from a two- or three-chip rank. If they are at a more valued rank that you can eliminate by accumulating more than 10 extra chips, bet heavily off the extra chip rank.

The Program

The program's graphics display uses packed graphics strings to decrease memory requirements and provide fast execution. When you key in the program, you can either skip the graphics and go straight to Program Listing 2 for the substance of the program, or create the packed graphics array by transcribing and running Program Listing 1, then adding the remainder, Listing 2.

Listing 1 conceals the graphics in its data statements and POKes them into the empty I\$ array. Packed graphics look strange when you list the program; the interpreter sees the graphics values as Basic statement tokens and translates them accordingly. Lines 15–75 of strip blackjack always resemble the chaos you get after a bad CLOAD.

The machine-language USR subroutine for the sound effects is not packed in. The program carries it in the form of data statements (lines 100–110). No memory is ever protected for this subroutine; at run time it resides in the string storage area.

This is safe because the string variables used are defined before any other strings, and never redefined. This assures that they will always reside at the

Listing 2 continued

```
,253,201,221,117,254,221,116,255,219,255,230, ,95,221,86,251,221,7
0,253,221,78,252,43,124,181,40,6,253,227,253,227,24,15
110 DATA221,102,255,221,110,254,122,7,7,87,230,3,179,211,255,3,120
,177,32,225,123,211,255,201
120 CLEAR650:DEFINTC-Z:DEFSTRA-B:X=73:Y=5:Z=24:PC=0:Z1=0:ZD$=STRIN
GS(X,Z1):Z7$=STRINGS(Y,Z):Z=VARPTR(ZD$):Z1=PEEK(Z+1)+PEEK(Z+2)*256
:IFZ1>32767THENZ1=Z1-65536
130 FORX=Z1 TOZ1+72:READY:POKEX,Y:NEXTX:POKE16526,PEEK(Z+1):POKEZ1
+7,PEEK(Z+1):POKE16527,PEEK(Z+2):POKEZ1+8,PEEK(Z+2):Z1=PEEK(VARPTR
(Z7$)+1)+PEEK(VARPTR(Z7$)+2)*256:IFZ1>32767THENZ1=Z1-65536
140 BB=STRINGS(64,140):BC="---
":DIMD(13,4):GOSUB1670:INPUT"DO YOU NEED TO READ THE RULES";A:IFLE
FTS(A,1)<>"Y"THEN250
150 PRINT@256,"STRIP BLACKJACK IS QUITE SIMILAR TO BLACKJACK, BUT
INCLUDES SOMESPECIAL RULES. THE COMPUTER DEALS AND MANAGES ALL AC
COUNTS. AT THE BEGINNING OF EACH GAME, EVERY PLAYER MUST BUY CHIPS
FROM ME.";
160 PRINT"THE NUMBER OF CHIPS A PLAYER GETS DEPENDS ON WHAT THAT P
LAYER ISWEARING. I'LL FIX A PRICE ON EACH ARTICLE OF CLOTHING. P
LAYERSMAY BEGIN WITH DIFFERENT BANKROLLS."
170 PRINTBC"YOUR CLOTHES ARE RANKED FROM 'OUTER' TO 'INNER'. DURI
NG A GAME,THE CHIPS YOU BET ALWAYS APPLY TO THE OUTERMOST ARTICLE;
YOU CANBET AS MANY CHIPS AS YOU HAVE REMAINING FOR THAT ITEM.":GO
SUB1580
180 PRINT@256,CHR$(31)"YOU MAY ALSO HAVE EXTRA CHIPS WHICH YOU'VE
WON FROM THE DEALER--THESE ALWAYS COUNT AS 'THE CURRENT RANK' AND
ARE BET FIRST.":PRINTBC"IF YOU LOSE ALL CHIPS AT THE CURRENT RANK
(EXCEPT FOR 'EXTRAS'),YOU MUST SACRIFICE THAT ITEM."
190 PRINTBC"YOU CANNOT ACCUMULATE MORE THAN 10 'EXTRA' CHIPS; ANYO
NE WINNINGTHAT MANY EXTRA CHIPS IMMEDIATELY CLAIMS ONE ARTICLE OF
CLOTHINGFROM ANOTHER PLAYER, AND CASHES IN 10 CHIPS.":GOSUB1580
200 PRINT@256,CHR$(31)"THE DEALER PAYS OFF DOUBLE TO A PLAYER GETT
ING 'Z1' ON THE FIRSTTWO CARDS. A PLAYER DRAWING 5 CARDS TOTALLIN
G '21' OR LESS IS AWINNER AUTOMATICALLY. THE DEALER BEATS LOWER S
CORES AND TIES."
210 PRINTBC"INSTEAD OF 'DOUBLING', A PLAYER MAY 'GO DOWN', TAKING
1 CARD ANDBETTING ALL CHIPS ON THE CURRENT RANK. A WINNER GETS TH
E NUMBEROF CHIPS REMAINING ON THE CURRENT ITEM.":PRINTBC"TO 'GO DO
WN' THE PLAYER MUST HAVE AN ACE OR A PAIR.":GOSUB1580
220 PRINT@256,CHR$(31)"THE GAME CAN BE PLAYED WITH 'JOKERS' (UP TO
2 PER DECK). JOKERSIN THE DEALER'S HAND ARE AN AUTOMATIC WIN (LI
KE '21'). BUT IN APLAYER'S HAND THEY HAVE WILD AND UNPREDICTABLE
RESULTS."
230 PRINTBC"THE GAME USES SOUND EFFECTS, SO PUT THE CASSETTE'S 'AU
X' PLUG INA SPEAKER JACK.":GOSUB1580:PRINT@256,CHR$(31)"NEXT I MUS
T ASK ABOUT THE PLAYER'S NAMES, WHAT THEY ARE WEARING,AND HOW THEY
WANT TO PLAY.":PRINTBC"IF YOU FIND THAT MY ";CHR$(34);
240 PRINT"CLOTHING"CHR$(34)" QUESTIONS DO NOT REALLY SUIT YOURATTI
RE, REDO THE SERIES AND PRESS THE '=' KEY WHEN THE QUERY ISCLOSES
T IN LEVEL AND FUNCTION. THEN SUBSTITUTE A DIFFERENT NAME,SUCH AS
'BATHROBE' FOR 'DRESS', OR 'OVERALLS' FOR 'PANTS'.
250 PRINTBC"ARE YOU USING SOUND?":GOSUB1590:IFQ$="Y"THENZD=1:GOSUB
1880
260 INPUT"---
How many players";PC:IFPC<1THEN260ELSEIFPC>10THENPRINTPC"is too ma
ny for a well-paced game.":GOTO260
270 X=1:DIMC(PC,4,1),B(PC,10),W(PC),T(PC),SX(PC),CL(PC):IFPC>6THEN
PRINTBC"THAT'S A BIG GAME! I RECOMMEND MULTIPLE DECKS.":X=4
280 ND=X:INPUT"---
HOW MANY CARD DECKS";ND:IFND<1OR ND >6THENPRINTBC"YOU CANNOT HAVE"
;ND;"DECKS!":GOTO280
290 IFND=1THENBD="DECK."ELSEBD="DECKS."
300 INPUT"---
HOW MANY JOKERS";J:IFJ<1THENJ=0:PRINT"JOKER OPTION NOT USED."ELSEI
FJ>ND*2THENPRINTBC"TOO MANY FOR"ND;BD:GOTO300
310 PRINTBC"<F>AST OR <S>LOW GAME?":GOSUB1590:IFQ$="F"THENLS=1ELSE
IFQ$="S"THENLS=2ELSE310
320 GOSUB1870:CT$=CHR$(190)+STRINGS(11,131)+CHR$(189):CM$=CHR$(191
)+CHR$(203)+CHR$(191):CB$=CHR$(175)+STRINGS(11,176)+CHR$(159):Y=1:
IFPC=1THENA="SOLITAIRE"ELSEA="FIRST"
330 GOSUB780:IFPC=1THEN370ELSEFORY=2TO PC:A="NEXT":GOSUB780:NEXTY
340 GOSUB1880:GOSUB1670:PRINT"A REVIEW OF THE PLAYERS AND THEIR ST
AKES.":PRINTBC" ## RANKS","CHIPS","PLAYER'S NAME
-----","-----","-----"
350 FORX=1TO PC:U=0:W=U:FORY=0TO9:IFY=0ORV(X,Y)>0THENU=U+V(X,Y):W=
W-(Y>0):ELSEY=10
360 NEXTY:CL(X)=U:PRINTUSING"***";X;:PRINTUSING" ##";W;:PRINTTAB(
16)USING"***";U;:PRINTTAB(36)B(X,0):NEXTX:PRINTBB;:GOSUB1580:GOSUB
2000:IFQ$="Y"THEN340
370 RANDOM:ONERRORGOTO1940:GOSUB1670:PRINT"The game begins."
380 IFR<PC*3.6THENGOSUB1370
390 F=0:PO=F:FORY=0TOPC:CL(Y)=0:GOSUB1530:IFY>0THENGOSUB1070:IFCL(
Y)=10THENPO=PO+1
400 NEXTY:IFPO>PC-1+(PC>1)THENCLS:PRINT@394,CHR$(23);"The game is
over.
":END
410 GOSUB930:GOSUB1870:FORY=1TOPC:PRINT@64,CHR$(30);:T(Y)=0:Z=CL(Y
):IFZ=10THENPRINT@2,B(Y,0)" IS OUT OF THE GAME.":GOSUB1870:FORT=1
TOT100:NEXTT:GOTO450ELSEW=V(Y,CL(Y))
```

Listing 2 continues

```

420 GOSUB770:V=1:PRINTB(Y,0) " HAS";W;"CHIPS. BET";:INPUTV:IFV>WTH
ENPRINTV;"EXCEEDS YOUR CURRENT RANK!";:GOTO420
430 IFV<0THENPRINTV;"IS AN INVALID BET.";:GOSUB1870:GOTO420ELSEW(Y
)=V
440 IFV=0THENT=0:X=T:TA=T:Tl=T:TOSUB1390:X=1:GOSUB1390
450 NEXTY:T=0:TA=T:TOSUB1340:C(0,0,0)=C1:C(0,0,1)=C2:TOSUB1340:C(0
,1,0)=C1:C(0,1,1)=C2
460 GOSUB970:IFT>0THEN470ELSE(T)=21:Tl=0:GOTO620
470 T(0)=T:Tl=TA:FORY=1TOPC:IFW(Y)=0ORCL(Y)=10THEN610ELSEPRINT@29,
CHR$(191);STRING$(33,143);CHR$(191);:PRINT@37," ";B(Y,0);" 'S CHIPS
";:Z=93:FORX=0TO9:IFV(Y,X)=0THEN490ELSEA=B(Y,X):IFX=0THENA="WINNI
NGS"
480 PRINT@Z,CHR$(191);" ";A;:PRINT@Z+34,CHR$(191);:Z=Z+64:IFV(Y,X)
<23THENPRINT@Z-51,STRING$(V(Y,X),136);ELSEPRINT@Z-51,STRING$(21,14
0);
490 NEXTX:PRINT@Z,CHR$(143);STRING$(33,140);CHR$(143);:PRINT@677,C
HR$(93);"- ";B(Y,0);" 'S HAND";:PRINT@579,"YOUR BET: ";STRING$(W(Y
),136);:TA=0:T=TA
500 C1=C(Y,0,0):C2=C(Y,0,1):PS=642:GOSUB1090:C1=C(Y,1,0):C2=C(Y,1
,1):PS=647:GOSUB1090
510 IFC(Y,0,0)=0ORC(Y,1,0)=0THEN1400
520 IFT=1LANDTA=1THEN580ELSECC=1
530 IFF=1THENFORL=1TO300:NEXTL:GOTO570ELSEGOSUB1050:IFA="S"THEN570
ELSEIFA="H"THEN560
540 IFCC>0OR(C(Y,0,0)<>C(Y,1,0)AND TA=0)THENGOSUB1040:GOSUB1850:PR
INT"YOU CAN'T GO DOWN!";:FORU=0TO800:NEXTU:GOTO530
550 W(Y)=V(Y,CL(Y)):PRINT@725,"D";:PRINT@789,"O";:PRINT@853,"W";:P
RINT@917,"N";:PS=663:X=3:GOSUB1390:GOSUB1090:IFC1=0THEN1400ELSEFOR
U=0TO999:NEXTU:GOTO570
560 CC=CC+1:PS=PS+6:X=CC:GOSUB1390:GOSUB1090:IFC1=0THEN1400ELSEIFT
>21THENT=99:GOTO570ELSEIFCC=4THENT=21:GOSUB1040:PRINT"5-CARD ADVAN
TAGE!";:GOSUB1800:FORX=1TO399:NEXTX:GOTO570ELSE530
570 GOSUB1930:IFT<22THEN600ELSEGOSUB1040:PRINT" -- BUSTED! --";:G
OSUB1850:T(Y)=-1:PO=PO+1:FORX=1TO999:NEXTX:GOTO600
580 PRINT@808,"<< BLACKJACK >>";:GOSUB1900:FORU=1TO699:NEXTU
590 V(Y,0)=v(Y,0)+W(Y):GOSUB1150:V(Y,0)=V(Y,0)-W(Y):T(Y)=22:PO=PO+
1:Tl=0
600 POKEZ1+32,0:GOSUB970
610 NEXTY
620 Z=240:PRINT@100,"PLAYER","TOTAL";:PRINT@164,"-----","-----";:
FORY=1TOPC:IFCL(Y)=10THEN650ELSEPRINT@Z-12,B(Y,0);
630 IFT(Y)=22THENPRINT@Z," BJ";ELSEIFT(Y)=-1THENPRINT@Z,"BUST";ELS
EIFT(Y)<0THENPRINT@Z,"***";ELSEPRINT@Z,T(Y);
640 Z=Z+64
650 NEXTY:PRINT@Z-12,STRING$(19,95);:IFPO<PC,PRINT@Z+52,"Dealer dr
aws on 16";:PRINT@Z+116,"-- stands on 17.";:C1=C(0,0,0):C2=C(0,0,1
):PS=130:GOSUB1090
660 X=2:PS=578:T=T(0):TA=Tl:Y=0
670 T(0)=T:Tl=T:FORU=1TOT:IFTA>0ANDTl+10<22THENTl=Tl+10
680 NEXTU:IFPO=PCTHEN710ELSEPRINT@24,Tl;"TOTAL.";:IFTl<17THENPRINT
@PS+7,"Draws";ELSEIFX=2THENPRINT@PS+7,"Stands";
690 IFX>4ORTl>21THEN700ELSEFORU=0TO399:NEXTU:IFTl<17THENPRINT@24,T
l;:GOSUB1390:GOSUB1090:IFC1=0THENTl=21ELSEPS=PS+7:X=X+1:GOTO670
700 IFTl>21THENPRINT@10,"* DEALER IS BUSTED! *";:GOSUB1870:Tl=
0ELSEIFX>4THENPRINT@10,"* DEALER WINS ON 5 CARDS *";:Tl=22:GOSUB18
00
710 FORZ=-200TO175:NEXTZ:PRINT@112,"RESULTS";:PRINT@Z,"-----";:P
ORY=1TOPC
720 A=CHR$(8)+".":IFCL(Y)=10THEN725ELSEZ=Z+64:IFW(Y)<0THENPRINT@Z,
"Jokered";ELSEIFT(Y)>Tl THENPRINT@Z,"wins";W(Y);A;:V(Y,0)=V(Y,0)+W
(Y):ELSEPRINT@Z,"Loses";W(Y);A;:V(Y,CL(Y))=V(Y,CL(Y))-W(Y)
725 W(Y)=0:NEXTY:IFPC>6THENGOSUB1880:GOSUB1580
730 PRINT@576,CHR$(31);:FORY=1TOPC:IFCL(Y)<10THENGOSUB1150:IFV(Y,C
L(Y))<1THENX=Y:Z=CL(Y):GOSUB1270
740 NEXTY:GOSUB1880:X=PRE(QS):PRINT@960,"PRESS: 1=EXAMINE ";BD;"
2=REVIEW HANDS. ANY KEY TO PLAY.";:GOSUB1590:IFQ$="1"THENGOSUB149
0ELSEIFQ$="2"THENGOSUB1540:GOSUB1580
750 GOTO380
770 PRINT@0,CHR$(30);CHR$(191)" ";:RETURN
780 B="":PRINTBC"NAME OF ";A;:INPUT" PLAYER";B:IFB=" "THENPRINTBC"Y
OU MUST ENTER SOMETHING.";:GOTO780ELSEIFLEN(B)>11THENPRINTBC"LET'S
KEEP IT UNDER 12 CHARACTERS!";:GOTO780
790 B(Y,0)=B:PRINTBC"SEX OF PLAYER (M/F)?"
800 GOSUB1590:IFQ$="M"THENSX(Y)=1:AS=" HIS ":ELSEIFQ$="F"THENAS="
HER "ELSE800
810 GOSUB1670:PRINTB";, PRESS 'Y' OR 'N' IN RESPONSE TO"CHR$(222)"
THE FOLLOWING QUESTIONS:"
820 U=0:T=U:S=T:X=U:N=1:V=2:A="SHOES":GOSUB1610:V=3:A="A SWEATER":
GOSUB1610:IFQ$="N"THENA="A JACKET":GOSUB1610
830 IFSX(Y)=1THEN900ELSEA="PANTYHOSE":V=3:GOSUB1610:IFQ$="Y"THENX=
N-1ELSEA="STOCKINGS":GOSUB1610:IFQ$="Y"THENX=N-1ELSEA="TIGHTS":V=3:
GOSUB1610:IFQ$="Y"THENX=N-1
840 V=:A="A DRESS":GOSUB1610:IFQ$="Y"THENT=1ELSEA="A BLOUSE":V=5:
GOSUB1610:A="A SKIRT":V=6:GOSUB1610:IFQ$="Y"THENT=2
850 IFT=0THENGOSUB1680ELSEA="A SLIP":V=8:GOSUB1610:IFQ$="N"THENGOS
UB1660
860 IFT<3ANDX<0THENA="A GARTER BELT":V=2:GOSUB1610:IFQ$="N"THENA="
A CORSET":GOSUB1610
870 IFT<>3THENA="A BRA":V=8:GOSUB1610:A="PANTIES":GOSUB1610:IFQ$="

```

Listing 2 continues

P&T CP/M® 2 is GROWING

TRS-80 MODEL II
\$185

Still the best CP/M for the Mod II with features like 596 Kb per diskette, type ahead, full serial port support, and more.

TRS-80 MODEL 16
\$220

Includes full support for thinline drives; gives 1.2 Mb per diskette for the Mod 16 (Z-80 mode) and Mod II's with double sided drives.

RADIO SHACK HARD DISK
\$250

Includes all the features of P&T CP/M 2 plus 8.7 Mb per hard disk drive.

CAMEO HARD DISK

Support for the standard Cameo hard disk system (\$250) or the multiplexer (for multiple computers) system \$400.

CORVUS HARD DISK
\$250

Support for a 5, 10, or 20 Mb Corvus hard disk system.

Start with a Model II floppy system and grow into a hard disk. Since all P&T CP/M 2 systems are fully compatible, you will have no conversion worries.

Special note: P&T hard disk systems allow you the user to configure logical drive assignments to your specifications. Write for more details.

Prepaid VISA, M/C, or COD orders accepted. All prices FOB Goleta and subject to change. CP/M is a registered trademark of Digital Research. TRS-80 is a trademark of Tandy Corp.

PICKLES & TROUT

P.O. BOX 1206
GOLETA, CA 93116
(805) 685-4641

PICKLES & TROUT

✓ 290

top of available memory, unmoved by the interpreter's string storage reallocation routines.

The FRE(Q\$) forces reallocation at the end of every round of play. This prevents interruption of the graphics during play, which use CHR\$ and STRING\$ in the preference to set and reset.

The program lines are densely coded for speed and RAM economy. The functional breakdown by line number (Table 1) and the variable and array table (Table 2) should help in understanding and customizing the program. In the nature of this program, execution is almost constantly in a For...Next loop, performing functions for each of the players.

The variable Y is normally the loop variable identifying the current player. In cases where a subroutine can be called for another player while the Y loop is still active (for example, 1310-1320), the variable X is used. See the sidebar, "System Modifications," for the changes required for different system configurations. ■

Write to Stephen Mills at the Division of Business, Pfeiffer College, Misenheimer, NC 28109.

Model 4
Plus

Model 4.64K
2 Tandon Drives

----- Plus -----

- TRS DOS 6.0
- FREE SOFTWARE

Mailing List
Home Budget
Loan Amortization
10 Programs in all!

- FREE 6 month subscription
"TRS 80 Microcomputer News"
- Anti-Glare Screen
- 64K Additional Ram at
only \$49.00 (List \$149.00)

Model 4 Conversion Kits
For Model III - - \$ Call

Visa - Mastercard
(Add 3% Handling)

ASHLAND COMPUTER
(606)325-2210
Mon. - Fri. 10 to 5 E.S.T.

\$1639.

Listing 2 continued

```

N"THENGOSUB1660
880 IFX>0AND(T=4ORT=5)THENA=B(Y,S):W=V(Y,S):V(Y,S)=V(Y,X):B(Y,S)=B
(Y,X):B(Y,X)=A:V(Y,X)=W
890 GOTO910
900 A="SOCKS":V=2:GOSUB1610:A="A SHIRT":V=5:GOSUB1610:A="A T-SHIRT
":V=3:GOSUB1610:GOSUB1680:A="UNDERWEAR":V=8:GOSUB1610:IFQ$="N"THEN
GOSUB1660
910 B(Y,N)="" :V(Y,N)=0:CL(Y)=1:PRINTB:PRINTB" 'S STAKES TOTAL";U;"
CHIPS:
-----
ITEM","VALUE","ITEM","VALUE
-----
:FORX=1TON-1:PRINTB(Y,X):PRINTUSING
##";V(Y,X):PRINT" ",NEXTX:PRINT:PRINTBC"ANY CORRECTIONS?"
920 GOSUB1590:IFQ$="Y"THENA="THE SAME":GOTO780ELSERETURN
930 GOSUB1670:PRINTB:## CURRENT ITEM PLAYER"CHR$(210)"CHIPS
-----
:CHR$(210)"-----:FORY=1TOPC
940 Z=CL(Y):IFZ=10THENZ=0:A=CHR$(143)+" NAKED! "+CHR$(143)ELSEIF
Z=0THENA="EXTRA CHIPS"ELSEA=B(Y,Z)
950 W=V(Y,Z):PRINTUSING"## ";Y:PRINTA:TAB(20)B(Y,0):TAB(41);STR
ING$(W,138)
960 NEXTY:PRINTB:RETURN
970 CLS:PRINT@10,"DEALER SHOWS:":PRINT@130,CHR$(190):STRING$(10,1
91):CHR$(189):PRINT@194,STRING$(12,191):PRINT" ";STRING$(12,191):
PRINT" ";STRING$(12,191):PRINT" ";STRING$(12,191):PRINT" ";CHR$
(175):STRING$(10,191):CHR$(159):PRINTSTRING$(29,95)
980 C1=C(0,1,0):C2=C(0,1,1):PS=143:GOSUB1110:GOSUB1100
990 C1=C(0,0,0):C2=C(0,0,1):GOSUB1110
1000 IFC(0,0,0)=0ORC(0,1,0)=0THENPRINT@9,"** WILD CARD! **":GOSUB1
800:GOTO1030
1010 IFC(0,1,0)>9ANDC(0,0,0)=1THEN1030
1020 IFC(0,0,0)>9ANDC(0,1,0)=1THEN1030ELSERETURN
1030 PRINT@24,"** BLACKJACK **":GOSUB1880:PO=PC:PS=130:T(0)=0:T=
0:T1=0:GOTO1100
1040 PRINT@739,CHR$(214):PRINT@808,CHR$(200):PRINT@872,"
":PRINT@936,CHR$(200):PRINT@739," ":RETURN
1050 PRINT@739,"----- INSTRUCTIONS -----":PRINT@808,"<H>IT ME":PRI
NT@872,"<S>TAND":PRINT@936,"<D>OWN":GOSUB1880
1060 A=INKEY$:IFA="H"ORA="D"ORA="S"THEN1600ELSE1060
1070 S=CL(Y):IFV(Y,S)>0THENRETURN
1080 V(Y,S)=0:S=S+1:IFV(Y,S)>0ORS=10THENCL(Y)=S:RETURNELSE1080
1090 GOSUB1110
1100 PRINT@PS,CT$:PRINT@PS+64,CM$:PRINT@PS+128,CM$:PRINT@PS+192
,CM$:PRINT@PS+256,CM$:PRINT@PS+320,CB$:PRINT@PS+65,N$:PRINT@PS
+130,S$:RETURN
1110 IFC1=0THENN$="JOKER":S$="*****":C2=0:TA=-99:RETURN
1120 IFC2=1THENS$="C" ELSEIFC2=2THENS$="H" ELSEIFC2=3THENS$="S" EL
SE$="D"
1130 IFC1=1THENN$="A":TA=TA+1:ELSEIFC1=11THENN$="J" ELSEIFC1=12T
HENN$="Q" ELSEIFC1=13THENN$="K" ELSEN$=STR$(C1)
1140 IFC1<10THENN$=N$+" ":T=T+C1:RETURNELSESET=T+10:RETURN
1150 IFV(Y,0)<11THENRETURNCLAIM ARTICLE FROM ANOTHER PLAYER
1160 PRINTB(Y,0):" HAS":V(Y,0)EXTRA CHIPS.":PRINT:PRINT:GOSUB1900
1170 V=0:FORX=1TOPC:GOSUB1890:IFX(X)=1THENA="HIS"ELSEA="HER"
1180 GOSUB1740:PRINTUSING"##. ";X:IFX=YTHENGOSUB1230ELSEIFZ=10PRI
NTB(X,0)" ? ? ? "ELSEPRINTMAKE ";B(X,0)" TAKE OFF":A:B(X,Z):".
1190 NEXTX:PRINTBCMAKE SELECTION 1 TO":PC;
1200 INPUTX:IFX<1ORX>PCTHENPRINT@64,"TRY AGAIN":GOSUB1870:GOTO120
0
1210 IFX=YTHENGOSUB1250:Z=V+1:PRINTBC"OKAY, ";B(Y,0):", ";:GOSUB12
30:GOSUB1800ELSEGOSUB1740:GOSUB1280:GOSUB1820
1220 V(Y,0)=V(Y,0)-10:RETURN
1230 IFZ>1THENV=Z-1:PRINTRECLAIM YOUR OWN ";B(Y,V):".ELSEPRINT"S
ACRIFICE CHIPS."
1240 RETURN
1250 IFV>0THENV(Y,V)=5:IFCL(Y)>VTHENCL(Y)=V
1260 RETURN
1270 IFCL(X)=0THENRETURNELSEZ=CL(X)
1280 V(X,Z)=0:PRINTB(X,0):" - - - TAKE OFF YOUR ":PRINTB(X,Z)"!!
-----
1290 GOSUB1820:IFZ<10U=Z+1:IFU>9 OR V(X,U)=0THENV(X,0)=0:U=10:PRIN
TGET NAKED!:CL(X)=0:PRINTBC:GOSUB1820
1300 IFCL(X)>0THENCL(X)=U:RETURNELSERETURN
1310 U=CL(X)+1
1320 IFU=10THENRETURNELSEIFV(X,U)=0THENU=U+1:GOTO1320
1340 C1=RND(R+D(0,0)):IFC1<D(0,0)THENC1=0:C2=0:D(0,0)=D(0,0)-1:RE
TURN
1350 C1=RND(13):C2=RND(4):IFD(C1,C2)=0THEN1340
1360 R=R-1:D(C1,C2)=D(C1,C2)-1:IFR>PC*3THENRETURNELSEGOSUB770
1370 PRINTBC"SHUFFLING":ND:BD:D(0,0)=J:R=52*ND+J
1380 FORK=1TO4:GOSUB1760:FORL=1TO13:D(L,K)=ND:NEXTL,K:RETURN
1390 GOSUB1340:C(Y,X,0)=C1:C(Y,X,1)=C2:RETURN
1400 FORU=1TO299:NEXTU:CLS:POKEZ!+32,8:PRINT@146,CHR$(23)"* JOKER
*":PRINTBC:B(Y,0):PRINTBC:L=RND(100)
1410 IFL>4THEN1440ELSEFORL=10TOLSTEP-1:IFV(Y,L)=0THENNEXTL:GOTO145
0
1420 PRINT"STRIP TO YOUR ";B(Y,L)"!":IFL>1THENFORK=1TOL-1:V(Y,K)=0
:NEXTK:GOSUB1820
1430 GOTO1480
1440 IFL<50PRINT"AUTOMATIC BLACKJACK!":GOSUB1900:GOTO590

```

Listing 2 continues


```

1450 IFL<65THENPRINT"YOU LOSE THIS ROUND.":GOTO1480
1460 IFL<75THENPRINT"FREEZE ALL HANDS":F=1:GOSUB1880:FORL=1TO999:N
EXTL:GOTO530
1470 L=RND(15):V(Y,0)=V(Y,0)+L:PRINT"YOU GET";L;"EXTRA CHIPS.":GOS
UB1900:IFV(Y,0)>10THENPRINT"YOU WILL BE ABLE TO PLAY"CHR$(204)"THE
'EXTRA CHIP' ROUND."
1480 FORL=1TO600:NEXTL:W(Y)=-1:PO=PO+1:T(Y)=-2:GOTO600
1490 CLS:PRINT@74,"CARDS REMAINING IN YOUR";ND;BD
1500 PRINT"RANKS          CLUBS          HEARTS          SPADES          DIAMO
NDS"
1510 FORCL=1TO13:GOSUB1110:PRINT"  NS;:FORX=1TO4:PRINTTAB(X*13);ST
RINGS(D(CL,X),132);:NEXTX:PRINT:NEXTCL:IFJ>0THENPRINT@10,"YOU HAVE
";D(0,0)"OUT OF";J;"JOKERS LEFT.";
1520 GOSUB1880:FORX=0TO1999:NEXTX:RETURN
1530 FORX=0TO4:C(Y,X,0)=-1:C(Y,X,1)=-1:NEXTX:RETURN
1540 GOSUB1670:A=STRING$(9,140)+CHR$(188):PRINTTAB(12)CHR$(188);:F
ORX=0TO4:PRINTA;:NEXTX:PRINT"  ";:FORX=1TO4:IFC(Y,X,0)<0THEN1550E
LSEPRINTB(Y,0);:GOSUB1560
1550 NEXTX:Y=0:PRINT"DEALER";:GOSUB1560:A=STRING$(9,140)+CHR$(143)
:PRINTTAB(12)CHR$(143);:FORX=1TO5:PRINTA;:NEXTX:RETURN
1560 PRINTTAB(12)CHR$(191);"  ";:FORX=0TO4:IFC(Y,X,0)=-1THENNS="
":SS="  ELSECL=C(Y,X,0):C2=C(Y,X,1):IFCL=0THENNS="JOKER":SS="  EL
SEGOSUB1110
1570 PRINTNS;SS;"  ";CHR$(191);"  ";:NEXTX:RETURN
1580 PRINT@974,"<PRESS ANY KEY FOR NEXT PAGE>";
1590 QS=INKEY$:IFQS=" "THEN1590ELSEIFZD=0THENRETURN
1600 POKEZ1,4:G=USR(-399):G=USR(ASC(QS)AND15):RETURN
1610 W=LS*V:PRINTBC"ARE YOU WEARING ";A;" (Y,N) ?"
1620 GOSUB1590:IFQS="N"THENRETURNELSEIFQS=" "THEN1650ELSEIFQS<>"Y"
THEN1620
1630 IFLEFT$(A,2)="A "THENA=RIGHT$(A,LEN(A)-2)
1640 PRINT"I'LL ALLOW "B;W;"CHIPS FOR";AS;A."":V(Y,N)=W:B(Y,N)=A:N
=N+1:U=U+W:RETURN
1650 INPUT"WHAT IS EQUIVALENT ARTICLE";QS:IFLEN(QS)<4THEN1650ELSEI
FLEN(QS)>11THENPRINT"* BRIEFLY * ";:GOTO1650ELSEA=QS:GOTO1630
1660 IFN<3THENRETURNSEU=U+.4*(V(Y,N-1)):W=V(Y,N-1)*1.4:PRINTBC"I
N THAT CASE, I'LL INCREASE ";B;"S STAKE FOR";AS:PRINTB(Y,N-1)" TO"W
"CHIPS.":V(Y,N-1)=W:RETURN
1670 CLS:PRINT@148,"*- Strip Blackjack *-":PRINT:RETURN
1680 A="PANTS":V=6:GOSUB1610:IFQS="Y"THENT=5:S=N-1:GOTO1730
1690 A="SHORTS":V=5:GOSUB1610:IFQS="Y"THENT=4:S=N-1:GOTO1730
1700 A="A SWIMSUIT":V=9:GOSUB1610:IFQS="Y"THENT=3:RETURN
1710 A="SLEEPWEAR":V=8:GOSUB1610:IFQS="Y"THENT=5:RETURN
1720 PRINTBC"I ASSUME "B" IS EITHER SCANTILY CLAD . . .
",OR HAS UNUSUAL ATTIRE.":IFN<2THENPRINTB" GETS 5 'EXTRA' POINTS
--":PRINTTAB(14)"THEN EVERYTHING COMES OFF!":A="???":W=5:GOTO1640E
LSEGOTO1660
1730 A="LONGJOHNS":V=2:GOTO1610
1740 IFCL(X)>0THENZ=CL(X):RETURNELSEZ=1
1750 IFV(X,Z)=0ANDZ<10THENZ=Z+1:GOTO1750ELSERETURN
1760 IFZD=0THENRETURN
1770 G=USR(-89):FORX=18TO23STEP.2:POKEZ1,62
1780 G=USR(CINT(X!)):G=USR(24)
1790 NEXTX:FORX=1TO150:NEXTX!:RETURN
1800 IFZD=0THENRETURN
1810 L=USR(-50):POKEZ1,17:FORG=1TO4:FORL=10TO1STEP-1:L=USR(L):NEXT
L:FORL=1TO10:L=USR(L):NEXTL,G:RETURN
1820 IFZD=0THENRETURN
1830 POKEZ1,102:K=USR(-140):FORL=10TO3STEP-1:K=USR(L):NEXTL:K=USR(
-1000):K=USR(2)
1840 L=USR(-100):FORL=0TO80:NEXTL:FORG=10TO1STEP-1:G=USR(G):NEXTG:
FORG=1TO15:L=USR(G):NEXTG:RETURN
1850 IFZD=0THENRETURN
1860 POKEZ1,RND(257)-1:G=USR(-1400):G=USR(16):G=USR(0):G=USR(16):G
=USR(0):G=USR(18):G=USR(0):G=USR(15):G=USR(0):G=USR(-7000):G=USR(1
8):G=USR(23):RETURN
1870 IFZD=1THENG=USR(-99):FORG=13TO3STEP-1:G=USR(G):NEXTG:RETURN
1880 POKEZ1+32,0:IFZD=0THENRETURNELSEPOKEZ1,24:FORG=1TORND(20):K=U
SR(RND(8)*-100):K=USR(RND(11)):NEXTG:RETURN
1890 IFZD=0THENRETURNELSESEG=USR(-100):X=USR(X):RETURN
1900 IFZD=0THENRETURN
1910 POKEZ1,27:GOSUB1920:FORX=1TO110:NEXTX
1920 K=USR(-3500):K=USR(13):K=USR(-6500):K=USR(11):K=USR(-1550):K=
USR(13):K=USR(-3500):K=USR(12):K=USR(-8500):K=USR(11):RETURN
1930 T(Y)=T:IFTA>0ANDT+10<22THENT=T+10:TA=TA-1:GOTO1930ELSERETURN
1940 IFERR<>16THEN1950ELSEIFU>9THENU=10:RESUME
1950 IFERR=10THENRESUMENEXT
1960 ONERRORGOTO0:RESUME
2000 A="  ":QS=A:F=CL(1):T=F:FORX=1TO4:IFF>CL(X)THENF=CL(X)ELSEIFT
<CL(X)THENT=CL(X)
2010 NEXTX:X1=(F/T):IFX1>.8THENRETURNELSEIFX1>.7THENA=" MODERATELY
"ELSEIFX1<.5THENA=" VERY "
2020 GOSUB1670:PRINT"THERE IS A";A;"WIDE DISTRIBUTION OF CHIPS FRO
M";F;"TO";T;"AMONG THE";PC;"PLAYERS.":PRINT:PRINT"YOU CAN USE THE
'EQUALITY' OPTION TO RE-EVALUATE CLOTHING ITEMS FOR A MORE UNIFORM
CHIP TOTAL.":PRINT
2030 PRINT"DO YOU WANT TO USE THE EQUALITY OPTION?":GOSUB1590:IFQS
="N"THENRETURNELSEIFQS<>"Y"THEN2030
2040 FORX=1TO4:F=T:X1=T/CL(Y):FORX=1TO9:V(Y,X)=V(Y,X)*X1:F=F-V(Y,
X):NEXTX:V(Y,0)=F:NEXTX:RETURN

```

Instant typing

NOW FOR MODEL 100



Say "Goodbye" to the awkward hunt & peck method of typing! Instant Software introduces you to Typing Teacher—the patient tutor that will improve your typing skills. This complete seven-part package takes you all the way from initial familiarization with the keyboard, through words and phrases, to complete mastery of the keyboard.

On screen diagrams show you the correct placement for fingers. Displays keep eyes up and away from keyboard to master proper techniques.

Take home TYPING TEACHER today and type like a pro tomorrow.

Requires: TRS-80* Model 100. 8K #0463RH \$17.95.

TRS-80*, Tape, Mod I and Mod III. 16K. #0099R \$17.95

TRS-80 Disk Model I & III w/CONVERT, or PMC, 16K, #0451RD \$22.95

☐ **YES! Send me
Instant Typing
from Instant Software.**

____0463RH@ \$17.95

____0099RD@ \$17.95 ____0451RD@ \$22.95

Please add \$2.50 for postage & handling.

VISA, MASTERCARD,
AMERICAN EXPRESS ACCEPTED.

Card#	
MC Bank#	Expires
Signature	
Name	
Street	
City	
State	Zip
337B8T	OR CALL TOLL FREE 338B8T
1-800-258-5473	

Instant Software
Rt. 101 & Elm St.
Peterborough NH 03458

Instant Software
S

*TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation.

Light Cycle

by Donald David

Light Cycle is a fast-paced, action-packed Model III game for one or two players. It is derived from a program called Boa by Jeff Myers (*80 Microcomputing*, May 1981, p. 294).

In Light Cycle, each player uses four keys to maneuver a beam of light around the screen. As the beam travels,

Try to shade all of your Model III screen white. Obstacles and a maze make it tougher.

It leaves a trail of light. Try to shade as much of the screen as possible with light. The first beam to hit a wall, obstacle, or the other player's beam loses.

After you play Light Cycle, the percentage of the screen shaded white appears at the bottom of the screen.

Four levels of difficulty challenge your reflexes. The screen for the first level contains no obstacles—it is straightforward and fairly simple.

Levels 2 and 3 each contain randomly placed obstacles, level 3 more than level 2. You can pass through some of these obstacles. If you want to increase or decrease the number of obstructions, change the For...Next loop in lines 8070, 8080, 9270, and 9280.

The fourth level is a circuitous maze. Try to get through it! ■

Donald David can be reached at 990 North Ave., Deerfield, IL 60015.

Program Listing

```

0 REM * * * * * LIGHT CYCLE * * * * *
1 REM * BY DONALD DAVID-990 NORTH AVE.-DEERFIELD ILL. 60015 *
2 REM * ORIGINAL PROGRAM CREATED BY JEFF MEYERS - 'BOA' *
3 REM * FROM 80 MICROCOMPUTING MAY 1981 PAGE 294 *
4 REM * * * * *
5 CLEAR1000:DEFINT A-Z:DIM P(150):DIM C(150):PO=26:CZ=0:CP=1:CN=-1:
KT=15010:KN=15009:KF=15004:K0=15360:GOSUB9000
10 GOSUB9000:GOSUB8000:GOSUB950:P=2*P0+6:Q=3*Q0+4:SET(P,Q):SET(P+CP
,Q):R=2*R0-CP:S=3*S0+4:SET(R,S):SET(R-CP,S):C=2
13 P1=CP:Q1=CZ:R1=CN:S1=CZ
100 ' A INPUT
120 IFPEEK(KF)AND4THENQ1=CN:P1=CZ:GOTO200
130 IFPEEK(KF)AND2THENP1=CN:Q1=CZ:GOTO200
140 IFPEEK(KF)AND128THENP1=CP:Q1=CZ:GOTO200
150 IFPEEK(KN)AND2THENQ1=CP:P1=CZ
200 P=P+P1+P1:Q=Q+Q1:IFPOINT(P,Q)ORPOINT(P+CP,Q)THEN300
210 SET(P,Q):SET(P+CP,Q):C=C+CP:GOTO500
300 ' B WINS
310 BS=BS+CP:W$="B":GOTO730
500 ' B INPUT
510 IFPEEK(KT)AND2THENR1=CZ:S1=CN:GOTO600
520 IFPEEK(KT)AND4THENR1=CN:S1=CZ:GOTO600
530 IFPEEK(KT)AND8THENR1=CP:S1=CZ:GOTO600
540 IFPEEK(KT)AND32THENS1=CP:R1=CZ
600 R=R+R1+R1:S=S+S1:IFPOINT(R,S)ORPOINT(R-CP,S)THEN700
610 SET(R,S):SET(R-CP,S):C=C+CP:GOTO100
700 ' A WINS
710 AS=AS+CP:W$="A"


```

Listing continues

The Key Box

Model I and III
16K RAM
Cassette or Disk Basic

- COMPUTER SHACK -




Stronghold

By Ken Olson and Larry Chow

Using all the skill you can muster, protect your city by moving your shield and stopping the bombs. From every angle, bombs will destroy the cities outer shielding until it reaches the city itself. If the city is hit, you and all your people will be destroyed. You can catch the bombs and launch them at opposing cities, or just worry about saving yourself.

One or two player action with sound and split second graphics that'll amaze the eye and ear.

Tape..... \$22.95 Disk..... \$25.95



Moon Rover


By Scott Watson

When we first landed on the moon, scientist found it to be a dead planet. So we preceded to build our first LUNAR STATION.

But the moon was inhabited, and they're not as friendly as E.T.. On the ground and in the air they're attacking! Just keep moving and hope that you are not stopped or that you don't fall into a crater before earth forces can arrive.

With fantastic sound and truly excellent graphics, MOON ROVER will provide hours upon hours of exciting play.

Tape..... \$22.95 Disk..... \$25.95



Time Bandit

By Bill Dunlevy


With TIME BANDIT, you virtually create your own game. You can choose from more than TWENTY places during the entire game. And each place has more than 15 distinct variations and levels of difficulty; this means over 300 variations in all!

Unbelievable speed, ultra crisp graphics (including scrolling maps and full animation), amazing sound, high scores that save to disk or cassette, voice (disk versions) -- it's all here! The conquest of time and space awaits you. TIME BANDIT the latest game by Bill Dunlevy.

Tape..... \$24.95 Disk..... \$26.95

FIVE EXCITING NEW GAMES FROM COMPUTER SHACK

We give you a discount if your order more than one program. 10% of your order 2, 15% if you order 3 and 20% if you order 4 or more programs (any software).



Convoy


by Philip Mackenzie and Jeffery Sorensen

From the creators of DEMON SEED comes a great new game that promises to keep you on the edge of your seat.. CONVOY!!!

A convoy of trucks has been assigned to move food rations for the troops in the field. You must protect the convoy, utilizing the firepower of the armies new super tank, from enemy fighter planes and helicopters seeking to block and destroy the convoy. As planes come rocketing down, destroy their bombs and send them to the ground in flames. At first, the fighters may seem to ignore you, but watch out!!! As your skill grows, they'll call out reinforcements that'll directly attack and destroy your tank. You'll feel and see the spectacular battlescenes, you'll hear the planes as they dive into the road, and you'll react like you've never reacted before!

CONVOY.. Can you take the challenge?

Tape..... \$22.95 Disk..... \$25.95



Fury

By Doug Frayer

In the background you hear the sirens blare! As your heart fills with dread you know what the sound means! The planet's been INVADDED, the merciless Monnierian have arrived!

With all the other young pilots, you rush down the corridor, strapping on your suit and straightening you head gear. As the top closes on your fighter and the dials light up, you see the controller waving you on. This is it! This is the moment that decides your worth as a pilot! You better be quick and you better be ready! So with a reassuring whisper, you take a firm grasp on the controls and prepare yourself for the battle of a lifetime.

Written by the thrice acclaimed Doug Frayer (Author of CYBORG and JOVIAN) FURY combines strategy and three wave patterns to the traditional space fight. Allowing one or two players, sound and graphics are used to their utmost and the disk version even talks!

Tape..... \$22.95 Disk..... \$25.95

COMPUTER SHACK

1691 Eason • Pontiac, Michigan 48054

Info: (313) 673-8700 • Orders: CALL TOLL FREE (800) 392-8881

Master Charge and VISA OK. Please add \$3.00 for shipping in the U.S.A. - \$5.00 for Canada or Mexico - Proper postage outside of U.S. - Canada - Mexico.

Dealers: We are distributors for all items in this ad. Write for our catalog and price list.

Why settle for less on TRS-80 Model 4 Computers & Accessories?

Get Service, Selection, and Shipment ...
not just a low price!

Sure we ship mail order,
but Computer Discount of
America is a full-service,
multi-store retail operation.
Our staff of experts is willing
and able to help you fill your
needs and get the most out of your computer.


We offer a complete variety of computers, as well as
all the popular brands of Printers, Monitors, Soft-
ware, and Accessories. All orders are shipped within
24-48 hours from the largest inventory in the North-
east, in factory-sealed cartons. And, we will replace
any merchandise that is defective or damaged.

Whether we talk to you on the phone or in person,
your satisfaction is important to us.

If you're looking for price, selection and service, call
Computer Discount of America — **where the only thing
we discount is price.**

ORDER TOLL FREE: 800-526-5313
COMPUTER DISCOUNT OF AMERICA, INC.
15 Marshall Hill Road, West Milford Mass
West Milford, New Jersey 07480-219
In New Jersey Call 201-728-8080

**Computer
Discount
of America**



Listing continued

```

720 ' END ROUTINE
730 GOSUB 950
745 PRINT@1006,"SCREEN";
750 PRINT"";PRINTUSING"###";INT(100*C/2530+.5);:PRINT"";
752 PRINT" FULL";
760 H$=INKEY$:IF H$=" " THEN 760 ELSE IFASC(H$)<>13 THEN 760
770 RESTORE CLS:GOSUB 9250:GOTO 10
900 ' PLAYER'S BOXES
902 AS=CHR$(191)+CHR$(191)+CHR$(191)
920 P0=2:Q0=6:R0=59:S0=6
930 CLS:RETURN
950 ' SCORE ROUTINE
952 PRINT@961,"SCORE";
954 PRINT" A";AS;:PRINT" B";BS;
956 RETURN
960 ' EDGE ROUTINE
8010 FOR X0=K0T015423:POKE X0,131:NEXT
8020 FORR=0T015:POKEK0+64*R,191:POKEK0+64*R+63,191:NEXT
8040 Z=K0+64:C9=0
8050 FOR N=1T0127:SET(N,44):NEXT N
8060 POKE 15868,166:POKE 15811,153
8065 IF H$="1" THEN RETURN
8070 IF H$="2" THEN FOR N=1T012:POKE P(N),162:NEXT N:FOR N=0T0127:SE
T(N,0):NEXT N:FOR N=0T047:SET(0,N):SET(127,N):NEXT N:RETURN
8080 IF H$="3" THEN FOR N=1T019:POKE P(N),C(N):NEXT N:FOR N=0T0127:
SET(N,0):NEXT N:FOR N=0T047:SET(0,N):SET(127,N):NEXT N:RETURN
8085 IF H$="4" THEN FOR N=12T032:SET(N,23):NEXT N:FOR N=37T051:SET(

```

```

N,23):NEXT N:FOR N=12T051:SET(N,21):NEXT N:FOR N=11T021:SET(51,N):
NEXT N
8090 FOR N=23T033:SET(32,N):SET(37,N):NEXT N
8100 FOR N=23T033:SET(51,N):NEXT N
8101 FOR N=115T069STEP-1:SET(N,23):NEXT N:FOR N=115T092STEP-1:SET(
N,21):NEXT N:FOR N=87T069STEP-1:SET(N,21):NEXT N
8110 FOR N=12T021:SET(92,N):SET(87,N):NEXT N
8120 FOR N=11T021:SET(12,N):NEXT N
8130 FOR N=12T035:SET(N,11):NEXT N
8140 FOR N=23T033:SET(12,N):NEXT N
8150 FOR N=51T0100:SET(N,33):NEXT N
8155 FOR N=69T0100:SET(N,28):NEXT N
8160 FOR N=23T028:SET(69,N):NEXT N
8170 FOR N=12T032:SET(N,33):NEXT N
8180 FOR N=17T027:SET(60,N):NEXT N
8190 FOR N=12T021:SET(69,N):NEXT N
8200 FOR N=69T080:SET(N,12):NEXT N
8210 FOR N=23T028:SET(100,N):NEXT N
8999 RETURN
9000 ' INSTRUCTIONS
9003 CLS:GOSUB 9400:PRINT
9010 PRINT" TWO PLAYERS USE THE KEYS BELOW TO MANUEVER THEIR CYCLES
AROUND THE SCREEN. THE FIRST PLAYER WHO RUNS INTO SOMETHING LOS
ES."
9100 PRINTTAB(8)"PLAYER A - ";CHR$(153);TAB(46)"PLAYER B - ";CHR$(
166)
9130 US=CHR$(91):DS=CHR$(92):LS=CHR$(93):RS=CHR$(94)
9140 FS=LS+" Q KEY W "+RS:SS=LS+" J KEY K "+RS
9160 PRINTTAB(12)US;TAB(50)US
9170 PRINTTAB(12)"2";TAB(50)"1"
9200 PRINTTAB(6)FS;TAB(44)SS
9210 PRINTTAB(12)"A";TAB(50)"M"
9220 PRINTTAB(12)DS;TAB(50)DS
9230 PRINT" A SOLITAIRE VERSION CAN BE PLAYED BY OPERATING BOTH CY
CLES (1) AND TRYING TO MAXIMIZE THE %AGE SCORE SEEN AT THE LOWER
RIGHT."
9250 PRINTTAB(5);"* HIT 1-BEGINNER 2-INTERMEDIATE 3-ADVANCED 4-EXPE
RT *"
9270 FOR N=1T019:P(N)=15430+RND(814):NEXT N
9280 FOR X=1T019:C(X)=129+RND(62):NEXT X
9290 HS=INKEY$:IF H$<"1"OR H$>"4" THEN 9290 ELSE RETURN
9399 ' PRINT WORD LIGHT CYCLE
9400 WS=CHR$(191):VS=CHR$(189)
9500 X$=WS+" "+WS+WS+" "+WS+WS+WS+WS+WS+WS+" "+WS+" "+WS+WS+
S+WS+WS+WS
9510 Y$=WS+" "+WS+WS+" "+WS+" "+CHR$(176)+" "+WS+CHR$(140)+CHR
$(140)+CHR$(140)+WS+" "+WS
9520 Z$=WS+CHR$(188)+" "+WS+WS+" "+WS+CHR$(188)+CHR$(188)+CHR$(18
8)+CHR$(191)+" "+WS+" "+WS+" "+WS
9522 Z1$=" "+WS+WS+WS+WS+WS+" "+WS+" "+WS+WS+WS+WS+WS+" "+WS
S+" "+WS+WS+WS+WS+WS
9524 Z2$=" "+WS+" "+WS+" "+CHR$(139)+CHR$(176)+CHR$(176)+CHR$(13
5)++" "+WS+" "+WS+CHR$(176)
9526 Z3$=" "+WS+CHR$(188)+CHR$(188)+CHR$(188)+CHR$(188)+CHR$(188)+
" "+WS+CHR$(188)+CHR$(188)+CHR$(188)+CHR$(188)+CHR$(188)+CHR$(188)+
88)+CHR$(188)+CHR$(188)
9532 PRINT@0,"";:PRINTTAB(5);X$;Z1$;PRINTTAB(5);Y$;Z2$;PRINTTAB(5
);Z3$;Z3$
9540 RETURN

```

Make A Name For Yourself In Technical Publishing.

Wayne Green Books announces a September 1, 1983 deadline for submitting manuscript proposals for the upcoming publication list. Ideas for book-length manuscripts about any microcomputer system or area of electronics will be considered. In addition to payment and royalties, we offer our distribution channels and the marketing support your book deserves.

Send proposals or requests for a copy of our Writer's Guide to: Editor, Wayne Green Books Peterborough, NH 03458. Or call toll-free 1-800-343-0728.

OMNITEK COMPUTERS INTERNATIONAL, INC.	
1300 MAIN STREET TEWKSBURY, MASS 01876	
617-851-4580	
CBM64.....295.00	
Verbatim 5.25" D.L.....	25.00
5 1/2" Head Cleaning Kits.....	5.00 each or 3 for \$12.00
Okidata Microline 80.....	299.00
Okidata Microline 82A.....	399.00
Okidata Microline 83A.....	629.00
Okidata Microline 92 (160 C.P.S.) corresponds mode.....	499.00
Okidata Microline 93.....	799.00
Smith Corona Daisy Wheel Printer.....	559.00
13" Green Monitor.....	99.00
B.M.C. 13" Color Monitor.....	299.00
Epson FX80 FT.....	539.00
Epson MX-100.....	629.00
Radio Shack MIV 64K w/2 drives and RS232.....	1787.00
40 track economy drive Power Supply with case.....	179.00
Tandon drives with Power Supply and case	
40 track singlehead.....	249.00
dualhead.....	339.00
80 track singlehead.....	299.00
dualhead.....	399.00
5.25" Power Supply and case.....	39.00 or 10 for \$340.00
*BASF 40 track D.D. 5 1/4" new disk drive, as is,	
no return.....	89.00
8" Power Supply and case.....	99.00 or 10 for 935.00
Brothers HR-1 D.W. Printer.....	795.00
Full Commodore Line.....	CALL.....VIC 20.....99.00
OMNITEK COMPUTERS INTERNATIONAL, INC.	
TRS-80 is a reg. trademark of Tandy Corp. Prices are for mail order only TERMS: Check, money order, Mastercard and Visa accepted. F.O.B. Tewksbury freight extra. Minimum \$5.00 S & H. Mass residents add 5% sales tax. Write for FREE CATALOG.	

PRICES YOU CAN'T BEAT!..

LNW-80 Model II \$1595

96K, 5 1/8" DISK CONTR., RGB COLOR
DOS-PLUS, 3.4, HI-RES GRAPHICS
RS 23 Z-C, PAR. PRINTER PORT., CPM
80x24 DISPLAY, 1 YEAR WARRANTY

COMPUTERS

LNW MODEL I	DISCONT	
PMC 81 16K	\$525	48K \$660
TIMEX	\$56 (WITH COUPON)	\$39
APPLE CLONE (SYSCON 2)		\$599
TRS-80 COLOR COMP. 16K		\$269
MOD IV		\$1,730

CRT MONITORS

AMDEK 300 GREEN	\$139
AMDEK 300 AMBER	\$159
AMDEK COLOR I	\$359
AMDEK COLOR II	\$639
TAXAN RGB COLOR I	\$299
TAXAN RGB COLOR III	\$550
TAXAN GREEN	\$125
TAXAN AMBER	\$139
ZENITH GREEN	\$115
APPLE/IBM RGB CARD	\$89

EXPANSION INTERFACES

LNW SYSTEM EXPANSION II	\$349
MICRO DESIGN MDX-2	\$449
MICRO DESIGN MDX-3	\$289
HOLMES ENG. IM2	\$129
DOUBLE DENSITY MULTIPLIER	\$95
L & W 5/8 DBLR W/DOS PLUS 3.4	\$199

TEAC 1/2 SIZE DRIVES

	Bare	Compl.
FD 55A 40TRK S/S	\$209	\$245
FD 55B 40TRK D/S	\$280	\$319
FD 55F 80TRK D/S	\$350	\$390

ALL TEACS HAVE A 1 YEAR WARRANTY

TANDON DRIVES

	Bare	Compl.
100-1 40TRK S/S	\$189	\$230
100-2 40TRK D/S	\$259	\$299
100-4 80TRK D/S	\$340	\$385

ECONOMY DRIVES

COMPLETE W/CASE/PWR SUPL/CABLE
40TRK S/S \$195

APPLE COMPATIBLE DRIVE
W. CONTR CARD, CASE & CABLE \$295

C-ITOH PRINTERS

	PAR	SER
PROWRITER 8510	\$379	\$539
PROWRITER 1550	\$659	\$739
F-10 40CPS	\$1195	\$1195
F-10 55CPS	\$1550	\$1550
F-10 TRACTOR FEED		\$195
QUME SPRINT 11 40CPS		\$1450

MODEMS

NOVATION J-CAT	\$135
SIGNALMAN	\$85

LNW SYSTEM EXPANSION II

UPGRADE YOUR MOD I OR PMC-80/81 WITH
DISK CONTROLLER · RS 232 · PARALLEL
PRINTER PORT · 32K 200 NS MEMORY · GOLD
CONNECTORS · POWER TRANSFORMER
CASE · CABLE
FOR ONLY \$349

TRS COLOR COMP. EXP. BOARD

REAL TIME CLOCK
PAR PRINTER PORT
DISK DRIVE CONTR
80x24 DISPLAY \$289
Add \$75

SOFTWARE

LAZY WRITER	\$159	MULTIDOS 1.6	\$89
ELECTRONIC WEBSTER	\$119	SUPER UTILITY + 3.0	\$69
MAXI MANAGER	\$129	M.A.S. 80	ea. \$145
POSTMAN	\$119	NEWSCRIP 7.0	\$114
DOS PLUS 3.4	\$89	OMNITERM	\$78

24 HOUR TOLL FREE ORDERS
VISA/MASTER CHARGE ONLY:
(800) 633-2252 EXT 720

ALL QUESTIONS: (313) 538-1112

MICHIGAN RESIDENTS ADD 4% SALES TAX-POSTAGE
CALL FOR CHARGES-PRICES ARE DISCOUNTED FOR
CASH AND MONEY ORDER (NON CERTIFIED CHECKS
ALLOW 2 WEEKS TO CLEAR) MASTER CARD AND VISA
ADD 3% NO C.O.D. NO NET TERMS



VESPA COMPUTER OUTLET
16727 Patton Detroit MI 48219

Maze Chase

by Leonard Karr

Maze Chase is an action game similar to Pac-Man; bad guys pursue a player through a maze. If they catch him, he loses. In this game, the player wins by catching a moving asterisk before his opponents catch him. It's a chase within a chase. The asterisk is not cooperative. It does its best to evade you.

Use the numeric keypad to control your token. If you don't have a keypad or you want to use different keys, make

**In this maze game, you
are hunter and hunted.
Try to catch the asterisk
before enemies catch you!**

two changes in the program. First, change the instructions in lines 3070-3100 to specify the keys you want

to use. Second, in lines 2110-2140, replace the numbers in quotation marks in the statements 'IF LS="#"...' with the characters of the keys you're using.

Each game starts with a different maze. You cannot memorize patterns to guarantee a win. Sometimes the maze makes a win easy for you, sometimes for your enemies.

There are three levels of play. At the first level, only two bad guys pursue

Variables used to draw maze:

K, J	Counters in For...Next loops
B\$	Black Square
W\$	White square (not used)
M\$	Solid white line 63 spaces long
AL	Location of path above or below starting position
BL	Location of path square as maze is drawn
CL	Random move, up, down, or forward
DL	Path location when path moves up or down
PI	Path location when drawing corners of maze

Variables in movement phase of program:

PI	Movement increment for player
TI	Movement increment for asterisk
AI	Movement increment for bad guy A
BI	Movement increment for bad guy B
CI	Movement increment for bad guy C
DI	Movement increment for bad guy D
AL	Location on video screen of bad guy A

BL	Location on video screen of bad guy B
CL	Location on video screen of bad guy C
DL	Location on video screen of bad guy D
PL	Location on video screen of player
TL	Location on video screen of asterisk
EL	Location on video screen of capture point
PX	Player's location on X axis
PY	Player's location on Y axis
BX	Bad guy B's location on X axis
BY	Bad guy B's location on Y axis
AX	Bad guy A's location on X axis
AY	Bad guy A's location on Y axis
H	Level of play
K, J	Counters in For...Next loops
LL	Count of player losses
WW	Count of player wins
S	Start of computer memory of video screen
B\$	Used to flash capture point
W\$	Used to flash capture point

Table 1. List of Variables

Program Listing

```

1 *****
2 '*          MAZE CHASE FOR LEVEL 2 TRS-80          *
3 '*          BY LEONARD KARR    MAY 1982            *
4 '*          1436 VILLAGE ROAD    *
5 '*          CHARLESTON, SC 29407    *
6 *****
8 DEFINT A-O,R,S
10 CLEAR 200
20 RANDOM
30 S=15360
100 GOTO 3000 'INSTRUCTIONS AND GAME START
200 'SUBROUTINE TO CREATE BLACK & WHITE BLOCKS FOR DRAWING MAZE
210 B$=CHR$(128)+CHR$(128)+CHR$(128)

```

```


220 W$=CHR$(191)+CHR$(191)+CHR$(191)
230 M$=STRING$(63,191)
240 RETURN
250 ' DRAW MAZE SUBROUTINE
255 FOR K=0 TO 15
260   PRINT$(K*64),M$:NEXT
280 FORK=3TOLLSTEP2
290   AL=2
300   BL=K*64
310   FORJ=1TO9
320     BL=BL+3
330     PRINT$(BL,B$;
340     CL=RND(3)
350     IF CL=2THEN450

```

Listing continues

for the **TRS-80** from **Micro-Mega**

The Original GREEN-SCREEN



The eye-pleasing Green-Screen fits over the front of your TRS-80 Video Display and gives you improved contrast with reduced glare. You get bright luminous green characters and graphics like those featured by more expensive CRT units.

Don't confuse the Original Green-Screen with a piece of thin film stuck to the face of your video tube, such as that advertised by others. The Original Green-Screen is mounted in a full frame perfectly matched to the color and texture of the TRS-80 Video Display. It is attached with adhesive strips which do not mar your unit in any way.

The full frame design of the Original Green-Screen "squares off" the face of your video display and greatly improves the overall appearance of your system.

(Specify whether for Model I or Model III)

THE GREEN-SCREEN..... \$15.95
Add \$1.50 for postage and handling.

Terms: Check or money order, no CODs or credit cards, please. Add amount shown for postage and handling to price of the item. All items shipped within 48 hours by first class or priority mail. Virginia residents, add 4% sales tax. ✓162

Micro-Mega · P.O. Box 6265 · Arlington, Va 22206

***** NEW *****

LNW80 SYSTEMS

1983 Model II with upgrades
RS model III compatability add-on soon

SPECIAL SYSTEM PACKAGE

LNW80 Model II computer
Green screen monitor
2 Disk drives
DOS PLUS, LNW BASIC, CP/M 2.2

FREE SOFTWARE INCLUDED

New release easy to use
Business System with:
AR, AP, GL, Pay Roll
Electric Pencil 2.0z
Electric Spreadsheet
Chartx
Microterm

BONUS FROM EXCELLONIX YOUR CHOICE:

1. C. Itoh printer and cable
2. Hayes Smartmodem and cable
3. Taxan model RGB3 monitor
(instead of green screen)

SPECIAL PRICE \$2695.00

EXCELLONIX


639 No. Bristol St. #52
Santa Ana, Ca. 92703
(714) 973 1939 (213) 650 5754

Introducing The **FIRST**

REMOVABLE

WINCHESTER 5 MEGABYTE HARD DISK DRIVE

Installable Directly Into The TRS 80 Model III



FEATURES

- Approximately nine times faster than standard floppy disk drives.
- One hard disk cartridge is equal in capacity to 30 floppy disks.
- Five megabyte on-line storage. • Built-in error detection & correction.

FOR
ONLY

\$1799⁹⁵

From

MICRO DESIGN

Tex. Res. Call 512-441-7890

6301 Manchaca Dr. Suite B • Austin, TX. 78745

1-800-531-5002

See our ads on pages 215, 216, 217, 249, 257

✓429

```

360 IF (CL=1) AND (AL=1) THEN 450
370 IF (CL=3) AND (AL=3) THEN 450
380 IF (CL=1) THEN DL=BL-64:BL=DL-64:AL=AL-1:GOTO 400
390 DL=BL+64:BL=DL+64:AL=AL+1
400 PRINT@BL,B$;:PRINT@DL,B$;
450 BL=BL+3:PRINT@BL,B$;
460 NEXT J
470 NEXT K
480 'DRAW CORNERS AND SIDES
490 FOR K=1 TO 13
500 PRINT@ (K*64+3),B$;
510 PRINT@ (K*64+57),B$;
520 NEXT
530 FOR K=1 TO 2
540 PI=K*3
550 PRINT@ (67+PI),B$;
560 PRINT@ (112+PI),B$;
570 PRINT@ (835+PI),B$;
580 PRINT@ (835+PI),B$;
590 PRINT@ (880+PI),B$;
600 PRINT@ (195+PI),B$;
610 PRINT@ (240+PI),B$;
620 PRINT@ (707+PI),B$;
630 PRINT@ (752+PI),B$;
640 NEXT K
650 PRINT@137,B$;
660 PRINT@179,B$;
670 PRINT@777,B$;
680 PRINT@819,B$;
700 PRINT@976,"MAZE CHASE BY LEONARD KARR";
710 RETURN
1000 IF AY<PY THEN IF AX<=PX THEN 1150 ELSE 1140
1010 IF AY>PY THEN IF AX<=PX THEN 1170 ELSE 1130
1020 IF AX>PX THEN 1140
1100 IF PEEK(S+AL+3)<>191 AND AI<>-3 THEN AI=3:AX=AX+1:GOTO 1200
1110 IF PEEK(S+AL-64)<>191 AND AI<>64 THEN AI=-64:AY=AY+1:GOTO 1200
1120 IF PEEK(S+AL-3)<>191 AND AI<>3 THEN AI=-3:AX=AX-1:GOTO 1200
1130 IF PEEK(S+AL+64)<>191 AND AI<>-64 THEN AI=64:AY=AY-1:GOTO 1200
1140 IF PEEK(S+AL-3)<>191 AND AI<>3 THEN AI=-3:AX=AX-1:GOTO 1200
1150 IF PEEK(S+AL-64)<>191 AND AI<>64 THEN AI=-64:AY=AY+1:GOTO 1200
1160 IF PEEK(S+AL+3)<>191 AND AI<>-3 THEN AI=3:AX=AX+1:GOTO 1200
1170 IF PEEK(S+AL+64)<>191 AND AI<>-64 THEN AI=64:AY=AY-1:GOTO 1200
1180 GOTO 1100
1200 PRINT@AL,B$;:AL=AL+AI:PRINT@AL,HA$;
1220 IF AL=PL THEN EL=AL:GOTO 2600
1280 IF CL+64=PL THEN CI=64:GOTO 1400
1290 IF CL-3=PL THEN CI=-3:GOTO 1400
1300 IF PEEK(S+CL+CI)<>191 THEN 1400
1310 IF ABS(CI)=64 THEN ON RND(2) GOTO 1360,1370
1320 ON RND(2) GOTO 1330,1340
1330 IF PEEK(S+CL-64)<>191 THEN CI=-64:GOTO 1400
1340 IF PEEK(S+CL+64)<>191 THEN CI=64:GOTO 1400
1350 IF PEEK(S+CL-64)<>191 THEN CI=-64:GOTO 1400
1360 IF PEEK(S+CL+3)<>191 THEN CI=3:GOTO 1400
1370 IF PEEK(S+CL-3)<>191 THEN CI=-3:GOTO 1400
1380 IF PEEK(S+CL+3)<>191 THEN CI=3:GOTO 1400
1400 PRINT@CL,B$;:CL=CL+CI:PRINT@CL,HC$;
1410 IF CL=PL THEN EL=CL:GOTO 2600
1490 IF DL+3=PL THEN DI=3:GOTO 1600
1500 IF DL+64=PL THEN DI=64:GOTO 1600
1510 IF PEEK(S+DL+DI)<>191 THEN 1600
1520 IF ABS(DI)=64 THEN ON RND(2) GOTO 1570,1580
1530 ON RND(2) GOTO 1540,1550
1540 IF PEEK(S+DL-64)<>191 THEN DI=-64:GOTO 1600
1550 IF PEEK(S+DL+64)<>191 THEN DI=64:GOTO 1600
1560 IF PEEK(S+DL-64)<>191 THEN DI=-64:GOTO 1600
1570 IF PEEK(S+DL+3)<>191 THEN DI=3:GOTO 1600
1580 IF PEEK(S+DL-3)<>191 THEN DI=-3:GOTO 1600
1590 IF PEEK(S+DL+3)<>191 THEN DI=3:GOTO 1600
1600 PRINT@DL,B$;:DL=DL+DI:PRINT@DL,HD$;
1610 IF DL=PL THEN EL=DL:GOTO 2600
1790 IF PL=BL THEN PRINT@BL,HB$;:EL=BL:GOTO 2600
1800 IF BX<PX THEN IF BY<=PY THEN 1900 ELSE 1970
1810 IF BX>PX THEN IF BY<=PY THEN 1940 ELSE 1930
1830 IF BY>PY THEN 1930 ELSE 1910
1900 IF PEEK(S+BL+3)<>191 AND BI<>-3 THEN BI=3:BX=BX+1:GOTO 2000
1910 IF PEEK(S+BL-64)<>191 AND BI<>64 THEN BI=-64:BY=BY+1:GOTO 2000
1920 IF PEEK(S+BL-3)<>191 AND BI<>3 THEN BI=-3:BX=BX-1:GOTO 2000
1930 IF PEEK(S+BL+64)<>191 AND BI<>-64 THEN BI=64:BY=BY-1:GOTO 2000
1940 IF PEEK(S+BL-3)<>191 AND BI<>3 THEN BI=-3:BX=BX-1:GOTO 2000
1950 IF PEEK(S+BL-64)<>191 AND BI<>64 THEN BI=-64:BY=BY+1:GOTO 2000
1960 IF PEEK(S+BL+3)<>191 AND BI<>-3 THEN BI=3:BX=BX+1:GOTO 2000
1970 IF PEEK(S+BL+64)<>191 AND BI<>-64 THEN BI=64:BY=BY-1:GOTO 2000
1980 GOTO 1900
2000 PRINT@BL,B$;:BL=BL+BI:PRINT@BL,HB$;
2010 IF BL=PL THEN EL=BL:GOTO 2600
2100 L$=INKEY$
2110 IF L$="8" AND PEEK(S+PL-64)<>191 THEN PI=-64:PY=PY+1:GOTO 2200

```

Listing continues

you, but the game moves faster than at the other two levels. Three enemies chase you at Level 2, and at Level 3 you must avoid four bad guys.

Keep in mind that all creatures (the player, bad guys, and asterisk) move at the same speed. As long as you make no mistakes and press the right key at the right moment, you cannot be caught from behind (nor can you catch the asterisk from behind). To win, you must maneuver until the asterisk moves toward you on a path without a turnoff.

You can reverse direction or remain immobile during play. The asterisk and enemies must move left, right, or forward. The maze never contains a dead end that could trap them.

Once you figure out your opponents' movements and a couple of the game's idiosyncrasies, you can win most games. If you want to increase difficulty, allow bad guy B to reverse direction. Change lines 1790-2010 by omitting the second condition ('and BI<>#') of the If statements. This makes him harder to avoid and quickly puts him on your tail.

The bad guys use two different strategies to find you. Two of them move more or less randomly and check to see if you're next to them. The other two bad guys know where you are and always attempt to move toward you. Once they get within two squares of you, you can't lose them. They follow you until the end of the game.

The asterisk moves just enough to avoid you, but not enough to escape every time. It spends a lot of time in the corners, but quickly runs out unless you approach it correctly.

The asterisk and the smart bad guys use a similar means of movement. The program analyzes the relative positions of the player and the bad guy or asterisk, and branches to the line with the best movement strategy (+3 units for right, -3 for left, -64 for up, and +64 for down) for that situation. The program tests the move to see if it sends the creature into a wall or reverses his direction of movement.

If the move is legal, the move increment is set and the program branches to the line that makes the move. If the best move is illegal, the test fails and the program continues to the next line that contains the second best move for the situation. If this move is illegal, the test again fails and the program continues to fall through until it finds a legal move.

Since no maze ever contains a dead end, there is always a legal move. Test lines are grouped together to reduce the amount of coding. Each best move uses the other possible moves as alternatives.

Listing continued

```

2120 IF L$="4"ANDPEEK(S+PL-3)<>191THENPI=-3:PX=PX-1:GOTO 2200
2130 IF L$="2"ANDPEEK(S+PL+64)<>191THENPI=64:PY=PY-1:GOTO 2200
2140 IF L$="6"ANDPEEK(S+PL+3)<>191THENPI=3:PX=PX+1:GOTO 2200
2150 PI=0
2200 PRINT@PL,B$;:PL=PL+PI:PRINT@PL,P$;
2210 IF PL=TL THEN EL=PL:GOTO 2600
2290 IF INT(TL/64)=INT(PL/64) THEN2340
2300 IF TL/64-INT(TL/64)=PL/64-INT(PL/64) THEN2320
2310 IF PL<TL THEN2330 ELSE2350
2320 IF PEEK(S+TL-3)<>191ANDTI<>3 THENTI=-3:GOTO2380
2330 IF PEEK(S+TL+3)<>191ANDTI<>-3 THENTI=3:GOTO2380
2340 IF PEEK(S+TL+64)<>191ANDTI<>-64 THENTI=64:GOTO2380
2350 IF PEEK(S+TL-64)<>191ANDTI<>64 THENTI=-64:GOTO2380
2370 GOTO2320
2380 PRINT@TL,B$;:PRINT@TL+TI,T$;:TL=TL+TI
2390 IF TL=PL THENEL=TL:PRINT@EL,P$;:GOTO2600
2395 ON H GOTO 1490,1280,1000
2399 'SUBROUTINE TO CREATE MEN
2400 ON H GOTO 2410,2430,2460
2410 HB$=CHR$(153)+CHR$(179)+CHR$(166):BL=451:BX=1:BY=7
2420 HD$=CHR$(166)+CHR$(140)+CHR$(153):DL=195:GOTO2520
2430 HB$=CHR$(166)+CHR$(140)+CHR$(153):BL=579:BX=1:BY=5
2440 HC$=HB$:CL=195
2450 HD$=CHR$(153)+CHR$(179)+CHR$(166):DL=707:GOTO2520
2460 HA$=CHR$(153)+CHR$(179)+CHR$(166):AL=451:AX=1:AY=7
2470 HB$=HA$:BL=579:BX=1:BY=5
2480 HC$=HA$:CL=195
2490 HD$=HA$:DL=707
2520 P$=CHR$(140)+CHR$(179)+CHR$(140):PL=249:PX=19:PY=11
2530 T$="*":TL=131
2540 RETURN
2600 FOR K=1TO10
2620 PRINT @(EL-67),B$+B$+B$;
2630 PRINT @(EL+61),B$+B$+B$;
2640 PRINT@(EL-3),B$;
2650 PRINT@(EL+3),B$;
2670 FOR J=1 TO 30:NEXT
2680 PRINT@(EL-67),W$+W$+W$;
2690 PRINT@(EL+61),W$+W$+W$;
2700 PRINT@(EL-3),W$;
2710 PRINT@(EL+3),W$;
2720 FORJ=1 TO 30:NEXT
2730 NEXT K
2750 IF TL<>PL THENLL=LL+1:PRINT@976,"SORRY YOU LOSE. ";:GOTO 290
0
2760 WW=WW+1:PRINT@976," YOU WIN!!!!!! ";
2900 INPUT"PLAY AGAIN";AS
2920 IF LEFT$(AS,1)<>"Y" THEN 5500
2925 PRINT@976," SELECT LEVEL (1, 2, OR 3)";:INPUT H
2926 IF H<1 OR H>3 THEN 2925
2940 GOSUB 2400
2950 GOTO 5020
3000 CLS
3010 PRINT:PRINT" >>>>INSTRUCTIONS<<<<<<"
3020 PRINT:PRINT" THIS IS YOU: ",CHR$(140)+CHR$(179)+CHR$(140)
3030 PRINT" THESE ARE THE BADGUYS: "CHR$(153)+CHR$(179)+CHR$(
166); " ",CHR$(166)+CHR$(140)+CHR$(153)
3040 PRINT" THIS IS WHAT YOU'RE TRYING TO CATCH: **"
3050 PRINT:PRINT"THE OBJECT OF THE GAME IS TO CATCH THE * BEFORE T
HE"
3060 PRINT"BADGUYS CATCH YOU. TO MOVE:"
3070 PRINT" '8' MOVES YOU UP"
3080 PRINT" '2' MOVES YOU DOWN"
3090 PRINT" '4' MOVES YOU TO THE LEFT"
3100 PRINT" '6' MOVES YOU TO THE RIGHT"
4010 PRINT"SELECT LEVEL OF PLAY (1,2 OR 3).";
4020 INPUT H:IF H<1 OR H>3 THEN 4010
5000 GOSUB 200 'CREATE BLACK & WHITE BLOCKS TO DRAW MAZE
5020 'PROGRAM BRANCHES HERE FOR ALL GAMES AFTER FIRST
5030 GOSUB 250 'DRAW MAZE
5040 PI=-3:TI=3:CI=3:DI=3:AI=3:BI=3 'INITIAL MOVEMENTS
5050 GOSUB 2400 'CREATE MEN
5100 ON H GOTO 5130,5120,5110
5110 PRINT@AL,HA$;
5120 PRINT@CL,HC$;
5130 PRINT@DL,HD$;
5140 PRINT@BL,HB$;
5150 PRINT@PL,P$;
5160 PRINT@TL,T$;
5170 FOR K=1TO300:NEXT 'PAUSE BEFORE STARTING GAME
5200 GOTO 2395
5500 CLS:PRINTCHR$(23)
5510 PRINT:PRINT:PRINT:IFLL=0 THENPRINT"EGAD!! I WAS SKUNKED!!!":PR
INT
5520 PRINT" YOU WON ";WW;" GAME(S). "
5530 PRINT" I WON ";LL;" GAME(S). "
5540 PRINT:PRINT:PRINT
6000 END

```

The maze-drawing routine is in two parts in lines 200-700. The first part creates the strings needed for part two, drawing the maze. You can copy this routine as is for other games as long as you enter each part as a subroutine and don't change the string variables (see Table 1).

If you want to increase the number of pathways, add these lines:

```

270 FOR T=1 TO 2 (Any variable can replace T)
475 NEXT T

```

This causes the program to loop through the path-drawing subroutine twice.

The non-string variable names in the maze-drawing routine bear no relationship to the function of the variables. I used variables from the game's move instructions to reduce the total number of variables and thus gain some speed.

Don't despair if you find the game difficult at first. Once you start to move around the maze without missing a turn, you can defeat your enemies. ■

Write to Leonard Karr at 1436 Village Road, Charleston, SC 29407.

COTTAGE SOFTWARE

PACKER: Machine language program that edits all or part of your Basic program to run faster, save memory, or ease editing. The 5 options include UNPACK—unpacks multiple statement lines into single statements maintaining logic, inserts spaces and rennumbers lines. SHORT—deletes unnecessary words, spaces, and REM statements. PACK—packs lines into maximum multiple statement lines, including all branches. MOVE—moves line or blocks of lines to any new location on program. On 2 cassettes for 16K, 32K, & 48K

For TRS-80 Mod I or III Level II or Disk Basic ... \$29.95

SYSTEM TAPE DUPLICATOR: Copy your SYSTEM format tapes. Includes verify routines. The Model III version allows use of both 500 and 1500 baud cassette speeds. For TRS-80 Model I or III Level II ... \$15.95

CASSETTE LABEL MAKER: A mini word processor to print cassette labels on a line printer. Includes 50 peel- and-stick labels on tractor feed paper.

For TR-80 Model I of III Level II & Printer ... \$17.95

PRINT TO LPRINT TO PRINT: Edits your Basic program in seconds to change all Prints to LPrints (except Print@ or Print#) or LPrints to Prints. Save edited version.

For TR-80 Model I or III Level II ... \$12.95

FAST SORT ROUTINES: for use with Radio Shack's Accounts Receivable, Inventory Control I, and Disk Mailing List Systems for Model I Level II Sorts in SECONDS! You'll be amazed at the time they can save. Supplied on data diskette with complete instructions.

FAST SORT for Accounts Receivable ... \$19.95

FAST SORT for Inventory Control I ... \$19.95

FAST SORT for Disk Mailing List (specify data diskette of cassette for 1 drive system) ... \$14.95

ALL THREE ROUTINES ... \$44.95

Prices subject to change without notice. Call or write for a complete catalog. Dealer inquiries invited. VISA and Mastercard accepted. Foreign order in US currency only. Kansas residents add 3% sales tax.


On-line catalog in Whichita FORUM-80: 316-682-2113

Or call our 24 hour phone (316) 683-4811 or write:

COTTAGE SOFTWARE
614 N. HARDING
WICHITA, KANSAS 67208

TRS-80™ is a trademark of Tandy Corporation

YOUR TRS-80* NEEDS



*TRS-80 is a trademark of Radio Shack division of Tandy Corp.

**Read this ad and give us a call. TOLL-FREE. 800-258-5473.

It needs software before it can do anything. And good software is as valuable as any piece of hardware you can buy.

The Encyclopedia for the TRS-80 is a ten-volume reference series with over 200 programs for the Model I, Model III, and Color Computer. In each volume, you'll find:


- BUSINESS
- GAMES
- HARDWARE
- TUTORIALS
- EDUCATION
- GRAPHICS
- INTERFACING
- UTILITIES

Photographs, schematics, and program listings provide the essential detail you need for programming and tinkering.

**TOLL-FREE
1-800-258-5473**

SAVE TIME.

**TOLL-FREE
1-800-258-5473**



With running the programs once you have them. **Encyclopedia Loader** provides direct loading of programs and saves you the time of typing and debugging.

These ten 30-minute cassettes have selected listings from each volume, ready for you to load and use.



Loaders and softcover Encyclopedias are available separately or in sets.

Don't Put Up The White Flag.

Get some help for yourself and your TRS-80 with the **Encyclopedia for the TRS-80** and **Encyclopedia Loader**.

BEST DEAL!

Shipping and handling: \$1.50 per volume for single volumes of books and cassettes, \$10.00 per item for foreign air mail. All Encyclopedias shipped UPS with complete street address; all Loaders shipped 1st class mail.

Photocopy of coupon is acceptable for ordering.

ENCYCLOPEDIA FOR THE TRS-80 & ENCYCLOPEDIA LOADER™

To Order Complete Sets (and save an extra \$15.00)

- ☐ **Encyclopedia for the TRS-80**, volumes 1-10, EN8080L softcover edition \$109.50
- ☐ **Encyclopedia Loader** Volumes 1-10 EL8000 A \$149.50 value \$119.97
- Save \$15.00 shipping and handling charge. When you order a complete set of softcover Encyclopedias or Loaders, WE PAY THE SHIPPING!

To Order Single Volumes

Please indicate quantities.

- ☐ **Softcover edition** @ \$10.95 per volume
- ____ Vol. 1 ____ Vol. 3 ____ Vol. 5 ____ Vol. 7 ____ Vol. 9
____ Vol. 2 ____ Vol. 4 ____ Vol. 6 ____ Vol. 8 ____ Vol. 10
- ☐ **Encyclopedia Loader** @ \$14.95 per cassette
- ____ Vol. 1 ____ Vol. 3 ____ Vol. 5 ____ Vol. 7 ____ Vol. 9
____ Vol. 2 ____ Vol. 4 ____ Vol. 6 ____ Vol. 8 ____ Vol. 10

☐ Payment Enclosed ☐ VISA ☐ AMEX ☐ MasterCard

Card # _____ InterBank # _____ Expires _____


Name _____ Signature _____

Address _____ City _____ State _____ Zip _____


Mail to: Wayne Green Inc., Books Sales, Peterborough, NH 03458

337B8E

INTRODUCTORY/GAMES




DON'T (or How to Care for Your Computer)—by Rodnay Zaks. In plain language, with numerous illustrations, this book tells all the do's and don't's of the care, preservation and correct operation of the small computer system. Specific chapters cover each piece of hardware and software, as well as safety and security precautions and help for problem situations. Have your computer work right the first time and keep it working. No technical background required. For all computer users. BK1237 \$11.95.



YOUR FIRST COMPUTER—by Rodnay Zaks. Whether you are using a computer, thinking about using one or considering purchasing one, this book is indispensable. It explains what a computer system is, what it can do, how it works and how to select various components and peripheral units. It is written in everyday language and contains invaluable information for the novice and the experienced programmer. (The first edition of this book was published under the title "An Introduction to Personal and Business Computing.") BK1191 \$8.95.

MICROPROCESSOR INTERFACING TECHNIQUES—by Austin Lesea & Rodnay Zaks—will teach you how to interconnect a complete system and interface it to all the usual peripherals. It covers hardware and software skills and techniques, including the use and design of model buses such as the IEEE 488 or S-100. BK1037 \$17.95.



COMPUTERS FOR EVERYONE 2nd Edition—by Jerry Willis and Merl Miller. This new, updated edition shows you how computers can be used in your home, office or school. It explains what computers can do and features a consumer's guide of the more popular computers to help you decide which one to buy and who to buy it from. There's even a chapter devoted to software that describes over 100 programs currently available. Also included are chapters on peripherals, telecommunications and computers in education. Abounds with colorful photographs. BK1260 \$5.95.

INTRODUCTION TO WORD PROCESSING by Hal Glatzer. This book explains in plain language what a word processor can do, how to use one, how it improves productivity—especially in businesses that handle lots of words—and how to buy one wisely. No technical knowledge required, for all first-time users and those considering purchasing a word processor. BK1238 \$12.95.

A USER GUIDE TO THE UNIX SYSTEM by Jean Yates and Rebecca Thomas. Here at last is a clearly written book that allows you to use the Unix operating system easily, and at a fraction of the time it previously took. If you're using, evaluating or simply curious about this system, this is your book. BK1242 \$15.99.

WORDSTAR MADE EASY by Walter A. Ettlin. Now WordStar is as simple to learn as it is easy to use. This book teaches WordStar in 14 easy lessons, saving hours of hard work. It comes with a convenient pull-out Command Card. BK1239 \$7.95.



80 micro BOOK SHELF



CAPTAIN 80 BOOK OF BASIC ADVENTURES—by Robert Liddil. This book contains 18 of the most popular Adventure programs available today; all in one easy to read book with listings ready to be keyed in to your computer. This unique book also contains an ADVENTURE GENERATOR program, not available from any other source. This generator program will actually write another BASIC ADVENTURE PROGRAM! Although specifically written for the TRS-80 Model I & III, these programs are adaptable to other computers using Microsoft BASIC. BK 1240 \$19.95.

40 COMPUTER GAMES FROM KILOBAUD MICROCOMPUTING—Forty games in all in nine different categories. Games for large and small systems, and even a section on calculator games. Many versions of BASIC used and a wide variety of systems represented. A must for the serious computer gamesman. BK7381 \$7.95.

WAYNE GREEN BOOKS



COMPUTER CARNIVAL—by Richard Ramella. Your child can become a crackjack computerist with the sixty TRS-80 Level II programs in **COMPUTER CARNIVAL**. This large-type, spiral bound book for beginners is a veritable funhouse of games, graphics, quizzes and puzzles. Written by 80 Micro columnist Richard Ramella, the programs are challenging enough to ensure continued learning, yet short enough to provide your child with the immediate delight and reward of mastering basic computing skills. And for even greater enjoyment, get the **CARNIVAL COMPANION**, a 30-minute cassette containing all the programs in the book. Eliminates tiresome typing and lets your child spend more time enjoying the programs. BK7389 \$16.97. CCT389 Book and Cassette \$24.97.

TEXTEDIT—A Complete Word Processing System in Kit Form—by Irwin Rappaport. TEXTEDIT is an inexpensive word processor that you can adapt to suit your differing needs—from form letters to lengthy texts. Written in TRS-80 Disk BASIC, the system consists of several modules, permitting the loading and use of only those portions needed. A disk is also available which provides the direct loading of the modules, however, the book is required for documentation. For Model I and III with TRSDOS CONVERT, one disk drive (2 disk drives or copy utility needed to transfer to system disk). Runs under TRSDOS 2.2/2.3. May not function under other systems. BK7387 \$9.97 Disk DS7387 \$19.97.

KILOBAUD KLASROOM—by George Young and Peter Stark. Learning electronics theory without practice isn't easy. And it's no fun to build an electronics project that you can't use. *Kilobaud Klassroom*, the popular series first published in *Kilobaud Microcomputing*, combines theory with practice. This is a practical course in digital electronics. It starts out with very simple electronics projects, and by the end of the course you'll construct your own working microcomputer!

Authors Young and Stark are experienced teachers, and their approach is simple and direct. Whether you're learning at home or in the classroom, this book provides you with a solid background in electronics—and you'll own a computer that you built yourself! BK7386 \$14.95.

THE NEW WEATHER SATELLITE HANDBOOK—by Dr. Ralph E. Taggart WB8DQT. Here is the completely updated and revised edition of the best-selling *Weather Satellite Handbook*—containing all the information on the most sophisticated and effective spacecraft now in orbit. Dr. Taggart has written this book to serve both the experienced amateur satellite enthusiast and the newcomer. This book is an introduction to satellite watching, that tells you how to construct a complete and highly effective ground station. Not just ideas, but solid hardware designs and all the instructions necessary to operate the equipment are included. An entire chapter is devoted to microcomputers and the Weather Satellite Station, and for the thousands of experimenters who are operating stations. *The New Weather Satellite Handbook* details all the procedures necessary to follow the current spacecraft. Weather Satellite contains Operation Satellite Systems, Antenna Systems, Weather Satellite Receivers, A Cathode Ray Tube (CRT) Monitor for Satellite Picture Display, A Direct-Printing Facsimile System for Weather Satellite Display, How to Find the Satellite, Test Equipment, Microcomputers and the Weather Satellite Station, Station Operations. BK7383 \$8.95.

ANNOTATED BASIC—A NEW TECHNIQUE FOR NEOPHYTES—BASIC programming was supposed to be simple—a beginner's programming language which was so near to English that it could be easily understood. But, in recent years, BASIC has become much more powerful and therefore much more difficult to read and understand. BASIC simply isn't basic anymore.

Annotated BASIC explains the complexities of modern BASIC. It includes complete TRS-80* Level II BASIC programs that you can use. Each program is annotated to explain in step-by-step fashion the workings of the program. Programs are flowcharted to assist you in following the operational sequence. And—each chapter includes a description of the new concepts which have been introduced.

Annotated BASIC deals with the hows and whys of TRS-80 BASIC programming. How is a program put together? Why is it written that way? By observing the programs and following the annotation, you can develop new techniques to use in your own programs—or modify commercial programs for your specific use. *Annotated BASIC Volume 1* BK7384 \$10.95. *Annotated BASIC Volume 2* BK7385 \$10.95. Order Both Volumes and Save! BK738402 \$18.95.


THE SELECTRIC INTERFACE—by George Young. You need the quality print that a daisy wheel printer provides but the thought of buying one makes your wallet wilt. **SELECTRIC™ INTERFACE**, a step-by-step guide to interfacing an IBM Selectric I/O Writer to your microcomputer, will give you that quality at a fraction of the price. George Young, co-author of *Kilobaud Microcomputing* magazine's popular "Kilobaud Klassroom" series, offers a low-cost alternative to buying a daisy wheel printer. **SELECTRIC INTERFACE** includes: step-by-step instructions, tips on purchasing a used Selectric, information on various Selectric models, including the 2740, 2980, and Dura 1041, driver software for 280, 8080, and 6502 chips, tips on interfacing techniques. With **SELECTRIC INTERFACE** and some background in electronics, you can have a high-quality, low-cost, letter-quality printer. Petals not included. BK7388 (125 pages) \$12.97.

*Use the order card in this magazine or itemize your order on a separate piece of paper and mail to: 80 Micro Book Department • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. \$1.50 for the first book, \$1.00 each additional book for U.S. delivery and foreign surface. For foreign airmail \$10.00 per book. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at the above address.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

For Toll Free Ordering Call 1-800-258-5473

80 micro BOOK SHELF




Z80

INSIDE LEVEL II—For machine language programmers. This is a comprehensive reference guide to the Level II ROMs, allowing easy utilization of the sophisticated routines they contain. It concisely explains set-ups, calling sequences, variable passage and I/O routines. Part II presents an entirely new composite program structure which unloads under the SYSTEM command and executes in both BASIC and machine code with the speed and efficiency of a compiler. Special consideration is given to disk systems. BK1183 \$15.95.*

Z-80 ASSEMBLY LANGUAGE PROGRAMMING—by Lance A. Leventhal. This book thoroughly covers the Z-80 instruction set, abounding in simple programming examples illustrating software development concepts and actual assembly language usage. Features include Z-80 I/O devices and interfacing methods, assembler conventions, and comparisons with 8080A/8085 instruction sets and interrupt structure. BK1177 \$16.99.*

TRS-80 ASSEMBLY LANGUAGE—by Hubert S. Howe, Jr. This book incorporates into a single volume all the pertinent facts and information you need to know to program and enjoy the TRS-80. Included are clear presentations of all introductory concepts, completely tested practical programs and subroutines, details of ROM and RAM and disk operating systems, plus comprehensive tables, charts and appendices. Suitable for the first time user or more experienced users. BK1217 \$9.95.*

PROGRAMMING THE Z-80—by Rodney Zaks. Here is assembly language programming for the Z-80 presented as a progressive, step-by-step course. This book is both an educational text and a self-contained reference book, useful to both the beginning and the experienced programmer who wish to learn about the Z-80. Exercises to test the reader are included. BK1122 \$15.95.*




Nanos System REFERENCE CARDS

FOR MODELS I, II, III, COLOR AND
POCKET COMPUTERS!

At last! No more flipping through the pages of the BASIC manual! No more working through the maze of machine language instructions! These cards completely summarize the BASIC and Assembler manuals! **FEATURES INCLUDE:** memory map, eyeball graphics, math instructions, BASIC commands, store instructions, BASIC functions, load instructions, BASIC statements, move instructions, special keys, exchange instructions, PRINT USING examples, shift instructions, BASIC special characters, compare instructions, BASIC and assembler messages and codes, branch instructions, BASIC facts, data alteration instructions, reserved words, I/O instructions, ROM routines, complete character chart with graphics and space-compression codes, hex-dec chart, control code cross-reference, assembler instructions, commands and operators, screen line layout, editor commands and subcommands, condition code easy access.

Plus—"magic graphics number"—a mystery until you learn how to use it! Designed as a fold-up, accordion-style card, fits in your pocket. Panels organized for optimum speed for reference.

Model I: BASIC and Assembler FC1002	\$4.95
Model II: BASIC and Assembler FC1005	\$5.95
Model II: Commands and Utilities FC1010	\$3.95
Model III: BASIC and Assembler FC1005	\$5.95
Color: BASIC and Extended FC1006	\$4.95
Z-80: Microprocessor FC1011	\$4.95
ZX80, ZX81 and Timex Sinclair 1000: FC1012	\$5.95
Pocket Computer: BASIC FC1009	\$2.95
Apple II and Apple II Plus: BASIC and 6502 FC1008	\$4.95
Apple II and Apple II Plus: BASIC only FC1007	\$3.95



PROGRAMMING THE 6809—by Rodney Zaks and William Labiak. This book explains how to program the 6809 in assembly language, covering all aspects progressively and systematically: basic programming techniques and devices, application examples, data structures, and program development. No prior programming knowledge is required. BK1264 \$14.95

TRS-80 COLOR COMPUTER GRAPHICS—by Don Inman with DYMEX. This exciting book will enable you to explore all the graphics capabilities of Extended Color BASIC. You'll learn how to create interesting graphics to enhance your own computer programs. Also included are application programs and subroutines that will be invaluable when you begin writing your own graphics programs. Each chapter ends with a summary and practice exercises. BK1266 \$14.95

ASSEMBLY LANGUAGE GRAPHICS FOR THE TRS-80 COLOR COMPUTER—by Don Inman and Kurt Inman with DYMEX. This dynamic new book uses sound and graphics to show you how 6809 assembly language can be used to perform tasks that would be difficult or impossible with BASIC. All of the techniques are explained in a hands-on approach. Learn how to tailor your own programming style, from editing, assembling, executing and even debugging, to making your own programs run quickly and efficiently. It is also packed with video screen diagrams which explain each step of the process of creating your own graphics. BK1277 \$??.*

6809 MICROCOMPUTER PROGRAMMING AND INTERFACING—by Andrew C. Staagaard, Jr. Getting involved with Tandy's new Color Computer? If so, this new book from the Blacksburg Group will allow you to exploit the awesome power of the machine's 6809 microprocessor. Detailed information on processor architecture, addressing modes, register operation, data movement, arithmetic logic operations, I/O and interfacing is provided, as well as a review section at the end of each chapter. Four appendices are included covering the 6809 instruction set, specification sheets of the 6809 family of processors, other 6800 series equipment and the 6809/6821 Peripheral Interface Adapter. This book is a must for the serious Color Computer owner. BK1215 \$13.95.*

BASIC & PASCAL

LEARNING TRS-80 BASIC—by David A. Lien. Dr. Lien, who is the author of THE BASIC HANDBOOK and the original Radio Shack LEVEL I USER'S MANUAL, has compiled a tutorial which includes portions of the original USER'S MANUAL, and most of LEARNING LEVEL II along with extensive additions. It will completely cover the TRS-80 Models I, II, III, and 16 (sorry, not the color or pocket computers). It is, of course, written in the easy learning style which readers of Dr. Lien's books have come to enjoy. BK1175 \$19.95.

THE BASIC HANDBOOK—SECOND EDITION—by David Lien. This book is unique. It is a virtual ENCYCLOPEDIA of BASIC. While not favoring one computer over another, it explains over 250 BASIC words, how to use them and alternate strategies. If a computer does not possess the capabilities of a needed or specified word, there are often ways to accomplish the same function by using another word or combination of words. That's where the HANDBOOK comes in. It helps you get the most from your computer, be it a "bottom-of-the-line" micro or an oversized monster. BK1174 \$19.95.*

PROGRAMMING IN PASCAL—by Peter Grogono. The computer programming language PASCAL was the first language to embody in a coherent way the concepts of structured programming, which has been defined by Edsger Dijkstra and C.A.R. Hoare. As such, it is a landmark in the development of programming languages. PASCAL was developed by Niklaus Wirth in Zurich; it is derived from the language ALGOL 60 but is more powerful and easier to use. PASCAL is now widely accepted as a useful language that can be efficiently implemented, and as an excellent teaching tool. It does not assume knowledge of any other programming language and therefore suitable for an introductory course. BK1140 \$12.95.*

INTRODUCTION TO PASCAL—By Rodney Zaks. A step-by-step introduction for anyone wanting to learn the language quickly and completely. Each concept is explained simply and in a logical order. All features of the language are presented in a clear, easy-to-understand format with exercises to test the reader at the end of each chapter. It describes both standard PASCAL and UCSD PASCAL, the most widely used dialect for small computers. No computer or programming experience is necessary. BK1189 \$15.95

*Use the order card in this magazine or itemize your order on a separate piece of paper and mail to: 80 Micro Book Department • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. \$1.50 for the first book, \$1.00 each additional book for U.S. delivery and foreign surface. For foreign airmail \$10.00 per book. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at the above address.

For Toll Free Ordering Call 1-800-258-5473


PRICES SUBJECT TO CHANGE WITHOUT NOTICE

SPECIAL INTERESTS



MOD III ROM
COMMENTED

H.J. Pennington
**TRS-80 DISK
& OTHER MYSTERIES**



MACHINE LANGUAGE DISK I/O AND OTHER MYSTERIES—by Mike Wagner. The purpose of this book is to inform anyone familiar with Z-80 assembly language programming how to control the TRS-80 Model I and III disk drive interrupt systems. Driver routines for every function described, with abundant examples, are included in this book. It also covers utilization of TRSDOS assembly language file I/O calls and techniques. BK1258 \$29.95

MOD III ROM COMMENTED—Soft-Sector marketing, 1981. This book is not an instruction course on machine language, but rather an information source that you can use time and time again for writing your own program or patching old Mod I machine language programs. It contains an explanation of ROMs in the latest machine from Tandy, with most every location of the 14K ROMs listed, with comments. BK1235 \$22.50.


THE CUSTOM TRS-80 AND OTHER MYSTERIES—by Dennis Kitz. More than 300 pages of TRS-80 customizing information. With this book you'll be able to explore your computer like never before. Want to turn an 8 track into a mass storage unit? Individual reverse characters? Replace the BASIC ROMs? Make Music? High speed, reverse video, Level I and Level II? Fix it if it breaks down? All this and much, much more. Even if you have never used a soldering iron or read a circuit diagram, this book will teach you how! This is the definitive guide to customizing your 80! BK1218 \$29.95.*

BASIC FASTER AND BETTER AND OTHER MYSTERIES—by Lewis Rosenfelder. You don't have to learn assembly language to make your programs run fast. With the dozens of programming tricks and techniques in this book you can sort at high speed, swap screens in the twinkling of an eye, write INKEY routines that people think are in assembly language and add your own commands to BASIC. Find out how to write elegant code that makes your BASIC really hum, and explore the power of USR calls. BK1221 \$29.95.*

THE CP/M HANDBOOK (with MP/M)—by Rodney Zaks. A complete guide and reference handbook for CP/M—the industry standard in operating systems. Step-by-step instruction for everything from turning on the system and inserting the diskette to correct user discipline and remedial action for problem situations. This also includes a complete discussion of all versions of CP/M up to and including 2.2, MP/M and CDOS. BK1187 \$14.95.*

MASTERING CP/M—by Alan R. Miller. For advanced CP/M users or systems programmers who want maximum use of the CP/M operating system, this book takes up where the CP/M Handbook leaves off. It will give you an in-depth understanding of the CP/M modules such as CCP (Console Command Processor), BIOS (Basic Input/Output System), and BDOS (Basic Disk Operating System). It explains the incorporation of additional peripherals to the system, console I/O, the use of the file control block and much more. It also includes a library of useful macros and a comprehensive set of appendices. BK1263 \$15.95

80 micro BOOK SHELF



TRS-80 DATA COMMUNICATIONS SYSTEMS—by Frank J. Derfler. If you are interested in using the TRS-80 as a terminal or message system, this is the book to buy. It covers communications, technical material, software and hardware for the entire TRS-80 family of machines. BK1245 \$12.95

MODEL III TRSDOS COMMENTED—Published by Soft Sector Marketing. This book is intended to show moderately experienced programmers the organization and inner workings of a typical Z-80 disk operating system. Every function of the operating system has been decoded and explained, not to bit-by-bit detail, which would be a monstrous task, but rather at an instruction-by-instruction level. Many not-documented features of the system have been found, as well as a few errors. The techniques shown in the system coding will be useful as a guide to programmers interested in systems programming at an assembler level. BK1257 \$29.95

INSIDE SUPER UTILITY PLUS—by Paul Weiner. This book really explains all the mysteries and functions of that remarkable program—Super Utility Plus. This is an excellent tutorial on TRS-80 disks, it contains detailed instructions for recovering bad disks using Super Utility Plus, and also documents previously undocumented features of SUP. This is an excellent companion book to the Super Utility Plus manual. BK1269 \$19.95


TRSDOS 2.3 DECODED AND OTHER MYSTERIES—by James Less Farvour. This book is intended to guide the beginning or experienced system programmer through the internal operations of the TRSDOS operating system used on the Radio Shack Model I computer. A knowledge of basic computer architecture and assembly language programming is assumed, however the significant features of both are presented in the text. An absolute must-have for Model I owners! BK1276 \$29.95

DOS RANDOM ACCESS & BASIC FILE HANDLING—By H.J. Muller. This book was written for the nonprogrammer. It is ideal for the businessman or professional who needs to solve and write special programs for in-house business problems, or the hobbyist who wants to go beyond the cassette recorder and into disk storage and file manipulation. It is written as a self-instruction tutorial and will provide anyone with some Level II experience with the ability to write special programs for inventories, mailing list, work scheduling, record keeping, research project data manipulation, etc. 150 pages. BK1236 \$29.50

TRS-80 DISK AND OTHER MYSTERIES—by Harvard C. Pennington. This is the definitive work on the TRS-80 Model I disk system. It is full of detailed "How to" information with examples, samples and in-depth explanations suitable for beginners and professionals alike. The recovery of one lost file is worth the price alone. BK1181 \$22.50.*


MICROSOFT BASIC DECODED AND OTHER MYSTERIES—by James Earvour. From the company that brought you TRS-80 DISK AND OTHER MYSTERIES. Contains more than 6500 lines of comments for the disassembled Level II ROMs, six additional chapters describing every BASIC subroutine, with assembly language routines showing how to use them. Flow charts for all major routines showing how to use them. Flow charts for all major routines give the reader a real insight into how the interpreter works. BK1186 \$29.50.*

MONEYMAKING/BUSINESS



HOW TO MAKE MONEY WITH COMPUTERS—In 10 information-packed chapters, Jerry Felsen describes more than 30 computer-related, money-making, high profit, low capital investment opportunities. BK1003 \$15.00.*

SMALL COMPUTERS FOR THE SMALL BUSINESSMAN—By Nicholas Rosa and Sharon Rosa. Here is an excellent guide for businessmen who are interested in finding out what a computer can do for their business, but are not interested in becoming "computer nuts." The authors are consultants who assess the computer needs of businessmen and who touch base with everything necessary to consider before purchasing a computer. The authors tell readers how and where to shop successfully for a computer; what to expect their computer to do for them; how large a computer to consider; how to select software; whether or not to use a consultant; how to introduce the computer to the staff, and much more. Specific topics addressed include accounting records, warehousing, light factory operation and parts inventories. BK1223 \$12.95*



SO YOU ARE THINKING ABOUT A SMALL BUSINESS COMPUTER—By Richard G. Canning and Nancy C. Leeper. For a well-organized manual on the process of selecting the right computer system for your small business, this text can't be excelled. Designed to introduce the novice in data and word processing to the real benefits of computerization, the book is filled with money- and time-saving tips, photos of equipment, lists of suppliers, prices, explanations of computer terminology, and helpful references to additional sources of information. Everyone contemplating a first computer installation should have this book. BK1222 \$14.00*

USING MICROCOMPUTERS IN BUSINESS—By Stan Veit. Written by the owner/manager of one of the country's largest computer stores selling systems to small businesses, this book is an essential background briefing for any purchaser of microcomputer systems or software. In a fast-moving style, without the usual buzz words and technical jargon, Veit answers the most often asked questions. CONTENTS: How a computer can help your business; Data base management to advance your business; Effective use of word processing; How to use a computer without disrupting your business; Buying your system; Computer languages; What are the limitations of the microcomputer; Software; where to find it, how to judge it; What to do when the computer goes down. BK1225 \$9.95*


BUSINESS SYSTEM BUYER'S GUIDE—By Adam Osborne with Steven Cook. When you enter the market place of small business computers, you face a bewildering array of products, prices, features and fables. This guide cuts through the jargon and unravels the task of buying the right computer system. This book provides solid information on how to determine your needs, how to choose software and hardware for all business applications, what to expect from vendors, what to avoid, and what questions you must ask. It also provides a wealth of detailed information on products, manufacturers, retailers and the whole microcomputer market. BK1229 \$9.95

*Use the order card in this magazine or itemize your order on a separate piece of paper and mail to: 80 Micro Book Department • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. \$1.50 for the first book, \$1.00 each additional book for U.S. delivery and foreign surface. For foreign airmail \$10.00 per book. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at the above address.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

For Toll Free Ordering Call 1-800-258-5473

NEWS THIS MONTH



Model 4 Opens in Boston

But Model 100 steals the show at BCS gathering.

One day after it hit the stores, the Model III's successor came out in society: Tandy's new Model 4 made its debut on April 27 in downtown Boston's New England Life Hall. The star of the evening, however, was the TRS-80 Model 100 portable.

The unveiling was sponsored by the Boston Computer Society, which earlier this year played host to Apple Computer's Lisa and Morrow's Micro Decision. For the launch of the Models 4 and 100, Tandy attracted onlookers with four of each of the new machines, from a Model 100 displaying a graphics demo to a 4 flaunting TRSDOS 6.0's impressive directory of utilities.

Several audience members already owned Model 100s, and one Model III user told *80 Micro* he was interested in the Model 4 upgrade. Most others interviewed were not Radio Shack zealots, but intrigued by the new portable: A publisher of fire-protection software envisioned commissioners' using Telcom at fire sites, and an IBM PC owner said, "It (the 100) doesn't replace a larger machine, but for its purpose I think it's quite good." Asked whether she thought the 100 had an advantage over bulkier portables like the Osborne, she answered, "Oh, good Lord, yes."

The evening started with an introduction to Radio Shack. President John Roach described the Fort Worth firm as "a distribution system for the products of technology."

"Tandy and Radio Shack," Roach said, "are a little bit different from everybody else who competes in this business. We're not really a manufacturer, yet we are a manufacturer. We're




Shirley (l) and Roach (r): Proud to bring the 4 and 100 to Boston. (Hub Graphics photo)

not exclusively a product developer, yet we do have product development capabilities. We're really different because we're a controlled distribution system that sells our own products under our own brand."

Stressing customer support, Roach described Radio Shack's 400 Computer Centers as "a resource that will help us do the same thing in the microcomputer field that we do in all the other fields we're in, which is have a nice, signifi-

Tired of **WAITING** on your printer
or is your printer too **SLOW...?**
CALL 1-800-231-6667



MBIP STAND-ALONE PARALLEL PRINTER INTERFACE

32K Parallel.....	\$299.95
64K Parallel.....	\$349.95
64K Upgrades.....	\$179.95


Serial Versions Also Available

The MBIP in-line parallel interface works with almost any computer/printer combination utilizing a Centronics type parallel interface. Available with up to 256K of RAM for data buffering, the MBIP can accept very large files for buffering as fast as your computer can send it.

Most computers are able to send data to the printer at very high speeds, usually much faster than the printer can print it. The MBIP, placed between the computer and the printer, accepts this data as fast as the computer can send it, stores it in its own memory and then sends it on to the printer at the printer's own speed. Since the computer has now transmitted all of its data to the memory of the MBIP, the computer is now free to continue useful work while the MBIP dumps its memory to the slower printer. Under normal circumstances without a MBIP the computer could be tied up for hours on a large file being dumped into the printer costing you valuable time and money.

Using the MBIP's touch sensitive front panel controls, multiple copies of your document can be made without tying up the computer any further. The MBIP simply keeps dumping copies of your document from its memory until it has printed the amount of copies you have specified. Printing may be halted at any point and continued where it left off later. You can even turn your computer off and MBIP will continue until the print job is complete. Additional files may be transmitted to the MBIP for processing even while the MBIP is handling copies from a previous job.

The MBIP requires no user modifications of software and installs in seconds with virtually any computer (including TRS-80, ATARI, IBM-PC, APPLE, OSBORNE, NEC etc.) and any printer (including EPSON, CENTRONICS, NEC, C.I.TOH, IDS, ANADEx, OKIDATA, IBM PERSONAL etc.).



MBP-16K EPSON PARALLEL BUFFER 16,384 Byte Buffer

16K Epson 80/100.....	\$159.95
8K Serial Epson 80/100.....	\$159.95

The MBP-16K is an intelligent Centronics-Compatible parallel interface for the Epson MX-80, MX-80 F/T, and MX-100 printers, with 16,384 bytes of on-board RAM for data buffering.

The buffering capability of the MBP-16K increases your data processing efficiency by eliminating the wait normally experienced while printing. An Epson printer prints at 80 characters per second; at this speed it takes about five minutes to print a 16,000 character document. During most of this time the computer is waiting for Epson to finish one line so it can send the next. The computer can't do anything else because it's tied to the printer. By using the MBP-16K it takes the computer only *four seconds* to send a 16,000 character document. The Practical Peripherals MBP-16K interface typically accepts data as fast as the computer can send it, until full, returning use of the computer to you while it handles the printing. You can continue with other processing while simultaneously printing data from a previous job, gaining all the time you normally would have spent waiting for the printer to finish. The net result is to eliminate the computer-waiting-for-printer/printer-waiting-for-computer bottleneck, and keep both working. Any program that involves printed output will be speeded up by using the MBP-16K.

The MBP-16K supports all standard Epson Commands, is compatible with GRAFTRAX-80, and is plug compatible with the standard Epson cable. The MBP-16K does not require any user software for control.

The MBP-16K is easy to install — it simply plugs into the existing auxilliary interface connector inside the Epson without modification of the printer.

MICRO SOLUTIONS, INC.

9949 HARWIN #E, HOUSTON, TEXAS 77036
(713) 789-5443 TELEX 794-250-CROWNTEX HOU
VISA • MASTER CHARGE • AMERICAN EXPRESS

316

cant market share, but really have one for different reasons. Radio Shack is the full-service dealer. We're trying to sell you more than just hardware; we're trying to be a support system."

As for hardware, after alluding to Tandy's most recent field of interest, telecommunications, Roach concentrated on computers:

"The pervasiveness of computers is by now almost a foregone conclusion. Computers are going to be, in whatever form, on every desk at school, every desk in the office, on the factory floor. . . . The capability to expand the mind with computers should and will and has already brought some great enhancements to our quality of life."

Toward that end, he said, "We're proud to have made two interesting, one possibly revolutionary, computer introductions in the past month."

Roach kept to general remarks about "the electronic desk," or workstation, of the future, but his comments on price and productivity concerned today's Model 100: "You simply cannot afford to pay a lot more than a typewriter costs to get the functionality that's needed on the average desk. What the world really needs is a low-cost executive workstation that combines the functions (telephone, dialer, appointment book, calendar) currently found on your desk. When you combine this with networking, you have the finest productivity aid the world has ever had."

"Clearly the Model 100 can do many of the things I've described in addition to being portable," Roach concluded. "I believe it's the first of a generation of not only portable computers, but easier-to-use computers."

While Roach saw the 100 as pioneering "much less memory- and software-intensive" designs for tomorrow's still friendlier and more ubiquitous micros, Jon Shirley, Radio Shack's vice president for computer merchandising, described the portable as "a product of revolutionary change" for today.

"While (the 100) does not have disk drives," Shirley said, "it does have an operating system, and an example of, I think, the operating system of the future." Pointing to its start-up menu of both ROM- and RAM-based programs, he declared, "I've always believed that the best operating system is totally invisible, and in this one we've achieved that."

"This menu approach to operating

systems is going to appear on other systems very shortly. Microsoft has already announced an invisible shell for the Xenix system that works exactly like this, and what appears on Xenix will probably appear on MS-DOS sooner or later."

Shirley even compared the Model 100 to the Lisa, albeit with tongue in cheek: "There was a famous machine introduced here some time ago, at over 10 times the price, that almost interacts with its programs—though, granted, they're much larger—but not quite in this way. There are a lot of little glitches in (the Lisa system); there are no little glitches in this machine at this time. We'll put those in later."

Compared to the revolutionary 100, Shirley admitted, the Model 4 is "an evolutionary product, although we're very happy about it. We told our engineering staff that there were a lot of things we wanted to see in a computer at the price of our Model III that it didn't offer, and after all these features we added two more; it had to cost less and it had to be totally compatible with the III and the III's software. They accomplished their task and I think they did it very well."

While a cassette Model 4 "is really absolutely nothing but a Model III" except for the white case and revised keyboard, he said, the disk version is both entirely Mod III compatible and "an all-new computer" under Model 4 software, with an 80-column, 24-line display, 64K RAM expandable to 128K, sound, and doubled operating speed (4 MHz) from the Z80A CPU.

"We put all this stuff in the same case, on the same size circuit board, because there wasn't any more room in there," Shirley recalled. "The primary product is a VLSI chip that is a programmable screen controller letting us have two different screens and two modes in one IC. Our thanks really go out to the semiconductor folks that keep making all these wonderful advances possible. Eight-bit processors are not dead yet."

In addition to the hardware advances, Shirley praised the TRSDOS 6.0 operating system. "It is not invisible to the user, yet it does have some neat features," ranging from Memdisk (the capability to use part of RAM as a fast "disk access" memory) to a communications program. "We also added a utility to load Model 100 cassette

tapes," he noted, "although in retrospect I'm not sure why because all it takes is a cable between the machines and they can talk to each other very easily."

In addition to TRSDOS, Shirley said, "We will supply CP/M Plus, the 3.0 version that supports the whole 128K capacity and will be available in a few months." Asked whether the 4 would use some other manufacturer's CP/M format or "add to the confusion," he confessed, "I don't know. The implementation is being done by Digital Research themselves; it is not your normal thing done by some guy who says, 'Hey, this is the way I'll write the BIOS.' I would expect it would be compatible with someone else's."

As for 80-column software, Shirley answered, "SuperScripsit will probably be the first package that is available. Two of the packages being demonstrated in pre-release form are VisiCalc, which takes advantage of the full 128K, and the older version of Scripsit, which is probably going to be included in a pack that you can take advantage of at a fairly low price. There are going to be a lot of things for the 4 that you couldn't get before because of memory or screen limitations."

(Audience member Tracy Licklider, vice president of Software Arts, later confirmed Shirley's announcement of 128K VisiCalc and told *80 Micro* that his firm's TK!Solver would be available for TRSDOS 6.0. "I think it'll be a good program for the 4," Licklider said.)

Asked about Radio Shack's view of the new machines' market position, Shirley answered, "The 4 audience is really the Apple market. The Apple's got color, but look at their own statistics on how many people use it with monochrome monitors. Color is really the game aspect, and we've never really thought of this as a good game machine."

"The 100 is certainly appealing to business people wanting to communicate with the home office. It's also, I guess, one of the hardest to classify, in terms of what its audience is. A magazine for IBM PC owners is reviewing the 100. We asked them, 'Why are you doing this? It's not IBM-compatible,' and they said, 'Hey, it's a great peripheral for my computer.' So we're going to see people who think it's a peripheral for their systems."

Shugart 5¼' Disk Drive

SA-405


NEW

184.95

Guaranteed for 270 days

6ms T-T, SS, SD or DD

5¼" Disk Drive Power Supplies



- Cases accommodate all standard 5¼" drives
- New chip resistant finish
- Over current and over voltage protection
- Dealer inquiries invited
- Call or write for quantity discounts
- Guaranteed in writing for 120 days

Dual Power Supplies

- Horizontal - 12x12x3½ \$74.95
- Vertical - 7x12x6 \$74.95
- Open Frame - 7x2x3 w/o case \$59.95
- Single Horiz. P/S - 6x12x3½ \$44.95
- Custom 4' 2-Drive Cable \$21.00
- 4-Drive Cable \$32.00
- Dual Case, Horiz. or Vert. (w/o P/S) \$29.95
- Single Case, Horiz. (w/o P/S) \$21.95

Terms: Personal checks allow 14 days, COD, MO., Certified Checks . . . Credit Cards add 3.5% Shipping and Handling: \$3.00 West and \$5.50 East states. All shipping UPS surface, other means extra. Canadian orders extra.

Send to:

C.P.R.

P.O. Box 834,

Oak Harbor, WA 98277

or call . . .

(206) 679-4797

✓420

Fill CoCo's Pot O' Gold With 81K and 45,000 Words a Month

And did we mention more than 200 pages of programs, news, information and fun exclusively for your TRS-80® or TDP-100 Color Computer?

That's what has made **the RAINBOW** the premier monthly magazine for CoCo. Columns on Education, learning Assembly Language, Machine Language utilities, Fantasy Games, Hardware and two tutorials a month just for beginners!

Plus, the popular Bob Albrecht teaching data file techniques, the well-known Don Inman on graphics. More than 30 products reviewed each month. "Inside" information in **the RAINBOW's** Pipeline feature. Lots of letters from readers.

Programs are **the RAINBOW's** specialty! Over a dozen of them a month. In areas such as business, utilities, education, graphics, statistics and games. Serious programs...fun programs...useful programs. More than 81K each month.

All of this is available for just \$22 a year. It's a great bargain, and carries a money-back guarantee of satisfaction.

Try **the RAINBOW**. Your CoCo will love you for it!

The RAINBOW
5803 Timber Ridge Drive
P.O. Box 209
Prospect, KY 40059

✓296



(502) 228-4492

YES! Sign me up for a year (12 issues) of **the RAINBOW**.


Name _____
Address _____
City _____ State _____ Zip _____
Payment: ☐ Enclosed ☐ VISA ☐ MasterCard ☐ American Express
Account # _____ Signature _____
Card Expiration Date _____ Interbank # _____

Subscriptions to **the RAINBOW** are \$22 a year in the United States. Canadian and Mexican rate U.S. \$29. Surface rate to other countries U.S. \$39; air rate U.S. \$57. All subscriptions begin with the current issue. Please allow up to 5-6 weeks for first copy.

compu•sette®

TAPES & DISKS

**100% ERROR-FREE
FULLY GUARANTEED**



**C-10's
39¢ ea.**

(min. lot of 500)
w/ labels add 4¢
w/ boxes add
13¢

Compu•sette, a product of MICRO-80 INC

The Micro-Trac™ Generation

Used by Software Firms & Computer Hobbyists
Choice of School Districts Nationwide

CASSETTES	MINI 12-PAK	STANDARD 24-PAK
C-05.....	\$.79	\$.59
C-10.....	\$.89	\$.69
C-20.....	\$.99	\$.89
C-30.....	\$1.29	\$1.09
Custom Cases.....	\$.26	\$.21

Cases recommended to protect sensitive cassettes.

5¼" DISKETTES	MINI 5-PAK	STANDARD 10-PAK*
Soft Sector		
Single Sided		
S/D Density.....	\$14.95	\$26.95

*10 PAK w/custom library case, add \$3.00

— UPS SHIPPING —

(No. P.O. Boxes please)

\$3.00 per pack

— Canadian shipping multiply by 2 —

No. 1 Magnetic Media in the USA!

— Write for volume prices —

TOLL-FREE
(orders only)

1-800-528-6050

ext. 3005

In Arizona State

1-800-352-0458

ext. 3005



MICRO-80™ INC.

E. 2665 Busby Road
Oak Harbor, WA 98277
1 (206) 675-6143

✓132

Except for one man who asked about disks and a CRT for the portable ("We're not expecting momentarily to add additional hardware on the 100") and another who wondered why the 4 didn't have double-sided disk drives ("Cause we wanted to sell it for \$2,000

with two drives in it. The price trend for disk drives has not quite been the same as it has in RAM"), the Tandy presentation seemed to impress the BCS audience.

After a question-and-answer session, people crowded around the display

tables to ask more questions and examine the machines. One neophyte peered intently at a Model 4, pressed the orange reset button, and walked shamefacedly away as the screen went blank. The computer had been running a cassette demo. ■

BUSINESS

Danger from the Asian Rim


U.S. must prepare for "two wars," says Senator.

The challenge from Japan is as serious to our long-term security as the challenge from the Soviet Union. It's different, it's more benign, but in terms of the challenge to our industrial infrastructure it's just as important."

With those words, U.S. Senator Paul Tsongas warned computer retailers and industry representatives at a seminar titled "The Small Systems Economy" not to be complacent about America's electronics success. The keynote speaker at a Framingham, MA meeting on May 2, the Massachusetts Democrat began his remarks on "High-Tech Challenge from the Asian Rim" by addressing two reporters who were taking notes on TRS-80 Model 100s: "Where were those two products that you're working on made? Japan. That's my speech, ladies and gentlemen."

In the seminar, sponsored by Comdex producers The Interface Group, Tsongas mentioned the prosperity of high-tech firms along Massachusetts' Route 128, sometimes known as "Silicon Valley East," and Wang Industries' role as a major employer in his home town of Lowell. However, he said, today's profits are no guarantee of 1990's: "The basic approach from many people in Washington is that everything is fine and that we can just keep going on the same way. What we should be concerned about, though, is not where we are today but where we're going to be tomorrow. And I would suggest to you that the trends are not favorable."

As a member of the Senate committees on Foreign Relations and East Asian and Pacific Affairs, Tsongas has strong opinions on Japanese versus



Tsongas: It takes the three R's and R&D to compete with Japan.

American investment policy: "The Japanese are very Darwinian in determining where their money's going to go and where the future is. The U.S. has a very different approach. We tend to focus on those industries that are in decline and try to save those industries."

"The Japanese have a sunrise mentality; we have a sunset mentality. Or, as one businessman put it lately, we have a mortician's view of an industrial base."

Another grave handicap, Tsongas noted, involves our education system. In a report titled *A Nation at Risk*, the National Commission on Excellence in Education described the U.S. school system as so mediocre that, had a foreign power somehow promoted its decline, we would consider the process an act of war.

"The Japanese have math and

science courses in school every year," Tsongas said, "as opposed to the U.S. where if you're interested in dance and basketweaving you can get your education in that and then try to take on the Third World nations in high technology." Combined with the spiraling cost of capital, our investment and educational priorities put America at a disadvantage:

"World War II was won by the U.S., given the sacrifice and bravery on both sides, because we produced more planes and ships and tanks and eventually overwhelmed them with our capacity," Tsongas declared. "In this next war, if they produce more engineers than we do, commit three percent of their GNP to research and development and we don't, have a better educational system, a better cost of capital, there is an inevitability to their ascendancy and an inevitability to our decline."

What to do? "We are not monocultural, so we're not going to emulate Japan; there's no reason why we have to," the Senator said. "The Japanese are more structured, are good at taking an idea and implementing it. We're a much more dynamic society."

Nevertheless, he argued, it would be beneficial to follow Japan and other countries in their commitment to a percentage of the gross national product for R & D. While skeptical of France's state-controlled push in telecommunications, citing the Concorde as an example of government financing gone wrong, Tsongas believes that laissez-faire is no longer practical: "One executive said to me recently, 'I don't mind competing with my Japanese counterpart, but I can't compete with him and Japan.'"

Second, Tsongas endorsed the con-


PROMETHEUS

NEW

LOW

PRICE

\$1295.00



The PROMETHEUS family of external hard disk systems were designed to put the power of hard disk data storage within the reach of all TRS80 Model III owners - without sacrificing performance, quality, or reliability.

ALL PROMETHEUS SYSTEMS FEATURE
ERROR CODE CORRECTION
COMMERCIAL POWER SUPPLY
UNIVERSAL AC INPUT 110 to 240 VAC
AUTOMATIC MICROPROCESSOR SELF TEST
ONE YEAR LIMITED WARRANTY
ERROR CODE LED SHOWS SYSTEM FAULT
EXPANDABLE TO 40 MEGABYTES

PROMETHEUS 5 MByte\$1295
PROMETHEUS 10 MByte\$1495
PROMETHEUS 15 MByte\$1695
PROMETHEUS 20 MByte\$1895

PROMETHEUS systems do not include the disk operating software at this new low price. DOSPLUS 3.5 or PROMETHEUS system prices do not include operating system software. DOSPLUS 3.5 or 4.0 can be furnished. Call for details and pricing.

Call or write for full color brochure.

NEW!

MODEL III RS232 & DIRECT CONNECT MODEM

AUTO - ANSWER
DIRECT DIAL OPTION
150 to 19600 BAUD RS232
SOFTWARE PROGRAMMABLE
SINGLE CHIP 300 BAUD MODEM



The new M3CB2 series of internal communications boards for your Model III provide both RS232 Serial Interface and a complete direct connect auto - answer modem. Available in either kit or assembled forms, the new M3CB2 utilize the most advanced LSI communications chips available.

M3CB2-1 Assembled and Tested RS232 Interface\$69.95
M3CB2-2 Complete RS232 and D.C. Modem Kit\$169.95
M3CB2-3 Assembled RS232 and D.C. Modem\$219.95


MDX - 2 Expansion Interface Kit -- \$229

Micro Design MDX-2 Model I Expansion Interface Kits come complete with all necessary parts to build up the entire MDX-2 P.C.B.

MDX - 2 Printed Circuit Board\$74.95
Direct Connect Modem Kit\$39.95
Floppy Disk Controller Kit\$31.95
RS232 Serial Interface Kit\$24.95
Hardware and Socket Kit\$29.95
Memory Expansion Components\$17.95
4116 - 16K Dynamic Ram Chips [set of eight]\$14.95
 We carry all of the individual kits for the MDX-2 Expansion Board. Call for pricing and details.

ORDERING INFORMATION

VISA, MC, and American Express accepted, Net 30 terms available to well rated firms. Prices are subject to change without notice. Prices do not include shipping. All orders over \$1000.00 shipped free [UPS Ground]. Fifteen percent restocking charge may be applied to returned merchandise



48K MODEL III

SINGLE DRIVE

\$1450

DUAL DRIVE

\$1650

TRILOGY DRIVE CONTROLLER KITS

A S L O W A S \$399

No other drive controller kit on the market provides the features and reliability that the TRILOGY controller kits for your Model III! With optional 8 inch and internal Winchester support, the TRILOGY drive controller kits are by far the best. Designed around the Western Digital WD2793, advanced floppy controller chip, the TRILOGY controller will support disk operating systems like NEWDOS 80, DOSPLUS, and LDOS, without the CRC Errors you typically have with other controllers.

FEATURES

SINGLE, DOUBLE & QUAD DENSITY SUPPORT
INCH, 8 INCH, & INTERNAL HARD DRIVE SUPPORT
GOLD PLATED EDGE CARD CONNECTIONS
AUTOMATIC WRITE PRECOMPENSATION
AUTOMATIC P.L.L. DATA SEPERATION
ONE YEAR LIMITED WARRANTY


POPULAR DESIGN - A - KITS

Single Sided 40 Track Drive Upgrade Kit\$399.95
Dual Single Sided 40 Track Upgrade Kit\$599.95
Dual Double Sided 40 Track Upgrade Kit\$759.95

ADD \$70.00 FOR DOSPLUS AND 32K RAM

Many other DESIGN - A - KITS are available, call for complete brochure.

TANDON DISK DRIVE's



All Tandon disk drives are fully tested prior to shipping and carry a limited 90 day warranty.

TM100-1 Single Sided 40 Track Drive\$199.95
TM100-2 Double Sided 40 Track Drive\$299.95
TM100-3 Single Sided 80 Track Drive\$299.95
TM101-4 Double Sided 80 Track Drive\$399.95

EIGHT INCH DRIVE's

TM848-1 Single Sided 77 Track Drive\$399.95
TM848-2 Double Sided 77 Track Drive\$499.95

HALF HEIGHT DISK DRIVES's

TM55-1 Single Sided 40 Track Drive\$295.00
TM55-2 Double Sided 40 Track Drive\$295.00
TM55-4 Double Sided 80 Track Drive\$349.95
5 Inch Power Supply & Case\$59.95
8 Inch Power Supply & Case\$199.95

We also have available disk drive systems for the Apple, IBM, and many other systems currently on the market. Call for additional details.



Phone [713]488-8022

17321 El Camino Real
Houston TX. 77058

WORLD WIDE DATA SYSTEMS INC. ✓27

cept of "a high-tech Morrill Act," giving the nation's educational system a boost similar to that which launched the "land-grant colleges" of the 19th century. Such a scheme would benefit both children—Tsongas praised a computer literacy program now operating in the Cambridge, MA schools ("We want that program to be in place in every Massachusetts city and town by September 1984")—and adults, such as middle-level managers sent from Digital Research back to M.I.T. for a semester.

"It would be an education in basic skills, coming from industry, working with a state agency, and matched dollar-for-dollar by the Feds, with use of Federal money but no Federal direction of ideas," Tsongas proposed.

In his summary, the Senator returned to the analogy of military preparedness: "What we need in this country is a realization that we're in trouble. What is lacking in this country is a sense of urgency, a sense of the continuing capacity not only of Japan—when Atari left California they didn't go to Japan, they went to Taiwan—but of the so-called mini-Japans along the Asian rim."

The U.S., he concluded, must be prepared to wage "the two wars," one against the USSR and one of economic competition with the East. Putting all of our resources into the former and ignoring the latter, he threatened, would bring disastrous results.

A week later, *The Wall Street Journal* embraced Tsongas' metaphor: In a May 11 story headlined "Japan, U.S. Gird for Microchip War," Urban C. Lehner reported that "the conviction is growing that Japan will deal the U.S. a devastating defeat" in the struggle to produce and sell 256K RAMs, which could "mark the beginning of the end of the U.S. lead" in other semiconductor work.

After "its loss in the 64K RAM war," Lehner wrote, the U.S. has few firms left with the resources or inclination to enter the fray against the Japanese again. The article quoted executives of two American companies, who said that "chances of the U.S. doing very well in the 256K RAM...market are highly unlikely" and "It's quite reasonable to assume a Japanese victory." An unidentified Silicon Valley spokesman summarized things with the words, "We are in deep sushi." ■

BUSINESS

Here Comes Warmware

Retailers discuss micro sales strategies.

Besides competition from the East (see above), computer dealers have their American customers to worry about. Other speakers at the Framingham symposium told the assembled retailers and ISO (independent sales organization) vendors of two increasing demands: after-sales help for novice owners, and integrated product lines for those wishing to upgrade their systems.

Peter Lowber, a market analyst for The Yankee Group, described the fallout that occurs when "users acquire a personal computer and find that they have no idea what to do with it. And they go back to the computer store and find that the people there don't have any idea either." Price and other things being equal, Lowber said, people prefer to buy equipment from vendors instead of retail outlets, citing reliability, vendor reputation, and service and maintenance.

Offering those attractions at the retail level is the goal of H.E. James Finke, whose Internetwork Inc. chain takes existing computer stores and adds "warmware—cossetting, nurturing, tender loving care of the owner who may otherwise have been mystified by his purchase."

The home computer boom, Finke said, became strong in 1982 and was accelerated substantially by Texas Instruments' 99/4 rebate: "TI...created an impetus that is still with us today. That impetus is measured in the millions of units." The introduction of easy-to-use micros at affordable prices, he said, rivals the advent of TV in the 1950s as "a revolution in how people use their time and resources. Each year, more machines are being made than are in the installed base."

A consumer product, according to Finke, by definition used to need no more than an 8½-by-11-inch sheet by way of documentation. "The right of Americans to buy a complex piece of

technology, plug it in, and use it without reading an instruction manual is an inalienable right of being an American citizen." The home computer has changed that. While rebates and low prices are moving computers off the shelves at discount chains, buyers are disappointed when they return with questions. Expecting computing advice from a salesclerk can be like asking a McDonald's cashier about the right wine.

By contrast, when "an entry-level buyer wants more than a box handed to him by a clerk at one of these stores," ISOs and other retail outlets can carve out a market share with instruction and service—to use Finke's term, warmware.

It seems that Finke's idea of added value, help beyond high-volume merchandising, endorses Tandy's perception of its Radio Shack stores. A former Tandy competitor as previous president and CEO of Commodore, Finke agreed up to a point but had reservations about the Shack's exclusivity:

"Tandy has capillary market presence through its six or seven thousand individual Radio Shack stores and its 400 Computer Centers. I think they are beginning to feel the limitations of not selling through independent sales organizations and mass merchandisers. However, their avowed aim is not market or sales success but return on shareholders' equity, and if that's their aim they can do that without market share."


Computer users, particularly businesses, don't stay rookies for long. When owners want to upgrade from micro to mini, Lowber said, "Some of these start-ups, Apple included, can't do that." DEC and IBM, he declared, profit by having integrated product lines, selling personal computers as well as larger machines.

"There are a lot of small businesses in this country, and they really haven't got their operations on line yet," Lowber

OUR ISOLATORS FOR YOUR PROTECTION

Prevents:

disk drive woes, printer interaction,
memory loss and damage due to
lightning or AC power line
disturbances.



Commercial Grade Isolators

ISO-1	3 Isolated Sockets	\$76.95
ISO-2	2 Isolated Socket Banks, 6 Sockets	76.95

Industrial Grade Isolators

ISO-3	3 Double Isolated Sockets	115.95
ISO-11	2 Double Isolated Banks, 6 Sockets	115.95

Laboratory Grade Isolators

ISO-17	4 Quad Isolated Sockets	200.95
ISO-18	2 Quad Isolated Banks, 6 Sockets	169.95

Circuit Breaker, any model (Add-CB) Add 10.00

Remote Switch, any model (Add-RS) Add 18.00

ESP Electronic Specialists, Inc.
171 South Main Street, Box 389, Natick, Massachusetts 01760

Toll Free Order Desk 1-800-225-4876 ✓159
MasterCard, VISA, American Express

Business Software For The COLOR COMPUTER and the TRS-80 Model III Data Base Manager

Part I	\$99.00
Part II*	\$99.00
Church Contributions	\$99.00
Balanced Billing System	\$99.00
Single Entry General Ledger	\$95.00

Integrated Business Software*

**available for Color Computer only*

Accounts Receivable	\$295.00
Accounts Payable	\$295.00
General Ledger	\$295.00
Inventory 2	\$295.00
Payroll	\$295.00
64K memory upgrade including installation	\$125.00



Call or Write for free catalogue


2457 Wehrle Dr., D-80, Buffalo, NY 14221
PHONE (716) 631-3011

Dealer Inquires Welcome



✓417

T80-FS1 Flight Simulator



See your dealer!

Available for Model I or Model III. \$25.00
on cassette or \$33.50 on disk (with
enhancements) All versions require 16K.

If you order direct, please specify whether you have Model I or
Model III (the media are different) and whether you want disk or
cassette. Include \$1.50 and indicate UPS or first class mail. Illinois
residents add 5% sales tax. Visa and Mastercard accepted.

If you don't yet own a disk, don't fret. You can upgrade anytime.
Cassette users may send back their cassette (but *not* the manual)
along with \$10 (first class shipping included) and receive the disk
version.

subLOGIC

Communications Corp.
713 Edgebrook Drive
Champaign, IL 61820
(217) 359-8482 ✓71
Telex: 206995

said. "Maybe they've got general accounting." As more businesses computerize more thoroughly, he predicted, the decade will see an increasing demand for hardware, software, and support.

Edson DeCastro, president of Data General Corp., dismissed Finke's K-Mart shoppers while agreeing with Lowber's business buyers. "Some personal computers could very well become a passing fad, like the hula hoop," DeCastro said. "We could see some computers enjoy initial acceptance, and make it through a couple of Christmas buying seasons, before being relegated to the basement with other toys. It is quite likely that the personal computer business for home entertainment will become a commodity business like that for calculators and radios, with most production done in such countries as Thailand and Korea."

Data General's strategy, he said, centers on the business and professional market, where margins are higher and there's less competition from high-volume Japanese vendors. DG's new micro, expected this summer, is for this audience: "What we're going to bring that isn't in the market today is coherence. We're going to bring a product line that fits together, one that allows a customer to come in at the low end and move on up."

Data General hasn't been in the lime-light since Tracy Kidder published *The Soul of a New Machine*, but DeCastro was optimistic about his firm's prospects: "We're in a first-time buyer market now. In two or three years, we may be in a replacement market, which will be more difficult for single micro vendors. . . . The talk today is of the hot new micro vendors, but don't sell the traditional vendors short in competing in new markets. We may be old dogs, but we might be able to learn new tricks."

Still, the audience seemed inclined to view DG's move to micros, especially since the company plans to bypass retail stores in favor of its existing minicomputer distribution channels, as too little and too late. Speaking before DeCastro, Finke described home and mass-market sales as "the computer revolution of our time. . . . I doubt that any of the minicomputer manufacturers have the momentum to catch up in any way, shape, or form to this, and not the Japanese either."

In fact, the name most mentioned at the symposium was not Data General but Bell; events since the breakup of AT&T indicate that the telephone titan is about to add computing power to its PBX and communications equipment. One tidbit that kept attendees buzzing was a quote from Archie McGill, president of American Bell's Advanced Information Systems division, in the April 18 *Computerworld*:

"When we talk about terminals, we are really talking about workstations. It's very obvious that once you develop an intelligent workstation, as we have, it provides the basic capability to support multiple functions such as word processing and personal computing.

"We expect to have an effective family of intelligent workstations. There will be additional announcements in 1983." ■

HARDWARE

Portable Pursuit

Mod 100 competitors debut at Comdex.

By KEN SHELDON

SPECIAL TO 80 MICRO

The TRS-80 Model 100 has been called the harbinger of a new wave of briefcase-sized portable computers. If this spring's Comdex in Atlanta is any indication, the 100's success might be largely responsible for the wave's size.

As always at the computer trade show, well-established manufacturers boasted massive, elaborately designed displays while small start-up companies tried to attract dealers, venture capital, and press attention. This year, the most attention went to portables.

Teleram Communications and Grid Systems, which entered the notebook micro market before Tandy, exhibited their business-oriented, bubble-memory machines, the Teleram T3000 (\$2,495) and Grid Compass (\$8,150), the latter scheduled to offer the popular MS-DOS as well as its proprietary operating system. At the Epson booth, company representatives said that word processing software would soon be available for the HX-20.

A new company, joining Teleram and Grid in the higher-priced, business-oriented segment of the portable field, was Gavilan Computer Corp., which treated members of the press to a champagne breakfast in order to show off the Gavilan "mobile office" for executives on the move.

The Gavilan features an eight-line, 66-character LCD screen display, the Intel 8088 16-bit microprocessor, low-power CMOS circuitry, 80K of internal memory (of which 32K is available to the user), a built-in 3-inch microfloppy

disk drive for another 320K of storage, and a 300-baud modem. In addition, a touch panel or "solid-state mouse" allows users to control the cursor and choose menu items with a touch of the finger.

The portable's proprietary software allows users to pass data back and forth between application packages, which are available on disk or plug-in modules known as "capsuleware." According to a company spokesman, these capsules are so precisely designed that if their labels were any thicker, the cover plate wouldn't close over them—an indication of how hard it is to fit a lot of computer in a small package.

Other modules let users add 32K of RAM or EPROM to the system; these expansion capsules have their own batteries to store data for up to a year.

Besides the built-in and applications software, the Gavilan includes the MS-DOS operating system with Basic and Pascal. The whole package weighs nine pounds (15 with an optional dot-matrix printer) and measures 2.9 by 11.4 by 11.4 inches.

What's the catch? To begin with, the price: at \$3,995, the Gavilan will have a hard time stealing customers away from Radio Shack, whose 32K Model 100 sells for under \$1,000. Still, Tandy's price doesn't seem to bother the Gavilan folks, who feel that executives can afford to pay for their portable's innovative, easy-to-use features.

Another edge for Radio Shack is that the Model 100 is on the shelves and selling today, while Gavilan doesn't expect volume shipments until later this year.

FREE business software directory

- Radio Shack's Model I, II, III.
- Heath's MBASIC and HDOS
- CPM: Xerox, Alto...
- IBM Personal Computer

"IDM2 is GREAT!" -publisher of 80-US

"(GL) superior to either the Osborne (SBSG & Taranto) or Radio Shack... MAIL-X has a greater capacity... more flexible than (R.S.)"

-columnist of 80-microcomputing

"imperceptively fast...(DBMS) is a good and reliable workhorse"

-publisher of Interface Age

Data base manager, integrated accounting package (AR, AP, GL & Payroll), inventory, word processing, and mailing list. Compare and be selective!



Micro Architect, Inc.
96 Dothan St., Arlington, MA 02174

✓149

SOFTWARE for the TRS-80 Model II.

- Patient Data Management System, a comprehensive medical/insurance billing system.
- Insure, a life insurance agency management system.

Other programs available upon request.
Call or write today.





A Division of
Micro-Computer Sales Corporation of Fayetteville

P.O. Box 53376 / 223 Fairway Drive
Fayetteville, NC 28305 / 919-483-2003

✓435

DISCOUNT

TRS 80™ Model I & III External Mini Disk Drives



Single Chassis With Power Supply:

Fully assembled silver chassis with external card edge connector for easy cable installation. Chassis includes power supply and one Tandon drive.

★ TM 100-1 With Chassis	\$235
★ TM 100-2 With Chassis	\$305

Tandon Bare Drives:

★ TM 100-1 Single Sided 40 Track	\$179
★ TM 100-2 Double Sided 40 Track	\$249
★ TM 848-1 8" Half Height Single Sided	\$300

CDC Bare Drives:

★ 9409 5 1/4" Double Sided 40 Track	\$249
--	-------

Printers

Epson:	Okidata:
MX80 W/Grafrax \$399	ML82A \$429
FX80 \$569	ML83A \$689
MX100 W/Grafrax \$649	ML92 \$539
Star-Micronics:	C-Itoh:
Gemini-10 \$319	Prowriter \$395
Gemini-15 \$469	
Smith Corona:	Brother:
TPI \$499	HR1 \$789

Free Shipping!

Order Now - Toll Free

1-800-531-5475 (If Outside Of Texas)
(512) 250-1523 (In Texas)

VISA ★ MasterCard ★ Money Order ★ Cashier's Check
Add 5% Sales Tax If Texas Resident

TRS 80 Is A Trademark Of Tandy Corp.

✓252



CompuAdd

Corp.

13010 Research Blvd.,
Suite 101
Austin, TX 78750

Asked what the portable's two function keys were for, a Gavilan software designer said, "We haven't really decided yet."

In one demonstration, the designer attempted to use the touch panel to scroll down a text file, only to have the lines merge together into an illegible mass. His comment was, "Gee, it shouldn't have done that." As with other Comdex vendors, it seemed Gavilan had obtained an excellent booth location before being quite ready to show the product.

A few aisles away, NEC Home Electronics launched a more direct challenge to Radio Shack, introducing the Model 100's closest competitor. In fact, the NEC PC-8200 is a near twin of the TRS-80 portable—the same firm, Kyocera Electronics of Japan, makes both machines, the U.S. version sold by Tandy as the Model 100.

The PC-8200 features the same eight-line, 40-character display and text editing and Telcom software as the 100; it does not have the 100's modem or address and schedule programs, but boasts a floppy disk expansion port and adapter for a full-size CRT display.

A 32K RAM pack can be plugged in to the NEC portable, but users cannot span or address both it and internal RAM simultaneously. Finally, the NEC has 10 function keys; the 100 has eight, plus four dedicated keys (Paste, Label, Print, and Pause/Break).

When the original PC-8200 was released in Japan, some weeks before its TRS-80 brother debuted on this side of the Pacific, NEC general manager Tom Priestley said that a U.S. introduction date is "not until next year, at the earliest." At Comdex, however, NEC exhibitors said the 8200 would be on sale by the end of the summer—although the model on display still had Japanese characters on the keys. Whether the success of Tandy's portable hastened NEC's move is open to question.

Ed Juge, Radio Shack's director of computer merchandising, gave Fort Worth's side of the story in an appearance on CompuServe's software authors' special interest group. The Model 100, he said, "had been defined before NEC negotiations began," but the addition of features such as automatic dialing and log-on delayed its appearance until after the 8200's debut in Japan.

"We have an exclusive deal with the manufacturer, for the U.S.A.," Juge claimed. "He won't provide NEC with a U.S. model. If NEC chooses to import their Japanese model (maybe they'll change the Kana keycaps themselves), so be it..."


"I don't know their U.S. setup well, but I don't think they have significant distribution or service capability, so while I'd like to see us stay exclusive, I

doubt the competition would prove too traumatic," Juge concluded. He added a final quip: "But I gotta admit, they've got us cold in at least one feature: We don't come in your choice of four designer colors!"

Traumatic or not, one of the lessons from Comdex is that Radio Shack has competition. Other manufacturers have seen the Model 100's success, and are beginning to follow suit. ■




Gavilan: 16 bits in a briefcase.



The NEC portable: Why does this machine look familiar?

Turn Your Color Computer into *SUPER* Computer

Color Computerists



HOT CoCo. The exciting new monthly magazine for the TRS-80 Color Computer*. It promises to transform your low-end machine into a high-resolution superstar.

HOT CoCo is the brainchild of Wayne Green, the publisher of *80 Micro*. The information in **HOT CoCo** is first rate with monthly columns and reviews that focus on valuable money-saving techniques. Time savers too! Plus problem solving articles on:

- Utilities—patching, aiding, troubleshooting
- Graphics—graphs and patterns
- Hardware—interfacing and enhancing
- Games—fun and strategy
- Programming techniques and tutorials
- Coverage of home use, business, communications and education applications

Best of all, **HOT CoCo** is written by users just like you. The material is always up-to-date and useful. Hardware, software, books... what's new... what's best... what works.

All this is yours for the affordably low subscription rate of \$24.97. With pre-payment (check or credit card), you'll receive

a 13th issue FREE! Use the attached order form, the coupon below, or call toll free **1-800-258-5473**.

Turn your mild-mannered machine into a *SUPER* computer. Subscribe to **HOT CoCo** today.

YES! I want a subscription to **HOT CoCo** at \$24.97.

I understand that with payment enclosed or credit card order, I will receive a FREE issue making a total of 13 issues for \$24.97.

☐ MC ☐ VISA ☐ AE ☐ CHECK/MO ☐ BILL ME

CARD# _____ EXP. DATE _____

SIGNATURE _____

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

Canada and Mexico \$27.97, 1 year only, US funds. Foreign surface \$44.97, 1 year only, US funds drawn on US bank. Please allow 6-8 weeks delivery.

HOT CoCo • Box 975 • Farmingdale, NY 11737

338F8

*TRS-80 Color Computer is a trademark of Radio Shack, a division of Tandy Corp.

HOT CoCo

High tech, low skills



While high-tech advocates believe that the electronics and computer age mean more jobs for more highly skilled workers, two Stanford University researchers say it's just the opposite: The technological age will bring about fewer jobs and an overall reduction of skills.


In a new study, "The Educational Implications of High Technology," Prof. Henry Levin and research associate Russell Rumberger point out that high-tech occupations will total only 7 percent of new jobs created between 1978 and 1990. The U.S. will need 150,000 new computer programmers and 200,000 more systems analysts during this period, but 600,000 more custodians and 800,000 more fast-food and kitchen workers.

Besides creating comparatively few jobs in the future, the study says, computers and robots will send many of today's workers to the showers. Computer-aided design may make 300,000 draftspersons obsolete; office micros perform many tasks that formerly required a secretary. In addition, computers are becoming easier to operate even as they serve more complex functions.

Paradoxically, the micro-processor era may prove to be a boon for the liberal arts: "The educational implications of high technology are that a solid basic education rather than narrow vocational preparation will become most important in the future," Levin

and Rumberger conclude.

Schools: The micro majority



By January of this year, 53 percent of all schools in the United States had at least one microcomputer used in education. High schools led the way, with 85 percent reporting ownership, while the figure for elementary schools is 42 percent and rising.

The percentages come from a study of 2,209 public, private, and parochial elementary and secondary institutions surveyed by Johns Hopkins' Center for Social Organization of Schools. Besides analyzing hardware (40 percent of U.S. secondary schools have five or more micros, and one in 10 has machines linked in a network), the study found some interesting details of computer use.


Rather than administering drill and practice in other subjects, most computers are being used to teach computing. General computer literacy is mentioned as a regular or extensive subject by 85 percent of secondary and 64 percent of elementary teachers, while 76 and 47 percent respectively say the computers are being used for Basic programming instruction. Only 31 percent of secondary and 59 percent of elementary teachers use the micro for drill and practice.

While the computer boom isn't benefiting all schools equally—small parochial

schools and public schools in poorer districts are less likely to have micros—the benefits have been substantial.

Three of 10 teachers report that micros have produced "much more" general enthusiasm for school; 24 percent report more learning, at least by above-average students; and 18 percent say more students are working independently, without direct supervision.

Homes: Pleasure before business



While most schools now use micros for serious instruction, the machines haven't made as much progress on the home front. Only 3 to 5 percent of U.S. households have a computer, and—though an impressive one-third of home units are \$1,000-and-up desktop models rather than TV-monitor machines—game-playing is still the first use.

According to *New York Times* reporter Andrew Pollack, "A compelling use has not emerged that would make the computer an essential purchase." A Gallup survey last January revealed that 46 percent of owners reported using their computers for business homework or children's education, with 42 percent mentioning adult education. But the most popular use—admitted by 51 percent of owners—was video games.

Some applications, fre-

quently mentioned in computer showrooms, are surprisingly unpopular at home. Only 37 percent of owners use the computer to balance their checkbooks or budgets; only 27 percent operate a business from home with it. Word processing is a pastime of 18 percent, telecommunications of 14 percent, and storing recipes and counting calories attract a mere 9 and 4 percent respectively.

Different surveys, however, make different claims. Entertainment placed behind "personal management" in a poll by the consulting firm of Arthur D. Little Inc., which combined budgeting, investment analysis, word processing, and data base management in the latter category. Analyst Everett T. Meserve said, "What we're seeing in fact is that the computer in the home has a utility that is of lasting value... It says we don't have a flash in the pan."

Bert Cowlan, who directed a home software study for market researchers Frost & Sullivan, takes Gallup's rather than Little's side: "Overwhelmingly we found that very little serious use seems to be made at the home level." Other surveys also rate game-playing over business, and mention under-\$200 computer owners' frustration with the difficulty and expenses of adapting their machines to other tasks.

With those possible exceptions, though, at least micro owners are happy. Sixty-eight percent told Gallup they were "very satisfied" with their purchase and 24 percent "somewhat satisfied," and about half of those who did not own a computer expressed at least some interest in buying one.

SUPDUP 3.0¹

Duplicate SU+² in STANDARD /CMD format. No need for expensive backup disks!

- Keep a SU+ backup on your system disk — always ready when you need it!
- Create a 'bootable' SU+ disk in unprotected format!
- Enter SU+ with high memory unaltered! Pass data back and forth between SU+ and other programs. Load a high memory monitor and jump to it after SU+ loads!
- No machine language knowledge required! SUPDUP does all the work!
- Works with SU+ versions 2.2z, 2.2P, 3.1 and 3.1a!

If you own Super Utility Plus² you need SUPDUP 3.0¹!

- SUPDUP 3.0¹ is provided on disk with users manual for the Model I or III.



✓337

1302 - 41st Street • Orlando, Florida 32805
TO ORDER

Send Check or Money Order. Credit Card orders include acct. number and exp. date or call TOLL FREE 1-800-327-4459. FLA. residents or technical queries call 1-305-423-5683. FLA. orders add 5% sales tax.

This product is for your personal use only. Not meant for distribution or sale.

1. *WittSoft 2. *Breeze/QSD, Inc.

SUPER FAST!

Z80

DISASSEMBLER

\$69⁹⁵

- Two pass operation - generates labels at referenced locations
- Generates Zilog mnemonics
- Allows user defined labels
- Allows define byte, define word and define space directives
- COMPLETE cross-reference
- 28 page manual
- Output to console, list or disk device(s) in any combination
- Generates mnemonics for CP/M system calls
- Illegal instructions generate define byte sequence
- Start and stop at any location in file
- Source or complete listing type output

SPEED - disassembles a typical 17K .COM file, generating a 110K .Z80 file (over 10,000 lines of source) and a 52K .XRF file in less than 1 minute 45 seconds using standard bios and 8" SS/SD!

Available for Z80 CP/M and TRS-80 III


SLR Systems

1622 North Main Street, Butler, PA 16001
(412) 282-0864 ✓340

Terms: add \$2 shipping US, others \$5. PA add 6% sales tax. Specify format required. Check, MO, Visa, M/C, COD accepted. Z80, CP/M, TRS-80 TM's of Zilog, Digital Research, Tandy Corp resp.

Draw

The Grafyx Solution[™] for your Creativity




Improved Grafyx. DRAW is a powerful graphics and text editing package which allows your imagination to create a picture or design a graphics screen with Grafyx Solution. Micro-Labs' Grafyx Solution is a plug-in, clip on board which gives you 98,304 points in a 512 x 192 matrix. That's sixteen times as many points as a standard Model III!

Ultimate Grafyx. The DRAW program contains almost 10,000 instructions and is written in machine language for ultimate speed and flexibility. By moving

the cursor with the arrow keys and entering one letter commands, you can set, clear or complement points, lines, circles, or boxes. The size of the points that you are setting can be changed at any time. You can even reverse or shift the entire screen in any direction. Any section of the screen may be saved so it can be moved or copied elsewhere. Sections of the screen can also be filled in with patterns.

Practical Grafyx. DRAW is obviously a must for generating computer art or graphic designs, but is also a necessity for anyone, no matter what his



application. Businessmen and scientist can use DRAW to add text labels or other refinements to previously generated graphs. Once the picture is centered, labeled and refined, it can be saved on disk/tape or printed on any of 20 popular printers. All of this is done with single letter commands without ever leaving the DRAW program.


The Grafyx Solution package is shipped from stock and includes the board, 44 programs, and a 54 page manual all for \$299.95. The DRAW program, twelve hi-res pictures, and manual is \$39.95. Shipping is free on pre-paid or COD orders. (Tx. res. add 5% sales tax.)

MICRO-LABS, INC. 214-235-0915

✓464 902 Pinecrest, Richardson, Texas 75080

PULSE TRAIN

China: a 10-year computer gap



Since Chairman Mao's death in 1976, China has been hurrying to catch up with the West. According to the Joint Congressional Economic Committee, one of the People's Republic's top priorities is computer technology, where China is 10 years behind and will need help in

the form of imports.

A series of papers on China under the Four Modernizations reports that vice premier Fang Yi, speaking at China's National Science Conference in 1978, said that China "should have acquired a group of comparatively advanced specialists in computer science research and... built a fair-sized modern computer industry" by 1985. Two goals were mentioned: giant ultra-high-speed computers, and the popularization of micros for wider use.

The Fourth Ministry of Machine Building, which has jurisdiction over planning

and producing electronic components and computer systems, oversees at least 200 large and 500 small plants, as well as 1,500 "neighborhood" factories. However, *Electronic News* reports, China as of January 1980 had only about 1,000 computers in operation, nearly all of them foreign models and perhaps a fifth of those almost obsolete.

Both Control Data Corp., which instituted a corporate China office in 1973, and the U.S. Institute of Electrical and Electronic Engineers told the Joint Committee that "a market of great potential in fourth-generation computers

for U.S. firms could exist" in the People's Republic.

Still, the study concluded, "It is much too soon to predict the outcomes in terms of benefits obtained or the particular obstacles encountered in... negotiations. In any venture with U.S. firms, the Chinese have stated that mutual benefit, mutual cooperation, and long-term relationship must apply to any pending association." With U.S.-China relations cooled by the defection of Chinese tennis star Hu Na, it seems a major computer-export agreement is some way off. ■

Costs, kids, and correspondence

● 1982 brought the \$99.95 Timex-Sinclair 1000 and Texas Instruments' rebate; 1983 has brought a new wave of **COMPUTER PRICE REDUCTIONS**.

END

BYTES

Recently, IBM cut 15 percent from PC price tags. Xerox has knocked 21 to 26 percent off its systems, with the 820-II going from \$2,445 to \$1,795.

The slow-selling Apple III now lists for \$2,695 instead of \$3,495, and stores have discounted the Commodore 64 to \$299 (Tandy's price for a 16K Extended Basic Color Computer). As for the Timex, the paperweight of computers is now \$49.95.

● Talmis, a market survey and consulting firm, reports that VIC-20 users have the most **CHILDREN** (an average of two per household), but TI 99/4 owners have more kids under six years old.

Over a third of all computer-using households have no children, Talmis notes; while 71 percent of Atari 800 buffs have children at home, the number falls to 62 percent for Radio Shack and 57 percent for IBM.

● RCA Corp., whose Consumer Electronics division supplies Tandy with displays for TRS-80s, will market its own computer **VIDEO DISPLAYS** for OEMs. Executive vice president Roy Pollack estimates that the U.S. display market will reach \$1.6 billion by 1990. RCA's first entry will be a 13-inch, high-resolution color unit, due in the fourth quarter of this year.

● Brains before beauty: The British magazine *Micro-Scope*, printing some photos of **MISS WORLD** holding an Epson HX-20, reports that the connection goes beyond mere

publicity—Epson "will, in future years, be closely involved in the judging of the contest."

Said a company spokesman, "As a result of the Epson/Miss World tie-up, more emphasis will be placed on mental abilities (in the judging of Miss World contests), and some of the questions asked of the entrants will be of a more technological nature than heretofore."

● There are new **MAGAZINES** for every taste, from *Micro Discovery*, "The Non-Technical Magazine of Personal Computing," to the bimonthly *PC: The Technical Journal*, an advanced-level spinoff of Ziff-Davis' *PC* for IBM fans.

Modem owners can read *Plumb*, a newsletter about personal telecommunications. And there are two more magazines for video gamers: *Joystick* and *Vidiot*, *The Magazine of Video Lunacy*.

● Computer **BOOKS**, too, are booming. Doubleday & Co. has advanced \$1.3 million—reportedly the highest price ever paid for a trade paperback—to Stewart Brand, the man who brought you *The Whole Earth Catalog*. Brand's new opus? *The Whole Earth Software Catalog*.

● Least Significant Byte: The chairman of TeleCheck, a check verification service affiliated with Tymshare Inc., plans to revolutionize **BUSINESS CORRESPONDENCE**. "We will address our customers and colleagues with a capital 'Y' in 'You,'" says Robert J. Baer. "We are saying 'I respect You—that I'm in business to serve You.'"

"To continue to grow and help our subscribers serve their customers, we must be together on the same plane. That is not the implication of correspondence that uses a capital 'I' for the writer and a lowercase 'y' for the person addressed." Presumably, should Baer mention a customer in an interoffice memo, he'll refer to him as Him.

● Finally, "Fun House" columnist Richard Ramella reports that a 10-year-old girl walked up to a piece of **EQUIPMENT** in a Chino, CA Radio Shack store, grasped its sides, and yelled, "How do you play this thing?" "You don't," replied a clerk. "That's a battery tester." ■

WANTED

"Buyers," & "We'll pay the shippin'"

• CALL FREE (800) 654.4058 •

"Call For Reduced Prices At Various Quantities"

Verbatim

5 1/4" sin-side dbl-den.	2 45
5 1/4" dbl-side dbl-den.	3 50
5 1/4" sin-side quad	3 45
5 1/4" dbl-side quad	4 45
8" sin-side sin-den.	2 95
8" sin-side dbl-den.	3 40
8" dbl-side dbl-den.	3 95

Head Cleaning
Kits... 940
Refills. 1450

Dysan

5 1/4" sin-side dbl-den.	3 95
5 1/4" dbl-side dbl-den.	4 45
5 1/4" sin-side quad	4 45
5 1/4" dbl-side quad	4 95
8" sin-side sin-den.	3 45
8" sin-side dbl-den.	4 45
8" dbl-side dbl-den.	4 95

We Stock
"Bulk-Packed"
Diskettes

3M Scotch

5 1/4" sin-side dbl-den.	2 35
5 1/4" dbl-side dbl-den.	3 25
8" sin-side sin-den.	2 45
8" sin-side dbl-den.	3 00
8" dbl-side dbl-den.	3 95

Disk Minder
• Smoked Plastic
• Holds 75 Disks
17 95 ea.

Dealer Inquiries
Welcomed

Prices per ea.
10 per box

**Diskette
Connection**

✓ 441



P.O. Box 1674
Bethany, OK.
73008

*(Continental U.S. only. Add 3⁰⁰ on orders under 40⁰⁰)

COLOR COMPUTER SOFTWARE

COMPLETE YOUR WORD PROCESSOR

SPELL—RITE

THE Cassette Spelling Verifier

You've got the best word processor. Now complete your system with the best spelling verifier. Spell-Rite is a convenient, fast way to insure that all of your documents are letter perfect. Spell-Rite was designed specifically for cassette-based word processors. Like Yours!

Spell-Rite is easy to use, completely menu driven.

Spell-Rite is Fast! You can verify a 1000 word document in under 9 minutes - including cassette I/O.

Spell-Rite is complete. It comes with its own 10,000+ word dictionary which you can expand. Also included is a superb manual.

Spell-Rite works with any word processor that generates ASCII tape files, such as Color Scribes, Super Color Writer and Telewriter 64. 32K of RAM and Extended Basic are required.

Cassettes and manual \$59.95

DISK BASIC AID

DISK BASIC
MADE BETTER

Your Color Disk Basic is one of the most powerful Basics on any computer. Add Disk Basic Aid and it also becomes one of the easiest to use! The Basic Aid package will make developing and entering Basic programs a snap. Here are just SOME of the great features Basic Aid contains.

- Full Screen Editing
- Automatic Line Numbering
- 2 Key entry of Basic keywords
- Cross Reference
- Automatic Key Repeat
- User definable keys

PLUS: Label support! This unique Basic Aid feature is a vast improvement in the Basic language. Label any line you want and use that label in all calls to that line. Forget about line numbers, just call routines by name like this:

"ON A GOTO ENTERCHECKS. PAYABLES. EXIT"

A real time saver. And for transportability Basic Aid will convert all labels to line numbers.

These and other great features make Basic Aid a 'must' for anyone who writes or modifies Basic programs. Basic Aid runs on 32K or 64K Disk systems. It comes with complete documentation and our new, heavy duty keyboard overlay.

Disk Basic Aid \$49.95

SPECTRUM — STICK

Put the joy back into color computing with the Spectrum Stick. This heavy duty joystick gives you a true feel of control. And it comes with an extra long cable and power on/off LED.

"...the feeling of this joystick is superb." March 1983, 80-Micro
TX: add sales tax \$39.95

Send check or money order for total purchase price, plus \$1.50 S & H. Charge cards: Include all embossed information.

- ☐ Spell-Rite
- ☐ Disk Basic Aid
- ☐ Spectrum Stick
- ☐ Send Free Catalog

SEND to

✓ 154

**Eigen
Systems**

P.O. Box 180006
Austin, Texas 78718
(512) 837-4665

Name _____
Address _____

80

NEW REPLACEMENT RIBBON CARTRIDGES

PRINTER MAKE, MODEL NUMBER (Contact us if your printer is not listed. We have ribbons for most printers)	RIBBON SIZE Inches by Yards	NEW REPLACEMENT CARTRIDGES Price each in quantity of			RIBBON LOOPS Cartridges Not Included	
		3	6	12	6	12
ANADEx 9500	1/2 x 30	13.00	12.75	12.25	36.00	66.00
CENTRONICS (7-MEG)	5/16 x 55	7.50	7.25	6.75		
C.ITOH Prowriter	1/2 x 14	8.75	8.50	8.00		
C.ITOH Starwriter	5/16 x 17	5.50	5.25	4.75		
COMMODORE PET 8023P	1/2 x 10	9.00	8.75	8.00		
EPSON MX70/MX80	1/2 x 20	5.50	5.25	5.00	18.00	31.80
EPSON MX100	1/2 x 30	12.00	11.50	11.00	32.00	60.00
IDS Paper Tiger 460/560	1/2 x 36	7.75	7.50	7.00		
NEC 5500/7700 Nylon	1/2 x 15	6.25	6.00	5.50	30.00	56.00
Multistrike	1/4 x 133	5.75	5.50	5.00	22.00	40.00
Multistrike High Yield	1/4 x 133	6.50	6.25	5.75	25.00	46.00
OKIDATA Microline 84	1/2 x 40	6.25	6.00	5.50		
80, 82, 83 Dual Spool	1/2 x 18	3.00	2.75	2.25		
QUME Nylon	1/2 x 15	5.25	5.00	4.50	30.00	56.00
QUME Multistrike	1/4 x 98	5.00	4.75	4.25	15.00	26.00
RADIO SHACK DW II						
Carbon Film - Black	1/4 x 153	6.25	6.00	5.50	18.00	30.00
Carbon Film - Blue, Brown	1/4 x 153	7.00	6.75	6.25		
RADIO SHACK LP I - II - IV	9/16 x 16	3.50	3.25	3.00	19.50	36.00
RADIO SHACK LP III - V	1/2 x 15	6.25	6.00	5.50	26.00	48.00
RADIO SHACK LP VI - VIII	1/4 x 12	6.75	6.50	6.00		

CHECK, MONEY ORDER or COD

All orders shipped U.S. mail. Free shipping on prepaid orders for continental U.S. Add \$2.00 for orders outside continental U.S. Allow 2 weeks for personal checks. Phone 6 p.m. - 9 p.m. E.S.T. Mon.-Fri. & 9-5 Sat.

(302) 492-8463

ADEL COMPUTER MART

DEPT 10 BOX 195

No Sales Tax

✓ 356 HARTLY, DE 19953

Let the LETTER-WRITER 'WORK' for YOU



CREATE: forms, labels and form letters.

This machine code word processor can even ADD/SUBTRACT bookkeeping columns.

Change, delete, add, insert, move, copy (characters/lines/blocks) of text fast.

SELECT: margins, page length, number of copies, tabs, center lines / page, line spacing and LEGAL PAPER LINE NUMBERING.

MODEL I users get: Model III shift key controlled upper / lower case letters!!

EASIER to USE than other systems. Only 8 keys control 96% of the LW features!!

TRY a LW for 3 MONTHS. If not satisfied return it. We will refund all but \$3.50 to cover postage / handling. IF YOU CAN NOT RETURN IT, DO NOT BUY IT.

C. A. of N. Y. rates his LW purchase as "one of the best buys I have made."

TAPE 16K Model I/III systems \$23.99

DISK 32K Model I/III systems \$37.99

WE PAY: tax / US postage on ALL orders.



Verbatim MD525 01 disks: 10 for \$25.95
Microcassette C10 tape+box: 20 for \$13.95

Astro-Star Enterprises 24 HOUR

5905 Stone Hill Dr. Computer Phone
Rocklin, CA 95677 (916) 624-3709

CALENDAR

August

- 2-4 **Microprocessor Background for Management Personnel** University of California Extension, Berkeley, CA.
- 8-10 **American Management Associations**, New York, NY. **User Documentation Course** New York, NY.
- 22-26 **American Association for Artificial Intelligence**, Menlo Park, CA. **National Conference on Artificial Intelligence** Hilton Hotel, Washington, DC.
- 26-28 **University of Minnesota**, St. Paul, MN. **Computers for Farm and Family Minnesota State Fair**, St. Paul, MN.

September

- 12-14 **IEEE Computer Society**, Silver Spring, MD. **International Conference on Computer-Aided Design** Santa Clara, CA.
- 19-21 **American Management Associations**, New York, NY. **User Documentation Course** Washington, DC.
- 26-29 **IEEE Computer Society**, Silver Spring, MD. **Compcon Fall '83** Marriott Crystal Gateway, Arlington, VA.
- 29-Oct. 1 **Northeast Expositions Inc.**,

Chestnut Hill, MA. **CP/M '83 East Hynes Auditorium**, Boston, MA.

October

- 3-6 **IEEE Computer Society**, Silver Spring, MD. **8th Data Communications Symposium** Cape Cod, MA.
- 5-6 **DeNardi Enterprises**, Los Altos, CA. **Compusource '83** Red Lion Inn, San Jose, CA.
- 7 **Creative Learning Association**, Charleston, IL. **Compucon '83** Martin Luther King University Union, Charleston, IL.
- 18-19 **Architecture Technology Corp.**, Minneapolis, MN. **Conference on Local Computer Networks** Hilton Inn, Minneapolis, MN.
- 18-20 **IEEE Computer Society**, Silver Spring, MD. **Ed-CompCon '83: Applying Technology to Education** Red Lion Inn, San Jose, CA.
- 22 **Plymouth State College**, Plymouth, NH. **Conference on Computers and Education** PSC campus.
- 24-26 **American Institute of Aeronautics and Astronautics**, Orlando, FL. **Computers in Aerospace Conference** Hartford, CT.

Try DISnDATA. The Disassembler That Even Tracks Down DATA!!! NEW!!! VERSION 2



- Outputs fully labeled R.S. or APPARAT™ EDTASM™ format code to display, printer, cassette or disk.
- Loads programs from cassette or disk and displays main entry point.
- Printer output fully paginated.

• Outputs " H37F7 DEFM "Cass?"
DEFB 03H
instead of the meaningless "equivalent",
" AB25 LD B,E
LD H,C
LD (HL),E
LD (HL),E
CCF
JR NZ,\$+5 ", etc.

- Automatically identifies such data areas.
- Relocates itself to any desired RAM area, up/down one byte or as many as required.
- Runs on TRS-80 Model I (Level II) or Model III, 16K or more, cassette or disk.

To order **DISnDATA** phone (513) 435-4480 (M-F, 9 a.m. - 5 p.m. EST), or send check or money order for:

#1354-12 (Model I/III cassette)\$34.95

#1354-22 (Model III diskette), TRSDOS™ format.....\$39.95

(U.S. Funds only) Add \$2.00 shipping (U.S.) \$5.00 (Foreign). \$3.00 Additional on C.O.D. Orders.

Ohio Residents please add 6.5% Sales Tax.

*Registered Trademarks: Tandy, Corporation
*Registered Trademark: Apparat Inc.

Professional Software for both Novice and Expert



Pro/Am Software
220 Cardigan Road
Centerville, Ohio 45459

Visa and Mastercard accepted.
When ordering via card include card number, interbank number, expiration date, your name, address and phone number.

Coming Next Month

With the games issue over, *80 Micro* returns to work in September. The month's topic is business, and applications range from a Model III program that illustrates VisiCalc's data interchange format (DIF) files to inventory control on the Model I.

There's a time distribution summary that tracks employee work by project and task categories, and a menu-driven program to record financial transactions on the II/12/16. SuperScript owners who've been struggling with non-Radio Shack printers will find a generic printer driver that fits anything with a parallel interface. Finally, Sep-

tember's Buyer's Guide looks at business software.

Programmers can pump up Basic with 14 new commands, including the ability to recover programs lost after New or Reset. There's a fast Z80 disassembler that fits into 3K, a three- to five-line screen dump, and an INKEY\$ routine that won't lose characters no matter how fast you type.

C•Notes will have more Model 100 programs, and 80's other departments will meet September in style. Richard Ramella's Fun House even has programs for kids who are too young to join their brothers and sisters in going back to school. ■

INTRODUCING THE IMPROVED LNW 80 MODEL II ... AT AN UNBELIEVABLE PRICE!



This computer has it all! TRS-80™ Model I and CP/M® software compatibility with two operating systems; DOSPLUS 3.4 and CP/M 2.2. The LNW 80 MOD II can read and write the 5¼" disk formats of several CP/M computers including: OSBORNE, KAYPRO, XEROX 820, CP/M 86 as well as standard 8" IBM format. Standard features: 96K of RAM, parallel and serial ports, cassette and joystick ports, RGB and Composite Color interfaces, HI-RES graphics and much more! Six month warranty.

~~\$1995.~~
\$1489.

SYSTEM SPECIAL!

Amazing price on the EAGLE III Computer ... \$3499.

System includes: 10 Megabyte hard disk and one double sided floppy disk drive, 32 preprogrammed function keys for word processing, word processing (Spellbinder), financial analysis (Ultracalc), CP/M 2.2, CBASIC.

Optional Software:

Accounting Plus **\$2000.**

SAVE \$1225! \$775.

PRINTER SPECIALS!



New TOSHIBA P1350 dual mode printer
• 100 CPS letter quality and 160 CPS draft quality **\$1595.**


C. ITOH F10 40 CPS • bi-directional daisy wheel printer \$1379.

New SEIKO GX-100 • 50 CPS dot matrix printer with built-in tractor feed \$244.95

*This is a Price Breakthrough!

OKIDATA 83A \$669.

• 120 CPS dot matrix printer with tractor feed.



PROWRITER parallel
10" **\$469.**
PROWRITER parallel
15" **\$679.**
EPSON MX-100 \$649.

SOFTWARE SPECIALS!

SUPER™ \$244.95

Data base management system.

• 13 times faster than dBASE II™, this is the most powerful, easy to use DBMS program that we have seen! For TRS-80 and CP/M.

THE FINANCIAL PLANNER . \$479.

• New from Ashton-Tate, this is the strongest financial modeling language available.

INFOTAR \$387.

• New from **MicroPro®**, now you can write custom applications with plain English and edit your reports with **WORDSTAR!**

THE BOTTOM LINE

STRATEGIST \$295.

• New from Ashton-Tate, this is the finest econometric tool available today for developing financial and marketing strategies.

ACCESSORY SPECIALS!

LNW 5/8 doubler \$159.

LNW 5/8 doubler with

DOSPLUS 3.4 \$175.

LNW expansion II \$329.

TEC DISK DRIVES:

5¼" double density drives

w/case & power supply **\$245.**

MITSUBISHI DISK DRIVES:

2 thin line drives in one case

w/power supply —

3.2 MEG OF STORAGE

MicroPrice

We're the helpful, friendly computer wholesalers that sell direct to users by mail only. No showrooms. No toll-free numbers. Just the best prices you'll find anywhere.

All prices quoted are cash discounted prices. We also honor Mastercard, Visa, American Express and Company purchase orders.

MicroPrice

1100 EAST HECTOR STREET

CONSHOHOCKEN, PA 19428

215-664-5383

A Star is born...

The PRODUCER™

The Professional Program Writer.

Now Available for the Model I & Model III
With 48K and 2 Disk Drives

(Please Specify Model I or III)

Coming Soon For the IBM PC, Model II and others.

\$149.95

...Now Introducing
The PRODUCER, Jr.

(See Technical Comparison Chart on next page.)

Only **\$89.95**



If BASIC somehow doesn't seem so basic, and your software has been getting you nowhere, then let me introduce myself. THE PRODUCER is my name. Writing programs is my game. If you're interested in an inexpensive way to quickly and easily write professional quality custom software programs, then read on.

Have you ever wasted money on software that didn't do what you thought it would? Are you burned out on high priced, canned programs that make big claims, but don't meet your needs. Has a lack of good software made your computer an expensive gadget that doesn't do what you hoped it would? If so, I'm here with good news. With my help you can put those problems behind you.

What is THE PRODUCER?

In short, I'm a Program Generator designed to write customized software programs. If you have a need to store and retrieve information, perform calculations on your data and get displayed or printed reports, I can help you develop a program to do just that, in just about any format you can imagine. That's why I'm called a program development system. I'm a powerful and sophisticated software package, born of vast technical knowledge and professional design experience. Yet, I'm the most simple, practical, easy to use and functionally versatile program generator ever put on the market.

What can THE PRODUCER do for you?

How can I help you? Just let me count the ways.

1. I make programming easy. I'm 'user friendly.' If you can answer simple English questions and push buttons, I'll do all the hard work. Let me worry about the BASIC language required to complete your program. Describe the program you want and I'll write it for you. The process is simple. First, I produce a printed planning sheet to help you get your ideas on paper. When you've finished planning, you're ready to draw your screen right on the monitor. The Screen design and appearance is completely at your command, including graphics. You have full editorial control. Make all the changes you like, until you're satisfied. After you're thru, I'll guide you thru some simple English questions about your Screen. Based on your answers, I'll write a complete BASIC program for you.

2. I can save you 100's of hours of time. I provide real short cuts to meet your needs by going direct from your idea to a 'ready to use' customized program. I write all the BASIC code for you. I'm simple, but I'm not shallow. The only limit to my capacity is your imagination.

3. I can save you big bucks. You may never need to buy another program to store and retrieve your data. With my help, you can design your own custom programs to get your job done.

4. I can help make you more productive. Having me as your partner will be like taking a smart pill. I'll pay for myself many times over by increasing your productivity and creativity. With my custom programs serving you, your computer will be the valuable friend you hoped it would be.

5. I can help make you a real pro. Based on your ideas, I write complete stand alone programs. I write in BASIC code, but you talk in English to me. And if you're an entrepreneur, you can sell the programs you and I create. As a licensed owner of THE PRODUCER, you may do so without paying royalties.

6. I can make good programmers much better. I produce fully commented BASIC code so you can use me as a building block to write your own specialized software. I have the best screen and input module available anywhere at any price.

PRODUCER Generated Programs

We understand your reluctance to invest in THE PRODUCER until you know for sure it provides what we say it does. The programs below are unmodified, finished programs generated by THE PRODUCER. Our customers tell us that PRODUCER generated programs are better than many high priced programs written by human professionals. Compare these programs to any you have seen selling at a similar price. Their quality will surprise you. Buy any of these PRODUCER generated programs now and we will gladly apply the cost of that program toward the future purchase of THE PRODUCER. Or buy THE PRODUCER now and select one of the PRODUCER generated programs to be included in your order, absolutely FREE.

Executive Scratch Pad	\$29.95	Inventory 1	\$39.95
Expense Notebook	\$19.95	Maintains group of identical items	
Teacher's Grade Book	\$29.95	Inventory 2	\$39.95
Recipe Program	\$19.95	Maintains record for individual items	
Photo Assistant	\$29.95	Record Library	\$19.95
Video Library	\$29.95	Organizes your music center	
Mailing List	\$19.95	Reader's Guide	\$19.95
Personnel Program	\$39.95	Organizes magazine articles/clippings	
See descriptions in March and April Issues of 80 Micro		Personal Checking	\$29.95
		Organizes checking accounts	
		Loan Calculator	\$39.95
		Calculates loans, principal and interest	

What do you get with THE PRODUCER?

1. Two diskettes containing THE PRODUCER program development system, and a complete disk operating system. Also included is a free sample personal management program (value \$59.95) useful to every computer owner.

2. Extensive documentation in a three ring binder, with index tabs, quick reference system, comprehensive index and sections for the novice and professional programmer.

3. Complete printed tutorial, walking through each step in THE PRODUCER process and resulting in a finalized sample program. An audio cassette tape (\$14.95 value) of the tutorial session is also provided free for a limited time.

4. A toll free technical assistance number for PRODUCER owners.

5. A free one year subscription to THE PRODUCER's quarterly newsletter containing ideas, sample programs and update information related to THE PRODUCER.

TECHNICAL COMPARISON CHART

	PRODUCER	JR.	QUICKPRO	CREATOR
FEATURES OF THE FINISHED BASIC PROGRAM				
Full Screen Oriented Input of All Fields	YES	YES	NO	NO
Edit without Retyping with insert & delete	YES	YES	NO	NO
Restrict field Length automatically	YES	YES	YES	NO
Unlimited Restriction choice for each field	YES	YES	NO	NO
User defined Custom Prompts for each Field	YES	YES	NO	NO
Full Speed Typing in ALL Fields	YES	YES	NO	YES
Immediate Exit from ANY Field to Menu	YES	YES	NO	YES
Enter Fields from last Record automatically	YES	YES	NO	NO
Fast BTREE File Structure (No Sort Needed)	YES	YES	NO	NO
Find Record with Part of a Key	YES	YES	NO	NO
Hi-Speed Global Search for ANY Field in a Record	YES	YES	NO	NO
Duplicate Keys and Multiple Keys Supported	YES	YES	limited	NO
Global Field Replacement Function	YES	YES	NO	NO
Run Predefined Reports from Finished Program	YES	YES	NO	NO
Select Reports from Menu in Finished Program	YES	NO	NO	NO
Sort (machine language) ANY Field-Free	YES	NO	NO	NO
Custom Mailing Labels Option (any Size)	YES	NO	NO	NO
Do Calculations on fields in Program	YES	YES	YES	NO
Sell Finished Program with No Royalty	YES	YES	NO	NO
PRODUCER CAPABILITIES & FEATURES				
Toll Free Question Line	YES	YES	NO	NO
Create PROFESSIONAL Finished Program	YES	YES	NO	NO
Modify Program without Starting Over	YES	YES	NO	NO
Ease of Use, including Complete TUTORIAL	YES	NO	NO	NO
Number of Calculations allowed per field	8	8	1	0
Use Field Names for Calculations	YES	NO	NO	NO
Use ALL Math Functions in Calculations	YES	NO	NO	NO
Generates a BASIC Program	YES	YES	YES	YES
Custom Design exact Screen YOU desire	YES	YES	NO	NO
Full Feature Screen Generator (graphics)	YES	NO	NO	NO
Easy Report Generation with Any Restrictions	YES	NO	NO	NO
Complete & Thorough DOCUMENTATION	YES	YES	limited	NO
Detailed Quick Reference Materials	YES	YES	NO	NO
Audio Cassette Tutorial Available	YES	NO	NO	NO
Program Planning Form Provided	YES	NO	NO	NO
Sample Programs Available before Purchase	YES	YES	NO	NO
FREE UTILITIES INCLUDED				
Free Menu Driven DOS Utility Package	YES	YES	NO	NO
Free Disk Operating System (Super Fast)	YES	YES	NO	NO
File Rebuilder & Reorganizer included Free	YES	NO	NO	NO

Send Cashier's Check, Money Order or Certified Check to: **\$149.95**

PRODUCER SOFTWARE

A division of Texas Computer Systems, Inc.

P.O. Box 1327 Arlington, Texas 76004-1327

Or For Master Card - Visa - American Express

Call 1-800-433-5184 Texans Call 817-274-5625



The PRODUCER, JR.

If you don't need all the features of The PRODUCER-- the professional program writer, and you don't want to spend \$149.95 on software, READ ON. Producer Software has the perfect solution for you.

THE PRODUCER, Jr.

A SIMPLE TO USE professional program generator. And it's only \$89.95. This self documented program generator can have anyone creating self-contained, stand alone programs in no time at all. No other program generator can provide you with ease of use, low price and quality.

FEATURES:

- screen generator allows easy definition and creation of fields
- B-tree file lets you search, insert, delete and edit
- reports by single restriction (no sort)
- much more (see technical comparison chart)

The PRODUCER, Jr. comes to you complete with all the above features and its own operating system for only \$89.95. But, don't let this low price fool you--The PRODUCER, Jr. is still the most powerful program generator on the market today--with the exception of the original PRODUCER. And THE PRODUCER, JR. is completely compatible to the original PRODUCER, so if you decide to upgrade at a later date you may do so for only \$75.00. So don't miss out. Order today.

For an independent product review of the PRODUCER see page 62 of March issue of 80 Micro.



by Richard Ramella

Computer Characters

It's usually a bit lonely here in the Fun House, except once a month when all you kids (and kids in spirit) drop by. But this month, three people got here before you did: a Mystery Guest, Minerva the Fortune-teller, and a mind-reading magician called LaMarle the Amazing.

They've been practicing their routines and waiting for you to arrive. All three work in Level II and on any Color Computer with at least 4K.

So this month's theme, *Computer Characters*, does not refer to the graphics capabilities of the TRS-80, but to the imaginary people who dwell in the three programs below.

The computer is famous for crunching numbers, but it's just as good at juggling words to create interesting two-way communication between you and a program's imaginary character.

The Key Box


Model I and III
Color Computer
4K RAM
Level II Basic
Color Basic

Mystery Guest

```

100 REM * MYSTERY GUEST * TRS-80 LEVEL II AND COLOR BASIC
110 REM * FUN HOUSE / AUGUST '83 / R.RAMELLA
120 CLS
130 DATA 78,75,84,73,83,69,77,82,73,83,76,84,76,80,85
140 DATA 83,77,65,76,76,70,65,73,82,89,32,84,65,76,69
150 DATA 83,84,82,65,87,32,84,79,32,71,79,76,68
160 CLEAR 200
170 DIM A(43)
180 L$="* * * * * "
190 FOR A=1 TO 43
200 READ A(A)
210 NEXT A
220 FOR A=1 TO 15
230 A$=A$+CHR$(A(A))
240 NEXT A
250 FOR A=16 TO 20
260 C$=C$+CHR$(A(A))
270 NEXT A
280 FOR A=21 TO 30
290 D$=D$+CHR$(A(A))
300 NEXT A
310 FOR A=31 TO 43
320 E$=E$+CHR$(A(A))
330 NEXT A
340 FOR B=15 TO 9 STEP -1
350 B$=B$+MID$(A$,B,1)+MID$(A$,B-8,1)
360 NEXT B
370 B$=MID$(A$,8,1)+B$
380 PRINT L$
390 PRINT "GUESS MY NAME."
400 PRINT "GIVE IT A SPIN."
410 PRINT "RECALL MY FAME"
420 PRINT "AND YOU WILL WIN."
430 PRINT L$
440 PRINT "20 GUESSES..."
450 PRINT L$
460 FOR A=1 TO 20
470 PRINT "GUESS" A;
480 INPUT X$
490 PRINT L$
500 IF X$=B$ GOTO 680
510 IF LEFT$(X$,4)=LEFT$(B$,4) GOTO 730
520 F=RND(5)
530 IF F=1 THEN PRINT "NOPE!"
540 IF F=2 THEN PRINT "WRONG... WRONG... WRONG..."
550 IF F=3 THEN PRINT "YOU'LL NEVER GUESS IN A MILLION YEARS."
560 IF F=4 THEN PRINT "NO, BUT THE LETTER ";MID$(B$,RND(15),1);
    " IS IN IT."
570 IF F=5 THEN PRINT "REALLY! HOW COULD ANYONE BE NAMED "X$"?
580 IF A/5=INT(A/5) GOSUB 790
590 NEXT A
600 PRINT "HO! HO! HO!"
610 PRINT "I DANCE IN GLEE!"
620 PRINT "YOU DO NOT KNOW"
630 PRINT "THE NAME FOR ME!"
640 PRINT L$
650 PRINT

```



Listing continued

Give Your TRS-80* a Tremendous Boost with RACET COMPUTES Software

RACET COMPUTES THE Name for TRS-80 Utility Software!! We make the TRS faster, more efficient, and easier to use. Our Programming Aids improve your productivity. Our reputation is for products that are professional in design and work as advertised!!

There are NO protection schemes used on our products. We rely on the integrity of the purchaser and reasonable pricing rather than copy protection. A utility, to be useful, must be available on any of your diskettes. The user has a right to backups.

*** Speed-Up Kit Version 2.X ***

For use with Version 2.0 on Model II and XVI \$99.95

NOW WITH OPTIONAL 2-SIDED DRIVE SUPPORT FOR MOD XVI UNDER 2.0!!!
This is a software 'fix' to TRSDOS 2.0. A MUST to users impatient with the speed of TRSDOS. Boot Speed faster by 2 1/2 times. Data reads up to 5 times faster. Time and Date need only be entered once at power on. Retains Verify Detect features.

*** Model II Fast Backup Utility *** \$75

5 to 10 times faster backups!!! Full disk backup (including verify) in 55 SECONDS on two drive system — 2:15 on a single drive system. In business, time is money and one backup is worth 1000 tears.

*** SUPERZAP II for TRSDOS II for Models II and XVI *** \$99.95

Recover Blown Files!! Now you can directly access, modify, copy, zero, or print any sector on your diskette OR Radio Shack Hard Drive. Includes a SCAN utility to facilitate a disk search for a specified string. Documentation includes a description of the TRSDOS II directory structure.

*** SUPERZAP for CP/M 80** *** \$99.95

You asked for it!! And now it's here. Runs on any CP/M Version 2.x system running on a Z80 CPU and 8-inch diskettes!! Recover blown files. Access, modify, copy, zero, and print any sector on disk or in memory — in Hex or ASCII. Full screen editor. File edit mode.

RACET COMPUTES Utilities & Programmers Aids

Generalized Subroutine Facilities (GSF) Mod I \$25 Mod II \$50 Mod III \$30 Includes Multi-key Multivariable and Multi-key Character String Sorts.

Basic Link Facility 'BLINK' Mod I and III \$30 Mod II \$50 Chain from program to program or merge retaining variables.

Infinite BASIC Mod I \$50, Mod III \$60 Extends BASIC with matrix functions and 50 more string functions.

Infinite BUSINESS Mod I and III \$30 (Requires Infinite BASIC) Printer pagination controls, binary array search, and more!!

Command Process 'COMPROC' Mod I and Mod III \$30 Auto your disk to perform any sequence of keyboard instructions.

Diskette Catalog System 'DISCAT' Mod I and III NEWDOS 80 Version 2 \$50

Disk Sort/Merge (DSM) Mod I \$75, Mod III \$90, Mod II \$175 Machine language random file sort package. Power available only on large machines.

Keyed File System 'KFS-80' Mod I and III \$100 Mod II \$175 Machine language BASIC ISAM utility. Binary tree index system.

Model II Utility Package \$150 Includes Superzap, bulk copies and other utilities for repair of blown diskettes. Complete documentation on diskette structure and guidance for repair.

Model II Development Package \$125 Includes Superzap, Apparat Disassembler and Mod II interface to Microsoft Editor Assembler + and documentation for Mod I and uploading service.

Model II Basic Cross Reference Utility \$50

RACET COMPUTES LTD.
Integrity in Software

1855 West Katella Ave. Suite #255 Orange, CA 92665 (714) 997-4950

(714) 997-4950 for order desk. (714) 771-0883 for new BBS service.

CALL FOR COMPETITIVE PRICING ON HARD DRIVE SUBSYSTEMS.

CIRCLE READER RESPONSE FOR FREE TRS AND NEC CATALOG.

*TRS-80 is a trademark of Tandy Corporation **CP/M is a trademark of Digital Research. 468

FIELD PROVEN HARD DRIVES

5 to 240 MEGABYTES ON LINE for the TRS-80* Mod II/XVI
Winchester and Cartridge Disk Drives available for immediate delivery!!

5 MEGABYTE FOR Mod I, II, and III
CALL FOR PRICING



14+ Megabyte (formatted) ARM Winchester Disk Drive CALL for Pricing
Includes ECC error detection and correction. FAST. Service Contract Available (\$30/month/drive). Multiplexor available. SHARE hard drive between four Model II's!!

20 Megabyte CII Honeywell Bull Cartridge Drive \$7995
10 Megabytes fixed, 10 removable for the professional installation requiring Removable Media for BACKUP. 60 and 120 Megabyte add-on drives available. Up to 240 MEGABYTES!! Four port multiplexor available to SHARE hard drives.

HARD/SOFT DISKS SYSTEM (HSDS) SOFTWARE

Radio Shack 2.0 Compatible Operating System for Hard Drive Operation. Run your 2.0 software on hard drives without conversion (except drive designation). Compatible with most machine language programs that use the standard calling sequence. Supports ARM, Cameo, Cynthia Bull, Corvus, Data Peripherals, QCS, Radio Shack, and certain other hard drives.

Access BOTH your floppy disk drives and hard drive files **INTERCHANGEABLY!!** Complete utilities include HZAP (Hard Disk SUPERZAP), Directory Catalog System, Parameterized FORMAT, HPURGE (Bulk Copy/Purge Utility) and others.

The Hard/Soft Disk System (HSDS) Software has almost two years **FIELD** experience. Version 5.0 adds several enhancements including maintenance of system files on the hard drive, files as large as the disk, the ability to segment the disk as logical drives, and definable directory size. Floppy backup (close to a Megabyte per minute) is provided for Winchester drives.

HSDS for Radio Shack \$500
HSDS for Other Drives \$400

RACET COMPUTES LTD.
Integrity in Software

1855 West Katella Ave. Suite #255 Orange, CA 92665 (714) 997-4950

CALL FOR COMPETITIVE PRICING ON HARD DRIVE SUBSYSTEMS —

BUY WHERE YOU CAN GET SOFTWARE SUPPORT!!

DEALER AND SYSTEM HOUSES — WE HAVE DEALER PRICING!!

CIRCLE READER RESPONSE FOR FREE TRS AND NEC CATALOG.


*TRS-80 is a trademark of Tandy Corporation 471

Listing continued

```

660 PRINT "AND I'LL NEVER TELL... GOODBYE!"
670 END
680 PRINT "I HATE IT WHEN PEOPLE GUESS";
690 IF A<6 THEN PRINT " SO SOON!" ELSE PRINT "I"
700 PRINT "YOU'RE RIGHT."
710 PRINT "I'M LEAVING. GOODBYE!"
720 END
730 PRINT "YOU DIDN'T SPELL IT RIGHT,"
740 PRINT "BUT YOU KNOW!"
750 PRINT "IT'S "B$", O CLEVER ONE!"
760 PRINT "YOU WEREN'T SUPPOSED TO BE ABLE TO GUESS!"
770 PRINT "I'M GOING NOW. AND DON'T FOLLOW ME!"
780 END
790 N=N+1
800 IF N=1 THEN PRINT "CLUE 1: I AM "C$".
810 IF N=2 THEN PRINT "CLUE 2: I AM IN A "D$".
820 IF N=3 THEN PRINT "YOUR LAST CLUE (HEH-HEH): "E$"...
830 RETURN
840 END

```




LaMarle the Amazing

```

100 REM * LAMARLE THE AMAZING * TRS-80 LEVEL II AND COLOR BASIC
110 REM * FUN HOUSE / AUGUST '83 / R. RAMELLA
120 CLEAR 50
130 L$="*****"
140 A$="A23456789TJQK"
150 B$="<Y>ES OR <N>O"
160 CLS
170 PRINT "I GET AN IMPRESSION... IT'S A 7 "B$
180 GOSUB 790
190 IF C$="Y" GOSUB 820 ELSE GOSUB 900
200 IF C$="Y" THEN M$="7": GOTO 270
210 Z=RND(12)
220 GOSUB 1060
230 PRINT "SAY, IS YOUR CARD... "Z$ - "B$
240 GOSUB 790
250 IF C$="N" THEN PRINT "I WAS SURE IT WASN'T.": Z$="": Z=0
260 IF C$="Y" THEN M$=Z$
270 IF C$="Y" THEN PRINT "I AM TRULY GREAT, AM I NOT": C$="": PR
INT L$: Z=0: GOTO 330
280 C$=""
290 PRINT L$
300 GOSUB 1020
310 GOSUB 790
320 GOSUB 980
330 D=RND(2)
340 PRINT "THIS CARD IS ";
350 IF D=1 THEN PRINT "BLACK." ELSE PRINT "RED."
360 GOSUB 790
370 IF C$="Y" GOSUB 820 ELSE GOSUB 900
380 IF C$="N" AND D=1 OR C$="Y" AND D=2 THEN C$="": GOTO 480
390 F=RND(2)
400 PRINT "THE CARD IS A ";
410 IF F=1 THEN PRINT "CLUB." ELSE PRINT "SPADE."
420 GOSUB 790
430 IF F=1 AND C$="Y" OR F=2 AND C$="N" THEN D$="CLUBS"
440 IF F=2 AND C$="Y" OR F=1 AND C$="N" THEN D$="SPADES"
450 IF C$="Y" GOSUB 820 ELSE GOSUB 900
460 C$=""
470 GOTO 560
480 F=RND(2)
490 PRINT "FURTHERMORE, THE CARD IS A ";
500 IF F=1 THEN PRINT "DIAMOND." ELSE PRINT "HEART."
510 GOSUB 790
520 IF F=1 AND C$="Y" OR F=2 AND C$="N" THEN D$="DIAMONDS"
530 IF F=2 AND C$="Y" OR F=1 AND C$="N" THEN D$="HEARTS"
540 IF C$="Y" GOSUB 820 ELSE GOSUB 900
550 C$=""
560 IF M$<>"" GOTO 730
570 H=1
580 GOSUB 1020
590 GOSUB 790
600 GOSUB 980
610 IF V<>2 GOTO 580
620 FOR B=1 TO 3
630 Z$=MID$(A$,B,1)
640 GOSUB 1060
650 PRINT "IT'S THE "Z$
660 GOSUB 790
670 IF C$="Y" GOTO 740
680 NEXT B

```



Listing continues

Always remember that computers are not creative in themselves. They need commands or programs from you or me before they can do anything.

In creating characters, you must let the characters fib about their supposed powers. Accept the fantasy when you try these programs, but don't forget reality.

Mystery Guest


First, let's find out who the mystery guest is. You get 20 guesses. Even if it seems hopeless at first, keep trying because there are some hidden clues. You won't find them even if you key in the program.

The mystery character presents 20 numbered prompts, starting with GUESS 1. Type in a name as your guess. Keep guessing to find those clues, and don't be disturbed if the character taunts you a bit.


I'd be happy to identify this person for you, but I don't know the answer. She—or he—has worn a bag over his—or her—head since arriving.

LaMarle the Amazing

Can a computer program



MAKE IT EASY TO SAVE your copies of **80micro**



Your magazine library is your prime reference source—keep it handy and keep it neat with these strong library shelf boxes. They are made of white corrugated cardboard and are dust resistant. Use them to keep all your magazines orderly yet available for constant reference.

Self-sticking labels are available for the following:

80 Micro	73 Magazine	Radio Electronics
Microcomputing	QST	Personal Computing
inCider	CQ	Byte
Desktop Computing	Ham Radio	Interface Age

One box (BX1000) is \$2.00, 2-7 boxes (BX1001) are \$1.50 each, and 8 or more boxes (BX1002) are \$1.25 each. Be sure to specify which labels we should send.

Call **TOLL-FREE** for credit card orders:

1-800-258-5473

Or use the order form in this magazine and mail to:

80micro

Attn: Book Sales, Peterborough, NH 03458

☐ SHIPPING AND HANDLING CHARGES \$2.00 per order up to and including a quantity of eight 25¢ for each additional box ordered. ☐

EE/EPROM PROGRAMMERS & UV ERASERS

AFFORDABLE ★ RELIABLE ★ AVAILABLE

PROMPRO-7™ - \$489.00

**PROMPRO-8™
\$689.00**



UV ERASERS

QUV-T8/1

\$49.95

*HOBBY

QUV-T8/2N

\$68.95

*INDUSTRIAL

QUV-T8/2T

\$97.50

*WITH TIMER

& SAFETY SWITCH

GANGPRO-8™

\$1,295.00

(GANG

PROGRAMMER)

RS-232 serial, STAND ALONE, INTELLIGENT

*EASY DUPLICATION *USER FRIENDLY *128K BUFFER

SUPPORTS: MOST 8K, 16K, 32K, 64K, 128K, 256K EPROMS

PROMPRO-8: KEY PAD OPTION, EPROM SIMULATION MODE

Microcomputer Chips: 8748 (H), 8749H, 8750, 8751, 8741, 8742, 8755A

SOFTWARE DRIVERS: MDS ISIS, TEKTRONICS 8002, IBM PC, ATARI,

APPLE II, CPM, FLEX, TRS-80

DIRECT HOOK UP TO ANY DUMB TERMINAL OR COMPUTER.

DISTRIBUTOR INQUIRY WELCOME.

LOGICAL DEVICES INC.

1231E N.W. 65 Place, Ft. Lauderdale, FL 33309

Phone Orders (305)-974-0967 TWX 510-955-9496


330

DIABLO DAISY WHEEL PRINTER \$795

- Standard Centronics Parallel or Serial RS232
- Compatible with most computers — **Ask About Yours!**
- High Speed Heavy Duty, Commercial Grade
- Full 132 Column Printout Capacity
- 2,000 Character Print Buffer — No waiting on Printer
- Tested and reconditioned by Johnson & Johnson
- Full parts and labor WARRANTY
- 375,000 Character Ribbon Included FREE
- Uses Metal Printwheel Included FREE!
- Friction Feed Standard
- Serial Baud Rates up to 19,200

USE ALL THESE FEATURES AND MORE!

- 10+12 Pitch and True Proportional Spacing
- Bi-Directional Printing
- Bold Printing
- Underline Words or Sentences
- Subscripts and Superscripts
- Multiple Tabs
- Graphics on 1/120 inch
- Communications commands with serial
- Built-in self tests and Diagnostics
- Strike through Printing



PRINTS AVERAGE LETTER FASTER THAN 80 CHARACTERS PER SECOND EPSON.

LIMITED QUANTITY!

TO ORDER CALL (817) 589-2000

JOHNSON & JOHNSON COMPUTER CORP.

2229 EAST LOOP 820 NORTH, FT. WORTH, TEXAS 76112

536

Listing continued

```

690 PRINT L$
700 PRINT "YOU DIDN'T GIVE AMAZING LAMARLE"
710 PRINT "STRAIGHT ANSWERS. TRY AGAIN?"
720 END
730 IF M$<>" THEN Z$=M$
740 PRINT "THEN YOUR CARD IS THE "Z$" OF "D$
750 FOR T=1 TO 300
760 NEXT T
770 GOSUB 820
780 GOTO 750
790 INPUT C$
800 IF C$<>"N" AND C$<>"Y" THEN PRINT "I NEED A Y FOR YES OR N F
OR NO.": GOTO 790
810 RETURN
820 C=RND(5)
830 IF C=1 THEN PRINT "I KNEW IT."
840 IF C=2 THEN PRINT "I AM SELDOM WRONG."
850 IF C=3 THEN PRINT "HOW ABOUT THAT?"
860 IF C=4 THEN PRINT "RIGHT AGAIN!"
870 IF C=5 THEN PRINT "I AM TRULY AMAZING."
880 PRINT L$
890 RETURN
900 C=RND(5)
910 IF C=1 THEN PRINT "HMMM... I WAS SO SURE..."
920 IF C=2 THEN PRINT "YOU MUST THINK HARD."
930 IF C=3 THEN PRINT "CONCENTRATE... PUH-LEEZE!"
940 IF C=4 THEN PRINT "RATS!"
950 IF C=5 THEN PRINT "A TEMPORARY SETBACK."
960 PRINT L$
970 RETURN
980 IF C$="Y" THEN A$=RIGHT$(A$,INT(LEN(A$)/2))
990 IF C$="N" THEN A$=LEFT$(A$,INT(LEN(A$)/2))
1000 V=V+1
1010 RETURN
1020 Z$=MID$(A$,INT(LEN(A$)/2,1)
1030 IF H=1 GOSUB 1060
1040 PRINT "YOUR CARD IS HIGHER THAN "Z$" - "B$
1050 RETURN

```

Listing continues

FUN HOUSE

masquerading as a magician tell which one of a deck's 52 cards you have secretly chosen? Of course not. But somehow LaMarle the Amazing blunders his way to an answer every time, if you respond correctly.

One of the secrets of creating a computer character is giving it a few faults—like you and I have—and letting it blab and blunder all it wants. LaMarle is an effective character because he is imperfect in a humorous way.

He makes wild claims, gets wrong answers, and generally puts on a foolish performance.

TURN YOUR COLOR COMPUTER ON TO THE POWER OF FLEX

NOW FROM THE WORLD'S LARGEST SUPPLIER OF SOFTWARE FOR THE FLEX OPERATING SYSTEM COMES FHL COLOR FLEX. JUST LOOK AT THESE FEATURES:

IF YOU ARE TIRED OF NO DISK SOFTWARE, THEN FHL COLOR FLEX IS THE ANSWER!

FLEX is the world's most popular operating system for the 6809 and with over 150 programs we are the largest supplier of serious software for FLEX. These programs range from word processors thru business applications to software development tools. Many Fortune 500 companies use our software. FHL Color FLEX turns your Color Computer into a powerful system more capable than systems costing several times as much.

*FLEX is a trademark of Technical Systems Consultants, Inc.



FLEX NOW ONLY ~~\$99.00~~

- NEW "Ted" Tiny Editor
- NEW "ISM" Tiny Assembler
- NEW - Machine language monitor
- Hi-Res screen formats - 16 x 32, 24 x 51 upper and lower case, 24 x 64 and 32 x 64 upper case
- Advance disk I/O and terminal capabilities supporting 35, 40 and 80T single or double sided, single or double density drives
- No additional hardware required

**SPECIAL:
FHL
COLOR FLEX
ONLY
\$69.95**

THE REGENCY TOWER • SUITE 215
770 JAMES ST. • SYRACUSE, NY 13203
PHONE (315) 474-7856 • TELEX 646740

FHL FRANK HOGG LABORATORY 262

Printers

Tandy did the right thing locking TRS-80s into parallel printers—problem is, you're supposed to use their parallel printers. Getting help from your dealer may be more trouble than it's worth, so ask for help from local user groups. SuperScript software compatibility may be your biggest hurdle.

C. ITOH

Prowriter



Reviewers laud the **Prowriter's** speed (120 cps), the buffer (1.5K), character sets (5 fonts) and graphics (160x144 dpi). The **Prowriter 2** has the same specs, but in a 132 column format. Because delivery is slow nationwide, the **Prowriter** has become "The Printer Worth Waiting For..."

Prowriter..... **\$399.88**
Prowriter 2..... **\$734.88**

STAR MICRONICS

Gemini 10X/15



Gemini 10X is an improved version, with 120 cps, 120 x 144 dpi, 5 fonts (w/italics) and a 2.2K buffer. It's Epson code compatible, too. The **Gemini** comes with tractors & uses plain spool ribbons. The **Gemini 15** is the 132 column version.

Gemini 10..... **\$339.88**
Gemini 15..... **\$499.88**

OKIDATA

Microline Series




Microline 82As & 83As are data crunchers with 120 cps and optional dot-addressable graphics ROM. They come with both parallel & RS-232C interface (up to 1200 baud).

The **Microline 92 & 93** are text processors with 160 cps draft mode, a 40cps correspondence mode & the graphics included.

Microline 82A..... **\$419.88**
82A/92 Tractor..... **\$59.88**
Microline 83A..... **\$679.88**
Microline 92..... **\$524.88**
w/RS-232C..... **\$634.88**
Microline 93..... **\$884.88**
w/RS-232C..... **\$994.88**

DTC 380Z Letter-Quality Printer \$1119.88 UPS DELIVERED

The **DTC-380Z** is a 30 cps letter-quality printer with true Diablo emulation. 10/12/15 cpi, sub/super scripts, underlining, graphics, 48K data buffer & 3 on-board interfaces for maximum compatibility (RS-232C or IEEE488 cost \$1139.88). Looks like the Brother HR-1, Comrex & Daisywriter, & it uses the same printwheels & ribbons. The **380Z's** documentation & packaging is superior to the Daisywriter's, as is the support. We think Daisy's cute, but she's not as efficient as the **380Z**.



We sell other dot matrix printers, including the **Anadex** Series, **Centronics** Series, the **Epson** Series, the **IDS Prism** Series & the **Mannesmann Tally 160-L**.

Letter-Quality

C. ITOH

Starwriter



The **Starwriter** uses Diablo code, wheels & ribbons, has 132 columns, a 40 cps print speed, 1/48" line space & 1/120" horizontal spacing—ideal for proportional modes. Parallel or RS-232C interfacing. (For real speed freaks, there's the **Printmaster**, at 55 cps. Same specs as above.)

Starwriter..... **\$1379.88**
Printmaster..... **\$1679.88**

SILVER REED

EXP-550



Why buy a Transtar when you can buy from the guys who make them? The Silver Reed **EXP-550** is a 16 cps, 132 column letter-quality printer with true Diablo emulation, making it compatible with most word processing software. It's ideal for medium duty office work. The **EXP-550** is a 12 cps version.

EXP-550 (Parallel)..... **\$719.88**
EXP-550 (Parallel)..... **\$CALL**

We sell a variety of other letter-quality printers, including the **Diablo 620 & 630**, the **NEC 3530 & 7730** Spinwriters, the **Qume Sprint 11+** & many others. Call (603) 881-9855 for technical details. To order, call (800) 343-0726.

Modems

ENTROL

Lynx



The **Lynx** is a bus-converting modem, meaning you don't need a RS-232C interface to run it. It's a 0-300 baud modem, originate/answer, that has auto dial/answer, full/half duplex & comes complete with all hardware & software. The communication's program, Enterm, is on cassette. We suggest you buy one on disk that supports all the Lynx's features (see **Microterm** below).

Lynx..... **\$229.88**

DC Hayes Modems

Smartmodem (300 baud)..... **\$219.88**
Smartmodem (1200 baud)..... **\$539.88**

Novation Modems

J-Cat (300 baud)..... **\$139.88**
SmartCat (300 baud)..... **\$199.88**
SmartCat (1200 baud)..... **\$499.88**
AutoCat (300 baud)..... **\$229.88**
AutoCat (1200 baud)..... **\$629.88**

STANDARD MICROSYSTEMS

Microterm

A terminal program should support all the "bells & whistles" on a modem, & Microterm supports auto-dial/answer modems like the Lynx, DC Hayes Smartmodem or Novation Smart/AutoCats. Features preprogrammed dial & transmit, direct file transfer, 34K capture buffer and a

certified 2400 baud operation rate. Specify Model I or Model III when ordering.

Microterm..... **\$79.88**

STANDARD MICROSYSTEMS

DOSPlus 3.4

The preferred disk operating system for Model I or III. Features BASIC array sort, (multi-key, multi-array), active "DO", device routing, DOS command repeat, etc. Specify Model I or III, single or double track, 40 or 80 track drive.

DOSPlus 3.4 (Mod I)..... **\$59.88**
DOSPlus 3.4 (Mod III)..... **\$89.88**

PROSOFT

NewScript

Forget all those "evaluation" articles. **NewScript** is the best word processing software available, bar none. **NewScript** gives you proportional spacing, single and double width type, subscripts, superscripts, underlining, boldface, multiple pitches, full-screen editing, global search/replace, a customized "form" letter that creates its own mailing labels—exceptional performance. **NewScript** comes with detailed documentation and support from the authors. Specify Model I or III when ordering.

NewScript..... **\$112.88**

NewScript Options

ScripSit-to-NewScript File Conversion Software..... **\$27.88**
Proportional Module..... **\$46.88**

CORNUCOPIA

Electric Webster

Electric Webster is a 50,000 word dictionary that features spell checking & a "browse" feature allowing you to choose spellings or to enter your own. Fully NewScript compatible.

Electric Webster..... **\$134.88**

Information/Orders:
(603) 881-9855

Orders Only: (800) 343-0726

No Hidden Charges:

We pay UPS ground shipping on all our orders, and we never charge extra for credit cards. We accept CODs & add a \$10 fee per order. We have a \$50 minimum order. Personal checks are cleared in 3 weeks.

All our equipment is shipped factoryfresh, with full warranties. We're authorized for warranty work on a number of printers, & we also offer extended warranty plans for those printers.

Sorry, we cannot accept open POs or extend credit/terms at these prices. APO and foreign orders are not accepted.

We prepared this ad in May, & prices do change, so call to verify them.



HIGH TECHNOLOGY AT AFFORDABLE PRICES
THE BOTTOM LINE

MILFORD, NH 03055-0423 □ TELEPHONE (603) 881-9855



Listing continued

```
1060 IF Z=1 OR Z$="A" THEN Z$="ACE" ELSE IF Z=10 OR Z$="T" THEN
Z$="TEN"
1070 IF Z=11 OR Z$="J" THEN Z$="JACK" ELSE IF Z=12 OR Z$="Q" THE
N Z$="QUEEN"
1080 IF Z=13 OR Z$="K" THEN Z$="KING"
1090 IF H=1 THEN RETURN
1100 IF Z>1 AND Z<10 THEN Z$=MID$(A$,Z,1)
1110 RETURN
1120 END
```

Minerva the Fortune-teller

```
100 REM * MINERVA THE FORTUNETELLER * TRS-80 LEVEL II AND COLOR
BASIC
110 REM * FUN HOUSE / AUGUST '83 / R.RAMELLA
120 CLS
130 CLEAR 200
140 PRINT "HELLO, I AM MINERVA THE FORTUNETELLER..."
150 PRINT "MY FEE IS 50 BYTES."
160 FOR T=1 TO 1000
170 NEXT T
180 CLS
190 PRINT "WELL... ON TO BUSINESS."
200 INPUT "DO YOU BELIEVE I HAVE THE POWER TO FORETELL THE FUTUR
E";C$
210 N=N+1
220 IF N=3 GOTO 700
230 IF C$<>"YES" AND C$<>"NO" THEN PRINT "COULD YOU BE SPECIFIC
, SUCH AS YES OR NO?": PRINT: GOTO 200
240 IF C$="YES" THEN PRINT "AND I'LL BET YOU BELIEVE IN THE TOOT
H FAIRY." ELSE GOTO 700
250 PRINT
260 PRINT "FOR 50 BYTES I WILL ANSWER THREE YES-NO QUESTIONS."
270 PRINT
280 FOR T=1 TO 3
```

Listing continues

And when you least expect it, he might correctly guess the card you've chosen.

To see what LaMarle can do, answer his guesses with a Y for yes or an N for no. Always tap enter after answering Y or N.

And please be kind to poor LaMarle if he doesn't perform well. Computer programs have feelings too, and he has practiced very hard to entertain you.


Minerva the Fortune-teller

Minerva is so interesting because we'd all like to know what the future holds. She claims she can answer your yes/no questions. Even when you know her answers are random, you remain interested.

Minerva says her fee for three questions is 50 bytes. You must at least pretend to

ATTENTION EPSON OWNERS

The ultimate solution to your paper storage problem at an unbelievable low cost of only **\$9.95 SET**



MX-70/80

MX-100

PRINTER-STILTS™ PRINTER SUPPORTS

FEATURES:

- Precision machined from solid aluminum.
- Tilted to facilitate viewing paper.
- Soft rubber feet to absorb vibration.
- Easy to install — no tools required.
- O-rings insure tight fit into printer recesses.
- Natural finish aluminum.

Available in two styles (MX-70/80 or MX-100) for your EPSON Printer. The MX-70/80 style also fits the IBM & TI PC dot matrix printers and the HP82905B printer. To order **PRINTER-STILTS™** printer supports give style and send \$9.95 plus \$2.00 postage/handling or call today: Louisiana residents add 5% tax.

DATATEK INC.

Dept. 100

P.O. Box 5956

Shreveport, La. 71135

(318) 868-2241 or 868-0068 til 10 PM CST



342

MOVING?

Let us know 8 weeks in advance so that you won't miss a single issue of **80 Micro**.

Attach old label where indicated and print new address in space provided. Also include your mailing label whenever you write concerning your subscription. It helps us serve you promptly.

☐ Extend my subscription one additional year for only \$35.97

☐ Payment enclosed

☐ Bill me

Canadian and Mexican \$44.97 1 year only US funds. Foreign \$54.97 1 year only US funds, drawn on US bank. Please allow 6-8 weeks for delivery

80 MICRO

If you have no label handy, print OLD address here.

AFFIX LABEL

Name _____

Address _____

City _____ State _____ Zip _____

print NEW address here.

Name _____


Address _____

City _____ State _____ Zip _____

P.O. Box 981 • Farmingdale NY 11737

VR DATA ANNOUNCES: THE PRICE WAR IS OVER!!

**5MEG WINCHESTER
HARD DISK \$995⁰⁰**



**OPTIONAL:
5MEG REMOVABLE DISK CARTRIDGE DRIVE \$595⁰⁰**

10 MEG — \$1249. 15 MEG — \$1449.
10 - 10 MEG — \$1999. 15 - 15 MEG — \$2299.
5MEG DISK CARTRIDGE \$75.00

ADAPTOR KIT

For APPLE II & IIe	\$150.
For FRANKLIN	150.
For IBM-PC/XT	150.
For TRS-80 MOD I	150.
For TRS-80 MOD III	150.
For LNW-80/11	150.
Under Desk Mounting Bracket	34.95
1 Yr Ext. Warranty	\$150.

As with our Winchester Hard Disk Drive, all our designs are tested, re-tested and "burned in." We're so proud of our quality control that we offer an unconditional extended warranty covering full costs of parts and labor on all VR Data products.

If You Don't See It Advertised
Call Us & Ask For It.

VRdata

777 Henderson Boulevard N-6
Folcroft, PA 19032 (215) 461-5300

INTRODUCTORY SPECIAL PACKAGE SAVE \$75.00

5Meg Winchester fixed drive	\$995.
5Meg removable Disk Cartridge drive	\$595.
Adaptor (your choice)	\$150.
5Meg Disk Cartridge	FREE
	\$1740.



Call Toll-Free
800-345-8102

Published prices reflect cash discount. All prices are subject to change without notice. TRS-80 and TRSDOS are trademarks of Tandy Corp. DISK III is a trademark of VR Data Corp.
8:30AM-7PM E.S.T. Mon.-Fri., Sat. 10AM-3PM
CABLE "VRDATA" TELEX 845-124


```

290 PRINT "QUESTION" T
300 INPUT Z$
310 PRINT
320 PRINT "H";
330 FOR G=1 TO RND(30)
340 PRINT "M";
350 FOR H=1 TO 50
360 NEXT H
370 NEXT G
380 PRINT
390 A=RND(10)
400 IF A=1 THEN PRINT "NO." ELSE IF A=2 THEN PRINT "YES."
410 IF A=3 THEN PRINT "PERHAPS, BUT THE CRYSTAL BALL IS CLOUDED."
420 IF A=4 THEN PRINT "YES, BUT YOU'LL SOON BE SORRY."
430 IF A=5 THEN PRINT "SIGNS SAY NO."
440 IF A=6 THEN PRINT "YES, AND YOU WILL BE SURPRISED WHEN IT COMES TO PASS."
450 IF A=7 THEN PRINT "THE OUTCOME IS DIMLY SEEN. ASK LATER."
460 IF A=8 THEN PRINT "IF YOU WISH IT... YES. OTHERWISE... NO."
470 IF A=9 THEN PRINT "THIS IS VERY POSSIBLE."
480 IF A=10 THEN PRINT "IF THIS IS A WISH, TAKE IT BACK AND AVOID DISASTER."
490 PRINT
500 NEXT T
510 PRINT "NOW FOR YOUR SPECIAL FORTUNE."
520 FOR T=1 TO 1000
530 NEXT T
540 A=RND(10)
550 IF A=1 THEN PRINT "YOU WILL SOON TAKE A TRIP OVER WATER... SO WATCH OUT FOR MUD PUDDLES."
560 IF A=2 THEN PRINT "YOU SHALL BE HAPPY AS LONG AS YOU ARE KIND TO CHILDREN AND GYPSY FORTUNETELLERS."
570 IF A=3 THEN PRINT "SOMETHING IMPORTANT WILL HAPPEN ON YOUR BIRTHDAY."
580 IF A=4 THEN PRINT "YOU RECEIVE JUST PAY FOR A DEED YOU WILL PERFORM."
590 IF A=5 THEN PRINT "SOMEONE VERY NEAR LIKES YOU QUITE A BIT. IT IS... I CAN'T QUITE MAKE OUT THE NAME."
600 IF A=6 THEN PRINT "YOU WILL HAVE MANY FRIENDS, FOR YOU ARE A FRIEND TO MANY."
610 IF A=7 THEN PRINT "IF TODAY IS APRIL 1, BEWARE! MANY PEOPLE WOULD TRICK YOU."
620 IF A=8 THEN PRINT "SOMEONE WISHES GOOD THINGS FOR YOU..."
630 IF A=9 THEN PRINT "HAPPINESS IS YOURS FOR THE PRICE OF THE SMILES YOU SPEND."
640 IF A=10 THEN PRINT "REMEMBER THE PAST? IT MAY HAPPEN AGAIN."
650 FOR T=1 TO 1000
660 NEXT T
670 PRINT
680 PRINT "CROSS MY SOLENOIDS WITH 50 BYTES AND DEPART. THANK YOU."
690 END
700 PRINT "I ALSO CAN BE CONTRARY. I FOLD MY TENT AND DEPART."
710 END

```

believe she can tell the future or she becomes angry and the program ends.

When Minerva gives the prompt QUESTION 1 ?, type in your question and tap enter for the answer. After the third answer, Minerva provides a special fortune. It's special because it's one of ten she can choose. The program ends with Minerva demanding her fee and saying thank you.

The program Minerva can crash if your questions are too long. If you have a 16K or higher system, change line 130 to read 130 CLEAR 1000. If you have a 4K system, ask shorter questions. ■

If you have trouble making any Fun House program work, write me, Richard Ramella, at 1493 Mountain View Ave., Chico, CA 95926. You must include a self-addressed envelope with a 20-cent stamp on it. Canadians should send 40 cents in coin and a self-addressed envelope. Include a printed listing of the program as it is in your machine or describe your error message and its line number.

THOR symbol of new power for your Model I/III/4 Computer

CALL 1-800-641-3885
for orders only.

THOR INTERNAL MODEL III/4 DISK DRIVES

All the hardware and easy directions to install one or two drives—With TRSDOS*—(NEWDOS* for dual drives)

Kit containing one/two drives.

Single 40	\$449/\$ 649
Dual 40	\$599/\$ 875
Dual 80	\$725/\$1125

THOR WINCHESTER DISK SYSTEM

One or two drives—Price includes one drive with NEW-DOS-80*, case and power supply—Slot for second drive.

5 Megabyte	\$1449
10 Megabyte	\$1649
15 Megabyte	\$1899
20 Megabyte	\$2149

SPECIAL PRICE



For technical information
or in Colorado call
303-337-5909

WMS Western Micro Systems
• 2760 South Havana, Suite S •
Aurora, Colorado 80014

THOR NETWORK CONTROLLER

Connect up to 254 computers of most any make over as much as 5000 feet of cable—Share 5 to 60 megabytes or more of disk storage—Call for additional information and prices.

THOR DIGITAL PORT

14 IN and 15 OUT—Each port a full 8 bits.
Connector to attach to Model I/III/4 bus—
Complete with cable and case—Requires 5 volts at 150 ma.
Assembled and tested
For Model I Only\$39.95
For Model III/4 Only\$44.95


THOR POINT-OF-SALE SYSTEM

Includes 16 lines of 32 changes of green screen monitor (adjustable tilt), keyboard, 40 character per line alphanumeric printer, and cash drawer—Software to perform all cash register functions such as automatic pricing, inventory control, and daily totals. Can plug into a Model III/4 or the THOR NETWORK.....\$1799

*TRSDOS is a trademark of Tandy Corp. and NEWDOS-80 is a trademark of Apparat, Inc.
Prices are cash—Visa/MasterCard/American Express/COD available on request

Dealers enquiries welcome

THE SELECTRICTM INTERFACE



Daisy wheel quality without daisy wheel expense.

You need the quality print that a daisy wheel printer provides but the thought of buying one makes your wallet wilt. *The SelectricTM Interface*, a step-by-step guide to interfacing an IBM Selectric I/O Writer to your microcomputer, will give you that quality at a fraction of the price. George Young, co-author of *Microcomputing* magazine's popular "Kilobaud Klassroom" series, offers a low-cost alternative to buying a daisy wheel printer.

The SelectricTM Interface includes:

- step-by-step instructions
- tips on purchasing a used SelectricTM
- information on various SelectricTM models, including the 2740, 2980, and Dura 1041
- driver software for Z80, 8080, and 6502 chips
- tips on interfacing techniques

With *The Selectric Interface* and some background in electronics, you can have a high-quality, low-cost, letter-quality printer. Petals not included.

Credit card orders call TOLL-FREE 1-800-258-5473. Or mail your order with payment plus \$1.50 shipping and handling to: Wayne Green Inc. Attn: Retail Book Sales, Peterborough, NH 03458.

Dealer inquiries invited.

ISBN 0-88006-051-4

128 pages

\$12.97

☐ Yes, I want **Selectric Interface** (BK7388). Enclosed is \$12.97 per copy plus \$1.50 for shipping and handling.

☐ MASTER

☐ VISA

☐ AMEX

Card # _____ Expires _____

Signature _____

Name _____

Address _____



City _____

State and Zip _____

All orders shipped UPS if complete street address is given.

337B8S

RadioShack TRS-80's Full Line



YOU CAN SAVE money when you buy Radio Shack TRS-80 Computers from **Pan American Electronics**. Pan American Electronics went into business in 1976 and led the way in bringing consumers original Radio Shack TRS-80 Computers at reduced prices.
NO other company has done it longer.
NO other company has done it better and
NO other company sells them for less.

Pan American Electronics

TOLL FREE NUMBER 800/531-7466

1117 Conway Avenue • Department E.M.
 Mission, Texas 78572
 Phone: 512/581-2766
 Telex Number 767339

TM — Trademark of Tandy Corporation

✓ 122

Baudy House Computer Products

950 Scott Lake Road • Pontiac, Michigan 48054
 (313) 683-8388

✓ 184

SUPER UTILITY PLUS VERSION 3.0 \$59.95

Model 1 and 3 Software

Killer Gorilla.....	\$15.95/\$19.95
Jungle Boy.....	\$15.95/\$19.95
Killer Beetles.....	\$15.95/\$19.95
Strike Force.....	\$15.95/\$19.95
Subterranean Encounter	
Tape.....	\$22.95 Disk..... \$24.95

Communications

Modem 80.....	\$39.95
DFT II.....	\$24.95
Color DFT.....	\$19.95
Lynx Modems.....	\$225.00
Hayes 3/12.....	\$549.95
Hayes 300.....	\$249.95

Miscellaneous

NewDos 80.....	\$119.95
DosPlus.....	\$119.95
Multidos.....	\$85.00
C. Itoh Prowriter (par).....	\$375.00
Epson FX-80 (par).....	\$549.95
Mx-80 ribbons.....	\$7.95

Color Computer Software

Color Caterpillar.....	\$19.95
Death Trap.....	\$19.95
Subhunt.....	\$19.95
Shark Treasure.....	\$19.95
Frogger, (great).....	\$24.95
Donkey King.....	\$24.95
Cave Hunter.....	\$24.95
Dragon Quest.....	\$19.95
Doodle Bug.....	\$24.95
Galaxy Attaxx.....	\$21.95

Color Hardware

Amdek III-B drives.....	\$549.00
Atari Joystick adaptor.....	\$17.95
C. Itoh Prowriter (ser).....	\$499.95

Miscellaneous

Micro Pak Printer Paper	
540 sheets only.....	\$10.00
this is 20 pound laser cut or buy in full	
3,000 sheet	
only.....	\$29.95

Most orders are shipped out in 24 hours. Visa & Mastercard, Money Orders, Checks, C.O.D. accepted. Please allow 10 days to clear on all checks. Write or call today! Add \$3.00 shipping & handling. Orders going out of U.S.A. please add \$5.00. Prices are subject to change without notice. Cash prices shown for items over \$200.00

Send any questions or problems dealing with any area of TRS-80 microcomputing to Feedback Loop, 80 Micro, 80 Pine St., Peterborough, NH 03458.

A number of companies are offering CP/M support systems for the Model III. How do you go about obtaining CP/M public domain software, and what are the compatibility problems?

R.K.
Albany, NY

Finding public domain software of any kind is difficult. There's lots of it out there, but you don't see it advertised. Your best sources of public domain programs are user's groups, clubs, and bookstores. Another source is *Dr. Dobbs's Journal* (P.O. Box E, Menlo Park, CA 94025, \$2.50). It frequently has articles on CP/M, as well as programs you can use without worrying about copyrights. If you have a CompuServe number, you can either put a request for help in their bulletin board section or join their CP/M Special Interest Group (SIG-PCS47).

CP/M compatibility problems are similar to the compatibility problems involving Basic. Different dialects require alterations to the programs. Unlike Basic, however, CP/M has been rigidly controlled by Digital Research, the company that owns CP/M. This control has considerably reduced the incompatibilities you might encounter. The only real problems lay with machine-language subroutines.

I think the question of expanding RAM in the TRS-80 deserves more attention. Many of us have kept our Model I's simply because they've been good to use and we like them, but we do get frustrated by their 48K limitation.

A firm called MicroHatch has a modification called Bigmem that replaces the 16K keyboard RAMs with 64K RAMs. They claim this allows Model I users to use 96K while using RAMs that require 20 percent less power than the old RAMs. Bigmem will also support CP/M 2.2-compatible programs.

If all this is true, every Model I owner should know about it. What do you think of it? There has to be a way to up-



Questions and answers

grade beyond 48K without bypassing ROMs or making other sacrifices.

J.M.
San Clemente, CA

The theory of all CP/M and other memory expansion units for the Model I and III computers is to replace the ROM with RAM. The Z80 can address only 64K of contiguous RAM. That's a physical limitation of the 16-bit address bus (2 to the 16th power equals 65,536 possible addresses). When you have the full 48K of RAM installed in your computer (from addresses 4000H to FFFFH), the remaining addresses (0000H to 3FFFH) are used for the ROMs and miscellaneous system RAM overhead. This means that you've used all the addresses available on the Z80 bus.

To get more RAM you have to resort to programming and hardware tricks. Simply replacing the ROM with RAM would leave you a 64K Z80 computer with no way of communicating with the outside world (remember, part of the ROM is used to tell the Z80 how to interface with the cassette tape, disk drives, video monitor, and keyboard).

The CP/M modification always includes a simple program that boots your disk drive and loads the CP/M system driver software, letting you communicate with the Z80 via the keyboard and video monitor. In effect, you've replaced the Tandy Basic ROMs with a new system in RAM that puts you in a DOS environment instead of Basic.

If you need Basic, it's loaded from the disk. Because the CP/M system

doesn't include Basic in ROM, you have more RAM available for programs and data until you load in Basic. One company, however, puts the entire CP/M system into ROM so you can switch from Basic to CP/M without having to load from a disk.

To get more than 64K of RAM in your system, you have to use a system called memory banking: You address 64K contiguous bytes of memory, but the Z80 doesn't care which bank of contiguous memory it addresses. Memory banking requires both hardware and software to switch banks of RAM into and out of the address bus. This is how Bigmem works. You normally address the 64K in your keyboard. When you want to address the 32K in your expansion interface, you turn off the upper 32K bank of memory in the keyboard and turn on the RAMs in the expansion interface. Thus, you can store data in one bank, process it, and then switch to the other bank and process its data. You can't have a program that spans both banks. If you try to do that, when the program switches banks, part of the program will no longer exist as far as the CPU is concerned.

To accomplish that type of memory banking requires a supervisor program to constantly check the program and make sure that the proper part of the program is always turned on when the Z80 goes to address it. One mistake and your program becomes hopelessly confused and you have to start over.

Memory banking can be done on a Model I or III without sacrificing ROM. In fact, you can even use memory banking for word processing and spelling programs. Just put your program in the upper 32K bank, the data in the lower 16K, and then switch the upper banks between spelling and word processing.

I'm interested in increasing the available RAM in my Model III. In reading advertisements, it appears you can get an additional 16K and also increase the display to 80 columns by 24 rows. It isn't clear, however, if these kits require CP/M to use these features. I'd like to have 64K and the larger display to use with both my DOSPLUS 3.4 VisiCalc and Scripsit programs, but I don't want



LIVE WIRES FROM THE UTILITY COMPANY!



INSTANT ASSEMBLER New Version!

The **INSTANT ASSEMBLER** is a powerful assembly language development system for the TRS-80, and our new version is better than ever. If you are already an assembly language programmer, its unique design will greatly increase your productivity. If you are just getting started, there is no better assembler to help you learn machine language programming. Some of its unique features are immediate assembly, which detects syntax errors as source is entered, and a compact source format that allows you to write programs nearly three times as large as other assemblers in the same amount of memory. It produces relocatable code modules that can be saved on disk or tape and linked together in memory for large or modular assemblies. It will also assemble to disk, tape, or directly to memory for immediate debugging with the built-in debugger. You can quickly switch from assembler to debugger without losing your source. The built-in debugger will step through your programs one instruction at a time, showing each disassembled instruction and its effect on the registers and memory. It can even use the symbols in your source code when stepping or disassembling. Our new version will load or save both conventional source files and its own condensed source format.

The **INSTANT ASSEMBLER** package includes six separate programs. The assembler itself includes the editor and built-in debugger. The **LINKING LOADER** is included in several versions for different memory sizes. A stand-alone version of the debugger (**MICROMIND**) is also included. **MICROMIND** can be relocated in memory and has commands to single-step, set breakpoints, display or alter registers or memory, find bytes or words, disassemble to screen or printer, convert between hex and decimal numbers, and write **SYSTEM** tapes. The **INSTANT ASSEMBLER** comes with a comprehensive 65 page instruction manual with many examples.

Specify Model I or Model III. **TAPE INTASM 2.1** \$39.95 on tape
Specify Model I or Model III. **DISK INTASM 2.1** \$49.95 on disk

INSIDE LEVEL II

The Programmers Guide to the TRS-80 ROMS

INSIDE LEVEL II is a comprehensive reference guide to the Model I and Model III ROMs which allows the machine language or Basic programmer to easily utilize the sophisticated routines they contain. Concisely explains set-ups, calling sequences, and variable passage for number conversion, arithmetic operations, and mathematical functions, as well as keyboard, tape, and video routines. Part II presents an entirely new composite program structure which loads under the **SYSTEM** command and executes in both Basic and machine code with the speed and efficiency of a compiler. In addition, the 18 chapters include a large body of other information useful to the programmer including tape formats, RAM usage, relocation of Basic programs, **USR** call expansion, creating **SYSTEM** tapes of your own programs, interfacing of Basic variables directly with machine code, and special precautions for disk systems. **INSIDE LEVEL II** was reviewed in the April 1982 issue of 80 Micro which said "The book has no flaws; it is a perfect gem." Byte Magazine said "I recommend this book to serious machine language programmers."

Includes updates for Model III. **INSIDE LEVEL II** \$15.95

DEMON

New Program!

DEMON (for DEbugger and MONitor) is a new and sophisticated tool with which you can explore and debug machine language programs. It has two modes of operation. In the **STEP** mode, it "emulates" the operation of the Z-80 and allows you to step through any machine language program one instruction at a time, showing you the address, hexadecimal value, Zilog mnemonic, register contents, and step count for each instruction. This ability is extremely useful not only in debugging your own programs, but also for examining how other people's programs work. It will even follow program flow right into the ROMs. **DEMON** leaves the video screen unaltered so that the program you are stepping through can perform its display functions unobstructed. **STEP** mode commands include step (trace), step to a branch, run in step mode at a variable rate, run for a specified number of steps, change flags or registers, execute a **CALL** or **RST**, set breakpoints in RAM or ROM, and break when a number in a defined range appears in any double register. Commands in the **MONITOR** mode (all of which are available from the **STEP** mode) include hex arithmetic, hex to decimal conversion, block move, fill memory, find bytes, jump to address, disassemble to screen or printer, load memory from disk or tape, write memory to disk or tape, full screen memory edit in hex or ASCII, and relocate other programs or itself. **DEMON** also includes a labelling disassembler with **EDTASM** format output to either disk or tape. This will generate source code from programs in memory which can then be altered and reassembled with your assembler. Screen displays may be routed to your line printer for hard copy.

Specify Model I or Model III. **DEMON** \$29.95 on tape or disk

DUPLICATE SYSTEM TAPES WITH CLONE

Make duplicate copies of almost any tape including Basic, **SYSTEM**, data lists, assembler source, or "custom loaders". The file name, load address, entry point, and every byte (in ASCII format) are displayed on the video screen. Model III version allows changing tape speed so you can make 1500 baud copies of 500 baud programs like **SCRIPSIT**.

Specify Model I or Model III. **CLONE** \$16.95 on tape, \$21.95 on disk

DISK INDEX VERSION 3

Our excellent disk indexing program has now been entirely rewritten in machine language. **DISK INDEX** will assemble a master index of your entire program library by automatically reading the program names and free space from each disk. The index may then be alphabetized or searched for any disk, program, or extension. It will alphabetize 2400 programs in less than 50 seconds and will find any program out of 2400 in less than 3 seconds. Disks or programs may be added or deleted manually, and the whole index or any selected part may be printed on paper in several different formats. The index itself may also be stored on disk for future access and update. A 48K machine will hold up to 255 disks and over 2400 programs in each index, and you may build as many indexes as you need. There is no limit to the number of filenames it can read on any one disk. It will run on either a Model I or Model III and catalog disks for either machine regardless of which one is running it, though Model I owners must have double density to catalog Model III disks. It will automatically recognize any DOS and disk density. **DISK INDEX** works with any operating system written for the Model I or Model III except CP/M, and is extremely fast and easy to use.

Specify Model I or Model III. **DISK INDEX VERSION 3** \$29.95 on disk

TELCOM II

Our popular smart terminal program has just gotten a lot smarter. After two years of experience with **TELCOM** and many requests from customers, we have created **TELCOM II** for the most demanding telecommunications applications. **TELCOM II** maintains the same ease of operation and all the features of our original program (see below), and includes many enhancements. The terminal mode now has a help menu, a large spooler for simultaneous printer output at high baud rates, acknowledges receipt of all commands, and displays control characters. You can now load disk files into the memory buffer from within the terminal mode, transmit the buffer with a single command, and send files a line at a time. You can even view the buffer or data that has already scrolled off the screen. **TELCOM II** has 10 different 40 character programmable messages that can each be sent with a single command, and the messages can now include control codes and delays. It also has 5 different character translation tables for compatibility with different systems. One of the most substantial additions to **TELCOM** is a full protocol file transfer mode which is compatible with the **LYNC** program available on CP/M systems and the IBM PC. **TELCOM II** will exchange disk files with any computer running this protocol (including another TRS-80 running **TELCOM II**), and will automatically correct errors in transmission! Files can be sent to or fetched from an unattended computer with ZERO errors. The extreme ease of use **TELCOM** is known for has not been compromised. Reconfiguration of the programmable features is done internally from clear menus for fast, easy operation. **TELCOM II** comes with a comprehensive instruction manual which is available separately for \$5 (which will apply to subsequent purchase of the program). You won't find a smarter or easier to use terminal program at any price.

Specify Model I or Model III. **TELCOM II** \$69.95 on disk

TELCOM I

Our original and popular smart terminal program has most of the features needed to communicate with time share systems or for high speed file transfers between two disk-based micros over modems or direct wire. It is menu driven and extremely simple to use. Functions include terminal mode, save RAM buffer on disk, transmit a disk file, receive a disk file, examine and modify UART parameters, 8 programmable log-on messages, automatic checksum verification of accurate transmission and reception, and many more user conveniences. Supports line printers, lowercase characters, Xon/Xoff protocol, programmable character keys, and even saves itself on disk in different configurations. It will also exchange binary files without conversion to ASCII.

Specify Model I or Model III. **TELCOM I** \$39.95 on disk

RAM SPOOLER AND PRINT FORMATTER

This program is a full feature print formatting package featuring user definable line and page length (with line feeds inserted between words or after punctuation), indentation, screen dump, and printer pause. In addition, printing is done from a 4K expandable buffer area so that the **LPRINT** or **LLIST** command returns control to the user while printing is being done. Works with cassette or disk systems. Allows printing and processing to run concurrently. Output may be directed to either the parallel port, serial port, or the video screen. 80 Micro said "I can only give my highest recommendation of Spooler and Mumford Micro Systems."

Specify Model I or Model III. **SPOOLER** \$16.95 on tape, \$21.95 on disk

4 SPEEDS FOR YOUR MODEL I

The SK-2 clock modification allows CPU speeds to be switched between normal, an increase of 50%, or a 50% reduction; selectable at any time without interrupting execution or crashing the program. Instructions are also given for a 100% increase to 3.54 MHz. The SK-2 may be configured by the user to change speed with a toggle switch or on software command. It will automatically return to normal speed any time a disk is active, requires no change to the operating system, and has provisions for adding an LED to indicate when the computer is not at normal speed. It mounts inside the keyboard unit with only 4 necessary connections for the switch option (switch not included), and is easily removed if the computer ever needs service. The SK-2 comes fully assembled with socketed IC's and illustrated instructions.

Model I only. **SK-2** \$24.95

**MUMFORD
MICRO
SYSTEMS**

ORDERING: Complete satisfaction is guaranteed or a full refund will be made. Include \$2.00 for postage and handling. California residents add 6% sales tax. Visa, Mastercharge and COD orders accepted. **SPECIFY MODEL I OR MODEL III.** Dealer inquiries invited.

Box 400-E Summerland, California 93067 (805) 969-4557

Quality software since 1978

FEEDBACK LOOP

to have to convert these programs to CP/M.

W.L.
Sun City, AZ

Yes, you do have to use CP/M to get the increased RAM, but not necessarily for the larger display (see the following letter for details on increased video display). To get the extra RAM, you'll have to disable the built-in ROM Basic, which also disables the I/O routines of the ROM and makes DOSPLUS virtually useless. Since both Scripsit and VisiCalc are designed to operate in a TRSDOS environment, and since CP/M is definitely not a TRSDOS environment, you'll have to scrap these two programs and buy a new word processor and VisiCalc program for the CP/M system.

I'd like to have an 80 by 24 video display on my Model I in order to communicate and execute programs. The 64 by 16 display is fine when used as a computer, but I need the larger display if I want to use it as a terminal.

Could you give me some information on the various modifications? Also, would it be worthwhile to modify my Model I, or would I be better off purchasing an inexpensive 809 by 24 terminal instead? I plan on communicating to a dual system 83 using RM/COBOL.

R.K.
Pittsburgh, PA

Holmes Engineering (3555 South 3200 West, Salt Lake City, UT 84119) has introduced an 80 by 24 display unit for the Model I, the VX-1. It works by replacing the device control block addresses for the standard video with addresses pointing to their driver. The board is enclosed in a separate box about the size of a disk drive. The board retails for \$279.95, and the enclosure, actually an expansion interface system for the Model I, sells for \$99.95.

The MF-2, as it's called, plugs into the expansion port of your expansion interface and uses its own internal 16K RAM for video mapping and control. The VX-1 includes its own bootstrap ROM routine that automatically puts itself into operation when you turn on the computer. When needed, it can be

disabled, leaving you in the standard 64 by 16 display.

Since this unit requires no modification to the Model I boards, it should be easy to install and maintain. The total cost (\$379.90 plus shipping) is cheaper than buying a dedicated terminal. However, if you can get a terminal with modem for less, I'd suggest buying the terminal instead.

I recently installed Omikron's CP/M Mapper I in my Model I disk system. I'm satisfied with the system, but now I'm interested in using CP/M software formatted for other systems without having to send it to Omikron for reformatting. Can you advise me of other alternatives?

K.J.S.
Sudbury, Ontario

This is a software problem. What you need is a machine-language program that reads formats other than your standard. As long as the other software is on 5¼-inch soft-sectored disks, you should be able to transfer the programs to your system disks. I know such programs exist, but I can't find anything specific in my references. Have you tried writing Omikron and asking if the software they use is for sale? If that fails, I suggest you try the CP/M user's group on CompuServe.

As a last resort, Hurricane Laboratories (5149 Moorpark Ave., Suite 105, San Jose, CA 95129, 408-257-8676) has a Model III program that reads Osborne, Xerox 820, Cromenco, IBM PC (single-sided), NEC PC-8000, Omikron Mapper I, and Zenith formatted disks. If you talk with them they may be able to sell you a patched program for your Model I.

I have a Model I, two-disk drive system with Radio Shack's double-density board. I bought Radio Shack's Profile (26-1562) for the Model I, and had a friend customize the hard copy to a format I wanted. Things work fine as long as I stay in single-density, but this restricts me to only 150 records per disk.

I tried using the program in double-density, but all I get is "I/O Attempt to Unopen File". I'm not a programmer, and I don't want a complicated data handling program. Help!

J.S.S.
West Chatham, MA

The problem is that Radio Shack's 2.7DD uses different disk I/O addresses than TRSDOS 2.3, and Radio Shack won't support any of their programs on the double-density board.

The only solution I know of is to switch to another DOS that does support both double-density and the Profile program. This is expensive, but it'll eliminate future problems with programs being incompatible with 2.7DD. Does anyone have a patch for Profile to make it work with 2.7DD?

I've written a program that formats track zero, sector zero in single-density, and track zero, sector one in double-density. The utility achieves this without resorting to hardware modifications, is entirely software controlled, and works with the Model III (16K RAM and one drive required minimum).

Because of the diversity of program writers, Dual Density Formatter formats only track zero. Any programmer has the means at hand to format the rest of the disk in the desired density.

DDF is easy to use. Just load DDF from its self-loading disk, format the target disk in dual density, and then copy your single-density boot loader to sector zero and your double-density boot loader to sector one.

This utility is sold by Applied 80 Software (18 Ivy Lane, Cherry Hill, NJ 08002, 609-482-6864) for \$29.95 in single units. There is a discount for quantity orders.

L.G.
Cherry Hill, NJ

Sounds good. If anyone is interested, give Applied 80 Software a call.


Regarding the object code output from EDTASM that B.B. of San Jose and A.L. of Studio City had (April 1983, p. 394), the probable cause is with the unclear instructions in the manual. Command W writes the current text buffer to tape. This isn't object code, but rather source code. It is loaded back into EDTASM with the L command.

Command A is the one that gives the object code output after assembly listing and error count. The manual states this on p. 3, but it's difficult to see and can confuse someone. I think both B.B. and A.L. confused W with A.

B.S.
Anaheim, CA

OUR DISK DRIVE PRICES WILL "DRIVE" YOU CRAZY

SPECIAL BUY ON TWO DRIVE DISK DRIVES



An all new low cost internal half size drive to expand your storage capability. Double headed 40 track kits have double the storage capacity as full size double headed drives and utilize half the space. Disk drives use standard 5-1/4" diskettes. Includes DOS + Operating System, Mod III/Mod IV Compatible.

DRIVE I KIT PLUS DRIVE 2

Both for \$729

SAVE \$159

SMALLER DRIVES LARGER VALUE

IF PURCHASED AT THE SAME TIME RS232 KIT \$59⁹⁵

EXTERNAL DISK DRIVES




Add-on disk drives for the Model I and III are available in 40 and 80 track, single and double head configurations. Contact MTI or a local authorized dealer.

From \$289

INTERNAL DISK DRIVE KITS


\$459

INCLUDES
DOS PLUS
OPERATING
SYSTEM
\$100 VALUE



A new low cost internal disk kit is available to expand your storage capability. With this kit, you may expand your 16K TRS-80® Mod III computer. Includes: 1-MTI 40 track, double density disk drive, power supply, controller, cables and DOS PLUS operating system.

ADD-ON WINCHESTERS



Add 5. or 11. megabyte hard disk drive to any Model III. The complete self contained unit includes a Winchester drive, controller, power supply cooling system and cables in an attractive enclosure.

From \$1799

Special-Includes DOS + 4.0

MTI DOES IT. Our CP/M 64K turns your TRS-80 Model III into two computer systems, with memory upgrade to 64K and an 80" x 24" column video card, you will convert your computer to a CP/M base machine.

LIKE THE BIG BOYS. That means you can access the single largest body of microcomputer software used by companies like Xerox, Osborne, Eagle, etc. What is better, is that you can switch back and forth between TRS-DOS and CP/M modes, and our own Z-80 monitor.


EASY INSTALLATION. The CP/M 64K system plugs directly into the TRS-80 CPU board.

HUNDREDS OF APPLICATIONS. You have available literally hundreds of programs written for many mini and micro computers under CP/M.

Optional CP/M 2.2 Operating System

CP/M 2.2
\$119

CP/M-64K



\$529

OVER 100 AUTHORIZED SALES AND SERVICE CENTERS
CALL 714 978-9833
for the center nearest you



THIS IS A LIMITED TIME OFFER

MICROCOMPUTER TECHNOLOGY INC.
1530 S. SINCLAIR, ANAHEIM, CA 92806
(714) 978-9833
NOTE: WE'VE MOVED TO A LARGER FACILITY

U.S. PRICES F.O.B. SANTA ANA CALIFORNIA AND MAY VARY BY AREA
CP/M is a registered trademark of Digital Research Inc.
TRS-80® is a registered trademark of Tandy Corp.
M.T.I. is a registered trademark of Microcomputer Technology, Inc.

247

FEEDBACK LOOP

After looking over their letters, I believe that you may have solved their problem.

My Model I system works reliably and I've never had any problems with my RS-232. Why? The secret is in my treatment of the connectors.

I scrupulously clean the edge connectors with a pink pencil eraser, and then with isopropyl alcohol. This is repeated until no more black oxide can be removed. I then cover the cleaned surfaces with Dow Corning High Vacuum Silicone Grease. Silicone grease has a very high dielectric constant and is quite viscous, so gaseous diffusion is very slow.

This treatment is good for about a year and a half. Before I came to this solution I had to clean the surface every two days.

D.M.
Calgary, Alberta

That's one solution about which I'd never heard.

I'm having an annoying problem with my Model I. When I use DOS I'm presented with waves of lines, roughly three to four inches apart, moving at a 45-degree angle from the lower left of my video monitor to the upper left. These appear only if the CPU is waiting for me to do something.

The problem seems to be in the expansion box, since the problem disappears if I disconnect the LNW expansion box. I didn't always have this problem; it began after I blew a fuse in the LNW box. I checked the voltages and they appear to be good. I can mask the lines by adjusting the brightness control on the monitor, but then the screen becomes too dark for me to use.

R.R.
Stacy, MN

My first thought was RFI, until you mentioned you could make the lines vanish by adjusting the brightness control. I suspect that the problem is actually a part in the LNW box that was pushed to its limit by whatever caused the fuse to blow. This part is now marginal. It works well enough to be almost impossible to find on the circuit board since all the voltages and currents will be close to their correct marks, but just

bad enough to foul up other parts in the system. That kind of problem takes a lot of work to find, and in most cases it's better to leave it alone.

If you're an accomplished technician, you could probably track the errant part down, but to pay someone to do it for you would be both ridiculous and expensive. Try sending a letter to LNW describing the problem (a photograph would be very helpful, use 1/30th speed setting). Perhaps they've run into the problem before and can tell you where to start.

My wife is a Spanish/French teacher, and she does a lot of business correspondence in Spanish. Even though they are on my Daisy Wheel II, I have been unable to find any patches for writing the Spanish/French characters from SuperScript. What can I do?

G.S.
Santa Rosa, CA

What you need to do is to set the User Printer Codes to the values needed for your Spanish/French letters, and embed them in your documents. By combining the User Printer Codes with the backspace command you should be able to get all the accent marks and special characters you need from your Daisy Wheel II printer.

I have a Model III, dual-disk system. My previous computer was a Model I cassette system. I want to convert my tape data so they can read, write, and store data on disk (e.g., Tape Mailing List by Radio Shack). Is there a simple way to do this?

J.G.
Santa Clara, CA

Converting a tape program to disk is not a task easily done by a novice. You have to change all the tape I/O commands to disk I/O commands. Even transferring the data from tape to disk is a chore. Considering the difficulties, it may be cheaper to get disk programs and retype the information.

As a last hope for J.G., does anyone have a Radio Shack Tape Mailing List program that's been converted to disk?

In response to M.H. (April 1983, p. 392), I'd like to say that I have a similar

problem with EDTASM on my 16K Model III. When inserting lines between other lines I sometimes get incorrect line numbers:

```
00100 ;THIS IS LINE 100
00110 ;THIS IS LINE 110
00120 (BREAK)
*I105
00105 ;THIS IS LINE 105
00115 (BREAK)
PH:*
00100 ;THIS IS LINE 100
00110 ;THIS IS LINE 105
00120 ;THIS IS LINE 110
```

*The EDTASM manual says this shouldn't happen, although a program similar to this one is shown on p. 10. When adding line 105 between lines 100 and 110, the lines are renumbered. The only solution I've found is to insert using *I105,1 and specify a line increment of one.*

By the way, about the letters mentioning incorrect object code output from EDTASM (I use Series I Editor/Assembler Version 1.1), I have no problem with output of assembled code.

J.G.
Dearborn Hts., MI

Regarding the letter from M.H. (April 1983, p. 392), I have the same problem with EDTASM on my Model III, as does a friend of mine. It's not that line 110 was replaced, the new line was inserted and the program renumbered.

I checked renumbering and memory, and both checked out fine. I'm going to try a new copy of EDTASM from Radio Shack in a few days. I'll let you know what happens.

J.M.L.
Eden Prairie, MN

I think we've discovered a bug in the Insert/Renumber portion of EDTASM. It's supposed to tell you if there isn't enough room for a new line between line numbers (using the default increment, of course). The only solution seems to be to specify a line increment less than the increment to the next high-est line number.

I would like to point out to W.B. (April 1983, p. 383) that his C. Itoh 8510 printer is identical to the NEC

Fame and Fortune may be yours by entering:

80 Micro's Young Programmer's Contest 1983-1984

Grand Prize \$300, Plus Publication

3 1st prizes—\$200 each, Plus Publication

3 2nd prizes—\$100 each, Plus Publication

3 3rd prizes—\$50 each, Plus Publication

**Honorable Mentions—Free subscription to
80 Micro and possible publication**

(These prizes are in addition to our regular purchase price.)

If you are an aspiring Programmer, 18 years or younger, enter **80 Micro's** 2nd Annual Young Programmer's Contest. Your entry may be for any TRS-80. Programs will be judged on originality, documentation (more on this below), and program elegance. The age categories are 11 and under, 12 through 14, and 15 through 18. All entries will be judged by the **80 Micro** staff.

Rules

1. Final entries must be in by November 1, 1983.
2. All entries must be submitted in a 10×13" envelope and must include: typewritten, double-spaced documentation; a printed copy of the program listing; a magnetic disk or cassette containing the program listing, the documentation, and any figures or tables; and a completed entry blank.
3. Documentation should consist of an explanation of the program, its purpose, how to use it, and the necessary software and hardware needed to use it (including memory re-

quirements). Good documentation also points out the interesting algorithms and program techniques used without giving a line-by-line account.

4. Entries must be original and unpublished.

5. All winning programs become the property of **80 Micro**.

6. The category in which you will be judged will be determined by your age as of November 1, 1983. You must not have turned 19 by that date.

7. You may submit as many entries as you like, however, each one must be submitted separately and must have all of the information and materials stated above.

The 80 Micro Young Programmer's Contest

Name _____ Age _____ Date of Birth _____

Street Address _____ City _____

State/Zip _____ Phone _____

Machine (circle one)

Model I

Model III

Model II/16

Color Computer

Pocket Computer

Other _____

Include this form with your entry and return to:

Young Programmer's Contest

80 Micro

80 Pine Street

Peterborough, NH 03458

*A trademark of Radio Shack, a division of Tandy Corporation.

PC-8023A printer. The C. Itoh 8510, the NEC PC-8023A, the ADS 8001, and the PMC DMP-85 are all manufactured by TEC of Japan. The major difference between all these machines is just the logo on the manual cover. Therefore the NEC driver found on p. 376 of the April issue works perfectly, and without any changes.

Where can I get the 20-pin connector used to attach the Model III logic board to the keyboard? I want a longer cable so that I can use the keyboard a short distance from the video monitor. Can I get the cable from National Parts?

M.O.
Houston, TX

Do you want to increase the distance between the logic board and the keyboard? Or do you want a second cable? If you want to buy a second cable, it's available from National Parts (900 E. Northside Drive, Fort Worth, TX 76102, 817-870-5662). Its serial number is #AW2539, and it costs \$11.50 plus shipping (\$1.50). Be forewarned that the cable has female connectors at each end, so you can't put two cables together to make one long cable. Also, increasing the distance between the logic board and the keyboard makes the unit susceptible to RFI and other electrical noise.

If you do want to use an extended cable, Priority One Electronics (9161 Deering Ave., Chatsworth, CA 91311-5887, 800-423-5922) has both connectors and cables, as does Jameco Electronics (1355 Shoreway Road, Belmont, CA 94002, 415-592-8097).

I'm looking for a Pascal compiler that meets either the ISO or UCSD standard agreement. This compiler must operate on a Model III.

J.P.
Tracy, Quebec

Any Pascal that would meet the UCSD or ISO standards wouldn't fit in the available memory of the Model III.

New Classics Software (239 Fox Hill Road, Denville, NJ 07834, 201-625-8838) sells a version of Pascal that comes close to the UCSD standard, except that Mark and Release are used instead of Dispose; it doesn't have variant records, the Width statement or

Page; it uses enhanced Read and Write instead of Get and Put; and File and Text are allowed only in variable declarations and not Type declarations. It sells for \$99.

PCD Systems (P.O. Box 143, Penn Yan, NY 14527, 315-536-7428) sells a version that meets UCSD standards, but they suggest you don't use it to develop programs since there isn't much room left for the actual program. Instead, they suggest using the run-time package on the Model III and use their Pascal on a Model II to develop programs for the Model III.

Other companies marketing Pascal programs for the TRS-80 Model III are: Alcor Systems—800 W. Garland, Suite 100, Garland, TX 75040, 214-226-4476; Barker Software—P.O. Box 5313, Athens, GA 30604; Digital Research/Languages Division—P.O. Box 579, 160 Central Ave., Pacific Grove, CA 93950, 408-649-3896; Hexagon Systems—Regent St., P.O. Box 397, Station A, Vancouver, BC., Canada V6C 2N2, 604-682-7646; Microsoft—10700 Northup Way, Suite 200, Bellevue, WA 98004, 206-828-8080; Pickles & Trout—P.O. Box 1206, Goleta, CA 93117, 805-685-4641; Radio Shack—1300 One Tandy Center, Fort Worth, TX 76102, 817-390-3011; Ticom Systems Inc.—13470 Washington Blvd., Marina Del Rey, CA 90291, 415-829-7550.

I have an MT-32 Microtek expansion interface with 32K RAM. Lately it's been locking up when I load or try to create a large program. I tried new RAM chips without success. When I tried setting memory size below the expansion interface memory locations, everything is fine. What's wrong?

T.W.
Waukesha, WI

It's not the memory that's at fault, it's the cable connecting the expansion interface to the keyboard. Remove the cable, rub the contacts on both the keyboard and expansion interface with a pink eraser, and then wash the contacts with isopropyl alcohol (use cotton swabs). This should give you a more reliable system. If the problem returns or persists, you may have to use Gold-

Plugs, or Silver-It to cure the problem (see previous columns for more on this subject).

I have several friends with different computers. Their computers are able to generate new characters. Is it possible to do the same on the Model I? If not, can I put in a new character generator? Where can I get a better memory map for my computer?

D.J.
Cleveland, TN

No, you can't generate Model III special characters on the Model I. Yes, you can replace the character generator of the Model I, but I don't know of any company presently selling such chips for the Model I, except to provide an upper/lowercase display on home modified Model I's.

If you're looking for a very detailed memory map, get *MicroSoft Basic Decoded & Other Mysteries* by IJG (1953 West 11th St., Upland, CA 91786). It sells for \$29.95, but is well worth the price.

After installing the Gold-Plug 80 connectors on my Model I keyboard, expansion interface, and disk-drive port, I experienced the same problems as those described by V.C., R.Z., and L.W. in your March and February 1983 columns.

The problems disappeared when I shortened the buffered expansion interface cable by removing one inch on the expansion interface side. Apparently, the additional length of the Gold-Plug 80 connectors was enough to cause memory problems. I suspect that V.C., R.Z., and L.W. are having problems with their expansion interface cable.

R.M.
Honolulu, HI

That's interesting. I didn't think the Gold-Plugs added enough to make a difference.

How do you connect a Signalman Mark I modem to a Radio Shack Model I with the RS expansion interface and RS-232 board? The modem and the RS cable both terminate in male DB25 plugs. I tried making a short double female cable, but nothing happened. I tried the COMM and TERM positions



GET AN EAR-FULL

Teach yourself music theory. Become an expert at identifying melodic intervals. Everything you need is in **Music Teacher**, a two-part educational program.

Music Theory—Learn staff and bar lines, treble and bass clefs, the grand staff, time signatures, rests, notes, and major scales.

Ear Trainer—Improve your listening skills. Teach yourself to identify musical intervals by hearing them as often as you like. You'll never find a more patient teacher.

Become a musical expert with **Music Teacher**. Ideal for teachers and students.

TRS-80* Models I & III (Level II), or PMC* computer.
0300RD, disk, sound, light pen optional, 32K, \$19.95.
0059R, tape, sound, light pen optional, 16K, \$14.95.

*TRS-80 is a registered trademark of Radio Shack, a division of Tandy Corp.

*PMC is a registered trademark of Personal Microcomputers Inc.

**Yes! Send me _____ copies of Music Teacher (tape)@ \$14.95.
_____ copies of Music Teacher (disk)@ \$19.95.**

Please add \$2.50 postage & handling.

☐ VISA ☐ MC ☐ AE ☐ Check/MO

name _____

address _____

city _____ state _____ zip _____

card# _____ exp. date _____

signature _____

Instant Software CALL 1-800-258-5473 to order 338B8M
Instant Software • Rt. 101 & Elm St. • Peterborough NH 03458

MAP now holds the wild card:

3by5

The Complete Personal Information
Retrieval System for Microcomputers

Features Include:

- 3by5 editor/search program you use like a card file
- Enter, modify or delete records while searching
- Index automatically updated
- Rapidly search large data and text files in seconds
- No coding required
- Interactive Help File included
- Demonstration data and text files
- Maintenance policy to keep **MAP** updated
- Complete documentation

MAP is Available For Use On:

- TRS-80 Model II TRSDOS¹, 64K
- TRS-80 Model III TRSDOS or LDOS², 48K
- Apple IIe³ CP/M⁴, 64K
- All versions require 1 disk drive

¹TM Tandy Corp. ²TM Logical Systems, Inc. ³TM Apple Computer, Inc.
⁴TM Digital Research, Inc.


Complete **MAP** package for only \$125.00

Abridged introductory version for \$35.00

SOFTSHELL™

The Small Computer Specialists for Professionals
P.O. Box 18522, Baltimore, MD 21237

✓57



SYSTEM REFERENCE CARDS

"This is a quality document and is beautifully conceived and produced. . . I am in awe of your magnificent document."

H.W.W., Dayton, Ohio

Send Check or Money Order

MODEL I: BASIC & Assembler	FC1002	\$4.95
MODEL I: BASIC Only	FC1001	2.95
MODEL II: BASIC & Assembler	FC1005	5.95
MODEL III: BASIC & Assembler	FC1003	5.95
MODEL III: BASIC Only	FC1004	3.95
COLOR: BASIC & Extended	FC1006	4.95
POCKET: BASIC	FC1009	2.95
APPLE II + II PLUS: BASIC & 6502	FC1008	4.95
APPLE II + II PLUS: BASIC Only	FC1007	3.95

NEW!

NEW!
Heath/Zenith
HDOS 2.0
FC1014 \$5.95



Z80
MICROPROCESSOR
FC1011 \$4.95

ZX80, ZX81 and
Timex Sinclair
1000
FC1012 \$5.95

Call TOLL-FREE for Credit Card Orders 1-800-258-5473. Or, send your order with payment or complete credit card information to:

WAYNE GREEN BOOKS • Retail Sales • Peterborough, NH 03458

Enclose \$1.00 per order for shipping and handling



*TRS-80 is a Registered Trademark of Tandy Corp.
APPLE is a Registered Trademark of APPLE COMPUTER, INC.
*Z80 is a Registered Trademark of Zilog, Inc.

FEEDBACK LOOP

on the RS-232 board switch without success.

D.M.
Red Bank, TN

First check and make sure the RS-232 board is operational. Short pins 2 and 3 together. Whatever you type in, your terminal program should be echoed to the screen. If it doesn't, the board is making poor contact with the expansion interface. Loosen the screws and fiddle with the board until you get a response.

Second, check the cable you made with a volt/ohmmeter to make sure that all the connections are good and that you don't have any pins accidentally connected together.

Third, check the manuals for the RS-232 board and the Signalman modem to make sure they are using the same pins for the same purpose.

After all that, you should get a response and be ready to go.

I recently upgraded the expansion in-

terface on my Model I from 16K to 32K, but when I Print Mem my total was 38340, which is wrong for a 48K machine. I tried two different sources for the 16K chips, with the same results.

E.C.
Norfolk, VA

You might not have a hardware problem, but rather a misunderstanding. Do you get the 38340 from Level II Basic or from Disk Basic? If you're in Disk Basic, the missing RAM is the DOS and Disk Basic (the DOS and Disk Basic take up almost 10K). The 38340 sounds awfully familiar to me. I vaguely remember that as being the memory size from TRSDOS Basic with a 48K machine.

If you get that response from Level II Basic, take the unit to the repair center. There's nothing you can do unless you have access to an electronics shop and a troubleshooting manual for the Model I.

I typed in the printer driver for the

NEC PC-8023A-C printer with SuperScript (April 1983, p. 376). It works fine on my C. Itoh Prowriter 8510, but I can't get a document to double-space just by specifying double-spacing in the open document options. Neither do the super/subscript features work correctly. Not knowing much about Assembly language, I decided to use a few user-defined print codes to do the job.

To double-space, use 27 84 52 56. These codes set the line pitch to 48/144 of an inch. Note that simply using 27 84 48 won't work, as the printer is expecting 2 bytes in ASCII code to describe the pitch.

To superscript, use:

```
27 91
27 84 49 50 27 114 10
27 84 49 52 27 102 10 27 65
27 93
```

I recommend using each line as a separate print code. The first sets the printer to incremental print. The second sets line pitch to 12/144 of an inch, sets reverse line feed on, and sends one line feed. The third sets line pitch at 14/144 of an inch, sets forward line feed on,

TriSoft has CP/M-68K for the TRS-80 Model 16

And It's Available Today!

TriSoft introduces the CP/M-68K operating system for the Radio Shack Model-16 and Model-II Enhanced computers. This addition to the CP/M family adds the speed and power of the 16/32 bit MC68000 under CP/M-68K while maintaining compatibility with the vast library of CP/M 2.2 software.

- Runs in conjunction with CP/M 2.2
- Easy context switching between 2.2 and 68K
- Z80 acts as I/O slave under CP/M-68K
- 68000 assembler provided
- Industry standard C compiler provided
- Requires CP/M 2.2

TriSoft CP/M-68K	\$395.	
Manual set only	45.	
Pickles&Trout CP/M 2.2		With CP/M-68K
Standard P&T CP/M	\$175.	525.
Model-16 P&T CP/M	210.	555.
Hard Disk P&T CP/M	235.	580.
P&T manual set	35.	

TriSoft

4102 Ave. G
Austin, Texas
78751
1-512-445-5580

1-800-531-5170

- CP/M, CP/M 2.2, CP/M-68K™ Digital Research
- TRS-80 Model 16 and Model II™ Radio Shack/Tandy
- 68000™ Motorola
- Z80™ Zilog



sends a line feed, and resets pitch to normal 1/6 of an inch. Finally, the last line sets the logic seek mode back on. Line 2 has 2/144 of an inch more line feed because the printer doesn't return to the same place it started from if it's given 12/144 of an inch both times. I recommend using four print codes for the same reason. If you're going to be doing several jumps, it's best to set the printer to incremental mode, do the superscripts and subscripts, and then return to logic seek mode.

Subscribing is done in a similar fashion:

```
27 91
27 84 49 50 10
27 84 49 52 27 114 10 27 65 27 102
27 93
```

Note that it's important to be in incremental mode; if you aren't, the printer ignores the entire command. If you're doing this from Basic you'll notice you get a carriage return along with the CHR\$(10) if you aren't in incremental mode. Very irritating.

G.J.
Indianapolis, IN

Thanks for the information.

Can you tell me where I can buy the CP/M conversion for a Model II?

Also, can you provide the name or address of any company that copies large numbers of disks for small-time people who want to sell their programs? I'm also looking for Pascal on the Model II.

E.V.
Baltimore, MD

Got your pencil ready? These are companies with CP/M for the Model II: Aton International—260 Brooklyn Ave., San Jose, CA 95128, 408-554-9922

Cybernetics—8041 Newman Ave., Suite 208, Huntington Beach, CA 92647, 714-848-1922

FMG Corporation—5280 Trail Lake Drive, P.O. Box 16020, Fort Worth, TX 76133, 817-294-2510

Omikron—1127 Heart St., Berkeley, CA 94702, 415-845-8013

Parasitic Engineering—1101 Ninth Ave., Oakland, CA 94606, 415-839-2636

Pickles & Trout—P.O. Box 1206, Goleta, CA 93117, 805-685-4641

Now for the Model II Pascal companies:

Alcor—(see previous letter this

column)
Digital Research/Language Division—(ibid)

FMG Corporation—(see CP/M listing above)

Hexagon Systems—(see previous listing this column)

Microsoft—(ibid)

Radio Shack—(ibid)

Ticom Systems Inc.—(ibid)

For your second request, I don't have the name of any company that manufactures second-party disk programs, although I do know of one that reproduces tape programs in lots of 100. Are there any companies interested in assisting E.V.?

I have a Model III, two-disk-drive system with LP VIII. The computer, cassette recorder, and printer are all connected to a power strip. When I turn it on the printer's print head moves first to the right margin, and then to the left margin. As the computer comes on, the printer prints an E. Is there any way to prevent this?

After a few minutes there is a soft, but annoying, hum from inside the computer. It sounds like a power transformer. Is it the sign of an impending disaster? I live in Europe and we have a 220V, 50Hz power supply. I'd like also to know what will be involved, when I return to the U.S., in changing my computer from 220V to 110V operation.

P.B.
Zurich, Switzerland

The E is the result of a control code sent by the Model III to the printer port on power up. The easiest solution is to leave your printer off until you need it.

The hum develops because the power supply transformer windings are loose (probably due to age) and vibrating with the 50Hz line supply. Nothing is wrong, and no damage will result. If you can put up with the hum, it doesn't need to be replaced.

Switching the power supply is simple, but expensive: Tandy just removes the two 220V power supplies and puts in new 110V units. There are no trade-ins on the 220V units, so you end up paying \$77.80 for each new power supply, plus \$30 installation. Total cost is \$185.60. ■

Terry Kepner is a free-lance writer and programmer, and the vice president of Interpro. He's been writing about microcomputers since 1979.

What's After Basic?

If you ever wished that you had a better programming language, PASCAL 80 may be the language you dream about. It is a compiled language, faster, more accurate and easier to modify than Basic. Yet it is so easy to use that you can forget the hassles and diskette spinning of other compiled languages, including other versions of Pascal.

Now you can create your own command files that execute from DOS without having to load a language into the computer first, but do it with far less work than machine language. You can sell your compiled programs without any royalty payments!

Although designed for teaching and ideal for that purpose, PASCAL 80 also allows serious applications with a full fourteen digits of accuracy, even on log and trig functions!

PASCAL 80 allows you to create files on the TRS-80® Model I, Model III, LNW-80, PMC-80, or LOBO MAX-80 that will run on any of the other machines under TRS-DOS®, LDOS, NewDOS, NewDOS 80, DBL-DOS or DOS Plus.

SUMMER SPECIAL

FREE

Procedure Library

with

Orders postmarked by
August 30, 1983.

PASCAL 80 is used in dozens of High Schools, Colleges, and Technical Schools, and has been favorably reviewed in Byte, Creative Computing, and other magazines.

You get all of this at a bargain price of only \$99 plus \$2 shipping. If you call and order by MasterCard or VISA, we will even credit you \$1 for the phone call. Call or send your check today!

NEW CLASSICS SOFTWARE

239 Fox Hill Road
Denville, NJ 07834
(201) 625-8838

TRS-80® and TRS-DOS are trademarks of Radio Shack, LNW-80 of LNW Research, PMC-80 of Personal Micro Computers, LOBO, LDOS, and MAX-80 of Lobo Systems, DOS-Plus of Micro Systems Software, NewDOS and NewDOS 80 of Apparatus, and DBL-DOS of Percom. PASCAL 80 is a trademark of New Classics Software.

NEW!! POINTER VARIABLES!

TAKE II



This column features Model II, 12, and 16 conversions of earlier programs. Readers who have converted programs for their own use are encouraged to submit them.

CRAM, a program by Hardin Brothers, appeared in the August 1982 issue of 80 Micro. It was short and nicely annotated—a clear candidate for rewriting.

The game is diabolically clever; push any key to make the

moving line turn right. The game is over when the line runs into itself or a border. Your score is the number of right turns you are able to make.

While your tendency is to tap out a steady pattern on the keyboard, that strategy leads to a quick finish with few points. A steadily accelerating pace appears to be required, but be careful, the horizontal and vertical rates of motion are not quite the same.

Since the command IF POINT(I,J) is not available in Model II Basic, a few counters remember the increasingly smaller physical bounds of the playing space. A small delay compensates for the vertical movement that otherwise would be too fast with the 4.0 MHz clock. Without the delay, the program differs only in the screen size.

A young child who practiced for hours and an older person who spent a long lunch hour hold the highest scores—both obtained scores of 24. I'll bet you can't play just one game. ■

Rick Johnson is an analyst for Advanced Technology Inc. and can be reached at P.O. Box 41238, Indianapolis, IN 46241.

The Key Box

Model II
32K RAM
Basic

```
10 'CRAM MODEL II- Rick Johnson's rewrite of Hardin Brother's
20 'program in 80 Micro of August 1982.
30 DEFINT A-Z:GOSUB 270
40 L=0:R=79:T=1:B=22:N=0:GOSUB 230
50 ' *** move right
60 J=J+1:IF J=R THEN 200ELSE PRINT$(I,J),"";
70 IF INKEY$="" THEN 60ELSE N=N+1:R=J
80 ' *** move down
90 GOSUB 180:I=I+1:IF I=B THEN 200ELSE PRINT$(I,J),"";
100 IF INKEY$="" THEN 90ELSE N=N+1:B=I
110 ' *** move left
120 J=J-1:IF J=L THEN 200ELSE PRINT$(I,J),"";
130 IF INKEY$="" THEN 120ELSE N=N+1:L=J
140 ' *** move up
```

```
150 GOSUB 180:I=I-1:IF I=T THEN 200ELSE PRINT$(I,J),"";
160 IF INKEY$="" THEN 150ELSE N=N+1:T=I:GOTO 60
170 ' *** delay vertical
180 FOR Z=1 TO 20:NEXT Z:RETURN
190 ' *** game over
200 CLS:PRINT$ 820,"Turns=";N," Previous high=";M:IF N>M THEN M=N
210 FOR I=1 TO 2000:NEXT I:GOTO 40
220 ' *** initialize border
230 CLS:FOR J=0 TO 79:PRINT$(0,J),"-";PRINT$(22,J),"-";NEXT J
240 FOR I=0 TO 22:PRINT$(I,0),"|";PRINT$(I,79),"|";NEXT I
250 I=1:J=0:A$=INKEY$:RETURN
260 ' *** directions
270 FOR I=1 TO 20:CLS:PRINT CHR$(26):CLS:PRINT CHR$(25):CLS:NEXT I
280 CLS:PRINT TAB(8),"Welcome to the game of CRAM":M=0
290 PRINT:PRINT"Do you want instructions?"
300 A$=INKEY$:IF A$="" THEN 300
310 IF A$="N" OR A$="n" THEN CLS:RETURN
320 IF A$="Y" OR A$="y" THEN 330ELSE 280
330 PRINT:PRINT TAB(8) "The object of the game is to cram as many"
340 PRINT"stars as you can onto the screen. Each time you wish to"
350 PRINT"change the direction of the moving line, press any key"
360 PRINT"except <BREAK>. The game is over when the moving line runs"
370 PRINT"into any previously drawn position. At the end of the game"
380 PRINT"your score will be reported.":PRINT
390 PRINT"Press any key to start the game."
400 A$=INKEY$:IF A$="" THEN 400ELSE CLS:RETURN
410 ' *** L is current Leftmost position, R is Right
420 ' *** T is Top, B is Bottom, N is Number counter for turns
```

Program Listing

ARE YOU TIRED OF HEADACHES AND WATERY EYES FROM STARING AT YOUR TRS-80'S HARSH WHITE VIDEO DISPLAY?

Well, a **FATIGUE FIGHTER** optical filter changes that display to a nice, easy on the eyes, green. It is made of hard 1/8 inch thick acrylic for durability, attaches in seconds without tools, and matches TRS-80® styling. So, invest in some relief, get a **FATIGUE FIGHTER** for your Model I, II, or III. It will probably be one of the most used accessories you will ever buy.

P.S. Available direct from us or at computer stores.

TRS-80 IS A TANDY CORP. TRADEMARK.

TO ORDER:

Send Name & Address Typed or Clearly Printed with Check or Money Order (U.S. FUNDS) for \$14.95 Each, Including Shipping. Canadian Orders Add \$1.00 Each. All Other Foreign Orders Add \$3.00 Each for Shipping. NO CREDIT CARD ORDERS. COD'S (U.S. ORDERS ONLY) are \$3.00 Additional per Order & are Accepted by Mail or by Calling 904-378-2494 or 9-5 M-F. Florida Residents Add 5% Sales Tax.

SID

SOUTHERN INNOVATIVE DESIGN
3033-15 N. E. 19TH DRIVE
GAINESVILLE, FL 32601-3326 ✓35

— DEALER INQUIRIES INVITED —

PRICES AND SERVICE TOO GOOD TO PASS UP!

PRODUCTS FOR THE TRS-80®

COLOR COMPUTER

	tape	disk
Diagnostics	17.25	
Graphics Editor	17.25	
Master Control II	22.95	
Bugout (Monitor)	16.95	
Oracle (Graphic Monitor)		25.75
Ultra 80 CC (Editor/Assembler)		42.50
Ultra 80 CC Plus Oracle		64.95
Soundsource (with Cable)	21.95	
Color Games by Lance	15.95	
CC thello	12.75	14.95
Ghost Cobbler, Space Invaders	17.50	20.50
Colorout		11.95
Color Bonanza	42.95	
Color Caterpillar or Death Trap	17.25	
Color Scarfman	17.25	
Deathplanet: The Dogstar Adv.	15.95	
Dunkey Munkey	21.95	
Mean Craps Machine	15.95	

GAMES

	tape	disk
Attack Force or Cosmic Fighter	12.75	15.95
Stellar Escort or Galaxy Invasion	12.75	15.95
Meteor Mission II or Robot Attack	12.75	15.95
Defense Command or Super Nova	12.75	15.95
Weerd	15.95	15.95
Forbidden City or Forbidden Planet		29.95
Hyperlight Patrol		15.50
Defiance (Disk Only) or Panik	15.50	19.50
Devil's Tower	12.75	15.95
Alien Defense or Bounceoids	13.95	17.25
Sneak Thief	17.25	18.95
Frogger	17.25	19.95
Reign of Red Dragon or Stratos	19.95	19.95
Double Feature		31.95
Caterpillar or Scarfman	13.95	17.25
Penetrator	21.75	21.75
Armoured Patrol or Eliminator	19.95	19.95
Rear Guard or Sea Dragon	19.95	19.95
Adv. Tripac 1-3, 4-6, 7-9, or 10-12		31.75
Adventure International Hint Book		6.95

NewScript

\$99.95

Newscript + Mailing Labels 114.95

THE HOME ACCOUNTANT

The #1 best selling program for home and small business accounting is now available for TRS-80 Model 3. Handles up to 99 accounts, five checkbooks, multiple income accounts, and can split transactions to any number of accounts. Prints net worth statements, income statements, as well as custom designed reports. Displays a bar chart and trend for any selected category. It is easy to use and yet provides all the power you'll need. (By Continental Software, requires Model 3, 2 drives, 48K.)

\$62.95

TALLYMASTER

Designed to help those running a business or household. It is easier to learn than most spreadsheet programs and includes complete documentation and an on-line HELP command. Handles up to 702 expense or income categories. (By Prosoft, requires 48K, 1 disk drive)

\$64.95

T80-FS1

FLIGHT SIMULATOR

The realism of "out-the-window" flight is yours with this challenging simulation by SubLOGIC. It is written in machine language and is capable of a 3 to 6 frame per second display. Flight characteristics are similar to the Piper Super Club. Outperforms other simulators costing over \$100,000.

Model 1 or 3 Tape Version — **\$22.50**
Model 1 or 3 Enhanced Disk — **\$29.50**

Maxi CRAS

A Check Register Accounting System featuring up to 223 accounts with no limit to the number of transactions. Prints statements showing activity in one or more accounts, check registers, income and expense subtotals, and an account distribution statement. If you have been disappointed with other money managers, it's time to get the best. Requires 2 drives & 48K. List \$99.95.

\$79.95

OMNITERM

The best "smart" terminal package available for the Model I/III. It's menu driven and includes a text editor, four conversion utilities, and setting files to access all of the popular data bases such as CompuServ, the Source, Dow Jones, etc. User defined keys and automatic reformatting of data to the size of your screen are only two of many extra features. List \$95.00

\$79.95

SOFTWARE

NEWDOS80/Vers. 2	\$124.95
LDOS 5.1	109.95
DOSPLUS 3.5	119.95
DOSPLUS II	199.95
Micro Clinic - Mod 1	24.50
Micro Clinic - Mod 3	28.50
Trashman	34.50
Faster	24.95
R.P.M. - Disk Timer	22.50
CAU's Basic Editor	24.75
M-ZAL	129.50
T-ZAL - Mod 3	39.95
LDOS Utility Disk #1	42.50
LDOS FED (File Editor)	33.95
EDAS - Version IV	84.95
The BASIC Answer	59.95
Super Utility Plus Ver. 3.0	65.95
Maxi Manager w/utility	119.50
Maxi Utility	44.95
Maxi Mail (Mod 3 Only)	79.95
Maxi Stat	169.95
GEAP Version 2.1	46.50
Dot Writer Version 1.5	55.95
GEAP Plus Dot Writer	84.95



\$119.50

Includes Correcting Feature

Hyphenation Option	41.95
Grammatical Error Option	41.95

Electric Webster is a TM of Cornucopia Software

- 24-Hour Shipping for Items in Stock
- Free Use of Credit Cards
- Large Selection-Call for Items Not Listed

- Toll Free Order Line
- Free Shipping on Orders over \$100
- Friendly, Honest, Reliable Service

We accept Visa, Master Card, check, cash, money orders, and COD. In the 48 continental States add \$2.50 for UPS standard shipping, we'll pay shipping if your order is over \$100. Alaska and Hawaii orders are charged actual shipping charges. COD orders are charged an extra \$2.00 and require cash or certified check on delivery. POs accepted upon approval.

When ordering by mail, include your telephone number, credit card information, computer model, memory size, and number of drives. Colorado residents add appropriate sales tax (6 1/2% in Denver).

Prices are subject to change without notice.



Applied Microsystems, Inc.

612 Washington, Denver, CO 80203

✓ 390

ORDER NOW
TOLL FREE

1-800-468-4474

IN COLORADO CALL 861-9250

LDOS is a TM of Logical Systems, Inc.

M-ZAL is a TM of CAU, Inc.

TRS-80 is a TM of Tandy Corp.

NEWSSCRIPT is a TM of Prosoft



BUY A BANANA™. SAVE A BUNCH.

Meet the Banana™, the very tough, versatile, portable, and reliable dot-matrix printer from Gorilla™.

At \$249.95 retail it's an ideal and inexpensive companion for personal computers like Apple® (or Apple "look alikes" such as Franklin® or Albert®), TI®, Commodore®, TRS-80®, Kaypro®, Timex®, Osborne®, etc.

After that, it's merely comparable to other printers that can cost up to three times as much: 10" carriages (to handle standard 9½" paper), 80 columns, graphics capability, 10 characters per inch (expandable to 5 cpi) draft-quality print (for perfectly acceptable form letters, data processing,

business reports, etc.) tractor feed (for precise alignment and quick loading), parallel or serial interface (take your pick), self-inking ribbon cassette (for long life and easy installation), 10 portable pounds in weight, and compatibility with so many of the most popular personal computers on the market.

Plus its printhead features a unique single-hammer design that eliminates a lot of moving parts, to eliminate a lot of annoying repairs.

That's the Banana: silly name, serious service. It's everything the expensive dot-matrix printers are . . .

Except expensive.



Leading Edge Products, Inc., 225 Turnpike Street, Canton, Massachusetts 02021
Toll-free: 1-800-343-6833; In Massachusetts (617) 828-8150. Telex 951-624.

READER SERVICE

This card valid until September 30, 1983.

Please help us to bring you a better magazine—by answering these questions.

My vote for the best advertisement in this issue goes to _____ (company) whose Reader Service number is _____.

A. How much have you invested in computer software during the last 12 months?

- ☐ 1. Nothing ☐ 3. \$100-\$250 ☐ 5. \$500-\$1,000
☐ 2. Less than \$100 ☐ 4. \$250-\$500 ☐ 6. Over \$1,000

B. How do you acquire most of your software?

- ☐ 1. From software houses ☐ 4. Program it myself
☐ 2. From magazines ☐ 5. Copy it
☐ 3. From friends and other programmers

C. Where do you buy most of your computer hardware?

- ☐ 1. Radio Shack store ☐ 4. Mail order
☐ 2. Other computer/electronics store ☐ 5. Used equipment dealer
☐ 3. Department store ☐ 6. Private individual

D. What type of TRS-80(s) do you own?

- ☐ 1. Model I Level I ☐ 4. Model III Level I ☐ 7. Model 12
☐ 2. Model I Level II ☐ 5. Model III Level II ☐ 8. Color
☐ 3. Model II ☐ 6. Model 16 ☐ 9. Pocket

E. How much have you invested in computer hardware (including peripherals) during the last 12 months?

- ☐ 1. Nothing ☐ 4. \$2,000-\$3,000 ☐ 6. \$4,000-\$5,000
☐ 2. Under \$1,000 ☐ 5. \$3,000-\$4,000 ☐ 7. Over \$5,000
☐ 3. \$1,000-\$2,000

F. How much do you plan to spend on computer hardware (including peripherals) during the next 12 months?

- ☐ 1. Nothing ☐ 4. \$2,000-\$3,000 ☐ 6. \$4,000-\$5,000
☐ 2. Under \$1,000 ☐ 5. \$3,000-\$4,000 ☐ 7. Over \$5,000
☐ 3. \$1,000-\$2,000

G. Which of the following peripherals do you plan to buy during the next 12 months?

- ☐ 1. Printer ☐ 6. Voice Synthesizer
☐ 2. Modem ☐ 7. Disk System
☐ 3. Plotter ☐ 8. Expansion Interface
☐ 4. Joystick/Game Paddles ☐ 9. Monitor
☐ 5. Light Pen

H. Do you ever write Assembly-language programs?

- ☐ 1. Yes
☐ 2. No

I. Do you invest in the stock market?

- ☐ 1. Yes
☐ 2. No

J. The articles in 80 Micro are:

- ☐ 1. Too simple ☐ 2. Too complex ☐ 3. Just right

K. Which of the following columns do you read? Please rate them on a scale of 1 (seldom read) to 5 (always read).

- ☐ 1. Remarks ☐ 5. Copernica Mathematica ☐ 9. The Color Key
☐ 2. Commander 80 ☐ 6. MONEY DOS ☐ 10. The Next Step
☐ 3. The Gamer's Cafe ☐ 7. Fun House ☐ 11. Suite 16
☐ 4. News ☐ 8. Feedback Loop ☐ 12. Medical Opinion

M. If you are not a subscriber please circle 500.

Reader Service: To receive more information from any of the advertisers in this issue of 80 Micro circle the number on the Reader Service Card that corresponds with the Reader Service number on the ad in which you are interested. You will find numbers, preceded by a ✓, near the logo of each advertiser. Complete the entire card, drop into a mailbox and in 4-6 weeks you will hear from the advertiser directly.

1	6	11	16	21	151	156	161	166	171	301	306	311	316	321	451	456	461	466	471
2	7	12	17	22	152	157	162	167	172	302	307	312	317	322	452	457	462	467	472
3	8	13	18	23	153	158	163	168	173	303	308	313	318	323	453	458	463	468	473
4	9	14	19	24	154	159	164	169	174	304	309	314	319	324	454	459	464	469	474
5	10	15	20	25	155	160	165	170	175	305	310	315	320	325	455	460	465	470	475
26	31	36	41	46	176	181	186	191	196	326	331	336	341	346	476	481	486	491	496
27	32	37	42	47	177	182	187	192	197	327	332	337	342	347	477	482	487	492	497
28	33	38	43	48	178	183	188	193	198	328	333	338	343	348	478	483	488	493	498
29	34	39	44	49	179	184	189	194	199	329	334	339	344	349	479	484	489	494	499
30	35	40	45	50	180	185	190	195	200	330	335	340	345	350	480	485	490	495	500
51	56	61	66	71	201	206	211	216	221	351	356	361	366	371	501	506	511	516	521
52	57	62	67	72	202	207	212	217	222	352	357	362	367	372	502	507	512	517	522
53	58	63	68	73	203	208	213	218	223	353	358	363	368	373	503	508	513	518	523
54	59	64	69	74	204	209	214	219	224	354	359	364	369	374	504	509	514	519	524
55	60	65	70	75	205	210	215	220	225	355	360	365	370	375	505	510	515	520	525
76	81	86	91	96	226	231	236	241	246	376	381	386	391	396	526	531	536	541	546
77	82	87	92	97	227	232	237	242	247	377	382	387	392	397	527	532	537	542	547
78	83	88	93	98	228	233	238	243	248	378	383	388	393	398	528	533	538	543	548
79	84	89	94	99	229	234	239	244	249	379	384	389	394	399	529	534	539	544	549
80	85	90	95	100	230	235	240	245	250	380	385	390	395	400	530	535	540	545	550
101	106	111	116	121	251	256	261	266	271	401	406	411	416	421	551	556	561	566	571
102	107	112	117	122	252	257	262	267	272	402	407	412	417	422	552	557	562	567	572
103	108	113	118	123	253	258	263	268	273	403	408	413	418	423	553	558	563	568	573
104	109	114	119	124	254	259	264	269	274	404	409	414	419	424	554	559	564	569	574
105	110	115	120	125	255	260	265	270	275	405	410	415	420	425	555	560	565	570	575
126	131	136	141	146	276	281	286	291	296	426	431	436	441	446	576	581	586	591	596
127	132	137	142	147	277	282	287	292	297	427	432	437	442	447	577	582	587	592	597
128	133	138	143	148	278	283	288	293	298	428	433	438	443	448	578	583	588	593	598
129	134	139	144	149	279	284	289	294	299	429	434	439	444	449	579	584	589	594	599
130	135	140	145	150	280	285	290	295	300	430	435	440	445	450	580	585	590	595	600

Name _____

Address _____

City _____

State _____

Zip _____

80 Micro • August 1983

BOOKS

8-83

SUBSCRIPTION

Please send me the following 80 Micro products:

80 Micro
Peterborough NH 03458

Qty.	Catalog #	Title	Unit Price	Total

Shipping and handling charges:
\$1.50 1st book, \$1.00 each additional book
(UPS, use street address)
\$10.00 each book overseas airmail

Shipping/handling _____

Total _____

Enclosed \$ _____ ☐ Check ☐ M.O.
Bill: ☐ AE ☐ MC ☐ VISA

Card# _____ Exp. date _____

Signature _____ Interbank# _____

Name _____

Address _____

City _____ State _____ Zip _____

No C.O.D. orders accepted.

Please allow 4-6 weeks for delivery

80micro

subscribers save \$12
off the
newsstand price.

New Subscription 1 year—\$35.97

Renewal

Enclosed \$ _____ ☐ Check ☐ M.O.

Bill: ☐ AE ☐ MC ☐ VISA

Card# _____ Exp. date _____

Exp. date _____ Interbank# _____

Signature _____

Name _____

Address _____

City _____ State _____ Zip _____

Canada and Mexico \$44.97, 1 year only, US Funds.
Foreign Surface \$54.97, 1 year only, US Funds drawn on US bank.
Please allow 6-8 weeks for delivery.

338R8

Place
Stamp
Here

80micro[®]

**P.O. Box 306
Dalton, MA 01226**

Place
Stamp
Here

**Wayne Green Inc.
80micro[®]
Subscription Dept.
POB 981
Farmingdale, NY 11737**

Place
Stamp
Here

**Wayne Green Inc
80micro[®]
Attn: Mail Order
Peterborough, NH 03458**

Reader Service Number	Page	Reader Service Number	Page	Reader Service Number	Page	Reader Service Number	Page
107 Aardvark Ltd.	135	441 Diskette Connection	295	457 Management Systems Software	228	273 RCM Computers	62
26 Access Unlimited	350, 351	5 Diskette Junction	93	560 Mannesmann Tally	346	RDS Software	220
356 Adel Computer Mart	295	62 Displayed Video	183	241 Marathon Systems Software	113	200 R & S Software	176
82 Aerocomp Inc.	198, 199	571 Docutel/Olivetti Corp.	349	146 Master Electronics Inc.	333	41 Racel Computers Ltd.	301
136 Allen Gelder Software	193	353 Dresselhaus Computer Products	55	199 Mega-Byte	186	468 Racel Computers Ltd.	301
476 AlphaBit Communications	233	216 E.A.P. Company/Gold Plug	72	574 Method Systems Inc.	354	296 Rainbow, The	283
17 Alpha Products Co.	13, 15, 17	* Early Games	167	461 Memory Merchant	140	* Really Software Co.	186
374 ALPS	21	154 Eigen Systems	295	149 Micro Architect Inc.	289	275 Red Baron Computer Products	137
110 Amdek Corporation	145	* 80 Micro	35, 195, 211, 228, 303, 306, 315	247 Microcomputer Technology Inc.	313	145 REMarkable Software	191
217 American Small Business Computers		555 Electric Bookshelf, The	346	* Micro Data Supplies	122, 123	129 REMsoft Inc.	227
	171, 173, 175	159 Electronic Specialists Inc.	287	14 Micro Data Supplies	9, 11	518 Rizzo Data Systems	21
258 Ammicro	107	125 Elite Electronic Industries	88	435 Micro-Computer Sales Corp.	289	213 88 Micro Journal	109
406 Analytical Processes Corp.	333	97 Epson America Inc.	326, 327	* Micro-Design	51, 257	432 SHS Solutions	218
141 Anitek Computer Products	43	581 Erb Computer Systems	346	429 Micro-Design	273	550 SGL Waber Electric	344
40 Apparat Inc.	42	454 Farwest Systems & Software	214	426 Micro-Design	216	35 SID	320
575 Applied 80 Software	229	354 Florida Micro Computer Systems	121	427 Micro-Design	217	340 SLR Systems	293
390 Applied Microsystems Inc.	321	214 Fort Worth Computers	185	428 Micro-Design	217	368 Safeware	237
514 Ashland Computer Systems	266	262 Frank Hogg Laboratory Inc.	304	76 Micro-Design	215	142 Sales Data Inc.	191
383 Astro-Star Enterprises	296	449 Frogg House/Professor Jones	230	132 Micro-80 Inc.	283	* Sandpiper Software	193
569 Aton International Inc.	348	379 Gamester Software	70	161 Micro-Grip Ltd.	231	203 Scientific Engineering Labs	257
551 B&B Electronics	348	186 Good-Lyddon Data Systems	29	419 Microhatch	187	570 Scott Tasso Associates	220
152 BCCOMPCO	48	287 H.A.K. Workshop	187	484 Micro Images	151	372 Screen Play	109
300 B.T. Enterprises	77	9 H & E Computronics	153, 155, 157, 159, 161, 162, 163	60 Micro Mainframe	241	272 Securities & Commodities Co.	225
184 Baudy House Computer Products	309	572 H.I.B.	352	96 Micro Management Systems Inc.	81	363 Shawmut Systems	191
243 Bay Technical Associates Inc.	221	355 Holman D.P. Services	368	94 Micro Management Systems Inc.	219	34 Shepherd Marketing	220
558 Beaver Electronics	352	153 Holmes Engineering Inc.	139	162 Micro Mega	273	163 Simutek Computer Products	263
25 Beta Enterprises Inc.	174	* HOT CoCo Subscription	291	117 Micromint Inc.	112	164 Simutek Computer Products	261
* Bible Research Systems	331	175 Howe Software	179	* Micro Price	297	12 Simutek Computer Products	259
106 Binary Devices	136	326 Hoyle & Hoyle	47	312 Microsette Co.	165	577 Single Source Solution	352
381 Boder	103	211 ICR Futuresoft	104	579 Micro Software	381	182 Small Systems Center, The	194
* Bottom Line, The	305	445 J/G	90	316 Micro Solutions Inc.	354	172 Soft Systems & Consulting	127
165 Briefcase Portable	238	446 J/G	91	384 Micro Systems Software Inc.	CII	116 Softronics	258
532 Brum Electronics	217	44 ISB	170	380 Microtech Exports Inc.	222	57 Softshell	317
181 CMD Micro	331	328 I.T.M.	36	548 Microwaves Computer Products	179	410 Software Factory	185
64 California Word Exchange	330	281 I.T.M.	132	* Midwest Computer Wholesale	231	399 Software Build, The	84, 85
279 Canadian Micro Software	230	289 I.T.M.	21	137 Miller Microcomputer Service	223	Software Options, The	75
466 Check-Mate	353	377 Innovative Data Technology	245	* Misosys	8, 116	327 Software Support	22, 23
103 Chromasette Magazine	97	596 Instant Software Inc.	333	58 Modular Software Associates	224	261 Software Inc.	217
148 Circle Computer	196	595 Assem/JZ Sim	337	67 Mumford Micro Systems	311	276 Solutions Inc.	8
102 CLoad Magazine Inc.	97	595 Conquer That Mtn	337	55 Mumford Micro Systems	102	292 Son Soft	152
448 Coleman Computer Services	218	597 Music Teacher	317	559 Mumford Computer Software Co.	344	119 Spectral Associates	126
436 Communications Cable	174	598 Typing Teacher	267	533 NEBS Computer Forms	27	570 Spectro Systems	349
168 CompuDuo	174	351 Institute For Scientific Analysis	85	255 New Classics Software	56	506 Star Micronics Inc.	131
252 CompuAdd Corp.	289	470 International Software Sales Inc.	238	259 New Classics Software	56	17 Sublogic Communications Corp.	287
455 CompuKit	342, 343	439 JES Graphics	186	232 Nocona Electronics	319	456 Sunlock Systems	177
120 Computer Applications Unlimited	329	101 J & M Systems	250	508 Ocean Inc.	244	59 Sun Research Inc.	347
139 Computer Case Company	262	534 Jameco Electronics	71	50 Omikron	25	538 Sybox	147
133 Computer Discount of America	270	126 J.M.G. Software Int'l	69	568 Omnilog Inc.	346	174 Syracuse R & D Center	257
549 Computer Entrepreneur Publication	255	121 J.V.B. Electronics	224	36 Omnisoft Research	215	100 Systems Group, The	73
138 Computer Express	225	254 Janshil Software	187	195 Omnitak Computers Int'l Inc.	271	208 3M	99
357 Computer Friends	225	536 Johnson & Johnson Computers	303	206 Options-80	232	189 Tab Sales	260
420 Computer Peripheral Resources	283	16 K & L Software	61	151 Orion Instruments	339	70 Taranto & Associates Inc.	101
18 Computer Plus	19	554 K & L Software	346	321 PAB Software	178	440 Tech Data Corp.	215
505 Computer Services of Danbury	189	331 KSoft	177	433 PCB Systems	115	144 Texas Computer Components	152
453 Computer Shack	59	576 K & S Associates	344	207 Pacific Exchanges	222, 228, 232	59 Texas Computer Systems	189, 298
109 Computer Shack	269	485 Kaiglo Electronic Co. Inc.	176	567 Pacific Technology Services	344	320 Today's Future	172
39 Computer Shopper	336	354 Kuzel Computer Software	172	122 Pan American Electronics	309	81 Total Access	149
244 Computer Store, The	225	32 LNW Research Corp.	95	333 Peggytronics	243	552 Toucan Software	354
* Computerware	348	31 LNW Research Corp.	7	324 Pel/Tek	106	489 Triple-D Software	61
564 Computerware	352	30 LNW Research Corp.	197	* Percom Data Company	3	227 Trisoft	318
578 Comrex International Inc.	352	33 LNW Research Corp.	172	124 Perry Computers	177	522 TwoSixteen Magazine	221
45 Cornucopia Software	37	462 Langley St. Clair Instr. Inc.	29, 41, 87, 89, 254	176 Personal Computer Products	335	417 Universal Data Research	287
566 Corvus Systems Inc.	34	336 Last Electronics	231	509 Phone Line, The	347	413 Upwego	185
* Cosmopolitan Electronic Corp.	38, 39	472 Leading Edge Products Inc.	322	290 Pickles & Trout	265	10 VR Data Corp.	105, 307
187 Cottage Software	275	155 Leds Publishing Co. Inc.	196	490 Pin Inc.	146	169 Van Horn Office Supply	193
190 Creative Computer	70	* Level IV Products Inc.	143	160 Pioneer Software	117	166 Vanguard Technology	214
223 Crest Software	170	573 Lewis Computer Supply	348	306 Powersoft	194	* Vespa Computer Outlet	271
307 Custom Data	216	131 Libra Laboratories Inc.	49	315 Powersoft	309	335 Virginia Micro Systems	221
282 DFW Computer Center	130	75 Lichen Software	244	11 Practical Peripherals	CIII	305 Wadsworth Electronic Publishing	347
322 DiPunch Co.	61	563 Lichen Software	352	260 ProAm Software	245, 296	563 WattsOut Inc.	346
37 Dangar Enterprises	187	33 Lindbergh Systems	45	80 Program Store	180, 181	* Wayne Green/Book Nook	222, 228, 232, 271, 276, 309, 317, 336
452 Data-Mail	348	* Load 80/Color Load 80	66, 67	143 Progressive Electronics	129	277, 278, 279	
553 Datamate Co.	354	330 Logical Devices Inc.	303	423 Proper Touch, The	214	238 Western Micro Systems	308
438 Datascore	216	251 Logical Systems Inc.	57	98 Prosoft	31	179 Western Operations	245
118 Data Services Inc.	63	115 Lynn Computer Service	111	95 Prosoft	345	* William A. Fink	54
99 Data Systems	169	393 M.C.S. Software	341	91 Prosoft	33	237 Wittsoft	293
342 Datatek Inc.	306	398 MESC	125	557 Pulse Software	354	27 World Wide Data Systems Inc.	285
565 Datatek Inc.	354	128 Macro Systems Software	178	48 Quality Computer Services	52	* Wood Works, The	221
4 Data Timers	213			194 Quant Systems	238	158 XYZT Computer Dimensions Inc.	119
367 Digital Images	21					156 York 10 Computerware	349
204 DISKCount Data	79						

For further information from our advertisers, please use the Reader Service card.

The GAMER'S CAFE

by Rodney Gambicus

We'd never have gotten into this jam if Max hadn't stopped for fried okra in Marietta. We were heading south on Route 80, planning to bypass Atlanta and stop in Macon. That is, until Max spotted the neon sign.

"Bar-B-Que! Fried Okra!"

Next thing you know, we'd crossed the median, dodged a line of Georgia traffic, and headed back the other way. Econolines are not meant to jump medians. I thought we'd had it. I could tell Mercedes did too; she made a syntax error in the program she was writing.

While Max traded our extra copy of Dig Out for three orders of okra and four barbecue sandwiches to go, Mercedes and I decided to set up the Cafe in Atlanta after all: spread some gamers' good will, soak up that Southern hospitality, and keep Max off the highways for a while.

The plan was good, but my sense of direction was bad. I proceeded to circle the city on I-95 until sundown, muttering, "How do you get off this beltway?" while the others lost themselves in lunch ("This isn't bad," Mercedes said. "It's sort of like zucchini") and the mail.

Modesty is the true sign of a serious gamer, and Scott McClure, the "Expert High Score Demolisher" of Winter Park, FL (he bellowed, "I HAVE SPOKEN" in May), has been rebuked by several readers. Some thought his letter a joke or deplored his boasting; Jim Dossey of Ocala, FL was more businesslike—"I think he brags too much, so I beat his Bounceoids score (3,059,800 to 2,028,450)."

But even Jim's score must bow to Chas Weiss (Cleveland, OH), who had the game reset on him at 8,879,950 points with 135 men left. There's a remarkable silence from Winter Park.

Speaking of high scores ("Do we ever speak of anything else?" Mercedes muttered), we're considering dropping some entries from the board. Steven C. Ohliger II of Cincinnati may be innocent—he says, "I guess I found out the secret of the game Armored Patrol"—but his score of 1,000,000 makes us think he's stumbled into the "garage," as A.P. experts call it.

80 Micro revealed this invulnerable shelter in August 1982 (p. 21), and it seems the trick could make score claims meaningless. Steve Kolokowsky



Take that, Scott McClure

of Spring Valley, NY, even topped 500,000 just by leaving the game on all night.

Patrick Kellogg (White Bear Lake, MN) writes with other suspect games: "If you load in Super Nova in double-spaced (CHRS(23)) letters, you can play the game while your ship disappears. You can play forever doing this.

"Liberator will contort itself at 400,000 points, where the player can walk through walls, barrels, anything. And if you get blown up while bombing the base in Penetrator, you can fly underground. . . . Hasn't anyone else found these programming errors?"

We may drop these games from the Much-Too-Big Board (as the editors in Peterborough call it). Meanwhile, Patrick adds, "How about the secret message in Asylum, the 'dividing line' in Eliminator, or the way to get 10,000 free points in Demon Attack? But that's for you to find out."

Finally, there's someone with no name, no address, and no spelling: "My name is Doctor Damage. That's all you'll ever now." We'll print scores without photos, but only from real people.

Max had been looking at the prism-and-glass cityscape and mumbling "Rhett Butler. . . here?" and Mercedes had fallen asleep by the time I veered off the beltway somewhere on the outskirts of town. The first thing we saw was a sign for a place called the Limelight.

"A bar?" Max asked, looking at me.

"Drinks? Beer? Pretzels?" I murmured, looking at him.

"Months on the road sharing milk shakes with an 11-year-old," he growled. "I've had it." So we locked Mercedes in the van and rushed for the entrance.

Once inside, Max and I just stood on the balcony taking it all in: the lights flashing in the cavernous black interior; the frenetic dancers amidst the Lucite; New Wave music, decibels beyond our Radio Shack Minisette.

It was there, beers in hand, that we came to the awful realization: We couldn't think of anything to think or talk about but the Cafe. The dancers reminded Max of Apple Panic, and the lights made me think of readers' answers to our call for screen photo tips.

Michael Peters, district technical representative for Business Imaging Systems, sent advice from Eastman Kodak: "Adding light from a flash or other source only serves to overpower the light produced from the monitor. Try photographing the screen with little or no room light and no flash.

"For best results, use a shutter speed slower than 1/60 of a second to permit a complete scan. Faster speeds will cause a diagonal band to appear on the screen, obliterating information."

Kurt Plowman (Harrisonburg, VA) recommends an even slower speed—1/30, sometimes 1/15 or 1/8—since the monitor is displaying 30 frames per second. Carl Mann (Newburyport, NH) adds that 400 ASA color film works nicely; set the f-stop or aperture after you set the shutter speed.

Inexpensive models with fixed focus and aperture, Carl says, just can't use the screen's light, though an SX-70 or other instant camera with an automatic shutter might do the job.

Conversation was dragging again when Max suddenly spilled his beer. "Mercedes!"

"What?" I followed his shaking finger and saw someone cutting across the dance floor. "Here?"

"No," Max said hopefully. "Could be anyone."

"With dyed hair, leather flight jacket, tap shoes, and a Model 100 slung on her hip from a guitar strap?" I moaned. "It's her all right."

Max was so unnerved at seeing her that he jumped off the balcony and landed below on all fours. He won the dance contest. I took the stairs.

We caught up with her just as she was describing audio spectrum analyzers and sound frequencies to a member of the stage crew. "Oh, hi, guys. This is a neat place. Did you know the Tubes use a Color Computer to synchronize their light display?"

At that moment a security guard arrived, shouting something about jumping off the balcony and being underage. He made us wait backstage while he called Mercedes' dad in Baltimore.

"Twenty years to life," I muttered. "This is going to put us behind schedule on the one-line games contest."

"I think I'll write an adventure and enter the contest myself," Max said. "Win a subscription to 80 Micro for the Harlan County Jail."

He grabbed a napkin and started scribbling:

```
10 CLS:PRINT"WELCOME TO...";
:FORX=1TO800:NEXT:PRINT"ESCAPE
FROM DOOM!";FORY=1TO2STEP0:"FORX
=1TO800:NEXTX:CLS:INPUT"You are in a
room with 3 doors marked 1, 2, & 3. Which do you
want";A:IFA=1CLS:PRINT"Wow! You've
escaped!"ELSECLS:PRINT"Sorry, try
again!";NEXTY
```

Mercedes was not impressed: "Geez, that's even duller than the guess-the-random-number games."

"There's a line here that's too long for the screen," I added. "Could you put in a carriage return?"

"No way," Max said. "I had to go into Edit mode to get the last few characters in."

"And that was after I showed him

how to use question marks for PRINT," Mercedes muttered.

"Miss Silver?" the guard yelled. "Your father wants to talk to you." Mercedes winced and scurried off to the phone. She returned, walking very fast—"Dad told them we were harmless; let's get out of here"—and we made, as the saying goes, a bolt for the door.

So we're back on the road—Mercedes' dad apparently wants us to take her straight to Baltimore, but she says the Epcot Center and Disney World are very educational—and the contest's on schedule after all.

If you think you can do better than Max (either adventure or arcade, as long as it fits in 255 bytes of Model I/III/4 Basic), send those games, postmarked by August 1. We're going to publish a bunch of runners-up as well as the lucky subscription winner.

And Max says he's working on a tip sheet for Escape from Doom. ■

The Big Board

Alien Defense	1,124,950	Tommy Seniuk, Vegreville, Alta.	Missile Attack	41,430	John Kane, Nelson, N.Z.
Armored Patrol	1,000,000*	Steven Ohliger, Cincinnati, OH	Monkey Kong (CC)	746	Andrew Puglise, Aliquippa, PA
Astro Blast (CC)	15,225	Andrew Puglise, Aliquippa, PA	Monster Invaders	32,620	Troy Scrapchansky, Uncasville, CT
Attack Force	1,306,810	Johanna Bennett, Ft. Greeley, AK	Monster Maze (CC)	14,340	Rich Fiore, Clemson, SC
Bable Terror	7,858	Mad Max	Olympic Decathlon	9,598	Matt Dossey, Ocala, FL
Barricade	17,520	Troy Scrapchansky, Uncasville, CT	Outhouse	524,746	Joerg Klor, Pattenham, W. Germany
Bounceoids	8,879,450	Chas Weiss, Cleveland, OH	Pac Attack (CC)	56,235	Andy Lehtola, Mound, MN
Caterpillar	249,656	David Smith, Kingwood, TX	Paddle Pinball	3,980,310	Brian Gehrich, Quincy, IL
Chicken	8,922	Halfdan Hansen, Nelson, N.Z.	Panik	43,370	Jim Dossey, Ocala, FL
Cosmic Fighter	581,280	L. Ken Jackway, Phoenix, AZ	Penetrator	345,510	George Heineman, Framingham, MA
Cyborg	99,960	George Heineman, Framingham, MA	Planet Invasion (CC)	68,500	Mark Silverman, Atlanta, GA
Defense Command	126,170	Bette Dufraigne, Bolton, CT	Planetoids	48,270	Ron Johnston, Emporia, KS
Demon Seed	94,210	Philip MacKenzie, Bloomfield Hills, MI	Polaris (CC)	53,879	Rich Fiore, Clemson, SC
Dig Out	194,100	Ron Coleman, Jacksonville, FL	Poltergeist (CC)	4,840	Rich Fiore, Clemson, SC
Donkey King (CC)	74,800	Richard Uglum, Milwaukee, WI	Robot Attack	143,250	Mark Fertig, Northville, MI
Dungeon Escape	2,028	Farhad Abrishami, Silver Spring, MD	Scarfman	679,490	David Heyman, Conway, PA
Eliminator	474,950	Ron Johnston, Emporia, KS	Sea Dragon	552,890 + +	John Hope, Kingston, Ont.
Flying Saucers	1,786	Mark Fertig, Northville, MI	Skyscraper	10,000,000	Scott Trent, Hales Corners, WI
Fortress	187,600	Mark Brinkman, Emporia, KS	Space Castle	39,000	Brian Gehrich, Quincy, IL
Frogger	45,810	Ron Johnston, Emporia, KS	Space Intruders	14,030	Ron Johnston, Emporia, KS
Galactic Attack (CC)	41,340	Rich Fiore, Clemson, SC	Space Warp (Level 8)	261	Jer McLanahan, New Canaan, CT
Galaxy Invasion	7,185,230**	James & Richard Oh, Pebble Beach, CA	Stellar Escort	53,350	Geordon Portice, Twining, MI
Galaxy Invasion Plus	1,113,600	Geordon Portice, Twining, MI	Storm (CC)	170,775	Andrew Puglise, Aliquippa, PA
Ghost Hunter	41,190	John Kane, Nelson, N.Z.	Strike Force	433,900	C. Athanas & N. Kincaid, Topsham, ME
Haywire (CC)	4,950	Richard Vehlow, Bayside, NY	Super Nova	2,138,710	Mark Fertig, Northville, MI
Insect Frenzy	520,610	Darrien Ewaniuk, Vegreville, Alta.	Swamp Wars	59,130	Farhad Abrishami, Silver Spring, MD
Jovian	133,320	Mark Brinkman, Emporia, KS	Time Runner	89,479	Mad Max
Laserball	72,530	Neil Matson, Panama City, FL	Venture	29,440	Farhad Abrishami, Silver Spring, MD
Laser Defense	246,910	George Heineman, Framingham, MA	Venturer (CC)	919,050	Richard Vehlow, Bayside, NY
Leaper	35,410	Tommy Seniuk, Vegreville, Alta.	Voyager 1	833	Farhad Abrishami, Silver Spring, MD
Liberator	1,000,000	Steven Renner, Chagrin Falls, OH	Weerd	17,120	Chris Athanas, Topsham, ME
Lunar Lander	9,600	Nelson Kruger, Duarte, CA			
Meteor Mission 2	119,750	Bob Brown, Dallas, TX			
Meteoroids (CC)	25,270	Andrew Puglise, Aliquippa, PA			
Microbes (CC)	69,400 +	Rich Fiore, Clemson, SC			


Gamer's Cafe readers are invited to submit their high scores, for these and other TRS-80 games. We'll print unvalidated scores, but validated ones (a photo of the screen) will, of course, rank higher in prestige.

* Armored Patrol and several other games are on Cafe probation. See next month's Big Board for the verdict.

** Solo record: 2,423,850 (Michael Titus, Horseheads, NY).

+ Level 6.

+ + Expert mode: 339,080 (David Smith, Kingwood, TX).



For everyone who's tried
to top the MX-80, bad news.
We just did.

Epson.

97

The Epson MX-80 is the best-selling dot matrix impact printer in the world. It has been since its introduction. And despite the host of imitators it spawned, no one has been able to top it. Until now.

FX-80: Son of a legend.

The new Epson FX-80 is far more than just doo-dads added on to last year's model. It's the most astonishing collection of features ever assembled in a personal printer.

For starters, it's fast: 160 CPS. And clean. All the print quality Epson is famous for in a tack-sharp 9x9 matrix.

But that hardly scratches the surface.

Create your own alphabet.

With the new FX-80, you aren't limited to ASCII characters. You can create your own. Any character or symbol that can be defined in a 9x11 matrix can be added to the FX-80's already impressive library of type styles and stored in its integral 2K RAM.

So you can create "Sally's Gothic" or "Tom's Roman" just by downloading and modifying standard characters. Or you can create a custom set from scratch. Either way, you can store up to 256 new characters. And if you don't need a new alphabet, the RAM functions as a 2K data input buffer.

Who knows graphics better than Epson?

Nobody, that's who. And if you don't believe it, witness the FX-80.

With a 12K ROM capacity, the FX-80 gives you a few things the others don't. For example, not one, not two, but *seven* different dot addressable graphic modes are program

selectable. And can be mixed in the same print line. Everything from 72 DPI (dots-per-inch) Plotter Graphics to the 640 dots per line resolution designed to match the remarkable monitor clarity of the Epson QX-10 personal computer.

And *that* is in addition to an astonishing array of 136 different user-selectable type styles including Proportional, Elite and Italic as well as the more conventional faces you get on other printers.

Hard-to-beat hardware.

The FX-80 has all the hardware features you've come to know and love on the MX Series: logic seeking, bidirectional printing, the by-now-famous disposable printhead, and more.


The FX-80 features an adjustable pin platen or optional friction/tractor feed, so you can use fanfold, roll or sheet paper ... backwards or forwards. The FX-80 even gives you reverse paper feed.

And if you're printing forms, the FX-80 has a feature you're gonna love: a function that allows you to tear off the paper within one inch of the last print position.

Be the first on your block.

We'd be willing to bet that the FX-80 — like the MX-80 — will have its share of imitators. Don't be fooled. To make sure you get the genuine article, rush down to your local computer store right now and let them show you everything the FX-80 can do.

And while you're there ... ask them to show you how it works with our computers.



EPSON
EPSON AMERICA, INC.
COMPUTER PRODUCTS DIVISION

3415 Kashiwa Street
Torrance, California 90505
(213) 539-9140.
Outside California, phone
(800) 421-5426 for the
Epson dealer nearest you.

A variety of problems in science, engineering, mathematics, and statistics lead to eigenvalues. The determination of frequencies in freely oscillating mechanical or electrical systems, or critical frequencies for rotating shafts, lead to eigenvalue problems. The solutions of many partial differential equations also lead to eigenvalue problems. Determining the principal components of regression matrices (a type of statistical analysis called factor analysis) and determining the relationship between two groups of correlations (called canonical correlation) lead to eigenvalue problems.

An eigenvalue is also known as a characteristic value. In equation 1, A is a square n by n matrix, λ is a scalar (real number), and X is an n by 1 vector:

$$AX = \lambda X \quad \text{Equation 1}$$


The values of λ that make equation 1 true for matrix A are called the *eigenvalues*. The vectors X that make the equation true for some λ are called *eigenvectors*. Together, an eigenvalue and its corresponding eigenvector are called an *eigenpair*.

In principle, the λ 's are easy to find. If you evaluate the determinant in equation 2, you obtain the n th-order polynomial. The I in equation 2 is the n th-order identity matrix. The roots of this polynomial are the eigenvalues. The polynomial arrived at is the *characteristic equation*.

$$\det(\lambda I - A) = 0 \quad \text{Equation 2}$$

Determination and solution of the characteristic equation is one of the least practical methods for solving eigenvalue problems, however. First, expanding the determinant of a 20 by 20 matrix requires 10^{18} arithmetic operations. Since errors add up, the coefficients for the characteristic equation may be totally meaningless by the time the expansion is complete. Add to this the round-off error due to numerical solutions of the polynomials, and you have a pretty bad mess.

The most popular method for determining the largest eigenvalue is the *power method*. Assume that the square matrix A has n eigenvalues, one of which is larger than the others, and that A has n linearly independent eigenvec-



Eigenvalues and eigenvectors

tors $U_1 \dots U_n$ (linearly independent means that no eigenvector is produced

by the combination of the other eigenvectors).

Any vector in the n -dimensional space can be represented by a weighted sum of the various eigenvectors. For an arbitrary vector X_0 ,

$$X_0 = a_1 U_1 + a_2 U_2 + \dots + a_n U_n \quad \text{Equation 3}$$

If you let:

$$X_i = A X_0 = A (a_1 U_1 + a_2 U_2 + \dots + a_n U_n) \quad \text{Equation 4}$$

$$= a_1 A U_1 + a_2 A U_2 + \dots + a_n A U_n \quad \text{Equation 5}$$

Since all the U_i 's are eigenvectors of A , then

$$A U_i = \lambda_i U_i$$

This is true for all $i = 1$ to n , so the substitution in equation 5 produces:

```

10 REM EIGENVALUES VIA POWER METHOD
20 DEFINT I-N:DEF FN MAX(A,B)=-(A>B)*A-(B>A)*B
25 DEF FN DNE(A,B)=(ABS(A-B)<=.00001)
30 CLS:PRINT"EIGENVALUES BY POWER METHOD"
40 INPUT"ENTER THE ORDER OF THE MATRIX";N
50 DIM A(N,N),B(N),C(N)
60 PRINT"ENTER THE ROWS OF A"
70 FOR I=1 TO N:PRINT"ROW #";I
80 FOR J=1 TO N:INPUT A(I,J):NEXT J,I
90 PRINT"ENTER INITIAL VECTOR"
100 FOR I=1 TO N:INPUT B(I):NEXT I
110 FOR K=1 TO 10:REM MAX ITERATIONS
120 GOSUB 1000:REM A(I,J)*X(K)=>M*X(K+1)
130 GOSUB 3000:REM COMPUTE B = EIGENVALUE
140 GOSUB 2000:REM UPDATE VECTOR
150 GOSUB 4000:REM PRINT APPROXIMATION
160 IF FN DNE(B,B1) THEN PRINT,"CONVERGED!":GOTO 190
170 B1=B:REM UPDATE LAST EIGENVALUE
180 NEXT K:PRINT,"DID NOT CONVERGE"
190 END
1000 REM MULTIPLIES A(N X N) BY VECTOR B (N)=> VECTOR C (N)
1010 C=0:FOR I=1 TO N:C(I)=0
1020 FOR J=1 TO N
1030 C(I)=C(I)+A(I,J)*B(J)
1040 NEXT J:C=FN MAX(C,C(I)):NEXT I
1050 FOR I=1 TO N:C(I)=C(I)/C:NEXT I
1060 RETURN
2000 REM STUFF VECTOR C ==> B AND SCALE IT
2010 FOR I=1 TO N:B(I)=C(I):NEXT I
2020 RETURN
3000 REM GET EIGENVALUE
3010 XK=0:XJ=0:FOR I=1 TO N
3020 XK=B(I)*B(I)+XK
3030 XJ=B(I)*C(I)+XJ
3040 NEXT I
3050 B=C*XK/XJ:REM EIGENVALUE APPROXIMATION
3060 RETURN
4000 REM PRINT RESULTS
4010 PRINT,"CURRENT APPROXIMATION"
4020 PRINT"EIGENVALUE=";B
4030 PRINT"EIGENVECTOR=";:FOR I=1 TO N:PRINT B(I);:NEXT:PRINT
4040 RETURN
    
```

Program Listing 1

If You Do A Lot Of Editing Of Your BASIC Programs, Then This Is The Editor For You!!!

The Full Screen Text Editor for BASIC, we were the first to give the TRS-80 this indispensable ability. What ability? The ability to edit your BASIC program with the ease of word processing. It is a type of word processor specifically designed to handle BASIC programs instead of letters and documents.

■ The capability to change, insert and delete a character or characters:

Simply position the cursor over the character that you wish to change and type in the new one. Another handy feature is Insert Mode, this is used to add text in the middle of a program line.

■ Extend a line or insert new lines:

Extending a line is as simple as two keystrokes, instantly the cursor jumps to the end of the program line and the editor is placed in the insert mode.

■ Delete, copy or move statements:

All you have to do is mark the line or block of lines and then tell the editor where to move or copy them.

■ Global Search and/or change any specified string:

Have you ever needed to change a lot of PRINT statements to LPRINTs?

■ Macro key facility:

Macro keys can cut your programming time in half. You can define each of the 26 letter keys (A-Z) to represent BASIC keywords, or any letter or number combination up to 6 characters per key.

■ Renumber commands:

Whats so special about this renumber facility? Not only can it renumber selected portions of your program, it also checks all GOTO, GOSUB, THEN and ELSE statements and updates them as needed!

You may have seen other Editor programs advertized that give you one, maybe two of these features. You may have also seen some of these features sold as separate utility programs.

Only CAU offers a complete editing system, not just a word processor patched up to handle line numbers.

You can order the BASIC Editor directly from Computer Applications Unlimited or ask your local computer store.

Cat# 1210-20 for TRS-80 Mod 1 & 3 **only \$29.95**

The Editor is supplied on tape with complete instructions to move it to disk. If you wish us to send the editor on disk please add \$5.00 and ask for a DISK DUMP.

Add \$2.00 for shipping in the U.S. and Canada, \$10.00 outside USA

N.Y. State Residents add applicable Sales Tax. Dealer Inquiries Invited.

Computer Applications Unlimited
P.O. Box 214, Dept FSBE, Rye, N.Y. 10580
(800) 354-5400 (toll free, orders only)
(914) 937-6286 (questions & NY state residents)



COMPUTER APPLICATIONS UNLIMITED
a div. of CAU, Inc.

TRS-80 is a TM of Tandy Corp.

✓120

Program Listing 2

```

PROGRAM POWER;
CONST
  MAX_SIZE = 10; (* maximum size of the matrix *)
TYPE
  MATRIX = ARRAY(1..MAX_SIZE,1..MAX_SIZE) OF REAL;
  VECTOR = ARRAY(1..MAX_SIZE) OF REAL;
VAR
  A : MATRIX;
  B,C : VECTOR;
  SIZE,MAX_IT,LOOPS : INTEGER;
  EIGENVALUE, LAST, SCALE : REAL;
FUNCTION DONE(A,B: REAL): BOOLEAN;
BEGIN
  DONE := (ABS(A-B) <= 0.00001)
END;
PROCEDURE INPUT_MATRIX(VAR A: MATRIX; VAR S: INTEGER);
VAR
  I,J : INTEGER;
BEGIN
  WRITE('ENTER THE SIZE OF THE MATRIX: ');
  READLN(S);
  FOR I:= 1 TO S DO
    BEGIN
      WRITELN('ENTER ROW NUMBER',I:4,' ');
      FOR J:= 1 TO S DO
        READLN(A(I,J));
      END;
    END;
END;
PROCEDURE INPUT_VECTOR(VAR V:VECTOR; S:INTEGER);
VAR
  I : INTEGER;
BEGIN
  WRITELN('Enter initial guess of eigenvector');
  FOR I:= 1 TO S DO
    BEGIN
      WRITE('ENTER ELEMENT',I:4,' ');
      READLN(V(I));
    END;
  END;
END;
PROCEDURE MULT_A_X_B(VAR A: MATRIX; VAR B,C:VECTOR;
  VAR SCALE: REAL; SIZE: INTEGER);
VAR
  I,J : INTEGER;
FUNCTION MAX(A,B: REAL): REAL;
BEGIN
  IF ABS(A) > ABS(B) THEN
    MAX := A
  ELSE
    MAX := B
  END; (* end MAX *)
BEGIN
  SCALE := 0;
  FOR I:= 1 TO SIZE DO
    BEGIN
      C(I) := 0;
      FOR J:= 1 TO SIZE DO
        C(I) := C(I) + A(I,J)*B(J);
      END; (* END FOR J *)
      SCALE := MAX(SCALE,C(I));
    END; (* END FOR I *)
  FOR I:= 1 TO SIZE DO
    C(I) := C(I)/SCALE
  END; (* END MULT_A_X_B *)
PROCEDURE GET_EIGEN(VAR B,C:VECTOR; SIZE: INTEGER;
  VAR EIGENVALUE,SCALE: REAL);
VAR
  X,Y : REAL;
  I : INTEGER;
BEGIN
  X := 0; Y := 0;
  FOR I:= 1 TO SIZE DO
    BEGIN
      X := B(I)*B(I) + X;
      Y := C(I)*B(I) + Y;
    END;
  EIGENVALUE := SCALE*X/Y;
END; (* END GET_EIGEN *)
PROCEDURE PRINT(EIGENVALUE: REAL; VAR EIGENVECTOR: VECTOR);
VAR
  I : INTEGER;
BEGIN
  WRITELN('Current approximation');

```

$$X_1 = a_1 \lambda_1 U_1 + a_2 \lambda_2 U_2 + \dots + a_n \lambda_n U_n$$

Equation 6

We can define X_2 :

$$X_2 = A X_1 = a_1 \lambda_1 U_1 + \dots + a_n \lambda_n U_n$$

or

$$X_2 = A X_1 = A^2 X_0$$

Equation 7

We can define a sequence of these X_i 's as $X_i = A X_{i-1}$. Therefore,

$$X_k = a_1 \lambda_1^k U_1 + \dots + a_n \lambda_n^k U_n$$

Equation 8

We can factor out λ_1^k , leaving

$$X_k = \lambda_1^k (a_1 U_1 + a_2 (\lambda_2/\lambda_1) U_2 + \dots + a_n (\lambda_n/\lambda_1) U_n)$$

Equation 9

Since λ_1 is larger than the rest of the eigenvalues (we assumed we had a largest eigenvalue at the start), then as k approaches infinity all the ratios of (λ_i/λ_1) will approach zero.

Therefore, for a sufficiently large k :

$$X_k \approx \lambda_1^k a_1 U_1$$

Equation 10

or

$$X_{k+1} = \lambda_1 X_k$$

Equation 11

This is a convergent sequence of numbers. As k gets larger, the accuracy of equation 10 increases, since the other terms get closer to zero.

This approach, formalized into an algorithm, is called the power method. Since you want to find λ_1 (and because division by a vector doesn't make any sense), you need to produce the dot product of both sides of equation 11 and solve for λ_1 :

$$\lambda_1 = (V \cdot X_{k+1}) / (V \cdot X_k)$$

Equation 12

There are several options for our choice for the vector V , as long as we don't let V be all zeros. A common choice is $V = X_k$. This makes equation 12:

$$\lambda_1 = (X_k \cdot X_{k+1}) / (X_k \cdot X_k)$$

Equation 13

By the definition of the eigenvalue problem, the X_k 's converge to the eigenvector corresponding to the eigenvalue computed. There is a problem, however.

Listing 2 continues

Listing 2 continued

```

WRITELN('Eigenvalue =', EIGENVALUE:8:5);
WRITELN('Eigenvector: ');
FOR I:= 1 TO SIZE DO
    WRITE(EIGENVECTOR(.I.):16:5);
WRITELN;
END; (* END PRINT *)
BEGIN (* MAIN PROGRAM STARTS HERE *)
WRITELN('Eigenvectors by Power Method');
WRITELN('by Bruce Powel Douglass');
WRITELN('A-Priori Software, 1983');
INPUT_MATRIX(A,SIZE);
INPUT_VECTOR(B,SIZE);
WRITE('Enter maximum number of iterations: ');
READLN(MAX_IT);
LOOPS := 0;
LAST := 0;
WHILE (LOOPS<=MAX_IT) AND NOT(DONE(LAST,EIGENVALUE)) DO
    BEGIN
        LAST := EIGENVALUE;
        MULT_A_X_B(A,B,C,SCALE,SIZE);
        GET_EIGEN(B,C,SIZE,EIGENVALUE,SCALE);
        B := C; (* UPDATE EIGENVECTOR *)
        PRINT(EIGENVALUE,B);
        LOOPS := LOOPS + 1;
    END;
IF LOOPS>MAX_IT THEN
    WRITELN('DID NOT CONVERGE!')
ELSE
    WRITELN('CONVERGED!');
END.

```

gle-precision numbers is exceeded (about $1 \text{ E } 38$). An underflow occurs when the number represented falls between the smallest number greater than zero that the computer can represent in single-precision format and zero, and it is represented as zero. To avoid this problem, we will scale the eigenvector during each iteration by dividing all elements of the eigenvector by the largest element. Numbers are thus not allowed to grow significantly larger than zero during each iteration.

If we let m_{-i} be the scaling factor for the i th iteration, we see the algorithm producing:

$$A X_0 = m_1 X_1 \quad \lambda_1 = m_1 (X_1 \cdot X_0) / (X_1 \cdot X_1)$$

$$A X_1 = m_2 X_2 \quad \lambda_2 = m_2 (X_2 \cdot X_1) / (X_2 \cdot X_2)$$

Program Listing 1 (Power) performs this algorithm to find the largest eigenvalue of a square matrix. It assumes the eigenvalue is real and not complex. If the matrix is symmetric, the power method converges twice as fast as for a nonsymmetric matrix. A well-known theorem of linear algebra also assures us

Since these equations compute powers of λ and the eigenvector X , they run the risk of under- or overflow. An overflow occurs when the range of sin-

CANADIANS

HACKER'S PARADISE

ADVENTURE INTERNATIONAL

ACORN SOFTWARE

APPARAT INC.

BIG FIVE

COMPUTERWARE

EPSON PRINTERS

INSTANT SOFTWARE

MARK DATA

MED SYSTEMS

FANTASTIC SOFTWARE

SPECTRAL

WORD PROCESSORS

BOOKS

DISK DRIVES

DISKETTES

LOWER CASE MOD -- MOD I

\$29.95 \$2.00 & H

AND MORE

MOD I MOD III COLOR

Visa & Mastercard

Phone or Write for Catalogue

[403] 488-7109

CMD MICRO

10447 - 124 Street

Edmonton, Alberta

T5N 1R7

Authorized MTI Dealer 181

For Those Who Seek.

Bible study aids from Bible Research

Systems include the complete KJV Bible text on disks. THE WORD processor can search the Scriptures for any word or phrase. Any portion of the Bible can be printed or displayed. Create your own library of research materials or use ours, called TOPICS.

TOPICS contains cross-reference indexes on over 200 of the primary subjects discussed in Scripture.

Bible Research Systems applies computer technology to personal study of the Scriptures.

TOPICS
\$49.95

Bible Research Systems
9415 Burnet, Suite 208
Austin, TX 78758
(512) 835-7981

THE WORD
processor
\$199.95

Plus \$3 postage handling

Requires APPLE II+, IBM-PC, TRS80-II, or CP/M 8" (Trademarks of APPLE, IBM, Tandy, Digital Research Corporations)

Program Listing 3

```

10 REM      EIGENVALUES/VECTORS BY DEFLATION-POWER METHOD
20 REM      BY BRUCE POWEL DOUGLASS, A-PRIORI SOFTWARE 1983
30 DEFINT I-L,N:DEF FN MAX(A,B)=-(ABS(A)>ABS(B))*A-(ABS(B)>ABS(
A))*B
40 DEF FN DNE(A,B)=(ABS(A-B)<=0.0001)
50 CLS:PRINT"EIGENVALUES BY POWER METHOD"
60 INPUT"ENTER THE ORDER OF THE MATRIX";N:N1=N:NS=1
70 DIM A(N,N),B(N),C(N),E(N),DF(N,N),UR(N,N),U(N,N),Z(N,N)
80 PRINT"ENTER THE ROWS OF A"
90 FOR I=1 TO N:PRINT"ROW #";I
100  FOR J=1 TO N:INPUT A(I,J):NEXT J,I
110 FOR I=1 TO N:UR(I,I)=A(I,I):NEXT I
120 PRINT"ENTER INITIAL VECTOR"
130 FOR I=1 TO N:INPUT B(I):NEXT I
140 INPUT"MAXIMUM NUMBER OF ITERATIONS";IT
150 FOR L=1 TO N:REM GET ALL EIGENVALUES
160 FOR K=1 TO IT:REM MAX ITERATIONS
170  GOSUB 290:REM A(,)*X(K)==>M*X(K+1)
180  GOSUB 390:REM COMPUTE B = EIGENVALUE
190  GOSUB 360:REM UPDATE VECTOR
200  GOSUB 460:REM PRINT APPROXIMATION
210  IF FN DNE(B,B1) THEN PRINT,"CONVERGED!":GOTO 240
220  B1=B:REM UPDATE LAST EIGENVALUE
230  NEXT K:PRINT,"DID NOT CONVERGE":STOP
240 GOSUB 740:REM STORE EIGENVALUE AND CALCULATE EIGENVECTOR
250 IF L<N THEN GOSUB 500:REM DEFLATE MATRIX
260 NEXT L
270 GOSUB 680:REM DISPLAY FINAL RESULTS
280 END
290 REM MULTIPLIES A(N X N) BY VECTOR B (N)==> VECTOR C (N)
300 C=0:FOR I=NS TO N:C(I)=0
310  FOR J=NS TO N
320    C(I)=C(I)+A(I,J)*B(J)
330  NEXT J:C=FN MAX(C,C(I)):NEXT I
340 FOR I=NS TO N:C(I)=C(I)/C:NEXT I:REM SCALE VECTOR
350 RETURN
360 REM STUFF VECTOR C ==> B AND Z
370 FOR I=NS TO N:B(I)=C(I)/C(NS):Z(L,I)=B(I):NEXT I
380 RETURN
390 REM GET EIGENVALUE
400 XK=0:XJ=0:FOR I=NS TO N
410  XK=B(I)*B(I)+XK
420  XJ=B(I)*C(I)+XJ
430 NEXT I
440 B=C*XJ/XK:REM EIGENVALUE APPROXIMATION
450 RETURN
460 REM PRINT RESULTS
470 PRINT"CURRENT APPROXIMATION",
480 PRINT"EIGENVALUE=";B
490 RETURN
500 REM DEFLATE MATRIX A(,)
510 GOSUB 550:REM BUILD DEFLATION MATRIX DF=A1()*U(I,)
520 GOSUB 610:REM A<== A-DEFLATION MATRIX, N<=N-1
530 FOR I=1 TO NS:B(I)=0:NEXT I:B(NS)=1
540 RETURN
550 REM BUILD DEFLATION MATRIX <== A1()*U(I,)
560 FOR I=NS TO N
570  FOR J=NS TO N
580    DF(I,J)=C(I)*A(NS,J)
590  NEXT J,I
600 RETURN
610 REM DEFLATE MATRIX A(N,N) TO A(N-1,N-1) AND
620 REM DECREASE N<=N-1
630 FOR I=NS TO N:FOR J=NS TO N
640  A(I,J)=A(I,J)-DF(I,J):NEXT J:NEXT I
650 NS=NS+1
660 FOR I=NS TO N:UR(NS,I)=A(NS,I):NEXT I
670 RETURN
680 REM DISPLAY FINAL RESULTS
690 PRINT"RESULTS:"
700 PRINT"EIGENVALUES: ";:FOR I=1 TO N:PRINT E(I);:NEXT I:PRINT
710 PRINT"EIGENVECTORS ARE THE COLUMNS"
720 FOR I=1 TO N:FOR J=1 TO N:PRINT USING "###.###" ;U(I,J);:N
EXT J:PRINT:NEXT I
730 PRINT:RETURN
740 REM STORE EIGENVALUES/VECTORS
750 E(L)=B:FOR I=NS TO N:C(I)=B(I)/B(NS):NEXT I
760 GOSUB 800:REM COMPUTE EIGENVECTOR
770 REM STORE EIGENVECTOR IN COLUMNS OF U
780 FOR I=1 TO N:U(I,L)=B(I):NEXT I
790 RETURN

```

Listing 3 continues

that if the matrix is symmetric, all the eigenvalues are real.

The program asks for the size of the matrix. This is equal to the number of the rows or columns of the matrix. A starting estimate for the eigenvector is also requested. You might type 1 (enter) 0 (enter) ... 0 (enter), for example. The program then computes the dominant eigenvalue and its corresponding eigenvector.

Consider the matrix A:

$$\begin{bmatrix} 5 & -2 \\ -2 & 2 \end{bmatrix}$$

Enter this 2 by 2 symmetric matrix by rows. Row 1 is 5 and -2. Row 2 is -2 and 2. The true result is $\lambda = 6$ and $X = [1 \ -5]$.

Power uses the DEF FN capability of Disk Basic. FN MAX(A,B) returns the value of the greater (in absolute terms) of its two arguments. FN MAX(-10,9) returns -10; FN MAX(3,4) returns 4.00. FN DNE(A,B) returns a logical True (-1) if the absolute value of the difference between them is less than 0.00001, the convergence criterion. You can set your own convergence criterion in the program or request it from the user, as you see fit. These functions are simply inserted within the program lines or called as subroutines for Level II users without Disk Basic.

Try Power with the sample problem and see how quickly it converges! Program Listing 2 is the same program written in Pascal. I tested it with Alcor Pascal, but it should run on any standard Pascal implementation, since no special features are used. Note that in Pascal the size of the arrays must be declared since Pascal does not support dynamic array dimensioning.

Well, that's an easy way to find the largest eigenvalue and eigenvector. As it turns out, the initial assumptions are a bit too strict. The largest eigenvalue can be repeated (there can be two largest eigenvalues) and the eigenvectors do not necessarily have to span the vector space for the power method to converge. For some problems, all you need is the largest eigenvalue and its eigenvector.

For other problems, however, you must know most or all of the eigenvalues, eigenvectors, or both. Other methods have been developed to solve this problem. I will discuss two: deflation technique and the inverse power method.

ASSEMBLY LANGUAGE PROGRAMMERS!

Edit Your Programs With Instant Software's
Advanced Debuggers!



Solve your programming problems from ASSEM to ZSIM!

ASSEM, the 3-pass editor/assembler:


- **USES** little RAM
- **PROVIDES** a powerful line editor
- **CORRESPONDS** with any parallel port printer
- **EXECUTES** without modification on 16, 32 or 48K systems, with 1-4 disk drives

ZSIM, the machine code simulator/debugger:

- **EMULATES** instructions using simulated registers
- **ASSEMBLES** directly to disk, tape or memory
- **TRACES** program execution through ROM to debug larger, more complicated programs with speed and accuracy.

The most advanced debugging system!

TRS-80* Model I only, Disk, 32K #0365RD \$119.97



Debug larger, more complicated programs with this simulating, labeling debugger! Any debugger will enhance the usefulness of your assembler, but only ZSIM can make your programming tasks easier! **ZSIM**:

- **RUNS** machine code instructions one-at-a-time at your bidding
- **EMULATES** the instruction using simulated registers
- **INTERRUPTS** the simulations whenever any one of a large number of user-specified conditions are met
- **DISPLAYS** mnemonics for each instruction, using convenient labels
- **LISTS** register contents and corresponding memory locations

ZSIM works on ROM as well as RAM since you don't need breakpoints to retain execution control (although breakpoint operation is also available). This is the best tool available to examine your code in **DETAIL!!**

Take a closer look at your assembly code!

TRS-80 Model I, Tape, 16K, #0376R \$29.95

Instant Software



*TRS-80 is a trademark of the
Radio Shack Division of Tandy Corporation.

YES!! I want to enhance my TRS-80! Send Me:

____ copies of 0365RD @ \$119.97

____ copies of 0376R @ \$29.95

Please add \$2.50 for postage and handling

☐ VISA ☐ MC ☐ AE ☐ CHECK/MO

Name _____

Address _____

City _____ State _____ Zip _____

Interbank _____

Card# _____ Exp. Date _____

Signature _____

Call toll free **1-800-258-5473**

Instant Software, Rte. 101 & Elm St.,
Peterborough NH 03458

338B8F

BUSINESS SOFTWARE

IBM-PC, OSBORNE, NORTHSTAR,
RADIO SHACK, XEROX, EPSON QX-10

CP/M & TRSDOS

ALL SOFTWARE INCLUDES SOURCE CODE
PRICE INCLUDES FULL SUPPORT

= \$ = TAX/PACK = \$ =

TAX/PACK FOR PRACTITIONERS IS COMPLETE, COORDINATED,
AND INCLUDES MOST-USED FORMS AND SCHEDULES. PRINTS
ALL SCHEDULES, NO MASKS, NO DATA FIELD ENTERED MORE
THAN ONCE. ALL DATA PASSED AUTOMATICALLY BETWEEN
SCHEDULES AND 1040. FULLY SUPPORTED ALL YEAR. PAR-
TIAL OR FULL SYSTEM. CAN BE USED FOR SINGLE OR
MULTIPLE RETURNS. EXTREMELY FLEXIBLE. COMPUTING
TAXES FOR OVER FIVE YEARS. STILL \$750.00 TIL SEPT. '83.

= \$ = ALSO: = \$ =

MAIL LIST MANAGER
UTILITY BILLING SYSTEM
REAL ESTATE APPRAISAL SYSTEM
PETROLEUM DISTRIBUTORS SYSTEM
RETAIL INVENTORY & BILLING SYSTEM

**ANALYTICAL
PROCESSES
CORPORATION**

635 Main Street or
P.O. Box 1313
Montrose, CO,
81402 or call
(303) 249-1400
VISA—M.C.

✓406

MASTER ELECTRONICS, INC.


*TRS-80 is a trademark of Tandy

CAN SET YOU UP IN A

TRS-80

STATE-OF-THE-ART-COMPUTER

STARTING AT 15% DISCOUNT!



FULLY STOCKED

IN: Model II's

Model III's

ALL-PRINTERS

AND — MORE!!

* PLUS *

THE ALL NEW:

Model 16 and the 12.5 meg. Hard Drive!

CALL US NOW!!!

Toll-FREE: 1-800-531-7323

TEXAS CALL COLLECT: 512/689-5536



MASTER ELECTRONICS, INC.
228 SOUTH 7th STREET
RAYMONDVILLE, TX 78580



✓146

Listing 3 continued

```

800 REM COMPUTE EIGENVECTOR
810 REM B(I) IS PASSED AS THE COMPUTED EIGENVECTOR
820 REM OF THE DEFLATED MATRIX, AND B(I) IS PASSED
830 REM OUT AS AN EIGENVECTOR OF THE ORIGINAL MATRIX
840 REM UR(I,J) HOLDS THE FIRST ROW OF THE VARIOUS
850 REM DEFLATED MATRICIES
860 REM Z(I,J) HOLDS THE COMPUTED EIGENVECTORS OF THE
870 REM DEFLATED MATRICIES. THIS EMULATES A RECURSIVE
880 REM DEFINITION FOR DETERMINING THE FINAL EIGENVECTOR
890 REM OF THE ORIGINAL MATRIX
900 FOR I=L-1 TO 1 STEP -1
910   SUM=0:FOR J=1 TO N
920     SUM=SUM+UR(I,J)*B(J)
930   NEXT J:REM SUM HOLDS THE DOT PRODUCT OF THE ROW AND THE C
COMPUTED EIGENVECTOR
940   IF SUM=0 THEN 990
950   T=(B-E(I))/SUM
960   FOR J=1 TO N
970     B(J)=Z(I,J)+T*B(J)
980   NEXT J
990 NEXT I
1000 RETURN

```

22.406875	7.513724	4.848950	1.327046	-1.096595
Eigenvectors (columns)				
0.245878	0.550962	0.547173	- .341013	- .469358
0.302396	0.709440	- .312570	0.116435	0.542212
0.453215	- .340179	0.618112	0.019591	0.544452
0.577177	- .083411	- .115607	0.682043	- .425866
0.556380	- .265436	- .455494	- .636071	- .088989

Figure 1

The scheme behind the deflation method is to use the power method to determine the largest eigenvalue and eigenvector. Then you factor out this solution from the matrix (deflate the matrix) and reapply the power method.

Let λ_1 be the dominant eigenvalue

and U_1 be its eigenvector of matrix A. Both values were determined by the power method. U_1 is normalized by dividing all its elements by the first, leaving a vector $U_1 = [1, u_2/u_1, u_3/u_1, \dots, u_n/u_1]$, or $U_1 = [1, e_1, e_2, \dots, e_n]$. Let a_1 be the first row of A, a_2 be the second

row, and so on. We can easily demonstrate the following equation:

$$A U_1 = \begin{bmatrix} a_{11} & a_{12} & a_{13} & \dots & a_{1n} \\ \vdots & \vdots & \vdots & \dots & \vdots \\ a_{n1} & a_{n2} & a_{n3} & \dots & a_{nn} \end{bmatrix} \begin{bmatrix} 1 \\ \vdots \\ e_n \end{bmatrix}$$

$$= \begin{bmatrix} a_{11} + e_2 & a_{12} + e_3 & a_{13} + e_n & a_{1n} \\ a_{21} + e_2 & a_{22} + e_3 & a_{23} + e_n & a_{2n} \\ \vdots & \vdots & \vdots & \vdots \\ a_{n1} + e_2 & a_{n2} + e_3 & a_{n3} + e_n & a_{nn} \end{bmatrix}$$

$$= \lambda_1 U_1$$

which implies

$$a_1 U_1 = \lambda_1$$

$$a_1 U_2 = \lambda_2$$

so we form the matrix

$$A - U_1 \cdot a_1$$

which zeros out the top row of the result:

$$\begin{bmatrix} a_{11} & a_{12} & a_{13} & \dots & a_{1n} \\ \vdots & \vdots & \vdots & \dots & \vdots \\ a_{n1} & a_{n2} & a_{n3} & \dots & a_{nn} \end{bmatrix} - \begin{bmatrix} 1 & \vdots & e_n \end{bmatrix} \begin{bmatrix} a_{11} & a_{12} & \dots & a_{1n} \end{bmatrix}$$

$$= \begin{bmatrix} 0 & 0 & 0 & \dots & 0 \\ z & \dots & \dots & \dots & \dots \\ z & \dots & \dots & \dots & \dots \\ z & \dots & \dots & \dots & \dots \end{bmatrix} \begin{bmatrix} B \end{bmatrix}$$

The result of the process $A - U_1 \cdot a_1$ leaves an n by n matrix with the top row

Continues on p. 338

DISCOUNT COMPUTERS

100% RS COMPONENTS, NO FOREIGN DRIVES OR MEMORY—FULL WARRANTY

8K MODEL 100	\$ 649.00	DMP 100 PRINTER.....	\$ 299.00
24K MODEL 100	799.00	DMP 200 PRINTER.....	599.00
16K MODEL 4	799.00	DMP 500 PRINTER.....	1398.00
64K MODEL 4	1579.00	DMP 2100 PRINTER.....	1599.00
80K MODEL 12, 1 DR.	2499.00	DWP 410 DAISY	1095.00
80K MODEL 12, 2 DR.	3149.00	DWP DAISY WHEEL II.....	1599.00
128K MODEL 16, 1 DR.	3898.00	12 MEG HD MODEL II/12/16.....	2769.00
128K MODEL 16, 2 DR.	4510.00	ALL RS SOFTWARE.....	20% OFF

CASHIERS CHECK OR MONEY ORDER MUST ACCOMPANY ALL ORDERS.

(817) 825-4027

NOCONA ELECTRONICS • Box 593 • Nocona, TX 76255

232


Program Listing 4

```

PROGRAM DEFLATE;
CONST
  MAX_SIZE = 10; (* maximum size of the matrix *)
TYPE
  VECTOR = ARRAY(1..MAX_SIZE) OF REAL;
  MATRIX = ARRAY(1..MAX_SIZE) OF VECTOR;
VAR
  A,U,UR,Z : MATRIX;
  B,C,E : VECTOR;
  SIZE,MAX_IT,LOOPS,L,J,NS,I : INTEGER;
  EIGENVALUE, LAST, SCALE : REAL;
PROCEDURE INITIALIZE(VAR A,U,UR,Z : MATRIX);
  VAR
    I,J : INTEGER;
  BEGIN
    FOR I:= 1 TO MAX_SIZE DO
      FOR J:= 1 TO MAX_SIZE DO
        BEGIN
          A(.I,J.):=0;
          U(.I,J.):=0;
          UR(.I,J.):=0;
          Z(.I,J.):=0;
        END;
      END;
    END;
  FUNCTION DONE(A,B: REAL): BOOLEAN;
  BEGIN
    DONE := (ABS(A-B)<=0.00001)
  END;
  PROCEDURE INPUT_MATRIX(VAR A,UR: MATRIX; VAR S: INTEGER);
  VAR
    I,J : INTEGER;
  BEGIN
    WRITE('ENTER THE SIZE OF THE MATRIX: ');
    READLN(S);
    FOR I:= 1 TO S DO
      BEGIN
        WRITELN('ENTER ROW NUMBER',I:4,' ');
        FOR J:= 1 TO S DO
          READLN(A(.I,J.));
        END;
        UR(.I.):= A(.I.);
      END;
    END;
  PROCEDURE INPUT_VECTOR(VAR V:VECTOR; S:INTEGER);
  VAR
    I : INTEGER;
  BEGIN
    WRITELN('Enter initial guess of eigenvector');
    FOR I:= 1 TO S DO
      BEGIN
        WRITE('ENTER ELEMENT',I:4,' ');
        READLN(V(.I.));
      END;
    END;
  PROCEDURE MULT_A_X_B(VAR A: MATRIX; VAR B,C:VECTOR;
    VAR SCALE: REAL; SIZE,NS: INTEGER);
  VAR
    I,J : INTEGER;
  FUNCTION MAX(A,B: REAL): REAL;
  BEGIN
    IF ABS(A)>ABS(B) THEN
      MAX := A
    END;
    FOR I:= 1 TO NS-1 DO
      B(.I.):= 0;
      B(.NS.):= 1;
    END;
    (* END REDUCE *)
  PROCEDURE PRINT(EIGENVALUE: REAL; VAR EIGENVECTOR: VECTOR);
  VAR
    I : INTEGER;
  BEGIN
    WRITELN('Current approximation');
    WRITELN('Eigenvalue =',EIGENVALUE:8:5);
    WRITELN('Eigenvector: ');
    FOR I:= 1 TO SIZE DO
      WRITE(EIGENVECTOR(.I.):16:5);
    END;
    WRITELN;
  END; (* END PRINT *)
  PROCEDURE PRINT_RESULTS(EIGENVALUES: VECTOR;
    VAR EIGENMATRIX: MATRIX; SIZE:INTEGER);
  VAR
    I,J : INTEGER;
  BEGIN

```

Listing 4 continues



TRS → IBM FILE TRANSFER PROGRAM

Transfer your TRS Model I, II, III, or 16 files to the IBM Personal Computer.

- No more retyping
- No more wasted time
- Fast transfer - baud rates of 110-9600
- File concatenation supported
- Send files of any length
- Make \$\$\$ - the IBM PC is new and software is scarce - take your "new" IBM programs and sell them for \$\$\$.
- Transfer **any** file - ASCII, embedded control codes, compressed binary formats, encrypted data bases, high level language programs (Basic, Fortran, Cobol, Pascal, etc.), electronic spread-sheet data, word processor files - it **all** gets transferred - nothing is added - nothing is lost!

The File Transfer Program comes complete with all instructions, hardware and software (for both TRS and IBM).

FILE TRANSFER PROGRAM diskette
(Works with IBM DOS 1.1 or 2.0)

\$89.95

Plus \$1.60 shipping & handling.
State TRS model when ordering.
(CA residents add 6.5% State sales tax)



MC/MSA/COD/CHECK OK



Phone orders call
(408) 988-0164

■ **PERSONAL**
■ **COMPUTER**
■ **PRODUCTS**

1400 Coleman Avenue, Suite C-18,
Santa Clara, California 95050

IBM is a registered trademark of International Business Machines Corp.

176

SLICK PAGES? NO! GREAT DEALS? YES!



Computer Shopper pages aren't slick because they were designed for one purpose: to put buyers in touch with sellers at the lowest possible cost. This resulted in bargains on new and used equipment and software. Individuals nationwide are able to list their pre-owned items for only a few dollars. This created hundreds of classified ads in over 100 big 11x14 pages. And to make sure there were enough buyers for advertisers, the subscription price was set low, too! So strike your first deal by taking advantage of this special trial subscription offer, today! **6 months, \$6 or 12 months, \$10.** Money back guarantee. MasterCard and VISA accepted.

COMPUTER SHOPPER

P.O. Box F583 • Titusville, FL 32780
305-269-3211

✓39

ATTENTION

Foreign Computer Stores/Magazine Dealers

You have a large technical audience that speaks English and is in need of the kind of microcomputer information the Wayne Green Publications group provides.

Provide your audience with the magazines they need and make money at the same time. For details on selling Microcomputing, 80 Micro, Desktop Computing, inCider, HOT CoCo, Instant Software and Wayne Green Books contact:

Sandra Joseph
World Wide Media
386 Park Ave. South
New York, N.Y. 10016
Phone—(212) 686-1520
Telex—620430

80micro Single Back Issues



January 1980.....\$5.00
February to June 1980.....3.00
Single back issue
July 1980 to May 1983.....3.50
Single back issue
June 1983 on.....4.50

Add \$1.00 per magazine for shipping.

10 or more back issues

add \$7.50 per order for shipping.

Back issues • Attn. Mail Order
80 Pine St. • Peterborough, NH 03458

COPERNICA MATHEMATICA

Listing 4 continued

```

WRITELN('Final results');
WRITELN('Eigenvalues');
FOR I:= 1 TO SIZE DO
WRITE(EIGENVALUES(I):8:5);
WRITELN;
WRITELN('Eigenvectors are the columns: ');
FOR I:= 1 TO SIZE DO
BEGIN
FOR J:= 1 TO SIZE DO
WRITE(EIGENMATRIX(I,J):16:5);
WRITELN;
END;
END; (* END PRINT_RESULTS *)
BEGIN (* MAIN PROGRAM STARTS HERE *)
WRITELN('Eigenvalues/vectors by Deflation-Power Method');
WRITELN('by Bruce Powel Douglass');
WRITELN('A-Priori Software, 1983');
WRITELN('Initializing ...');
INITIALIZE(A,U,UR,Z);
INPUT_MATRIX(A,UR,SIZE);
INPUT_VECTOR(B,SIZE);
WRITE('Enter maximum number of iterations: ');
READLN(MAX_IT);
NS:= 1;
FOR L:= 1 TO SIZE DO
BEGIN
LOOPS := 0;
LAST := 0;
EIGENVALUE := 1;
WHILE (LOOPS<=MAX_IT) AND NOT(DONE(LAST,EIGENVALUE)) DO
BEGIN
LAST := EIGENVALUE;
MULT_A_X_B(A,B,C,SCALE,SIZE,NS);
GET_EIGEN(B,C,SIZE,NS,EIGENVALUE,SCALE);
(* UPDATE EIGENVECTOR *)
FOR I:=NS TO SIZE DO
B(I):= C(I)/C(NS.);
PRINT(EIGENVALUE,B);
LOOPS := LOOPS + 1;
END;
IF LOOPS>MAX_IT THEN
WRITELN('DID NOT CONVERGE!')
ELSE
WRITELN('CONVERGED!');
Z(L):= B; (* STORE EIGENVECTOR OF SUBMATRIX *)
UPDATE_VECTOR(L,NS,EIGENVALUE,C,E,UR,Z);
IF L<SIZE THEN
REDUCE(A,NS,SIZE,C);
END; (* END FOR L *)
PRINT_RESULTS(E,U,SIZE);
END.

ELSE
MAX := B
END; (* end MAX *)
BEGIN
SCALE := 0;
FOR I:= NS TO SIZE DO
BEGIN
C(I):= 0;
FOR J:= NS TO SIZE DO
C(I):= C(I) + A(I,J)*B(J.);
SCALE := MAX(SCALE,C(I));
END; (* END FOR I *)
FOR I:= NS TO SIZE DO
C(I):= C(I)/SCALE
END; (* END MULT_A_X_B *)
PROCEDURE GET_EIGEN(VAR B,C:VECTOR; SIZE,NS: INTEGER;
VAR EIGENVALUE,SCALE: REAL);
VAR
X,Y : REAL;
I : INTEGER;
BEGIN
X := 0; Y := 0;
FOR I:= NS TO SIZE DO
BEGIN
X := B(I)*B(I) + X;
Y := C(I)*B(I) + Y;
END;
EIGENVALUE := SCALE*Y/X;
END; (* END GET_EIGEN *)
PROCEDURE UPDATE_VECTOR(L,NS: INTEGER; VAR EIGEN:REAL;
VAR C,E: VECTOR; VAR UR,Z: MATRIX);
VAR

```

Listing 4 continues

CONQUER YOUR MOUNTAIN OF BUSINESS PAPERWORK



Because it's there. And it'll be there until you have Easy Calc, Business Analysis and Master Plot... three essential additions to the modern professional's survival gear. Why spend endless hours forecasting, calculating and graph-plotting when Instant Software's business programs can do it for you? At a fraction of the time. And at a fraction of what you'd expect to pay.

MASTER PLOT

Get your point across graphically with this professional graph-plotting and printing package.

- Enter graph data from keyboard equations or from your BASIC programs.
- Plot up to 10 sets of data on the same graph.
- Create your own plotting symbols.
- Choose any number of horizontal and vertical lines.
- Select your own number of interpolated points between your data points.
- Print graphs any size from 1 x 1 to 7 x 24 inches.

Plus much more! Make your charts and graphs the easy way... with Master Plot.

Requires: TRS-80* Model I only
48K Disk Epson **MX-80
printer with Graphtrax
#0435RD \$149.95

BUSINESS ANALYSIS

Get forecasting capabilities previously available only on large computers. This flexible, professional time series analysis and forecasting package lets you:

- Forecast and analyze sales.
- Perform product and business planning.
- Analyze stock, trends and growth rates.
- Research business cycles.
- Forecast spending and energy consumption.

Plus much more! Analyze and forecast like a pro with Business Analysis.

Requires: TRS-80 Model I and III 32K
Tape #0140R \$75.00
Disk #0152RD \$99.95

EASY CALC

Turn your TRS-80 into an electronic spreadsheet!

- Write numeric data into simple rows and columns on your screen.
- Add, subtract, multiply, divide or exponentiate single values or rows and columns.
- Calculate percentages and summations of rows or columns.
- Enter and save entire series of calculations.
- Handles up to 600 figures.

Written for non-computerists. Easy to understand instructions. Easy to use.

Requires: TRS-80 Disk 48K
Model I: #0269RD \$49.95
Model III: #0369RD \$49.95

**Epson is a trademark of Epson America. *TRS-80 is a trademark of the Radio Shack Division of Tandy Corp.

YES! I want to conquer that mountain!

Send me: _____ #0269RD @ \$49.95 _____ #0369RD @ \$49.95
_____ #0435RD @ \$149.95 _____ #0152RD @ \$99.95 _____ #0140R @ \$75.00

- ☐ Check/MO
☐ Amer. Ex.
☐ MC
☐ VISA

NAME _____
ADDRESS _____
CITY _____ STATE _____ ZIP _____
CARD# _____
INTERBANK# _____ EXP. DATE _____
SIGNATURE _____

Add \$2.50 postage and handling

Instant Software™


1-800-258-5473
Rte. 101 & Elm Street
Peterborough, NH 03458

338B8C

✓ 595

Listing 4 continued

```

I,J : INTEGER;
SUM,T: REAL;
BEGIN
  E(L.) := EIGEN;
  FOR I:= NS TO SIZE DO
    C(I.) := B(I.)/B(NS.);
  FOR I:= L-1 DOWNT0 1 DO
    BEGIN
      SUM := 0;
      FOR J:= 1 TO SIZE DO
        SUM := SUM + UR(I,J.)*B(J.);
      IF SUM<>0 THEN
        BEGIN
          T := (EIGEN-E(I.))/SUM;
          FOR J:= 1 TO SIZE DO
            B(J.) := Z(I,J.)+T*B(J.);
          END (* END IF *)
        END; (* END FOR I *)
      FOR I:= 1 TO SIZE DO
        U(I,L.) := B(I.);
      END; (* END UPDATE_VECTOR *)
    PROCEDURE REDUCE(VAR A: MATRIX; VAR NS: INTEGER;
      SIZE: INTEGER; VAR C: VECTOR);
    VAR
      I,J : INTEGER;
      DF : MATRIX;
    BEGIN
      FOR I:= NS TO SIZE DO
        FOR J:= NS TO SIZE DO
          DF(I,J.) := C(I.)*A(NS,J.);
        FOR I:= NS TO SIZE DO
          FOR J:= NS TO SIZE DO
            A(I,J.) := A(I,J.)-DF(I,J.);
          NS := NS + 1;
          FOR I:= NS TO SIZE DO
            UR(NS,I.) := A(NS,I.);

```

Eigenvalues				
22.4069	7.51783	4.84594	1.32684	-1.09688
Eigenvectors (columns)				
1.0000	1.0000	1.0000	1.0000	1.0000
1.2299	1.2875	-.5792	-.3443	-1.1582
1.8425	-.6173	1.1378	-.0552	-1.1585
2.3467	-.1514	-.2108	-2.0012	0.9081
2.2620	-.4818	-.8335	1.8675	0.1911
Eigenvectors (columns)				
0.245878	0.550962	0.547173	-.341013	-.469358
0.302397	0.709353	-.316931	0.117402	0.543634
0.45301	-.3401	0.622593	0.018811	0.543765
0.576998	-.083417	-.115339	0.682444	-.426239
0.556187	-.265456	-.465066	-.636844	-.089681
Eigenvalue errors				
-.00002	-.00411	0.00301	0.00021	0.00029
Eigenvector errors				
0.00000	0.00000	0.00000	0.00000	0.00000
-.00000	0.00009	0.00436	-.00097	-.00142
0.00020	-.00008	-.00448	0.00078	0.00069
0.00018	0.00001	-.00027	-.00040	0.00037
0.00019	0.00002	0.00057	0.00077	0.00069

Fig. 2. Computed Eigenpairs from 5x5 matrix

Continued from p. 334

all zeros. After a little algebra, if λ is an eigenvalue of the smaller $(n-1)$ by $(n-1)$ submatrix B, then it is also an

eigenvalue of A, the original matrix. B is a deflated matrix to which you can now apply the power method to find the

next most dominant eigenvalue.

Producing the eigenvectors is a little more difficult. The power method applied to matrix B produces an eigenvalue λ_2 and corresponding eigenvector V. Because V has only $n-1$ elements, put a zero in the first position, so that it has a total of n elements. However, V is not, in general, an eigenvector of A; it is a linear combination of the most dominant eigenvector and the next most dominant eigenvector. In fact, we can show that

$$U_2 = U_1 - tV$$

where

$$t = (\lambda_1 - \lambda_2) / (a_{11} \cdot V)$$

(U_1 and U_2 are the most dominant and next most dominant eigenvectors).

If you compute a third submatrix, C, then the power method produces λ_3 (an eigenvalue of A) and V (a linear combination of U_1 , U_2 , and U_3). You can iteratively proceed until you've determined all eigenvalues and vectors. The Basic code in Program Listing 3 does this, as does the Pascal in Program Listing 4.

The eigenvectors are computed along with the eigenvalues, as in the straight power method. However, to come up with an eigenvector to the original matrix, you must recursively compute the eigenvectors by determining the vector corresponding to the current eigenvector of the next smallest submatrix that is an eigenvector of the next largest submatrix, until you are back to your original matrix. Easier to compute than to say!

Using the deflation programs, you can compute the eigenvalues and their corresponding eigenvectors from real matrices. If the eigenvalues are complex, the programs have a lot of trouble. But if they are all real, as is the case with a symmetric matrix, the program finds reasonable answers.

For example, run the deflation program for the following matrix:

5	4	3	2	1
4	6	0	4	3
3	0	7	6	5
2	4	6	8	7
1	3	5	7	9

The actual answers are in Fig. 1. The first row holds the eigenvalues in the order they are computed, from largest

to smallest. The column vectors below each eigenvalue are the corresponding eigenvectors.

Figure 2 shows the results returned from the deflation program. The eigenvectors produced by the deflation programs are scaled with respect to the first element. Let's "unscale" them, and compare the computed results with the actual results (see Fig. 3).

Figure 4 shows the error associated with the computed eigenvalues and eigenvectors. The eigenvectors tend to be more accurate the earlier they are computed. The same is also true for the eigenvectors, but the eigenvalues are normally more accurate than the eigenvectors. (I determined the error by subtracting the computed values from the actual values.)

For larger matrices, the deflation method is limited by accumulated round-off error. Since numerical error occurs during deflation, each deflation matrix is in error. This means the coefficients of the deflated matrix are slightly inaccurate.

The next deflated matrix includes

local error produced by deflation, and the error associated with the previous deflation step. This is called accumulated round-off error. It means there is an upper limit on the number of deflations you can do and still come up with a reasonable answer. Certainly, the 10th eigenvalue is suspect. The error accumulates at different rates depending on the nature of the matrix. If the matrix is ill-conditioned, error accumulates more rapidly.

One way out of this mess is to use the deflation method to obtain initial estimates of the eigenvalues and eigenvectors, and then apply the *inverse power method* to get better estimates of the true answers.


The inverse power method works just like the power method. You might recall that the power method finds the largest eigenvalue and its corresponding eigenvector. It is easy to prove that the smallest eigenvalue of a given matrix is the reciprocal of the matrix's largest inverse. After inverting the matrix, you can find the smallest eigenvalue of the original matrix by applying the power

method to it.

With a little trickery, you can use the inverse power method to find any eigenvalue of the original matrix, provided that you have a decent estimate of it (here's where the deflation method comes in).

Let α be the estimate for the i th eigenvalue (it needn't be either the largest or the smallest). Then, if λ is the true value of the eigenvalue in question, $\alpha - \lambda$ should be small. Since the inverse power method finds the smallest eigenvalue of the original matrix (or the largest of its inverse), then $1/(\alpha - \lambda)$ is the largest eigenvalue of the inverse. Thus, applying the power method to the inverse of the matrix shifted by α zeros in on the eigenvalue desired. Rather than invert the matrix A , you would invert the matrix $(A - \alpha I)$, where I is the identity matrix. The matrix $A - \alpha I$ is the matrix A in which the diagonal elements ($A(1,1)$, $A(2,2)$, etc.) all have α subtracted. Then you can invert this matrix, and apply the power method to get a better approximation of the eigenvalue. ■

CONVERT YOUR TRS-80 MODEL-I OR III INTO A DEVELOPMENT SYSTEM



Now you can develop Z-80 based, stand-alone devices such as games, robots, instruments and peripheral controllers, by using your TRS-80 as a development system. The DEVELOPMATE plugs into the expansion connector of your TRS-80 and adds **PROM PROGRAMMING** and **IN-CIRCUIT-EMULATION** capabilities to your system (with or without expansion interface).

Complete instructions and sample schematics are included to help you design your own simple stand-alone microcomputer systems. THESE SYSTEMS CAN BE AS SIMPLE AS FOUR ICs: one TTL circuit for clock and reset, a Z-80, an EPROM, and one peripheral interface chip.

When the In-Circuit-Emulation cable is plugged into the Z-80 socket of your stand-alone system, the system becomes a part of your TRS-80: You can use the full power of your editor/assembler's debug and trace program to check out both the hardware and the software. Simple test loops can be used to check out the hardware, then the system program can be run to debug the logic of your stand-alone device.

Since the program is kept in TRS-80 RAM, changes can be made quickly and easily. When your stand-alone device works as desired, you use the Developmate's PROM PROGRAMMER to copy the program into a PROM. With this PROM, and a Z-80 in place of the emulation cable, your stand-alone device will work by itself.

The DEVELOPMATE is extremely compact: Both the PROM programmer and the In-Circuit-Emulator are in one small plastic box only 3.2" x 5.4". A line-plug mounted power supply is included. The PROM programmer has a "personality module" which defines the voltages and connections of the PROM so that future devices can be accommodated. However, the system comes with a "universal" personality module which handles 2758, 2508 (8K), 2716, 2516 (16K), 2532 (32K), as well as the new electrically alterable 2816 and 48016 (16K EEPROMs).

The COMPLETE DEVELOPMATE 81, for Model I, with software, power supply, emulation cable, TRS-80 cable, and "universal" personality module \$329
DEVELOPMATE 83, Model III version, same as above \$329
PM2 PERSONALITY MODULE for 2732A EPROM \$15
PM3 PERSONALITY MODULE for 2764 EPROM \$15

**ORION
INSTRUMENTS**

172 Otis Avenue, Dept. M, Woodside,
CA 94062
(415) 851-1172

Master Charge and Visa phone orders accepted.
California residents please add 6% sales tax.

The bugbears of Load 80 are Assembly-language programs. You shouldn't be intimidated by them, though—it's easy to run a program labelled /SRC.

To run an Assembly-language program, you must own an editor/assembler. Editor/assemblers are supplied on disk or on tape; buy one that runs on your model TRS-80. If you never use disks, a tape editor/assembler is what you want. If you always use disks, get a disk editor/assembler. If you usually use disks but buy Load 80 on a cassette, you need a disk editor/assembler that supports tape I/O.

Load 80 Cassette: Cassette Editor/Assembler

Following the directions in your editor/assembler manual, load the editor/assembler.

Use your ears to find the beginning of the program you wish to load.

Enter the Load command—it should be some variation of `L file <enter>`. Your editor/assembler manual has the correct syntax.

Play the Load 80 cassette. A good load displays flashing stars in the upper right corner of the screen.

Check the listing. Most editor/assemblers use the command `P#:#` to PEEK at the buffer from beginning (#) to end (*). Check your editor/assembler's manual for proper syntax. The listing should scroll across the screen.

Assemble the listing using the A command. At the Ready Cassette prompt, place a blank cassette in your tape recorder, set it to record, and press the

Meet the bugbears

enter key. The computer then writes the assembled code to your tape.

Use the tape of the assembled code as a system tape. (See your computer manual if you have questions about how to do this.) Read the *80 Micro* article accompanying the Load 80 program to find out more about the program.

Load 80 Cassette: Radio Shack Disk Editor/Assembler

Boot the Editor/Assembler disk. The Editor/Assembler manual's appendix has a section on the TPSRC utility. Read it.

Use your ears to find the beginning of the program you wish to enter.

At the DOS prompt, type TPSRC and press enter. The tape source-code utility is engaged. It offers two options; you wish to engage option 1—read a source tape.

Play the Load 80 cassette. The file name appears at the lower left corner of the screen. When the tape is finished, the TPSRC utility automatically saves the program to disk and creates a new file on your disk named `file/SRC`.

Use the A command to assemble the listing. This creates a file on your disk

named `file/CMD`. This file runs from the DOS prompt just like any other command file.

Read the *80 Micro* article to find out more about the program.

Please note: The Radio Shack Disk Editor/Assembler runs Load 80 Cassette source code.

Load 80 Cassette: Disk Editor/Assembler (Not Radio Shack)

Read your editor/assembler manual

Disk

The Alternate Source

ALE Editor

Models I and III

No Tape I/O

Apparat Inc.

EDTASM

NEWDOS80

No Tape I/O

Computer Applications Unlimited

M-ZAL

Models I and III

32K RAM, Two-Disk System

Allows Tape I/O

Instant Software

Assem/ZSIM

Model I

Allows Tape I/O

Misosys

EDAS-IV

Models I and III with Disk Drives

Allows Tape I/O

Mumford Micro Systems

Instant Assembler (disk version)

Models I and III

Radio Shack

Series 1, Editor/Assembler—Disk

Models I and III

Allows Tape I/O

Needs patch to run Load 80 disks

(see Reload 80, April 1983, p. 404)

Tape

Computer Applications Unlimited

T-ZAL

Model III only

Mumford Micro Systems

Instant Assembler (tape version)

Models I and III

Radio Shack

Series 1, Editor/Assembler—

Cassette

Models I and III

*A Sampling of Editor/Assemblers
(in alphabetical order)*

Index	Page	Article	File Spec	Comments
Side 1				
A			COPYRGHT/BAS	Tape Only
B	120	Muddy Pig Simulator	PIGS/BAS	None
C	226	Attack of the TRS-80	TRS1/BAS	None
D	226	Attack of the TRS-80	TRS2/BAS	None
E	182	Micro-Melodies	MELODY/BAS	None
F	86	Armageddon	ARMAGEDN/BAS	None
G	92	Lost On the Great Barrier Reef	BARRIER/BAS	None
Side 2				
H	268	Light Cycle	LGHTCYCL/BAS	None
I	212	Collegiate Capers	PCHASE/BAS	None
J	256	Strip Blackjack	STRIPBJ/BAS	None

August 1983 Load 80 Directory

to find out how its tape source code utility works. Follow the directions.

Then follow the instructions above for the Radio Shack Disk Editor/Assembler.

Load 80 Disk: Disk Editor/Assembler (Not Radio Shack)

Place your editor/assembler disk in one drive and your Load 80 disk in another. Load your editor/assembler. (See your editor/assembler's manual if you're uncertain about this procedure.)

Use the L (Load) command to load the selected source code program into the editor/assembler.

Use the P command to check the listing you've just loaded. Most editor/assemblers use P#:* to PEEK at the buffer from beginning (#) to end (*).

"Read the 80 Micro article to find out more about the program."

Assemble the listing by using the A command. This will create a new file on your disk named file/CMD.

The assembled program runs from the disk operating system (DOS) prompt according to the author's instructions in *80 Micro*.

Load 80 Disk: Radio Shack Disk Editor/Assembler

To run Load 80 disk source code programs with a Radio Shack Editor/Assembler, use a conversion program. (We published one in *Reload 80*, April 1983, p. 404. It is available on the Load 80 tape or disk, or you can type it in from the listing.)


The Load 80-to-Radio Shack (L80TORS/BAS) program is in Basic and allows single-drive conversions. Run it as you run any Basic program and convert your selected source-code program.

Place your Editor/Assembler disk in one drive and the disk with the selected source-code program in the other.

Follow the directions given above to run a Load 80 disk source-code program with a disk Editor/Assembler.

Please note: You must convert Load 80 disk source-code programs to Radio Shack format to assemble with a Radio Shack disk Editor/Assembler. ■

101 USES FOR A DEAD MICROCOMPUTER no. 6



150 Programs for Business & Home — \$39⁹⁵

For the Radio Shack™ Model I (Tape) Model III (Disk) Computers with 48K

Executive Calculator Software Package

Over 150 user proven programs integrated into a comprehensive software system

Includes Programs For:

- Graphs & Charts
- Real Estate Analysis
- Loans & Investments
- Pricing & Profits
- Plus many others!!!

ALL THIS FOR JUST \$39.95

- Over 150 user-proven programs
- Fully illustrated users guide
- TrsDos speed up utility (Disk only)
- Programs use sound and graphics
- Automatic update privileges

MCS SOFTWARE

809 PARKWAY, CONWAY, AR 72032, 501-327-4443

Order with Confidence by Phone or Mail
Visa / MasterCard welcome

✓393

MODEL 4 DRIVE KITS \$299

MODEL 4 STUFF MODEL 4 COMPUTERS

No charge for shipping on any Compukit Computers
 64K one single headed drive.....~~\$1899~~
 64K two single headed drives.....~~\$1799~~
 64K two double headed drives.....~~\$1999~~
 128K systems add only.....~~\$999.00~~

New low prices!

\$1495.
 \$1695.
 \$1895.
 \$62.95

MODEL 4 64K UPGRADE \$62.95

prime grade pre-tested RAM with instructions

MODEL 4 RS232 KIT \$69.95

completed and tested ready for installation

Model I, III, 4 green phosphor antiglare CRT Kit \$89.

a complete new CRT, not a filter

MODEL 4 DISK DRIVE UPGRADE KITS

All of the Compukit Model 4 Disk Drive Upgrade Kits contain these features that other companies usually do not provide: Switching power supplies * Tandon disk drives * 64K of Model 4 RAM * Sound * and an Easy to Use Installation Manual. Requires only a screwdriver (no soldering) The no drive upgrade kit.....\$299.

One drive upgrade kit.....\$499.
 Two drive upgrade kit.....\$699.
 Two double headed drive kit.....\$899.

MODEL III to MODEL 4 UPGRADE \$750.

Converts your Model III into a Model 4 (except for Cabinet and disk drives). Includes new keyboard, 64K RAM, Sound, and free installation (required). Ship us any working Model III, even if it's not all factory equipment, and get back a Model 4, in your case.

MODEL 4 SOUND UPGRADE \$29.95

No soldering required, Includes instructions

MODEL III COMPUTERS

Limited production Model III's please use our toll free number to call for availability at these prices (120 day Compukit warranty on all of these units)

48K no drive Model III.....\$ 799.
 One drive Model III.....\$1195.
 Two drive Model III.....\$1395.
 Two double headed drive Model III.....\$1595.

MODEL III DISK DRIVE UPGRADE KITS

All of the Compukit Model 3 Disk Drive Upgrade Kits contain these features that other companies usually do not provide: Switching power supplies * Tandon disk drives * 32K of Model III RAM * Compukit Doctor * and an Easy to Use installation Manual. Requires only a screwdriver (no soldering).

The no drive upgrade.....\$279.
 One drive upgrade kit.....\$479.
 Two drive upgrade kit.....\$679.
 Two double headed drive kit.....\$879.

MODEL III RS232 Kit \$69.95

completed and tested ready for installation

TANDON DISK DRIVES

Perfect for replacement or add on drives for any 5" drive system including Model I, III, 4, COCO, IBM PC, LNW, MAX80, and many more.

Single Sided 40 track TM100-1.....\$199.
 Double Sided 40 track TM100-2.....\$299.
 Single case with extender.....\$59.95.
 Dual Case with extenders.....\$89.95.
 Two drive cable.....\$24.95.

ask for a free copy of Doctor Robert's drive Manual with the purchase of any Compukit disk drive or Kit

COLOR COMPUTER DRIVE O

Complete drive O including case and controller card \$449.00

COMPUKIT DOCTOR \$29.95

Disk based diagnostic software package for the Model I, III, and soon the Model 4

COMPUKIT

ordering information

We accept Visa, Mastercard, Wire Transfers, and Certified Checks for quickest shipping. Orders received on personal checks are held for clearance.

1-713-480-6000 order line 1-800-231-6671
 16206D Hickory Knoll, Houston, Texas 77566

COMPLETE MODEL III HARD DRIVE SYSTEM \$1295.

THIS IS NO JOKE. We have a large quantity contract to bring you the highest quality system at the lowest price available. The combination of Tandon Hard Drives and Western Digital's error checking and correcting drive controller board create the backbone of the Hard Drive Specialist System. The balance of the interfacing is by (the) oldest engineering teams in the Model III/ Hard Drive business. Unlike other hard drive companies, we rate a hard drive AFTER format (a 15 Meg drive is actually 19.1 MB before format). These units are fully assembled and tested ready to plug into your computer, all that you need to add is software. Power required 105-130 volts AC 60hz

Dimensions 8-1/4"x6-1/2"x13" (just a little bigger than two regular disk drives)

Model III/ 4 HARD DRIVE SYSTEMS

5 MEG\$1295.
10 MEG.....\$1495.
15 MEG.....\$1695.

Model I/ LNW/ MAX80 SYSTEMS

5 MEG\$1345.
10 MEG.....\$1545.
15 MEG.....\$1745.

Model II, 12, 16 SYSTEMS

5 MEG\$1595.
10 MEG.....\$1795.
15 MEG.....\$1995.

APPLE HARD DRIVE SYSTEMS

(note specs differ from above units)

5 MEG\$1395.
10 MEG.....\$1595.
15 MEG.....\$1795.

IBM HARD DRIVE SYSTEMS

(note specs differ from above units)

5 MEG\$1395.
10 MEG.....\$1595.
15 MEG.....\$1795.

SECONDARY DRIVES

(Ready to plug into any HDS system for added storage capacity)

5 MEG\$ 895.
10 MEG.....\$1095.
15 MEG.....\$1295.

HARD DRIVE PATCHES

Hard drive patches are available for DOSPLUS, NEWDOS, and LDOS, for the Model I,II,4 priced at \$50. each.

HARD DRIVE SPECIALIST

a division of CompuKit

1-713-480-6000 order line 1-800-231-6671
16206D Hickory Knoll, Houston, Texas 77565

NEW PRODUCTS

edited by S.F. Tomajczyk

200-Megabyte Bank

The Bank, Corvus Systems' new microcomputer mass memory device, stores up to 200 megabytes of data on a removable tape cartridge. The unit costs \$2,195, and is available for delivery in September.

Computers perceive The Bank as a Winchester disk drive, which it resembles in size and price. However, it stores data on a continuous loop of 100-track magnetic tape enclosed in a 5½-inch-square cartridge.

Three cartridge sizes are planned—60 Mb, 100 Mb, and 200 Mb, the last with a capacity equivalent to 400 single-sided, double-density floppy disks. The Bank is random-access; individual files are addressed and loaded either onto a disk or into the computer itself.

According to Corvus, the unit will be most popular in network applications, particularly those which require very large amounts of on-line data without exceptional speed. The 200 Mb cartridge takes an average of 10 seconds to find data, then transfers it at up to 60K per second.

The Bank locates files in the order they appear on the tape, not in the order of requests; with a number of users (up to 64 on Corvus' Omninet system) simultaneously accessing files, the continuously looping tape produces access times nearly as fast as a busy Winchester.

Information is available from Corvus Systems Inc., 2029 O'Toole Ave., San Jose, CA 95131, 408-946-7700.

Reader Service ✓566

A Safe Outlet

Four 15-amp, 125 V ac multiple outlet strips are

available from SGL Waber Electric. The strips feature an on/off switch and circuit breaker protection, and are designed to detect dangerous ground fault currents caused by moisture, improper or faulty connections, or worn insulation.

Each strip sells for \$63.40 (four outlets and a 6-foot cord), \$66.70 (four outlets and a 15-foot cord), \$70.45 (eight outlets and a 6-foot cord), and \$73.80 (eight outlets and a 15-foot cord). They are available from SGL Waber Electric, 300 Harvard Ave., Westville, NJ 08093, 609-456-5400.

Reader Service ✓550

New Dot-Matrix Printers

Japan Digital Laboratory (JDL) exports two dot-matrix printers to the U.S. market. Both feature 180- by 180-dot graphics resolution, condensed and expanded characters, and a bidirectional print head. Both printers have an Intel 8085 chip for Centronics parallel and RS-232C serial ports.

The JDL P200 (\$2,149) uses automatic cassette sheet feed; its 16- by 24-dot (single-

pass) matrix prints at 70 cps in elite format, 58 cps in pica format. The friction-feed JDL P700 (\$2,099) also offers a 145 cps data processing mode.

For more information, contact Pacific Technology Services, 332 Pine St., San Francisco, CA 94104, 415-956-3926.

Reader Service ✓567

Five More Tracks

Model I owners who use TRSDOS 2.3 with 40-track drives are wasting 12K of space per disk—the storage difference between 35 and 40 tracks. CVT3540 is software that formats the additional tracks and patches TRSDOS 2.3 to recognize and use the extra capacity.

The operating system continues to work with 35-track disks, and no files are disturbed in formatting tracks 35 through 39. The utility checks the system code to prevent incorrectly patching a nonstandard DOS.

CVT3540 is supplied on cassette for unprotected transfer to disk. It costs \$17.50 from Mysoft Computer Software, P.O. Box 417, Arroyo Grande, CA

93420, 805-481-3992.

Reader Service ✓559

II/12/16 Disassembler

Disassem is a Z80A program that disassembles Model II program files, converting the binary code to Assembly source code. Output takes place through the screen, printer, and/or a source file.

The hold key starts and stops the display scroll. The F1 key orders a printout. Descriptive error messages help trace mistakes.

The program requires 15K of memory. It includes patches for TRSDOS 2.0a that let you disassemble any Radio Shack program file and view the entire memory while using the Debug monitor. With Tandy's Thinline utility, it can be converted to TRSDOS 2.0b for the Models 12 and 16.


Disassem costs \$49.99 from K & S Associates, 202 Park Ave., Bloomfield, CT 06002, 203-243-3321.

Reader Service ✓576

Logic Analyzer

The OmniLogic LA-1680 works with a 48K Model I or III to provide features normally found in logic analyzers costing \$10,000 or more. Its interactive menus and help routines make complex digital analysis easy.

The LA-1680 can collect 1,000 data samples on each of 16 channels. In addition to triggering modes, such as And/Or/Not on data or glitch (with trigger point located anywhere in its 1,000-word sample memory) the unit features triggering modes like absence of repetitive event and delay by event or time (from 1 microsecond to 30 seconds). The system uses internal or external clocks as fast as 20 MHz; both clock and trigger out-



Corvus Bank

DOES STRING COMPRESSION HAVE YOU TIED UP IN KNOTS?

LET TRASHMAN CLEAN UP THE MESS!

THIS PROGRAM IS A MUST FOR EVERYONE WHO USES "BASIC" ON A TRS-80. Why? Because it can reduce BASIC's string compression time delays by 95% or more.



WHAT'S STRING COMPRESSION?

When a BASIC program changes a string (words, names, descriptions), it moves it to a new place in memory, and leaves a hole in the old place. Eventually, all available memory gets used up and BASIC has to push the strings together to free up some space. This takes time. Lots of time. The computer stops running for seconds or minutes, and you may even think it's "crashed".

Yes! String compression is what's been causing all those intolerable delays. The keyboard won't work, and until all the strings have been collected, you just have to sit and wait. Then things run for a while, until string compression is needed again. And again.

If you're using your computer for business, that wastes your money. If you're using it personally, it wastes your time.

WHAT'S THE SOLUTION?

As soon as you start using TRASHMAN, those delays will almost disappear. The program is **very easy to use**, so you don't have to be a computer programmer to take advantage of it. It's written in "machine language" and uses only 578 bytes of memory for itself, plus two bytes for each "string" in your program. It works with other machine language programs and all the major operating systems.

HOW WELL DOES IT WORK?

If you use it with a BASIC program that has only a few strings, very little time is wasted in string compression, and TRASHMAN will be only slightly helpful. But, in programs that use hundreds or thousands of strings, including large string arrays, TRASHMAN is just what you need. If you have any remaining doubts, just look at the chart, and then get yourself a copy as fast as possible.

**TRASHMAN is available on disk
for just \$39.95.**


ATTENTION SOFTWARE PUBLISHERS:

Trashman may be licensed for use with your packages.
Call for details.

# STRINGS	SECONDS DELAY NORMAL	PERCENT IMPROVEMENT TRASHMAN
250	11.8	0.7
500	45.8	1.6
1000	179.6	3.5
2000	713.2	7.8

(All timings done on TRS Model I. Model III 15% faster, but pct improvements identical. Listing of timing program available on request.)

SAVE TIME WITH FASTER



"FASTER" speeds up most TRS-80 BASIC programs by 20-50%. It's helped hundreds of satisfied people and it can help you. Detailed instructions make it easy to use. FASTER analyses your BASIC programs while they run, then displays a simple change, usually one line, that sequences program variables so the ROM will find them faster.

You can use FASTER to speed up programs you've bought, as well as programs of your own. Since it isn't a compiler, your BASIC programs can be read and changed afterwards. FASTER works on business programs, models, and games. The more complex your program, the better the results.

Does FASTER really work? Yes! Just check the reviews in *Personal Computing*, May, 1981, p. 116: "FASTER is effective and easy to use"; *80 U.S. Journal*, April, 1982, p. 106: "I recommend FASTER to everyone"; and *80 MICRO* (April, 1982, p. 48): "If you...would like a significant increase in the run-time speed, then buy FASTER."

FASTER runs on the TRS-80 Models I and III. 16-48K tape or disk, and all major operating systems. **\$29.95**

"QUICK COMPRESS" takes only 276 bytes of memory, and removes the blanks and remarks from even the largest BASIC program in less than 3 seconds. It produces smaller, faster programs without altering their logic. **\$19.95**

SPECIAL: FASTER and QUICK COMPRESS: \$39.95

ERRATIC Disk Drives?

You can avoid unnecessary disk errors and repair bills by using **RPM**. This easy-to-use program measures the rotational speed and fluctuations of your disk drives, and warns you if they are running **too fast, too slow, or unevenly**.

Incorrect or erratic speed is a common cause of unexplained disk errors and loss of data. RPM's documentation explains how to **detect and correct** these problems quickly and easily. As *80 MICRO* (April, 1982, page 41) said: "If your drives have problems I recommend RPM before paying to get it repaired."

RPM is supplied on diskette for the TRS-80 Models I and III. We suggest you order a copy **before** you need it.

\$24.95

**ORDER FROM YOUR LOCAL SOFTWARE
DEALER, OR CALL NOW, TOLL-FREE:**

(800) 824-7888, Operator 422


FOR ORDERS OR INFORMATION CALL:
(213) 764-3131, or write to us.

PROSOFT®

Dept. G, Box 560, No. Hollywood, CA 91603

TERMS: We accept VISA, MasterCard, checks, or even cash. Please add \$2.00 shipping handling within U.S.A. or Canada, and \$5.00 overseas. C.O.D. charge is \$2.00 in U.S. only. We ship within one day of receiving orders. In Calif., add 6 1/2% sales tax.

NEW PRODUCTS



LA-1680 Logic Analyzer

puts can be qualified.

After collection, data is analyzed via several innovative displays ranging from standard timing diagrams to eight-channel maps and histograms. Signature analysis is a newly popular method of digital testing; the LA-1680 derives the hexadecimal signature of 14 test points simultaneously.

All test parameters, data, and time and date can be stored on TRSDOS disk, and all channels can be relabeled for convenience. All displays can be printed.

The unit costs \$1,250 from OmniLogic Inc., P.O. Box 87, Renton, WA 98057, 206-271-2000. A Model I/III demo disk of LA-1680 displays is \$5.

Reader Service ✓568

Custom Screen Utility

Scrnwrtr is a Model I/III utility that lets you design specially formatted screens for use in Basic programs. Once a screen is designed, pressing the enter key saves it to disk; subroutines are included for later recall.

The design process uses a floating, nondestructive cursor controlled by arrow keys. A corner display constantly shows the cursor's numerical location, and the shift and arrow keys move lines of text.

The program costs \$19.95 from K & L Software, P.O.

Box 39093, Northbridge Station, Charleston, SC 29407, 803-552-9990.

Reader Service ✓554

Graphics for LNW

The Chart-Ex program lets LNW80 computers plot high-resolution bar, line, and pie charts on the screen and print them on an Epson MX-70, -80, or -100 printer with Grafrax.

Data is entered from the keyboard or users' VisiCalc or other files. Chart-Ex plots up to three variables, and offers eight printer output selections.

Chart-Ex costs \$89.95 plus \$2.25 postage (California residents add 6.5 percent sales tax). It is available from Erb Computer Systems, 10840

Hunter Ave., Whittier, CA 90601, 213-699-6684.

Reader Service ✓561

Software Library

TRS-80 users, as well as Apple, IBM, Atari, and CP/M buffs, can borrow programs from the Electric Bookshelf, a member-owned collection of microcomputer software. There are no membership fees required to join.

For a membership application and list of available programs, write The Electric Bookshelf, P.O. Box 1409, Norcross, GA 30071.

Reader Service ✓555

Office Dot-Matrix

The Mannesmann Tally MT 1800 is a multifunction printer designed for small business systems with large print runs. Besides offering letter-quality printing at 50 cps and draft work at 200 cps, it operates at a low 52 decibels.

Two letter-quality fonts are included, with additional fonts available in kit form. A graphics option provides three different dot densities and tone gradations from gray to solid black.

A quick-tear assembly allows individual fanfold forms to be removed without

wasting the next form. Automatic front feed controls the printing and formatting of pre-cut forms, and a bottom feed accommodates adhesive labels or heavy paper stocks.

The MT 1800 sells for \$1,995 from Mannesmann Tally, 8301 South 180th, Kent, WA 98032, 206-251-5524.

Reader Service ✓560

Touch Me in the Morning

WattsOut is a 2- by 3-inch anti-static device that attaches to your micro's keyboard and a ground. The words "Touch Me" are prominently displayed on its surface; follow its suggestion before using the keyboard, and charges that could cause data errors and circuit damage are harmlessly drawn away.

According to the manufacturer, WattsOut's \$9.95 price makes it a bargain compared to anti-static mats and sprays. It is available from WattsOut Inc., 2020 S. Oneida #201, Denver, CO 80224, 303-759-3880.


Reader Service ✓562

Hard-Disk Xenix

Aton International has announced support of the multi-user Xenix operating system on Model II, 12, and 16 micros equipped with Tandy's 8- or 12-megabyte hard disks.

Aton CP/M 2.2 allows users to share different operating systems on the same Winchester. CP/M and either Xenix or TRSDOS can be booted up, allowing access to both Xenix's multi-user capability and CP/M's vast software library on one hard disk. Flawed sectors, bad tracks, and other problems are automatically detected and fixed.

The \$279 package includes



Mannesmann Tally Printer

SAVE ON TRS-80'S

100% Pure R.S. Equipment

Portable Model 100, 8K.....	'650
Model 12 1-Drive.....	'2750
Model 12 2-Drive.....	'3499
Model IV 64K 2-Drive.....	'1699
16K Ext. Basic Color Computer.	'275
64K Chips, set of 8.....	'79
Super Pro Keyboard.....	'69

Complete line of:

Verbatim, Televideo, Okidata,
Prowriter

*prices subject to change


The Phone Line
~~~~~

Hwy 11 South

Trenton, Ga.

1-404-657-5104

✓509



WORD  
PROCESSING  
ON YOUR  
TRS-80  
BECOMES  
CHILD'S PLAY

**USING SCRIPSIT**  
by  
William James Haga

**USING SCRIPSIT**  
is a complete and  
easy-to-use guide to

SCRIPSIT—one of the most powerful word processing  
packages available for the TRS-80 Model I or III.  
USING SCRIPSIT is for the first-time user and the  
expert, presenting procedures at every level of difficulty  
in simple-to-follow steps and exercises.

\$21.95

✓305

Look for these WEPKO products at your  
local computer dealer or bookstore.

For more information or to order

direct, call 415-595-2350

and ask for Wendy Moore

(MasterCard and Visa

orders only).



Wadsworth Electronic Publishing Company

6 Davis Drive, Belmont, California, 94002

TRS-80 is a registered trademark of the Tandy Corporation



Hello thayuh. This is Eben Flow, proprietor  
of the Fish or Cut Bait Company, buyer and  
seller of lobstah bait for 49 years. My hobbies  
are collecting linoleum samples, squashing flies  
and playing pac-person on my home computer.

But here on Martinicus Rock, off the coast of  
Maine, the power can be a tad erratic. So, to  
cure the brownout and blackout problems,  
and to keep them spikes and surges off my  
picture tube, I got me a **MAYDAY**  
Uninterruptible Power Supply from SUN  
RESEARCH. Them fellas fixed me up real good  
and real light on my pocketbook, too. Got me  
a **MAYDAY** for my mini-calcaputer with a  
voltage regulator and everything for only 325  
clams. They even included the battery in a nice  
waterproof box. Handy out here, you know.  
Now, if **MAYDAY** would only keep them sea  
dogs out of my barrel. . .

**MAYDAY** - Protection even you can afford!



SUN RESEARCH, INC.  
Box 210  
New Durham, NH 03855  
603/859-7110  
TWX 5102974444

✓285

We review products from every source and carry ALL of THE BEST

# ONE STOP SHOPPING FOR COLOR COMPUTER PRODUCTS

We offer products from:  
Mark Data • Tom Mix  
Micro Works • TDP • Radio Shack  
Book Publishers • Botek • Aardvark  
Motorola • Frank Hogg Laboratories  
Micro Technical • Nanos • Epson • C. Itoh  
Hayes • Signalman • Dugger Growing Systems

We are a TDP dealer with good prices!

**SOFTWARE:** Graphics & Arcade Games! • Adventure Games!  
Home Management • Finance • Word Processing and Mailing Lists • Data Bases  
Modern Software • Assemblers and Editors • Graphics Programming Aids

We have OS-9 Software!

**HARDWARE:** 16K • 32K • 64K Memory Expansions • Printers • Modems • Cables  
Interfaces • Lower Case Adaptors • Disk Drives • Monitors • Computers

**ACCESSORIES:** Books • Ribbons • Service Manuals • Reference Cards • Supplies

Attractive Authorship Program for programmers who want to turn software into cash!

Shipping from stock

Dealer Inquiries Invited

CALL  
OR  
WRITE  
FOR  
COMPLETE  
INFORMATION



**COMPUTERWARE**

Box 668  
Encinitas, CA 92024 • (619) 436-3512

Computerware is a trademark of Computerware.

## FREE SHIPPING

### Epson/Smith-Corona Printers

MX80 \$425.00 FX80 \$550.00 MX100 \$675.00

TRS 80 / Parallel Printer Cable \$29.00

IBM Parallel Printer Cable \$35.00

STAR MICRONICS GENIINI 10 \$ CALL

GENIINI 15 \$ CALL

Smith Corona TP-1 Letter Quality Daisy Wheel \$575.00



**TRS-80 MOD III Disk Controller** Incl. Disk Controller, Power-Supply, Mounting Hardware, Cables & Instruction Manuals \$239.00

**POWER SUPPLIES AND CABINETS** Dual 8" Slim Line - \$100.00 Dual 5 1/4" - \$ 89.00  
Single 5 1/4" - \$ 89.00

3" DUAL DRIVE SUBSYSTEM FOR IBM \$725.00

### Amdak Monitors

Mod 300 Phosphor - \$150.00 Composite Color III - \$345.00  
IBM RGB Compatible Color II - \$599.00 Color I - \$300.00

### IBM/TRS 80 Disk Drives/Cabinets

TM 100 Single 40 Track Drive - \$189.00

TM 100-2 Double 40 Track Drive - \$299.00


TEAC 5 1/4" SLIM SINGLE & DOUBLE DRIVE SUBSYSTEMS \$ CALL

### DATA-MAIL

P.O. Box 818  
Reseda, CA 91335  
1-800-635-5555

VISA, MASTERCARD (\$100 Min., Add 2%) Or  
Certified Check, Ninety Day Warranty,  
(Parts & Labor) TRS is a Registered Trademark,  
Tandy Corp. Prices Subject to Change  
Without Notice. FREE SHIPPING IN  
CONTINENTAL U.S.  
(213) 993-4804 ✓452

## NEW PRODUCTS



RS-232 Multi-Adapter

Aton CP/M 2.2, the hard disk adaptation, and documentation. Xenix must be purchased separately from Radio Shack. A hard disk upgrade for current Aton CP/M owners is \$100.

For more information, contact Aton International Inc., 260 Brooklyn Ave., San Jose, CA 95128, 408-554-9922.

Reader Service ✓569

### RS-232 Multi-Adapter

B & B Electronics' Multi-Adapter has one male and two female RS-232 connectors, with pins 2-25 connected to socket strips. The male connector's LEDs monitor the status of pins 2-6, 8, and 20. Two spare LEDs are connected to their own socket strip; they can connect to any pin.

With 20 jumper wires included, the unit costs \$79.95 plus \$1.75 shipping and handling from B & B Electronics, P.O. Box 475, Mendota, IL 61342, 815-539-5827.

Reader Service ✓551

### Disks Tabs and Boxes

Lewis Computer Supply Co. (38211 Logan Drive, Fremont, CA 94536, 415-792-1531) offers Super Tabs, adhesive disk labels that extend from the drive opening, letting you see which disk is in which drive at all times. The tabs come in six colors, and cost \$2.50 per sheet of 12.

The firm also supplies acrylic disk cabinets with file dividers. A 12-inch file (\$49.95) will hold 90 disks; a 6-inch one (\$34.95) holds 45. Bronze, green, red, or blue cabinets are available for an extra \$3 each.

Reader Service ✓573

### Faster CoCo Cassettes


Fastape is a machine-language utility for the Color Computer that doubles the speed of cassette operations. It allows full use of the CoCo's high-speed mode, can read tapes accidentally saved at high speed, and allows speed mode to be changed with a control key for automatically adjusting cassette and printer parameters.

The program is transparent to Basic, features control-key entry of common Basic commands, and takes only 1/2K of available memory. It sells for \$21.95 from Spectro-Systems, 11111 N. Kendall

June's New Products section gave the bulk wholesale price for Head Computer Products' disk drive cleaning kit (p. 364). The suggested retail price is \$34.95.



## NEW PRODUCTS



Olivetti PR2300

Drive, Suite A108, Miami,  
FL 33176, 305-274-3899.  
Reader Service ✓570

### \$560 Ink-jet Printer

Ink-jet technology, usually reserved for large and expensive printers, is now available in a 12-pound, 15- by 10½- by 4½-inch package costing \$560.

The Docutel/Olivetti PR2300 uses a single-jet printing head to direct carbon particles onto standard paper in a 7- by 7-dot matrix. The paper is sensitized with electric impulses in the form of the desired character or graphics pattern; it attracts and permanently affixes carbon particles to the paper. The process is similar to that used in dry-paper copying machines.

The unit prints all 96 ASCII characters, with seven other symbol or foreign-language sets software selectable. It operates at up to 110 cps at 10, 12, or 15 pitch, with six or eight lines per inch. Normal, compressed, double height, double width, and bold printing are available, as is single or double underlining. Graphics are supported at 110 horizontal and 216 vertical points per inch.

The printer uses a standard Centronics or RS-232C interface. It is sold by Docutel/

Olivetti Corp., 155 White Plains Road, Tarrytown, NY 10591, 914-631-8100.

Reader Service ✓571

### Model III Artistry

Draw (\$29.95) is a graphics and text program on disk for the 48K Model III. It lets you draw designs on the screen using cursor control keys, special commands, and automatic drawing routines, and include text and special characters in the drawing. Displays can be saved to disk and included in other programs.

Printing options include three print sizes, single or double strike, border size, and automatic line, circle, fill in, and overlay. Error messages and "bail-out" routines prevent displays from being spoiled or lost accidentally. The disk includes 10 sample displays.

Kwikdraw (\$74.95) is a fast machine-code version of Draw with expanded features. Routines are included to move, duplicate, and erase figures or text and to move the entire screen with or without wraparound. Material is saved to or retrieved from 10 RAM buffers, and eight menu/help screens are instantly available.

The programs run under TRSDOS 1.3 and support Epson MX printers. They are

Continues on p. 352

# YORK 10<sup>TM</sup> BASF-DPS WORLD STANDARD TAPE



**MONEY BACK  
GUARANTEE**

PREMIUM 5-SCREW  
SHELL FITS ALL  
STANDARD RECORDERS

## COMPUTER GRADE BLANK CASSETTES

DATA TRAC / C-05, C-10, C-20

### CASSETTE STORAGE CADDY

**NEW!**  
ORGANIZE  
YOUR TAPES!  
**\$2.95 EACH**



FINEST QUALITY  
PHILIPS (MORLCO)  
TYPE HARD BOXES



TRACTOR FEED  
DIE-CUT BLANK  
CASSETTE LABELS

**INTRODUCTORY OFFER!**  
ORDER 2 DOZ. CASSETTES AND 1 CADDY  
**GET 1 CADDY FREE!**  
ORDER 4 DOZ. CASSETTES AND 2 CADDIES — GET 2 FREE  
OFFER EXPIRES AUGUST 1, 1983

HERE'S WHAT  
USERS SAY ABOUT YORK 10 CASSETTES:

"We monitored the output to the computer with a specially built meter and found absolutely no dropouts throughout the tape..."  
Stace Papadopoulos  
Beaverton, OR

"It's nice to have a tape you can rely on 100% of the time to perform with such quality. And the fast, courteous service was a pleasant surprise."  
Tom Parkinson  
Madison, OH

"YOU'VE TRIED THE REST,  
NOW BUY THE BEST!"



Call: 213/710-1430

for IMMEDIATE SHIPMENT  
on Credit Card Orders.



**ORDER NOW... YORK 10<sup>TM</sup> Computerware**  
MAIL TO: 24573 Kittridge St., #80 Canoga Park, CA 91307

### ORDER FORM

| ITEM                                      | 1 DOZEN                           | 2 DOZEN                             | TOTAL |
|-------------------------------------------|-----------------------------------|-------------------------------------|-------|
| C-05                                      | <input type="checkbox"/> 7.50     | <input type="checkbox"/> 13.50      |       |
| C-10                                      | <input type="checkbox"/> 8.00     | <input type="checkbox"/> 14.40      |       |
| C-20                                      | <input type="checkbox"/> 10.00    | <input type="checkbox"/> 18.00      |       |
| Hard Box                                  | <input type="checkbox"/> 2.50     | <input type="checkbox"/> 4.00       |       |
| Storage Caddy @ \$2.95 ea.                | Quantity _____                    | Quantity _____                      |       |
| Blank labels                              | <input type="checkbox"/> 4.00/100 | <input type="checkbox"/> 30.00/1000 |       |
| SUB TOTAL                                 |                                   |                                     |       |
| Calif. residents add 6% sales tax         |                                   |                                     |       |
| Shipping/handling 1 doz \$2. 2 doz \$3.50 |                                   |                                     |       |
| 3 doz \$4.50. each additional doz \$5.00  |                                   |                                     |       |
| For Parcel Post instead of UPS ADD \$1    |                                   |                                     |       |
| Outside Continental USA, ADD \$2          |                                   |                                     |       |
| TOTAL                                     |                                   |                                     |       |

Each cassette includes two YORK 10 labels only. Boxes are sold separately. Shipments are by U.P.S. unless Parcel Post requested. Boxes, caddies, and blank labels are free of shipping charges when ordered with cassettes. When ordered without cassettes, shipping charges Boxes—\$1.00/doz Caddies \$1.00 each MINIMUM SHIPPING/HANDLING ON ANY ORDER—\$2.00

Check or M.O. enclosed ☐ Charge to Credit Card: ☐ VISA ☐ MASTERCARD  
☐ PLEASE SEND QUANTITY DISCOUNTS

Card No. \_\_\_\_\_ Exp. \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State/Zip \_\_\_\_\_

Signature \_\_\_\_\_

Computer make & model \_\_\_\_\_ Disk?(y/n) \_\_\_\_\_

# ACCESS UNLIMITED



**FREE! DOSPLUS 3.4\*\***  
disk operating system  
with any Percom or  
Access Unlimited  
1st Drive System  
for the Model III\*

**SAVE \$50.00 on a fully-tested PERCOM  
Disk Drive for Model III\* Reg. \$499.00.  
Now \$449.00 ea or \$750.00 Dual**

Percom's internally-mounted drives, with their widely-acclaimed disk controllers, are completely pre-tested with a 48 hour Burn-in. So, you know it works right when you get it. Choose single or double-density storage capacity.

A First-Drive System includes the four-drive disk controller, one drive, power supply, mounting hardware, cables and a fully-illustrated, easy-to-understand owner's manual.

## MAKE SURE IT'S DONE RIGHT! ... Let Us Install Your First-Drive System

Purchase your Model III\* Drives from us and for \$79.95 plus shipping, you can have our experienced professionals perform a 48-hour burn-in of your Model III\* computer, install the drive system, and check out your expanded system to make sure everything works correctly. Call for pricing of complete Model III\* system with 2 to 4 Access Unlimited or Percom drives.

**Get the best! Our own fully-tested drives\* for  
as low as \$275.00 Model I\***

Every Access Unlimited Floppy Disk Drive is electrically and mechanically tested, then burned-in for 48 hours under operating conditions. The signed test list in your shipping carton is proof of that.

Our floppy disk drives offer you either single or double density. With double-density, it stores up to 364 Kbytes, depending on the format.

AFD40-1 SS/DD-\$275.00  
AFD40-2 Dual SS/DD-\$550.00

TFD 44-1 DS/DD-\$350.00  
TFD 44-2 DS/DD-\$700.00

## "Percom" Quality for your "Model III"

Nothing but the best for your "Model III". Percom internally mounted drive systems: including 4 drive controller with gold edge connectors, double density disk drive or drives, all hardware and cabling. A free copy of DOS Plus 3.4 is also included with every first drive purchase.

TFD 340N1 one drive single sided double-density **\$449.00**  
TFD 340N2 two drive single sided double-density **\$699.00**

## Brand Spankin' New! SALE Dual Headed Drives for the Price of Flippies!

Now you can have a \*dual headed "PERCOM" Drive System for your "Model III!!

TFD344N1 One drive dual headed double-density **\$560.00**  
TFD344N2 Two disk dual headed double-density **\$860.00**

\*completely compatible with programs existing on single sided or double sided diskettes.

## WE HAVEN'T FORGOTTEN THE "MODEL I"!

You have a good system and you just don't want to sell out to a Model III-Upgrade with the Percom Doubler II, the overwhelming favorite double density adapter for over **2 years!** Simply plug the adapter into your expansion interface and run either single or double-density programs. Comes complete with **FREE DOS Plus 3.4** but will also run with LDOS NEW DOS 80 and TRS DOS.

**Upgrade your Model I to Double Density — New Low Price \$129.95**  
For "TRS 80 Model I & III" — Super Utility & V30 — **\$55.45**

**Percom Hard Disk — Quality for your System**

\*works with existing floppy drives

Reg. from \$2495

\*can be daisy-chained up to four hard disks

\*DOS Plus 4.0 or LDOS included **FREE** —

**Now from \$1395.00**

\*Now available for immediate delivery in 5 & 10 megabyte configuration. Can be used for Model II\*, III\*, "Apple II" or "IBM PC" computers.

**SATISFIED GUARANTEED!** If you're not completely satisfied with your Access Unlimited Disk Drive, return it within 15 days for a full refund. All our drives have a comprehensive 90-day limited warranty.

## SPECIALS OF THE MONTH:

### NEW "Star Gemini" Printer

|            |            |                      |                      |
|------------|------------|----------------------|----------------------|
| Dot Matrix | Model 10 — | Reg. \$499.00        | Sale <b>\$399.00</b> |
| 100 CPS    | Model 15 — | Reg. Retail \$699.00 | Sale <b>\$699.00</b> |

### NEW "C-ITOH F-10 Starwriter" Printer

|                       |                       |
|-----------------------|-----------------------|
| Reg. Retail \$2295.00 | Sale <b>\$1595.90</b> |
|-----------------------|-----------------------|

## SPECIAL CLOSEOUT:

### "Brother" HR1 Daisywheel Printer

|            |                               |
|------------|-------------------------------|
| Serial —   | Closeout Sale <b>\$799.00</b> |
| Parallel — | Closeout Sale <b>\$745.00</b> |

### "DIABLO" MODEL 2300 MATRIX PRINTER

#### Close Out Special —

• Rugged, commercial duty • 7x9 dot matrix • High Speed! 200 CPS!

• Top of the line, highest quality

Reg. Retail Price \$2495.00

**CALL FOR OUR SPECIAL PRICE**

### "SILENT SCRIBE" QUIET MATRIX IMPACT PRINTERS

DP-9000A (80 Col, 150 CPS, Graphix™ PLUS) **ONLY \$1625.00**

DP-9501A (132 Col, 150 CPS, Graphix PLUS) **ONLY \$1625.00**

DP-9620A (132 Col, 200 CPS, Graphix PLUS, Enhanced "NLQ" (Print Quality) **ONLY \$1745.00**

### "MPI" GRAPHICS PRINTER

• 150 CPS

Sale, Only **\$1099.00**

### "TRANSTAR" 130P DAISY WHEEL PRINTER

• 16 CPS • Permits full range of word processing functions: proportional spacing, superscript, subscript, underscoring AND true boldface!

Now Only **\$875.00**

### "TI 810" PRINTER-Close Out!

Your Price — Only **\$1200**

"SOUND-TRAP" — Give your Epson, Okidata NEC Star or other likesize printer a nice quiet place of its own.

Only **\$109.00**

## HOT OFF THE PRESSES:

**Inside Personal Computer Disk Storage**

THE Necessary Basic Book, NEW from "Percom"

Only **\$5.95**





## NEW PRODUCTS

Continued from p. 349

sold by Lichen Software, 6603 N. Lee St., Spokane, WA 99207, 208-664-6516.

Reader Service ✓563

### Model III Business Kit

Business Multi-Pack is a collection of programs for the 48K Model III. It includes sales forecasting (arithmetic average, regression analysis, and futures analysis), economic order quantity determination, inventory analysis, and several business utilities. Also included are price determination for a desired profit margin, present and future value of a preset sum, an amortization schedule, and a perpetual calendar.

The disk sells for \$99.95 from Single Source Solution, 2699 Clayton Road, Concord, CA 94519, 415-680-0202.

Reader Service ✓577

### Two High-Resolution Monitors

Two compact display monitors for personal computers are available from Comrex International.


The CR-5400 is a 9-inch monitor with a resolution of 800 lines per inch and a price of under \$200; the 12-inch CR-5600 has a resolution of 1,000 lines per inch and costs less than \$230. Both are offered with a choice of green, yellow-green, or amber images on an anti-glare tube.

For more information, contact Comrex International Inc., 3701 Skypark Drive, Torrance, CA 90505, 213-373-0280.

Reader Service ✓578

### CoCo Communication Course

Introduction to Data Communication is a tutorial for beginners and hobbyists



Comrex CR-5400 Monitor

that explains the fundamental concepts and technical jargon of computer communications.

The lessons are organized into four parts with a test at the end. Topics covered include the RS-232, DB25 connectors, full and half duplex, synchronous and asynchronous data, types of modulation, and direct-connect and acoustic modems. Examples and diagrams are given on screen.

The tutorial runs on a 16K Color Computer. It costs \$17.95 (cassette) or \$22.95 disk, plus \$2 shipping, from Computerware, Box 668, 4403 Manchester Ave., Encinitas, CA 92024, 619-436-3512.

Reader Service ✓564

### Soundplus

Soundplus (\$79.95) is a sound and communications

device for the Models I and III. It connects between the cassette port and up to two cassette recorders, and provides 300 baud serial communications for terminals, printers, modems, and other RS-232C devices.

Its amplifier and speaker reproduce sound from games and other programs, and monitor cassette signals to determine the start of programs and detect data drop-outs. All features are switch-selectable to eliminate cable swaps.

Soundplus measures 5 by 5 by 2½ inches; it is compatible with Radio Shack's cassette communication software or its own communications program, Complus (\$10 to registered Soundplus owners, \$39.95 to others).

It is available from Beaver Electronics, P.O. Box 13291, Salem, OR 97309. Include \$4 shipping and handling for mail orders.

Reader Service ✓558


### Add-a-Voice

16K Color Computer owners can add voice output to Basic programs with Add-a-Voice, a machine-language utility with a vocabulary of 25 digitally recorded words. Extended Color Basic is not required.

Two simple commands select a word and vocalize it through the television speaker. Two sets of words are available: The game set includes words such as "I," "got," and "stop." The quiz set features "yes," "no," "right," and so on. A program with one word set and driver takes only 4K of memory.

Add-a-Voice costs \$14.95 plus \$1 shipping and handling (cassette) from H.I.B., 3505 Hutch Place, Chevy Chase, MD 20815, 301-656-1825 (phone after 6 p.m.).

Reader Service ✓572



Soundplus

# PUT PRICES IN CHECK

|                                                                                                                                                                   |                                                                                                                                                                                                      |                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>RADIO SHACK<sup>®</sup> ★<br/>ZIP BOX RELOADS FOR</p> <p><b>LINE PRINTER<br/>I, II, &amp; IV</b></p> <p>\$2.77 EA    \$29.92 DOZ</p>                           | <p>NEW ITEM<br/>CARTRIDGE RIBBONS FOR<br/>RADIO SHACK<sup>®</sup> ★</p> <p><b>LINE PRINTER<br/>VI &amp; VIII</b></p> <p>\$7.99 EA    \$86.29 DOZ</p>                                                 | <p>CARTRIDGE RIBBONS FOR<br/>RADIO SHACK<sup>®</sup> ★</p> <p><b>LINE PRINTER<br/>III &amp; V</b></p> <p>NEWLY DESIGNED CARTRIDGE</p> <p>\$6.49 EA    \$70.09 DOZ</p> |
| <p>INNOVATIVE<br/>CONCEPTS</p> <p><b>FLIP'N'FILE</b></p> <p>DISC STORAGE BOX<br/>HOLDS UP TO 60 DISKETTES</p> <p>5 1/4"    8"</p> <p>\$24.95 EA    \$29.95 EA</p> | <p>CARTRIDGE RIBBONS FOR<br/>RADIO SHACK<sup>®</sup> ★</p> <p><b>DAISY WHEEL<br/>&amp; DAISY WHEEL II</b></p> <p>MULTI-STRIKE &amp; NYLON</p> <p>\$5.99 EA    \$64.69 DOZ</p>                        | <p>PROTECT ALL<br/>LINE VOLTAGE<br/><b>SURGE<br/>SUPPRESSOR</b><br/>(SIX OUTLET)</p> <p><b>\$39.95</b> EA</p>                                                         |
| <p>CARTRIDGE RIBBONS FOR<br/>APPLE PRINTERS<br/>NEC 8023A<br/>C. ITOH PROWRITER</p> <p>\$9.95 EA    \$107.46 DOZ</p>                                              | <p><b>MEMOREX<br/>DISKETTES</b></p> <p>5 1/4" SINGLE-SIDE DUAL DENSITY<br/>#3481</p> <p><b>\$24.99</b> 10 PACK</p>                                                                                   | <p><b>MAXELL<br/>DISKETTES</b></p> <p>5 1/4" SINGLE SIDE<br/>DUAL DENSITY<br/>MD-1</p> <p><b>\$29.90</b> 10 PACK</p>                                                  |
| <p>CARTRIDGE RIBBONS FOR</p> <p><b>EPSON</b></p> <p><b>MX-80 MX-100</b></p> <p>\$6.99 EA    \$11.95 EA<br/>\$86.29 EA    \$129.06 DOZ</p>                         | <p>RIBBONS FOR</p> <p><b>IDS PRINTERS</b></p> <p>EA    DOZ</p> <p>440    \$2.77    \$29.92<br/>PAPER TIGER    \$6.95    \$75.06<br/>MICROPRISM    \$7.99    \$86.29<br/>PRISM    10.95    118.25</p> | <p><b>LABEL<br/>SPECIAL</b></p> <p><b>\$2.99</b> / K<br/>(5K MIN)</p> <p>1 ACROSS 3 1/2" x 15/16 CONTINUOUS LABELS</p>                                                |

MOST RIBBONS AVAILABLE IN COLORS TOO!  
CALL OR WRITE FOR OUR SUPPLIES CATALOGUE  
ON ORDERS UNDER \$14.00 PLEASE ADD \$3.00 FOR SHIPPING  
MINIMUM RIBBON ORDER \$30.00 OR 1 DOZEN



TOLL FREE 800-343-7706  
IN MASS 617-963-7694  
PHONES OPEN 9AM-7PM EASTERN TIME

**Check-Mate**<sup>TM</sup>

51 DIAUTO DR.  P.O. BOX 103  
RANDOLPH, MA 02368



MASS RESIDENTS  
ADD 5% SALES TAX

\*RADIO SHACK IS A REGISTERED TRADEMARK OF THE TANDY CORP.

## Programmable RS-232 Translator

The PCT-100 is a user-configurable RS-232 interface that uses two bidirectional RS-232 ports and a built-in communications language to perform virtually any translation algorithm.

The unit provides terminal or printer emulation, compatibility and macro-function keys for word processing or other software packages, DEC or IBM family compatibility, type-ahead and data buffering, and baud rate and handshake protocol conver-

sion. A single unit without power supply sells for \$369.

For more information, contact Method Systems Inc., 19751 S. Lakeshore Blvd., Euclid, OH 44119, 216-531-0404.

Reader Service ✓574

## \$19.95 DBMS

Memory Jogger is a database management system for home, personal, or small-business use. Up to six retrieval keywords or identifiers can be specified for each note or record; one or more (using And/Or) keywords ac-

cess information.

The menu-driven program requires a 48K Model I or III with one disk drive. It sells for \$19.95 from Micro Software, 205 Dumaine Court, Suite 105, Fort Walton Beach, FL 32548, 904-862-5588.

Reader Service ✓579

## Making Transparent Sorts Visible

Pulse Software's Transparent Sort program is a graphics demonstration of the Shell-Metzner sort, an efficient Basic sorting subroutine.

Although the subroutine is only 16 lines long, how and why it works can be a mystery to beginning Basic programmers. The Pulse program shows the compare/swap process as it happens, with a display of 26 letters being sorted into alphabetical order. Arrows indicate the letters being compared, and a top-of-screen display shows a continuously updated table of statistics and variables. A comment at the bottom of the screen explains the line being executed.

The Level II program is available on 16K cassette (\$14.95) or 32K disk (\$19.95) for the Models I/III. For more information, contact Pulse Software, P.O. Box 1086, Freehold, NJ 07728.

Reader Service ✓557

## Build Your Own Disks

Dual Density Formatter is a Model I/III disk utility that formats track zero, sector zero in single density and track zero, sector one in double density. The machine-language program requires no hardware modifications.

It sells for \$29.95 from Applied 80 Softwares, 18 Ivy Lane, Cherry Hill, NJ 08002, 609-482-6864.

Reader Service ✓575

## Look Out Below

Subterranean Encounter is an adventure for the Models I and III that combines the standard text format and two-word commands with graphics illustrations of each location.

The objective is to gain access to the wizard's forbidden castle and collect the treasures within. Lots of nasty surprises await on the subterranean levels, and you'll need logic, luck, and a taste for bad puns to survive.

The adventure requires 32K of memory. It sells for \$24.95 (disk) or \$22.95 (cassette) from Toucan Software, 4024 Canonero Court, Fair Oaks, CA 95628, 916-966-4241.

Reader Service ✓552

## Model 16 Spreadsheet

EasyCalc is an electronic spreadsheet program for Model 16s using the TRS-DOS-16 operating system. Written in Cobol, it is designed for fast format planning, so that "what if" questions are answered in minutes rather than hours.


The system features a window mode for data entry and rule modification, and defines rules by columns and rows as well as by individual cells. Multiple spreadsheets can be designed and saved into a menu with password protection.

Since EasyCalc is both command-driven and menu-driven, spreadsheet set-up, data entry, and format and data editing are quick and simple. Its object code takes roughly 50K of memory; finished files require the same amount.

The program sells for \$395 from Datamate Co., 4135 South 100th East Ave., Suite 101, Tulsa, OK 74145, 918-664-7276.

Reader Service ✓553

## DIFFERENT TRACK



Printer-Stilts

Want your printer to stand above the crowd? Put it on Printer-Stilts, a set of four rubber-tipped aluminum legs that elevate an Epson MX-70/80 or MX-100 by several inches. The stilts leave space for several hundred sheets of fanfold paper, and tilt the printer for easy viewing of controls and text.

Installation is a simple matter of inserting the legs into the printer housing recesses. No tools are required. You can have a quadruped Epson for \$9.95 plus \$2 postage and handling from Datatek Inc., Dept. 100, P.O. Box 5956, Shreveport, LA 71135, 318-868-2241. Specify MX-70/80 or MX-100.

Reader Service ✓565

*New Products listings are based on information supplied in manufacturers' press releases. 80 Micro has not tested or reviewed these products and cannot guarantee any claims.*



If you guessed that a Practical Peripherals Microbuffer™ printer buffer saves time, you're right. For the way it works, this inexpensive product is the most practical addition to your microcomputer system ever.

With Microbuffer, you don't have to wait for your printer to finish before you resume using your computer. Data is received and stored at fast speeds, then released from Microbuffer's memory to your printer. This is called buffering. The more you print, the more productive it makes your workflow.

Depending on the version of Microbuffer, these buffering capacities range from a useful 8K of random access memory — big enough for 8,000 characters of storage — up to a very large 256K — enough for 256,000 characters of storage.

Practical Peripherals makes stand-alone Microbuffers for any computer and printer combination,

including add-on units especially for Apple II computer and/or Epson printers. Each has different features like graphics dumps and text formatting besides its buffering capabilities. You can choose one that's just right for your system.

Best of all, they're built to last and work exactly like they're supposed to.

If you're still guessing whether you can afford to have one, talk with any computer dealer. That's the best way to find out how practical a Practical Peripherals Microbuffer is.

**PRACTICAL  
PERIPHERALS**

31245 La Brea Drive  
Westlake Village, CA 91362  
(213) 991-8200

✓ 11

# GUESS WHO HAS MICROBUFFER.™





# THE SWITCH

## SWITCH TO 5<sup>1</sup>/<sub>8</sub>" DOUBLE DENSITY

# LNDoubler 5/8

### FEATURES

- 5- and 8-inch\* disk drives
- Single- & double-density
- Any size and density in any mix
- Read Model I, II\* and III disks
- 5- or 8-inch\* system disk
- Single & double sided disk drives
- DOS+ 3.3.9 included, with Disk BASIC.
- 6 month warranty
- Up to 3.75 megabytes online
- Easy installation - plug-in & run
- Analog phase lock loop data separation
- Precision write precompensation
- Regulated power supply
- Guaranteed operation at 4MHz
- All contacts gold plated
- Solder masked & silk screened
- Runs under DOS+ 3.3.9, TRSDOS 2.3, NEWDOS 2.1, NEWDOS/80 1.0, LDOS, NEWDOS/80 2.0, and ULTRADOS
- Reads 40- and 35-track disks on 80-track drives
- FD1791 controller + your FD1771
- Fits Model I expansion interfaces
- Fits LNW expansion interfaces
- Track configurations to 80-tracks
- 5 inch disk storage increased to:
  - 161,280 bytes - 35-track SS/DD
  - 322,560 bytes - 35-track DS/DD
  - 184,320 bytes - 40-track SS/DD
  - 368,640 bytes - 40-track DS/DD
  - 368,640 bytes - 80-track SS/DD
  - 737,280 bytes - 80-track DS/DD
- 8 inch disk storage increased to:

591,360 bytes - 77-track SS/DD  
1,182,720 bytes - 77-track DS/DD  
SS: single-sided DS: double-sided  
SD: single-density DD: double-density

**COMPLETE** - The LNDoubler 5/8, switches your Model I or LNW-80 into the most versatile computer you can own. The LNDoubler's switch allows you to boot from 5- or 8-inch system disks, and it's accessible from outside the interface. The LNDoubler 5/8 comes with a double-density disk operating system (DOS+ 3.3.9), complete with BASIC and utility programs... ready to run your software NOW!

**VERSATILE** - Whether you want single-sided, double-sided, single- or double-density, 5- or 8-inch operation, complete versatility is here today! Any combination of 5- and 8-inch disk storage is possible with the LNDoubler 5/8. Each of your present 40-track, single-sided 5-inch drives will store up to 184,320 bytes (formatted storage) - that's an 80% increase in storage capacity for only half the cost of just one disk drive. With three 8-inch double-density, double-sided drives your Model I will have 3.75 Megabytes of online storage - that's more storage than a Model II or Model III!

**ADVANCED** - The LNDoubler 5/8 is the most technically advanced, tested and reliable double-density

board you can buy. The LNDoubler 5/8 has more features, more options and more software support than any other product of its kind.



**EASY TO INSTALL** - The LNDoubler 5/8 is easy to install. There are no traces to cut, no wiring to do, just a screwdriver and a few minutes of your time is all that is required. The instructions are fully illustrated for all interfaces. In minutes you will be 'up-and-running', and enjoying your computer as never before.

**COMPARE** - Compare features, compare quality, compare value, and make the SWITCH today!

**Immediate** delivery from stock - at your dealer NOW for only

## \$ 219.95

**DEALERS** - You too can make The Switch.



# LNW RESEARCH CORPORATION

2620 WALNUT Tustin, CA. 92680 (714) 544-5744 (714) 641-8850

\*8" drive operation requires special cable, 8" double-density requires 3.55MHz CPU speed-up modification or LNW-80 4MHz computer. TRS-80 is a trademark of Tandy Corporation.